protocols.io

Geocarto International manuscript data V.2

Pshegusov R.H.[1], Chadaeva V.A.[1]

[1]Tembotov Institute of Ecology of Mountain Territories of Russian Academy of Science, Nalchik, Russia

| 1 | ☊ |

Pshegusov R.H.

DISCLAIMER – FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN RISK

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to protocols.io is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with protocols.io, can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

This paper presents an approach to studying rangeland degradation by integrating remote sensing data, geographic information systems, and ecological niche theory. The document provides information about the source data used in writing the manuscript.

DOI

dx.doi.org/10.17504/protocols.io.5jyl89j77v2w/v2

_____ document ,

Jun 17, 2022

Jun 17, 2022

64792

DISCLAIMER:

This paper presents an approach to studying rangeland degradation by integrating remote sensing data, geographic information systems, and ecological niche theory. The document provides information about the source data used in writing the manuscript.

Identification of degradation factors in mountain semiarid rangelands usingremote sensing data integrated into spatial distribution modelling and ecological niche theory

R code:
"Digression_stady_work.R"
https://www.protocols.io/file/gq32bnyuf.r?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWSNCI5SNCPTWTQQ%2F20220223%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20220223T193146Z&X-Amz-Expires=604800&X-Amz-SignedHeaders=host&X-Amz-Signature=2786b68684724485e72facd35467f206c44a5eab24f8eea3586ccf1004a52163

"interactive map digression stady.R"
https://www.protocols.io/file/gq5tbnyuf.r?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWSNCI5SNCPTWTQQ%2F20220223%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20220223T193146Z&X-Amz-Expires=604800&X-Amz-SignedHeaders=host&X-Amz-Signature=a4e0568f14554f487147a64ff8a74b6a7092c0e91180d369d7eeee7557b175db

working file:
sample
https://www.protocols.io/file/gq5xbnyuf.rar?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWSNCI5SNCPTWTQQ%2F20220223%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20220223T193652Z&X-Amz-Expires=604800&X-Amz-SignedHeaders=host&X-Amz-Signature=422c5f83ff3d3424d1d5ef302d923986d9c9db66f2d2c6631f31a95efa268cdc

digression stage shapefile, calculated by predictive maps

https://www.protocols.io/file/gq5wbnyuf.rar?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWSNCI5SNCPTWTQQ%2F20220223%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20220223T193652Z&X-Amz-Expires=604800&X-Amz-SignedHeaders=host&X-Amz-Signature=92a3b0c61e62bf8165ba2a84339240e62a332ef05298f88f50fca9ca6497eeb7

NOTE: predictor layers too large to be deposited, can be sent upon request.