NOV 14, 2023

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.kqdg3xbzqg25/v1

Protocol Citation: miglesias 2023. RSVAB WGS and GF protocols. **protocols.io** https://dx.doi.org/10.17504/protocols.io.kqdg3xbzqg25/v1

MANUSCRIPT CITATION: Generic novel system for genomic characterization of Respiratory Syncytial Virus obtaining whole genome sequencing and a full-length G and F sequences.

RSVAB WGS and GF protocols

miglesias[1]

[1]Laboratory of Reference and Research in Respiratory Viruses, National Centre for Microbiology, Instituto de Salud Carlos III, 28220 Majadahonda, Spain

miglesias

ABSTRACT

This SOP describes the procedure for generating cDNA from RSV viral nucleic acid extracts and subsequently producing amplicons tiling the viral genome using. We propose two systems for genomic characterization of RSV. First, a novel RSV amplicon-based system for WGS, and second, a method focused on obtaining the specific sequences of the main antigens, G and F.

Protocol status: Working
We use this protocol and it's working

Created: Nov 14, 2023

Last Modified: Nov 14, 2023

PROTOCOL integer ID: 90920

dsCDNA generation:

1

During this step three master mixes will be prepared: MMI, MMII and MMIII.

Materials: **Kit Superscript III First Strand (Invitrogen)**
100% DMSO
RNAseH (Invitrogen)
Klenow fragment 3' ->5' exo (New England Biolabs)
Primer FR26RV-N : 5'GCC GGA GCT CTG CAG ATA TCNNNNNN 3'

Note

This step must be performed in a RNase free, pre-PCR environment in which post PCR RSV amplicons are not present, to minimise risk of sample contamination.

CITATION

Díez-Fuertes F, Iglesias-Caballero M, García-Pérez J, Monzón S, Jiménez P, Varona S, Cuesta I, Zaballos Á, Jiménez M, Checa L, Pozo F, Pérez-Olmeda M, Thomson MM, Alcamí J, Casas I (2021). A Founder Effect Led Early SARS-CoV-2 Transmission in Spain..
LINK
https://doi.org/10.1128/JVI.01583-20

2 **MMI Preparation:**

	A	B
	FR26RV-N (10uM)	2

	A	B
	DMSO	0,5
	Total	2,5 ul

Mix thoroughly by vortexing.

3 **MMII Preparation:**

	A	B
	10x First Strand Buffer	2
	DTT 100 mM	2
	MgCl2 25mM	4
	dNTPs	1
	RNaseOUT	0,5
	SSIII RT	0,5
	Total	10 ul

Kit Superscript III First Strand (Invitrogen)

4 **MMIII Preparation:**

	A	B
	Klenow 5'-3'	1
	RNAseH	0,5
	Total	1,5 ul

5 Defrost extracted RNA.

Maintain **on ice** the MMI,MMII and MMIII mixes.

6 **MMI Amplification:**

Add 5 µL Sample in MMI mix

Place the tube on a thermocycler and run the following program:

	A	B
	65ºC	5 min
	4ºC	2 min

Briefly tube centrifugation

7 **MMII Amplification:**

Addition of 10 µL from MMII in the tube with the MMI and the viral extraction.

Place the tube on a thermocycler and run the following program:

	A	B
	25ºC	10 min
	50ºC	50 min
	85ºC	10 min
	4ºC	∞

Briefly tube centrifugation

8 **MMIII Amplification:**

Addition of 1.5 µL of MMIII into the tube with the previous mixes and the viral extraction

Place the tube on a thermocycler and run the following program:

	A	B
	37ºC	60 min
	75ºC	15 min

Briefly tube centrifugation

9 **STOP POINT**: cDNA can be stored at 4°C (same day) or -20°C (up to a week).

10

Materials:

2x MyTaqRed mix (Bioline)
Primers:

	A	B
	Primer ID	**Sequence (5'-3')**
	Mix 1	
	RSVCombinitial	ACGCGAAAAAATGCGTACWACA
	RSVWGS4R	CATGWTGWYTTATTTGCCCC
	RSVWGS2F	CACTWACAATATGGGTGCC
	RSVWGS1R	TCCATKGTTATTTGCCCC
	RSVWGS3.2F	ACATGGAAAGAYATYAGCC
	RSVWGS2R	CRTTYCTTAARGTRGGCC
	RSVWGS3.2R	TTGCATCTGTAGCAGGAATGG
	RSVCombending	ACGAGAAAAAAAGTGTCAAAAACTAA
	Mix 2	
	RSVCombinitial	ACGCGAAAAAATGCGTACWACA
	RSVWGS1R	TCCATKGTTATTTGCCCC
	RSVWGS8R.2	TCMAWYTCWGCAGCTCC
	RSVWGS5R	CAAACATTTAATCTRCTAAGGC
	RSVWGS6F	TTATAYAGATATCAYATGGGTGG
	RSVWGS6R	CCCTCTCCCCAATCTTTTTC
	RSVCombending	ACGAGAAAAAAAGTGTCAAAAACTAA

Note

The protocol is based in the RSV genome amplification in two separate mixes with two different programs that will be mixed at the end of cycling.

11 Preparation of RSV Amplification Mix 1:

	A	B
	MyTaq Red 2x	15
	H20	8,4
	RSV Combinitial	0,2
	RSVWGS1R (5uM)	0,2
	RSVWGS2F (5 uM)	0,2
	RSVWGSW2R.2 (5 uM)	0,2
	RSVWGS4R (5 uM)	0,2
	RSVWGS3.F (5 uM)	0,2
	RSVWGS3.2R (5 uM)	0,2
	RSV Combending	0,2
	Total	25

12 Preparation of RSV Amplification Mix 2:

	A	B
	2x My Taq Red	15
	H2O	8,6
	RSV Combinitial (10uM)	0,2
	RSVWGS1R (10 uM)	0,2
	RSVWGS5R (10 uM)	0,2
	RSVWGS8R (10 uM)	0,2
	RSVWGS6F (10 uM)	0,2
	RSVWGS6R (10 uM)	0,2

	A	B
	RSV Combending	0,2
	Total	25 ul

13 Addition of 5 µL of the previous prepared double stranded cDNA on each mix.

14 **Amplification protocol Mix 1:**

	A	B	C
	95ºC	1 min	
	95ºC	30 seg	x45
	55ºC	5 min	
	72ºC	2 min	
	72ºC	5 min	
	12ºC	∞	

15 **Amplification protocol Mix 2:**

	A	B	C
	95ºC	1 min	
	95ºC	30 seg	x45
	55ºC	8 min	
	72ºC	2 min	
	72ºC	5 min	
	12ºC	∞	

16 To assess PCR performance, the amplicons can be loaded onto a 1% agarose gel for electrophoresis.

Expected result



17 Finally, mix in one single tube both mixes and proceed to purification and library preparation.

RSVAB GF protocol starting from ds cDNA

18 Due to the significance of achieving accurate RSV genomic characterization, it was developed the RSVAB-GF PCR to complement the genomic coverage of both antigenic major proteins in cases where WGS encounters difficulties, and to provide a simpler and more cost-effective method of obtaining the sequences of both antigens.

19 Materials:

2x MyTaqRed mix (Bioline)

Primers:

	A	B
	OG1-21	GGGGCAAATGCAACCATGTCC
	RSVGF-R	TTCGYGACATATTTGCCCC

20 **Preparation of cDNA GF amplification mix:**

	A	B
	H20	5,5
	2X MyTaqRed	12,5
	OG1-21 (10 uM)	1
	RSVGF-R (10 uM)	1
	Total	20 ul

21 Addition of 5 µL of the previous prepared double stranded cDNA on the mix.

22 **Amplification protocol cDNA GF:**

	A	B	C
	95ºC	1 min	
	95ºC	30 seg	x35
	60ºC	3 min	
	72ºC	2 min	
	72ºC	5 min	
	12 ºC	∞	

RSVAB GF protocol starting from viral extraction

23 Materials:
Qiagen OneStep RT-PCR kit.
Glycerolised 1% H20

24 **Preparation of GF amplification mix:**

	A	B
	H20gly	10
	5xQ PCR MM	6
	dNTPs	1
	OG1-21 (10uM)	1
	RSVGF-R (10 uM)	1
	RT-PCR mix	1
	Total	20 ul

25 Addition of 10 µL of the viral extraction

26 **Amplification protocol GF:**

	A	B	C
	48ºC	60 min	
	95ºC	15 min	
	95ºC	30 seg	x 35
	60ºC	3 min	
	72ºC	2 min	
	72ºC	5 min	
	12ºC	∞	