May 15, 2024 Version 2

10% Tween 20 V.2

DOI
dx.doi.org/10.17504/protocols.io.ewov18m7pgr2/v2

Allen Institute for Brain Science[1]

[1]Allen Institute

Allen Institute for Brain Science
Tech. support
Click here to message tech. support

Allen Institute
Allen Institute

DOI: dx.doi.org/10.17504/protocols.io.ewov18m7pgr2/v2

Protocol Citation: Allen Institute for Brain Science 2024. 10% Tween 20. **protocols.io** **https://dx.doi.org/10.17504/protocols.io.ewov18m7pgr2/v2**Version created by **Allen Institute**

Protocol status: Working
We use this protocol and it's working

Created: May 05, 2020

Last Modified: May 15, 2024

Protocol Integer ID: 99877

Keywords: RP0007, surfactant, immunohistochemistry,

Abstract

This protocol is used to prepare 10% Tween 20. Tween 20, when added to aqueous solutions acts as a surfactant, decreasing the surface tension of the solution. It also punches holes in membranes, allowing easier penetration of macromolecules into cells and organelles, and reduces non-specific binding of antisera in immunohistochemistry.

Note: Research reported in this publication was supported by the National Institute Of Mental Health of the National Institutes of Health under Award Number U19MH114830. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

Attachments

DOC

RP0007_10_Tween_20.d..

58KB