

VERSION 2

JAN 30, 2023

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.5jyl89o36v2w/v2

Protocol Citation: Kenneth Schackart 2023. Set Up Biodata Resource Inventory in Google Colab. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.5jyl89o36v2w/v2> Version created by Kenneth Schackart

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Jan 30, 2023

Last Modified: Jan 30, 2023

PROTOCOL integer ID:
 76105

🌐 Set Up Biodata Resource Inventory in Google Colab V.2

Kenneth Schackart¹

¹University of Arizona



Kenneth Schackart
 University of Arizona

ABSTRACT

This protocol will guide you on how to get everything in place to update the Biodata Resource Inventory.

This protocol describes how to setup Google Colab, connect your Google Drive, and clone the repository.

Some of the information here came from the following article:
<https://medium.com/analytics-vidhya/how-to-use-google-colab-with-github-via-google-drive-68efb23a42d>

MATERIALS

An active Google Drive account.
 An active GitHub account.

Prepare Google Drive

- 1 In your Google Drive home directory, create a new folder called GitHub.

Inside the GitHub folder, create another folder called biodata_resource_inventory.

Connect Colab to Drive

- 2 Go to [Google Colab](#).

If you need to change the account you are using, close the pop up by clicking Cancel at the bottom right. Change your Google account by clicking the icon at the top right.
- 3 A menu will pop up. At the bottom right, select: "New Notebook"

- 4 In the cell, paste or type the following:

```
from google.colab import drive  
drive.mount('/content/drive')
```

Click the "run" button to the left of the cell or run with ctrl+enter

You will be prompted to allow Google Colab to access your Drive, say yes.

Note

Do not try to change accounts at this stage, it will cause an error. If you need to change your account, go back to step 2.

- 5 Create a new code chunk by clicking "+ Code" under the top-left banner. In that cell paste or type the following, then run:

```
%cd /content/drive/MyDrive/GitHub/
```

This has changed your current directory to GitHub.

Note

If you named the folders something else, you will need to modify the above command to reflect the actual folder names.

Create GitHub Access Token

6 Go to [GitHub](#).

Go to *Settings*, navigate to *Developer settings* and click on *Personal access tokens*.

7 Click *Generate new token* button on the top right corner of the page.

8 Click the *repo* checkbox under *Select scopes*.

9 Click the *Generate token* button at the bottom of the page.

10 You have now created a new access token. Copy the token to your clipboard. **Do not close this page yet.**

Safety information

Do not share this access token.

Clone the Repository

- 11 Go back to your Colab Notebook, create a new Code cell, and enter the following, pasting your access token into the quotations, then run:

```
git_token = ''
```

- 12 Create a new code cell and paste or type the following, then run:

```
!git clone  
https://{git_token}@github.com/globalbiodata/inventory_2022
```

And cd into the repository:

```
% cd inventory_2022
```

Note: During development, the main branch is mostly empty. To switch to the development branch run the following in a code cell:

```
# Switch to development branch if desired  
!git checkout inventory_2022_dev
```

Congrats! You now have linked Google Colab to GitHub for access to their API, and you have cloned the repository into your Google Drive. You can now close the page with your access token.


Running the pipelines

- 13 You can now access all the files in the repository via traditional Google Drive.

- 14 You will find two notebooks in the repository:

- `running_pipeline.ipynb`: This allows reproduction of the original results
- `updating_inventory.ipynb`: This guides you to update the inventory

Each notebook provides instructions on their respective process, and includes already filled-in



code chunks. So you should have to do little more work to run those pipelines.