

Sep 26, 2024

16S Arc 109F-934R

DOI

dx.doi.org/10.17504/protocols.io.n92ldkq9v5br/v1

Eva Petrova¹, Roey Angel¹

¹Institute of Soil Biology and Biogeochemistry, Biology Centre CAS

SoWa RI Anaerobic and Molecular Microbiology (public)

Tech. support email: eva.petrova@bc.cas.cz



Eva Petrova

Soil and Water Research Infrastructure

OPEN  ACCESS



DOI: **dx.doi.org/10.17504/protocols.io.n92ldkq9v5br/v1**

Protocol Citation: Eva Petrova, Roey Angel 2024. 16S Arc 109F-934R. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.n92ldkq9v5br/v1>

Manuscript citation:

1. Grosskopf R, Janssen PH, Liesack W. Diversity and structure of the methanogenic community in anoxic rice paddy soil microcosms as examined by cultivation and direct 16S rRNA gene sequence retrieval. Appl Environ Microbiol. 1998;64:960–9.

<http://aem.asm.org/cgi/content/abstract/64/3/960>

2. Miyashita A, Mochimaru H, Kazama H, Ohashi A, Yamaguchi T, Nunoura T, et al. Development of 16S rRNA gene-targeted primers for detection of archaeal anaerobic methanotrophs (ANMEs). FEMS Microbiol Lett. 2009;297:31–7.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1574-6968.2009.01648.x/full>

License: This is an open access protocol distributed under the terms of the **[Creative Commons Attribution License](#)**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: May 24, 2018

Last Modified: September 26, 2024

Protocol Integer ID: 12411

Keywords: PCR, Archaea, 16S rRNA gene

Abstract


Amplification of the marker gene 16S rRNA for general Archaea using primers 109F-934R.

| | | |
|----------|----------------------------|--|
| 109F or | ACK GCT CAG TAA CAC GT | (target seq. 109 – 125) Grosskopf et al. (1998), |
| 109F-mod | AHD GCT CAG TAA CAC RT | (target seq. 109 – 125) Miyashita et al. (2009) |
| 934R | GTG CTC CCC CGC CAA TTC CT | (target seq. 915 – 934) Grosskopf et al. (1998) |

Expected fragment size: 791bp

Materials

MATERIALS

 GoTaq® Flexi DNA Polymerase **Promega Catalog #M830**



PCR mixture

1

| Reagent | Final. conc. | 1 tube (50µl) | 1 tube(25µl) | 96 tubes (25µl x100) |
|------------------------------|--------------|---------------|--------------|----------------------|
| PCR H ₂ O | | 27.7 | 13.85 | 1385 |
| GoTaq®Flexi 5x Green Buffer | 1x | 10 | 5 | 500 |
| dNTP mixture (2.0 mM each) | 0.2mM | 5 | 2.5 | 250 |
| MgCl ₂ (25 mM) | 1.5mM | 3 | 1.5 | 150 |
| BSA (20 µg/µl) | 0.8 µg/µl | 2 | 1 | 100 |
| 109f/109f-mod (25 µM) | 0.25 µM | 0.5 | 0.25 | 25 |
| 934r (25 µM) | 0.25 µM | 0.5 | 0.25 | 25 |
| Go Taq Flexi polymerase | 1.5U/50 µl | 0.3 | 0.15 | 15 |
| Template | | 1 | 0.5 | 0.5 x 100 |
| Final volume | | 50 | 25 | 2500 |

PCR program

2

1. 94°C – 4'
2. x 28 - 32 {
 - a. 52°C – 30"
 - b. 72°C – 45"
 - c. 94°C – 30"}
3. 52°C – 30"
4. 72°C – 10'