May 14, 2024 Version 3

4% PFA + 2.5% Glutaraldehyde Fixative V.3

DOI
dx.doi.org/10.17504/protocols.io.dm6gpr15dvzp/v3

Allen Institute for Brain Science[1]

[1]Allen Institute

Allen Institute for Brain Science
Tech. support
Click here to message tech. support

Allen Institute
Allen Institute

DOI: dx.doi.org/10.17504/protocols.io.dm6gpr15dvzp/v3

Protocol Citation: Allen Institute for Brain Science 2024. 4% PFA + 2.5% Glutaraldehyde Fixative. **protocols.io** **https://dx.doi.org/10.17504/protocols.io.dm6gpr15dvzp/v3**Version created by **Allen Institute**

Protocol status: Working
We use this protocol and it's working

Created: June 03, 2020

Last Modified: May 14, 2024

Protocol Integer ID: 99811

Keywords: RP0229, tissue, electrophysiology, reagent preparation,

Abstract

This protocol is used to prepare 4% Paraformaldehyde (PFA) + 2.5% Glutaraldehyde Fixative. This is utilized to fix the tissue after electrophysiology recordings.

Note: Research reported in this publication was supported by the National Institute Of Mental Health of the National Institutes of Health under Award Number U19MH114830. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

Attachments

RP0229_4_PFA_2_5_Glu.
..
63KB