





Mar 16, 2022

© DEMoNS protocol for measurement and analysis of eye movements V.3

Jenny Nij Bijvank¹

¹Amsterdam UMC

1



protocol.



For questions, send an email to info.demonsprotocol@gmail.com or vanrijn@amsterdamumc.nl

The complete protocol and instructions on measurement and analysis of eye movements with the DEMoNS protocol.

Quantitative saccadic testing is a non-invasive method of evaluating the neural networks involved in the control of eye movements. The DeMONS protocol is a standardized and reproducible protocol for infrared oculography measurements of eye movements and analysis, which can be applied for various diseases in a multicenter setting. In the accompanying manuscript in PLoS ONE, descriptive and reproducibility values are listed of all parameters.

Jenny Nij Bijvank 2022. DEMoNS protocol for measurement and analysis of eye movements. **protocols.io**

https://protocols.io/view/demons-protocol-for-measurement-and-analysis-of-ey-b6c2raye

Jenny Nij Bijvank

protocol

Nij Bijvank JA, Petzold A, Balk LJ, Tan HS, Uitdehaag BMJ, Theodorou M, et al. (2018) A standardized protocol for quantification of saccadic eye movements: DEMoNS. PLoS ONE 13(7): e0200695.

https://doi.org/10.1371/journal.pone.0200695

More automated import and analysis

eye tracking, saccades, eye movements, fixation, infrared oculography

_____ protocol,



Mar 16, 2022

Mar 16, 2022

59514

For instructions on analysis with the accompanying matlabfiles, read the instructions and standard operation procedures (SOPs)

For questions, send an email to info.demonsprotocol@gmail.com or vanrijn@amsterdamumc.nl

Protocols and instructions

1 Measurement and analysis protocol, and instructions on analysis and import files in Matlab.

The Eyelink measurement is created in the Experiment software of SR research and can therfore only be used with an Eyelink (SR Research) eyetracker. These zipped files contain the folders of the developed experiment.

For other eyetracker, the experiment has to be created as indicated in the measurement protocol .pdf file

- Summary analyis with DEMoNS protocol 16032022.pdf
- DEMoNS measurement protocol 08juli2015.pdf
- **DEMONS** analysis protocol 08022022.pdf
- @ SOP_importfiles_eyetracking_08022022.pdf
- SOP_Matlab_analysis_08022022.pdf
- @ SOP_Visualization_eyemovementdata_08022022.pdf
- 2 Matlabfiles needed for automated import of data in Matlab (see document 'SOP_importfiles_eyetracking_08022022')
 - () Import_split_data_fromtextfile.m
 - (l) importfiletotal.m
- 3 Matlabfiles needed for automated analysis of eye moveement data in Matlab (see document 'SOP_Matlab_analysis_08022022')
 - Anti_data_variablenames.m
 Anti_main.m
 Anti_output.m
 - Anti_parameters.m
 Anti_write_data.m
 ASerrordeg.m

```
    Double_write_data.m

    Double_parameters.m

    DSerrordeg.m

(i) Express_data_variablenames.m (ii) Express_main.m

@ Express_output.m

(i) Express_parameters.m
                      (i) Express_write_data.m (ii) eye_signal.m

    Filter_gaze.m

| | Fix_data_variablenames.m | | | Fix_main.m |
                                                       (i) Fix_output.m
(i) Fix_parameters.m | (i) Fix_stability.m | (ii) Fix_write_data.m
Main_script_autoanalysis.m | pixtodegX.m | pixtodegY.m

    Prosac_data_variablenames.m
    Prosac_main.m

    Prosac_output.m

    Prosac_parameters.m

   Repeat_output.m

    Repeat_parameters.m

    Repeat_write_data.m

    xlsappend.m
```

4 Matlabfiles needed for visualization of eye moveement data in Matlab (see document 'SOP_Visualization_eyemovementdata_08022022')

```
      () BCEA68calc.m
      () meanangle.m
      () Plot_doubleXY.m
      () plot_error_ellipse.m

      () Plot_filt_all.m
      () Plot_filt_all.m
      () Plot_graph_all.m
      () Plot_vergence.m

      () Plot_XY.m
      () prodmomcorr.m
      () scatterfit.m
      () XY_radcircle.m
```