

DEC 14, 2023

ROTAROD PROTOCOL

Michael Lee¹

¹University of Minnesota

Team Lee



DISCLAIMER

OPEN ACCESS



DOI:

dx.doi.org/10.17504/protocol s.io.eq2lyn2ywvx9/v1

Protocol Citation: Michael Lee 2023, ROTAROD PROTOCOL. protocols.io https://dx.doi.org/10.17504/p rotocols.io.eq2lyn2ywvx9/v1

License: This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use. distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working We use this protocol and it's working

Created: Jun 04, 2022

Last Modified: Dec 14, 2023

https://dx.doi.org/10.17504/protocols.io.eq2lyn2ywvx9/v1

DISCLAIMER - FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN **RISK**

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to protocols.io is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with protocols.io, can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

ABSTRACT

This protocol details the rotarod test.

ATTACHMENTS

452-953.docx

Oct 14 2023

PROTOCOL integer ID:

63847

Keywords: Rotarod, Ramp Duration, Acceleration, ASAPCRN

Funders Acknowledgement:

ASAP

GUIDELINES


Overview

- Run groups of up to 5 animals, in a maximum of 4 groups in a single run of 4 trials (i.e. must have ~15-20 min between trials).
- Run 4 trials for every animal each day for 4 days.
- Detailed records should be kept on every experiment, noting date, timing, subject test order, procedural details followed and any relevant observations pertaining to the assay (e.g. specific behavior or procedural errors).

MATERIALS

Materials

Rotarod



6	Reverse → No.
7	Press Alt → Speed and set to a max. of 50 (default is 80).
8	Press Forward, and set to a min. speed of 5.
9	Press Reset for rotation (without acceleration).
10	Place animals of rotating rod by holding their tail (use a gentle sweeping motion to place animal).
11	Make sure paddles are up and the time is set at 0 for all animals.
12	Press Start.
	Note
	 Trial is complete when animal falls onto paddle (press paddle down to stop time if animal does not) or when the animal completes two consecutive rotations (can let animal continue if they

- etes two consecutive rotations (can let animal continue if they recover after one rotation within 6-10 steps).
- Record the maximum time and number of rotations for each animal.
- To see data from most recent trial hit ESC (do not remove paddles before checking date when using this feature),

Clean-up 13 Note Note: Before pressing reset, clean between each trial by spraying a paper towel with 70% ETOH and letting the rod rotate against it (do not press down on the rod). Remove the paddles and clean any animal droppings and urine. 14 Place paddles back on Rotarod. 15 Press Reset. 16 Place next group of animals on rod. 17 Flip paddles upward.

Press Start.

18

Data

For each day, calculate the average time and average number of rotations over the 4 trials for each animal.