

Aug 27, 2025

## Case Selection

 In 1 collection

DOI

[dx.doi.org/10.17504/protocols.io.14egn34qq15d/v1](https://dx.doi.org/10.17504/protocols.io.14egn34qq15d/v1)

Chase Carver<sup>1</sup>

<sup>1</sup>Mayo Clinic



Chase Carver

Mayo Clinic

---

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.14egn34qq15d/v1](https://dx.doi.org/10.17504/protocols.io.14egn34qq15d/v1)

**Protocol Citation:** Chase Carver 2025. Case Selection. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.14egn34qq15d/v1>

**License:** This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

We use this protocol and it's working

**Created:** September 29, 2023

**Last Modified:** August 27, 2025

**Protocol Integer ID:** 88603

**Keywords:** selection for brain tissue collection, basis for aged mouse acquisition, aged mouse acquisition, brain tissue collection, case selection, selection, mouse, case selection this protocol

**Funders Acknowledgements:**

NIH Cellular Senescence Network

Grant ID: UG3 CA275669-01

## Abstract

This protocol provides the basis for aged mouse acquisition and selection for brain tissue collection.



## Case selection of aged mice

---

- 1 C57BL/6 Mice were acquired from the National Institute of Aging between 20-22 months old. The mice were housed in the vivarium for at least 2 weeks prior to tissue collection. Mice that demonstrated severe dermatitis were excluded from the study. Mice that exhibit overt splenomegaly at the time of necropsy are excluded from further analysis. Age at time of necropsy was 23-24 months old.