Test protocol II V.4

Abby Moore[1]

[1]University of Georgia

4

Nov 16, 2021

protocol .


Abby Moore
University of Georgia

This is a test protocol

Here's an protocol reference:

test_protocol1
by Abby Moore,
University of Georgia

PREVIEW RUN

Here's a citation:

Edison AS, Colonna M, Gouveia GJ, Holderman NR, Judge MT, Shen X, Zhang S (2021). NMR: Unique Strengths That Enhance Modern Metabolomics Research.. Analytical chemistry. https://doi.org/10.1021/acs.analchem.0c04414

Abby Moore 2021. Test protocol II. **protocols.io** https://protocols.io/view/test-protocol-ii-bz5gp83w Abby Moore

This is the reason that I changed my protocol.....

protocol ,

Nov 16, 2021

Nov 16, 2021

55176

Responsibilities....

100% methanol **Contributed by users** Step 2

Avance III 600 MHz
nuclear magnetic resonance spectrometer
Bruker **unknown**

1.5 ml Plastic Tubes **Contributed by users**

NMRBox
source

Metabolomics Workbench ST001726: Long term metabolomics refrence

test_protocol1
by Abby Moore,
University of Georgia

PREVIEW RUN

This is what you should know before you start

test_protocol1
by Abby Moore,
University of Georgia

PREVIEW RUN

1 Use 80:20 MeOH:H2O for this step. This is not easy to access by machine.

2

If you haven't already, make a solution with the following components:

[M] **80 % volume** ☒ 100% methanol **Contributed by users**

[M] **20 % volume** ☒ Water, uHPLC grade **Contributed by users**

3

If you haven't already, make a solution with the following components:

[M] **80 % volume**

☒ Methanol Optima™ LC/MS Grade Fisher Chemical **Fisher Scientific Catalog #A456-4**

[M] **20 % volume**

☒ Water Optima™ LC/MS Grade Fisher Chemical™ **Fisher Scientific Catalog #W6-4**

4

Use this piece of equipment:

Eppendorf™ 5810R Centrifuge
Centrifuge
Eppendorf **02-262-8187**

5