




VERSION 1

MAY 13, 2023

NCEM Drop conventional (TM-014) V.1

sandra.crameri¹

¹CSIRO ACDP



sandra.crameri

ABSTRACT

Standard routine conventional negative contrast EM.

OPEN  ACCESS

DOI:

dx.doi.org/10.17504/protocols.io.36wgqjx95vk5/v1

Protocol Citation: sandra.crameri 2023. NCEM Drop conventional (TM-014).

protocols.io

<https://dx.doi.org/10.17504/protocols.io.36wgqjx95vk5/v1>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: May 13, 2023

Last Modified: May 13, 2023

PROTOCOL integer ID:
81818

HEADER


1 SAN:

SPEC No:

OPERATOR:

Conventional

11m

2 Adsorb  10 μ L sample to grid  00:10:00 , visually inspect to ensure sample does not dry out in this time. 10m

3 Drain excess sample from grid using filter paper, leave wet.

4 Stain  nano-W Contributed by users Catalog ##2018-5ML  00:01:00 1m

5 Drain & dry using filter paper