



S3: Step-by-step-guide using Blender in the work flow. V.2


Paul Kalke¹, Conrad Helm¹

¹Department of Animal Evolution and Biodiversity, University of Goettingen, Goettingen, Germany

Version 2 ▼

Nov 02, 2022

1 Works for me

 Share

dx.doi.org/10.17504/protocols.io.rm7vzynk5lx1/v2

 Paul Kalke

ABSTRACT

Step-by-step-guide how to use Blender to analyse and visualize your segmented structures, for example exporting it as a video as mp4-file.

DOI

dx.doi.org/10.17504/protocols.io.rm7vzynk5lx1/v2

PROTOCOL CITATION

Paul Kalke, Conrad Helm 2022. S3: Step-by-step-guide using Blender in the work flow.. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.rm7vzynk5lx1/v2>
Version created by Paul Kalke



LICENSE

————— This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

CREATED

Nov 02, 2022


LAST MODIFIED

Nov 02, 2022

PROTOCOL INTEGER ID

72202

1




- Open Blender
- Choose under *New File – General*
- Delete the cube
- Now go to *File – Import-Stanford (.ply)*

2


Moving in Blender and Hotkeys --> <https://www.youtube.com/watch?v=TPrnSACitJ4>

3




- Your object/mesh is very large in Blender, change under *Object Properties* the Scale of X, Y and Z from 1 to 0.01

4




- now import all your objects into Blender the same way
- you can put them everywhere, **BUT** change the Location in the working space of X,Y and Z to 0 before you save

5




- otherwise it is nearly impossible to get them together properly, start again if that happened to you
- save now everything as Blender-file

6




- to manipulate objects properly close all objects instead of one in the *Scene Collection* on the top right window
- if you want to smooth your whole object change from *Object Mode* to the *Edit Mode* (top left corner) and *Select all* – HotKey: A
- Right mouse button (r mb) – *Smooth Vertices*, this can be repeated multiple times

7




- if you plan to sculpture your mesh it is necessary to increase the number of vertices again, at least locally
- in *Edit Mode* choose *Circle select* (Hotkey: C) under *Select*
- now you can select with the Left mouse button (l mb) or erase selection by pressing the mouse wheel (mw)

8




- if you are happy with your selection press **r mb** – *Subdivide*
- this step can be repeated multiple times

9



- as a result you get a local multiplication of vertices you can manipulate in the next step
- Use as few as possible Vertices for your project!**


10



- Change from *Layout* to *Sculpting* to give your surface the structure you want:
- In this case we exemplarily used the original data as a template and added muscle fibers
- If you want to cut your objects later check for overlapping surfaces --> it might be difficult to make bigger adjustments later (see *Boolean Modifier*, *Cutting*)


--> Also see: <https://www.youtube.com/watch?v=VYyUIQO-kYE>

11




- Now it is possible to clean up the meshes of your objects
- Change to *Edit Mode*, go to *Mesh-Clean Up-Delete Loose*
- > Which delete loose vertices, edges and faces

12




•Now go to ...- *Decimate Geometry* and simplify your mesh again

13




•Choose a ratio for the simplification
-In the example the number of vertices is highly decreased

14




- If you want to colour your object individually by painting patterns, camouflage etc. ... you can change from *Object Mode* to *Vertex Paint*
- When you use *Workbench* as Render Engine (*Render Properties*) your individual coloration will be kept for Render

15




- If you like to colour your objects in consistent colours change to *Object Mode* and choose your respective colour under *Material properties*
- Don't use *Use Nodes* for that (*Workbench*)
- If you use *Workbench* as Render Engine the coloration will be kept that way
- If you want to use *Eevee* or *Cycles* you have a lot more to configure
- You can check the appearance of your objects in the Render by choosing the *Viewport Shading* (left to the Scene collection)- *Display render preview*

16




- Now every object is coloured

17




- You can also change *alpha* to show a structure more transparent (in our example the so called “olfactory chamber” of the amphinomid nuduchal organ)

18




- As a result you can see the “sensory cells” (pink) inside the “olfactory chamber” (blue)

19




- As Render Engine *Eevee* is default
- If you change *Viewport Shading* to *Display render preview* it looks like shown here

20



- Go into *Scene Collection* to *Render Properties* and change to *Workbench*

21




- It might happen you have to adjust the alpha again under *Material Properties*

22

- Now our structure of interest (here the nuchal organ) is coloured, sculptured and ready for animation
- In this example we used modifications of what we think this workflow should provide
- > Finally we want to show how to do a rotating video of the nuchal organ of *Paramphinoe* sp.
- > In this video we want to show the entire nuchal organ and a cutted version of it, to get a better view of the internal morphology
- > Therefore we have to arrange the scene

23




- To duplicate your objects go to *Edit Mode* and select all
- R mb – *Duplicate objects* or Hotkey shift+D
- The object/s now follow your cursor till you click the L mb
- R mb – Join or Hotkey ctrl + J

24




- Now you have a second but joined version of the structure of interest
- Go to the top right window Scene Collection and add a *new Collection*

25




- Rename your joined objects inside the *new collection* (Collection 2)
- For the recording we put the joined and the unjoined (later cut) version of the nuchal organ at the exact same position
- You can make each Collection or object *visible* or *invisible* by checking or unchecking the eye button in the Scene Collection

26




- For the next step, the cutting of the nuchal organ in half it might be helpful to do the following steps as a preparation
- In *Edit Mode* select two meshes and go to *Mesh-Separate-By Material*
 - You can repeat it for all meshes or just select all of them in ones, but it makes it slightly more chaotic
 - If you choose *...by Loose Parts* all not connected parts of your mesh will be listed separately in the *Scene Collection*, an easy way to get rid of loose parts/vertices or faces in your

29




- We use the *Boolean Modifier* to subtract an area from our object using the cube
- Select one of your objects, go to *Modifier Properties* (right side under Scene Collection)-*Add Modifier-Boolean* (Generate)

30




- Choose *Difference* as Operation if it is not by default
- Click on the pipette and click with the pipette on the cube

31



- After repeating it for all objects which are part of your animation it looks like shown
- If it does not work for the Z-plane you want to cut, try to move the cube in Z-direction
- If your computer gets too slow, delete the modifier, move the cube and start again
- At the borders of the different objects you see artefacts because of surfaces overlaps
- You can select one of the overlapping surfaces and go to *Edit Mode-Mesh-Transform-e.g. Shrink/Fatten*,
- *..-Push/Pull* and other operators to reduce the area of overlap
- Or check during the Sculpting that you do not have overlapping surface where you want to cut later

32



- Now it is time to plan your video or image render
- First go to *Object Mode* and select *View-Viewport-Camera* or just click on the Camera in the *Scene Collection* or Hotkey: numpad0 to have the camera view
- You can move the camera like all other objects under *Object Properties* or use the Hotkeys

after selecting the camera:

- G- moving with the courser


- G+X,Y, and Z- to move it along the x,y- or z-axis

-> The easiest way to arrange your camera at the starting point you want to is to use your actual view as a template for the camera:

- choose the perfect view


- go to *View-Align View-Align Active Camera to View* or Hotkey: Ctrl + Alt + numpad 0

33



- R mb on the frame --> you can change the *Camera Lens Angle*

34



- A very powerful tool in Blender is the *Walk Navigation* to create animations fast

-> Also see: <https://www.youtube.com/watch?v=a7qyW1G350g>

- Go to *View-Navigation-Walk Navigation*, you can create an own Hotkey: e.g. shift+F by r mb


on *Walk Navigation*

--> Also see: camera paths ...

<https://www.youtube.com/watch?v=n2rwiz5gBnk&t=0s>

<https://www.youtube.com/watch?v=1byaQygtcpc>

35




•Now change the parameters for your individual project for the *Walk Navigation* by clicking on *Edit (main toolbar)-Preferences-Navigation-Fly&Walk-Walk* and play around what is suitable for you

--> e.g. do a 360° round around your object


--> later we will smooth the camera movements, at the current state the movements are still pretty wobbly or juddery

36




- Use a vertical split of your workspace to manipulate and smooth the camera movements
- right mouse button on Time Line header and click on *Vertical Split*

37




- now you have a left and a right window
- in one of them go to the top left tool bar on *Editor Type* and choose *Graph Editor (Animation)*

38




- in the Time Line set the *End frame* higher to increase the length of your animation
- at latest now you should set your camera to the point you want to start your animation as described above, you can also use the *Walk Navigation* for that

39




- ready to start your first recording
- activate Auto Keying the dot symbol in the Time Line
- press SPACE bar to start the recording, use the Hotkey (e.g. shift+F) to activate the Walk Navigation and move around your object
- start with a 360° circle around your structure
- l mb to stop the Walk Navigation and space bar for stopping the recording

40




- now you see *Keyframes* in the Time Line and the *Graph Editor*
- click on *Jump to Endpoint* in the direction of the start (left) in the Time Line
- at the beginning of your recording Keyframes are missing, add one at the beginning (frame 0) by r mb – *Insert Keyframes* or press l and press the enter key for *All Channels* or *Only Selected Channels*

41




- do the same for the last frame you want to have in your animation

42




- take a look on your recording by clicking on the *Play Animation button* in the Time Line
→ it will be pretty woobly, now we want to make it smooth
- first we insert Keyframes where no Keyframes are
- if you zoom into the Graph Editor you see in the lines free spots
- in the right window next to Editor Type click on *Keys-Sample Keyframes* or Hotkey: shift+Alt+O

43




- now we have filled the gaps with Keyframes and can smooth the graphs of the camera movements
- click on *Keys-Smooth Keys* or Hotkey: Alt+O
- you can hold Alt+O for fast repetition of the smoothing steps

44




- Graphs without smoothing

45




•Graphs after smoothing

46




•Render Properties we used, also see: <https://www.youtube.com/watch?v=zqK4m8a52U8>

47



• *Output Properties* we used, also see: <https://www.youtube.com/watch?v=Gift041kpJw>


48



-Now everything is set up for the first render:


•Go to the main tool bar on *Render-View Render* or Hotkey F11

49




- This render window will pop up
- Change in *Editor Type* to *3D Viewport* to follow your render in real time
- You can also change to the camera View by pressing numpad 0

50




- Go to *View-Viewport Render Animation* in the render window to start a very fast render of your animation

51



- There are different options how to change between the cut and uncut version of your structure of interest
- The first, more easy but also more error-prone option is to press *Disable in Render* (the camera symbol in the Scene Collection) for one Collection (e.g. uncut version) and change it during the render
- As a result you see at the beginning of the render the uncut version of the nuchal organ and switch to the cut version in between
- It might happen, when e.g. you are not fast enough that the switch between the version is not clean in your video
- If it is unclear you can open your video in the *Video Sequencer* and cut out the 1-3 frames and render it again (see next steps)

52



- The other way is to render two videos with each version and put them together in the *Video*


Sequencer

- To open it, go to *File-New-Video Editing*

--> Also see:


<https://www.youtube.com/playlist?list=PLIXsqAWo0V6liiThMKxaezET2sd07grjQ>

53




- Drag and drop your two videos in the *Sequencer*
- Pull up the *Time Line* below

54




- Set the *End frame* in the Time Line higher, minimum of your video strips (see black vertical line in Sequencer)
- Adjust the *Render and Output Properties* e.g. like in your original renders
- Give your new video a name!!

55




- Select one of your strips
- Pull sequencer to frame you want to cut
- R mb – *Split* or Hotkey K

56




- Do that for both strips and *Erase Strips* by r mb or select and press delete button

57



- Pull both strips in the same channel

58



- Start Render by click on *Render-Render Animation* in main tool bar
- DONE. Enjoy!!!