



Aug 05, 2022

Phylogenomic analysis of Xanthomonas

David J Studholme¹


¹University of Exeter

Works for me



This protocol is published without a DOI.

Xanthomonas genomics



DISCLAIMER

DISCLAIMER - FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN RISK

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to protocols.io is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with protocols.io, can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

ABSTRACT

This is a protocol for using PhaME to generate a phylogenomic tree from a set of Xanthomonas spp. genome sequences.

PROTOCOL CITATION

David J Studholme 2022. Phylogenomic analysis of Xanthomonas. protocols.io https://protocols.io/view/phylogenomic-analysis-of-xanthomonas-ces2tege

LICENSE



This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

CREATED

Aug 03, 2022

LAST MODIFIED

Aug 05, 2022

PROTOCOL INTEGER ID

68154

DISCLAIMER:

DISCLAIMER - FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN RISK

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to <u>protocols.io</u> is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with <u>protocols.io</u>, can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

1 Create a directory for downloaded genome sequence data:

Create directory

mkdir genomes

Ubuntu 22.04

2 Enter the directory for downloaded genome sequence data:

Enter directory

cd genomes

Ubuntu 22.04

3 Ensure that NCBI Datasets command line tools are installed and executable (or a symbolic link



to the executable) is in the current directory.

NCBI Datasets command line tools ©

by NCBI

4 Download the genome assemblies that will be included in the analysis:

xanthomonas_assm_accs.txt

Download assemblies from NCBI

./datasets download genome accession --inputfile xanthomonas_assm_accs.txt --exclude-gff3 --exclude-protein -exclude-rna --exclude-genomic-cds --filename xanthomonas_genome_assemblies.zip

Ubuntu 22.04 LTS



You should receive a message something like:

"Downloading: xanthomonas_genome_assemblies.zip197MB done"

Unzip the assemblies download

unzip xanthomonas genome assemblies.zip

Ubuntu 22.04 LTS

Make symbolic links to the downloaded assemblies In -s ncbi dataset/data/GCA */GCA *.fna . Ubuntu 22.04 LTS List the symbolic links to assembly sequence files Is *.fna Ubuntu 22.04 LTS Rename the symbolic links to more informative names. We will use the rename_files.pl script to effect this. rename_files.pl source genomes.list.all.txt perl rename_files.pl genomes.txt Ubuntu 22.04 LTS



This should generate a set of .fasta files and .contig symbolic links with informative filenames.

6 Come back out of the directory for downloaded genome sequence data:

Change to previous directory

cd -

Ubuntu LTS 22.04

7 Set-up the reference genome sequence data

Create reference directory

mkdir ref

Ubuntu 22.04 LTS

Enter the reference directory

cd ref

Ubuntu 22.04 LTS



Make symbolic link to reference genome assembly

In -s ../genomes/X._campestris_pv._campestris_ATCC_33913_T.fasta .

Ubuntu 22.04 LTS

Change back to the root directory

cd -

Ubuntu 22.04 LTS

8 Set-up the working directory.

Create working directory

mkdir workdir

Ubuntu 20.04 LTS

cd workdir

Ubuntu 22.04 LTS

Make symbolic links to all the genome assemblies

In -s ../genomes/*.contig .

Ubuntu 22.04 LTS



Optionally, at this point, we can delete the symbolic links for any genomes that we want to exclude from the final analysis. It is also an option to add any genome assemblies as .contig files (inf FASTA format).

Return to previous directory

cd
Ubuntu 22.04 LTS

9 Install PhaME software into a Conda environment called 'phame', following instructions on the software's GitHub page:

PhaME source

The PhaME software is described in this paper:

Shakya M, Ahmed SA, Davenport KW, Flynn MC, Lo CC, Chain PSG (2020). Standardized phylogenetic and molecular evolutionary analysis applied to species across the microbial tree of life.. Scientific reports.

https://doi.org/10.1038/s41598-020-58356-1

10

Activate Phame Conda environment

conda activate phame

Ubuntu 22.04 LTS

11 Create file <u>phame.ctl</u> in current directory.



phame.ctl

12 Execute PhaME:

Execute PhaME

phame ./phame.ctl

Execute PhaME in Conda environment Ubuntu 22.04 LTS



This will generate output, including tree files, in directory:

./workdir/results/trees/

13 The tree file can now be visualised using any tree-viewing software, for example, iTOL.

Letunic I, Bork P (2021). Interactive Tree Of Life (iTOL) v5: an online tool for phylogenetic tree display and annotation.. Nucleic acids research.

https://doi.org/10.1093/nar/gkab301