May 15, 2024 Version 6

DAB Detection of Biocytin Labeled Tissue V.6

DOI
dx.doi.org/10.17504/protocols.io.eq2ly3xkegx9/v6

Allen Institute for Brain Science[1]

[1]Allen Institute

Allen Institute for Brain Science
Tech. support
Click here to message tech. support

Allen Institute
Allen Institute

OPEN ACCESS

DOI: dx.doi.org/10.17504/protocols.io.eq2ly3xkegx9/v6

Protocol Citation: Allen Institute for Brain Science 2024. DAB Detection of Biocytin Labeled Tissue. **protocols.io** **https://dx.doi.org/10.17504/protocols.io.eq2ly3xkegx9/v6**Version created by **Allen Institute**

License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: June 03, 2020

Last Modified: May 15, 2024

Protocol Integer ID: 99893

Keywords: DAB, biocytin, diaminobenzidine, staining, coverslipping, mounting, PF0285,

Abstract

This protocol describes the process for diaminobenzidine (DAB) detection of biocytin filled cells. This protocol is optimized for use with brain slices cut at 350 µm thick, in which cells are first filled with biocytin (i.e., post-electrophysiological recording), fixed in 4% PFA/2.5% glutaraldehyde, and transferred to PBS until ready to stain.

Note: Research reported in this publication was supported by the National Institute Of Mental Health of the National Institutes of Health under Award Number U19MH114830. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

Attachments

DOCX

PF0285_DAB_Detection..

222KB