



Oct 24, 2020

Colony PCR

Zhujun Wei¹¹Northeast Forestry University

1

Works for me

dx.doi.org/10.17504/protocols.io.bnwrmd6

2020 iGEM NEFU China



Zhujun Wei

ABSTRACT

This PCR method can be used to screen for inserted target genes or DNA sequencing analysis.

DOI

dx.doi.org/10.17504/protocols.io.bnwrmd6

PROTOCOL CITATION

Zhujun Wei 2020. Colony PCR. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.bnwrmd6>

LICENSE

This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

CREATED

Oct 24, 2020

LAST MODIFIED

Oct 24, 2020

PROTOCOL INTEGER ID

43697

MATERIALS TEXT

2×high Taq Master Mix (Enzyme)

Template

F/R primers

ddH₂O

Bio-rad S1000TM Thermo Cycler.

SAFETY WARNINGS

Please wear gloves for the experiment, don't try to touch the lid after PCR program initiation.

ABSTRACT

This PCR method can be used to screen for inserted target genes or DNA sequencing analysis.

BEFORE STARTING

Synthesize primers in advance.

- 1 Pick colonies as the template for colony PCR. The number picked for each plate depends on the difference between the positive and negative controls.

2×high Taq Master Mix (Enzyme)	5 µl
Template	0.4 µl
Forward Primer (10 µM)	0.4µl
Reverse Primer (10 µM)	0.4 µl
ddH2O	3.8 µl

Fill the rest with water.

- 2 Test digest performed and products analysed using agarose gel electrophoresis to confirm if correct construct was present.
- 3 Use colony PCR to enlarge colony numbers. Then only the positive clones were mini-prepped.