A



Sep 02, 2021

© Protocols for Northern Analysis of Exosome Substrates and Other Noncoding RNAs

Book Chapter

Jonathan Houseley, Cristina Cruz

1	Works for me	8	Share
dx.doi.org/10.17504/protocols.io.bntcmeiw			
Springer Nature Books			
satyavati Kharde			

ABSTRACT

Over the past decade a plethora of noncoding RNAs (ncRNAs) have been identified, initiating an explosion in RNA research. Although RNA sequencing methods provide unsurpassed insights into ncRNA distribution and expression, detailed information on structure and processing are harder to extract from sequence data. In contrast, northern blotting methods provide uniquely detailed insights into complex RNA populations but are rarely employed outside specialist RNA research groups. Such techniques are generally considered difficult for nonspecialists, which is unfortunate as substantial technical advances in the past few decades have solved the major challenges. Here we present simple, reproducible and highly robust protocols for separating glyoxylated RNA on agarose gels and heat denatured RNA on polyacrylamide—urea gels using standard laboratory electrophoresis equipment. We also provide reliable transfer and hybridization protocols that do not require optimization for most applications. Together, these should allow any molecular biology lab to elucidate the structure and processing of ncRNAs of interest.

DOI

dx.doi.org/10.17504/protocols.io.bntcmeiw

EXTERNAL LINK

https://doi.org/10.1007/978-1-4939-9822-7_5

COLLECTION CITATION

Jonathan Houseley, Cristina Cruz 2021. Protocols for Northern Analysis of Exosome Substrates and Other Noncoding RNAs. **protocols.io**

https://dx.doi.org/10.17504/protocols.io.bntcmeiw

MANUSCRIPT CITATION please remember to cite the following publication along with this collection

Cruz C., Houseley J. (2020) Protocols for Northern Analysis of Exosome Substrates and Other Noncoding RNAs. In: LaCava J., Vaňáčová Š. (eds) The Eukaryotic RNA Exosome. Methods in Molecular Biology, vol 2062. Humana, New York, NY. https://doi.org/10.1007/978-1-4939-9822-7_5

KEYWORDS

IncRNA, ncRNA, northern blot, hybridization, probes

LICENSE

This is an open access collection distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited


CREATED

Oct 22, 2020

Citation: Jonathan Houseley, Cristina Cruz (09/02/2021). Protocols for Northern Analysis of Exosome Substrates and Other Noncoding RNAs. https://dx.doi.org/10.17504/protocols.io.bntcmeiw

Sep 02, 2021

OWNERSHIP HISTORY



COLLECTION INTEGER ID

43588

SAFETY WARNINGS

Please refer to the Safety Data Sheets (SDS) for health and environmental hazards.

IMPORTANT: Make sure you have appropriate training to work with radioactivity under the local rules and legislation for your institution, and perform all radioactive work in the designated area.

ABSTRACT

Over the past decade a plethora of noncoding RNAs (ncRNAs) have been identified, initiating an explosion in RNA research. Although RNA sequencing methods provide unsurpassed insights into ncRNA distribution and expression, detailed information on structure and processing are harder to extract from sequence data. In contrast, northern blotting methods provide uniquely detailed insights into complex RNA populations but are rarely employed outside specialist RNA research groups. Such techniques are generally considered difficult for nonspecialists, which is unfortunate as substantial technical advances in the past few decades have solved the major challenges. Here we present simple, reproducible and highly robust protocols for separating glyoxylated RNA on agarose gels and heat denatured RNA on polyacrylamide—urea gels using standard laboratory electrophoresis equipment. We also provide reliable transfer and hybridization protocols that do not require optimization for most applications. Together, these should allow any molecular biology lab to elucidate the structure and processing of ncRNAs of interest.

