

Jul 09, 2020

# SARS-CoV2 GISAID submission protocol

Nabil-Fareed Alikhan<sup>1</sup>, Emma Griffiths<sup>2</sup>, Ruth Timme<sup>3</sup>, Duncan MacCannell<sup>4</sup>

<sup>1</sup>Quadram Institute Bioscience; <sup>2</sup>University of British Columbia; <sup>3</sup>US Food and Drug Administration;

<sup>4</sup>Centers for Disease Control and Prevention

2 Works for me

dx.doi.org/10.17504/protocols.io.bh98j99w

Coronavirus Method Development Community PHA4GE



Nabil-Fareed Alikhan Quadram Institute Bioscience

ABSTRACT

This protocol provides the steps needed to establish a new GISAID submission environment for your laboratory. Once established, this protocol covers genome submission sample meta to GISAID.

DO

dx.doi.org/10.17504/protocols.io.bh98j99w

PROTOCOL CITATION

Nabil-Fareed Alikhan, Emma Griffiths, Ruth Timme, Duncan MacCannell 2020. SARS-CoV2 GISAID submission protocol. **protocols.io** 

dx.doi.org/10.17504/protocols.io.bh98j99w

KEYWORDS

metadata, INSDC, ERC000033, ENA, EBI, SARS-Cov2, COVID-19

LICENSE

This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

CREATED

Jul 07, 2020

LAST MODIFIED

Jul 09, 2020

PROTOCOL INTEGER ID

38944

#### GISAID Submissions

1 GISAID submissions require contextual information (metadata) and the COVID-19 consensus sequence or genome sequence. It is much simpler than other databases, as it has no hierarchical structure. In GISAID, one set of contextual information links to one genome assembly.

We advise that contextual inbformation should be in line with the **PHA4GE metadata specification**: <a href="https://github.com/pha4ge/SARS-CoV-2-Contextual-Data-Specification">https://github.com/pha4ge/SARS-CoV-2-Contextual-Data-Specification</a>

GISAID has its own extensive documentation, which is available once you have registered. You are encouraged to write to the GISAID curators if there are any issues. This protocol, therefore, is a brief overview to help you get started.


1.1 You can register on GISAID here: <a href="https://www.gisaid.org/registration/register/">https://www.gisaid.org/registration/register/</a>

protocols.io
1
07/09/2020

Citation: Nabil-Fareed Alikhan, Emma Griffiths, Ruth Timme, Duncan MacCannell (07/09/2020). SARS-CoV2 GISAID submission protocol. <a href="https://dx.doi.org/10.17504/protocols.io.bh98j99w">https://dx.doi.org/10.17504/protocols.io.bh98j99w</a>

There are strict terms on your rights to your data, and how you can use other submitted data. Please read these terms carefully. There will be a registration form to fill

folder, too; the confirmation email will have your full name in the subject line.



**Data Access Agreement** 

**GISAID** Registration form

Once submitted, your registration will be moderated and you should recieve an email notification. Your registration request is manually inspected, so this may take some time.

## 1.2 GISAID Submission methods

There are two submission methods;

- 1. Uploading single samples.
- 2. Batch upload of multiple samples.

In both cases, we advise that contextual infromation should be in line with the **PHA4GE metadata specification**.

A brief overview of the fields and guidance are tabulated below. Extended description of the specification is available here: <a href="https://github.com/pha4ge/SARS-CoV-2-Contextual-Data-Specification">https://github.com/pha4ge/SARS-CoV-2-Contextual-Data-Specification</a>

These fields below are drawn from the GISAID submission form, with description and mapping to the respective PHA4GE field should help you transfer your metadata from the PHA4GE table to the something acceptable for GISAID submission.

### **Description of GISAID fields**

GISAID Batch Submission Headers (as of 2020-06-19)	GISAID Definition	GISAID Requirem ent Status
Submitter	enter your GISAID-Username	mandatory
FASTA filename	the filename that contains the sequence without path (e.g. all_sequences.fasta not c:\users\meier\docs\all_sequences.fasta)	mandatory
Virus name	e.g. hCoV-19/Netherlands/Gelderland-01/2020 (Must be FASTA-Header from the FASTA file all_sequences.fasta)	mandatory

Туре	default must remain "betacoronavirus"	mandatory
Passage details/history	e.g. Original, Vero	mandatory
Collection date	Date in the format YYYY or YYYY-MM or YYYY-MM-DD	mandatory
Location	e.g. Europe / Germany / Bavaria / Munich	mandatory
Additional location information	e.g. Cruise Ship, Convention, Live animal market	
Host	e.g. Human, Environment, Canine, Manis javanica, Rhinolophus affinis, etc	mandatory
Additional host information	e.g. Patient infected while traveling in	
Gender	Male, Female, or unknown	mandatory
Patient age	e.g. 65 or 7 months, or unknown	mandatory
Patient status	e.g. Hospitalized, Released, Live, Deceased, or unknown	mandatory
Specimen source	e.g. Sputum, Alveolar lavage fluid, Oro-pharyngeal swab, Blood, Tracheal	
	swab, Urine, Stool, Cloakal swab, Organ, Feces, Other	
Outbreak	Date, Location e.g. type of gathering, Family cluster, etc.	
Last vaccinated	provide details if applicable	
Treatment	Include drug name, dosage	
Sequencing technology	e.g. Illumina Miseq, Sanger, Nanopore MinION, Ion Torrent, etc.	mandatory
Assembly method	e.g. CLC Genomics Workbench 12, Geneious 10.2.4, SPAdes/MEGAHIT v1.2.9, UGENE v. 33, etc.	
Coverage	e.g. 70x, 1,000x, 10,000x (average)	
Originating lab	Where the clinical specimen or virus isolate was first obtained	mandatory
Address		mandatory
Sample ID given by the sample provider		
Submitting lab	Where sequence data have been generated and submitted to GISAID	mandatory
Address		mandatory
Sample ID given by the submitting laboratory		
Authors	a comma separated list of Authors with complete First followed by Last Name	

Description of GISAID fields

## PHA4GE guidance on GISAID submission fields.

GISAID Batch Submission Headers (as of 2020-06-19)	PHA4GE Field	PHA4GE Guidance
Submitter	*user inputs	The submitter must acquire an account and provide their username in this field.
FASTA filename	fasta filename	This field can be populated by the PHA4GE field "fasta filename".

Virus name	isolate	While the
		meanings and
		structures of
		the GISAID
		field "Virus
		name" and the
		PHA4GE field
		"isolate"
		overlap, GISAID
		requires a
		slightly
		different
		structure for
		Virus name.
		e.g. PHA4GE
		structure:
		SARS-CoV-
		2/country/sapl
		eID/2020,
		GISAID
		structure: hCov-
		19/country/sa
		mpleID/2020.
		Change "SARS-
		CoV-2" to
		"hCov-19" in the
		isolate name.
Туре	*should always be betacoronavirus	Provide
		"betacoronaviru
		s".
Passage details/history	specimen processing; lab host; passage number; passage	This field can
	method	be populated by
		the PHA4GE
		fields
		"specimen
		processing",
		"lab host",
		"passage
		number" and
		"passage
		method". If the
		information is
		unknown or
		can not be
		shared, put
		"unknown".
		uπκποwΠ .

Collection date	sample collection date	This field can
		be populated by
		the PHA4GE
		field "sample
		collection
		date". Caution:
		collection date
		may be
		considered
		public health
		identifiable
		information. If
		this date is
		considered
		identifiable, it is
		acceptable to
		add "jitter" to
		the collection
		date by adding
		or subtracting a
		calendar day
		(acceptable by
		GISAID). Do
		not change the
		collection date
		in your original
		records.
		Alternatively,
		"received date"
		may be used as
		a substitute in
		the data you
		share. The date
		should be
		provided in ISO
		8601 standard
		format "YYYY-
		MM-DD".
Location	geo_loc_name (country)	This field can
		be populated by
		the PHA4GE
		field "geo_loc
		name
		(country)".
		. , , , ,

**፩** protocols.io 5 07/09/2020

Additional location information	exposure event	This field can be populated by the PHA4GE field "exposure event". Caution: this may be sensitive information. Consult the data steward before sharing. If the information is unknown or can not be shared, leave blank or put "unknown".
Host	host (scientific name)	This field can be populated by the PHA4GE field "host (scientific name)".
Additional host information	N/A	If the information is unknown or can not be shared, leave blank.
Gender	host gender	This field can be populated by the PHA4GE field "host gender". Caution: the host gender may be considered public health identifiable information. Consult the data steward before sharing. If the information is unknown or can not be shared, put "unknown".

**፩** protocols.io 6 07/09/2020

accept Cautio host as be con public identif inform Consu data st before	on: the age may ansidered health fiable anation. Alt the teward e sharing.
	ot be
"unkno	
be pop PHA40	ield can oulated by GE field
"host h	
state".	. If the nation is
unkno	
can no	
shared	
"unkno	

Specimen source	anatomical material; anatomical part; body product; environmental material; environmental site; collection device; collection method	This field can be populated by the PHA4GE fields "anatomical material", "anatomical part", "body product", "environmental material", "environmental site", "collection device" and "collection method". Separate the values using semi-colons. If the information is unknown or can not be shared, leave blank or put "unknown"
Outbreak	N/A	"unknown".  If the information is unknown or can not be shared, leave blank.
Last vaccinated	N/A	If the information is unknown or can not be shared, leave blank.
Treatment	N/A	If the information is unknown or can not be shared, leave blank.
Sequencing technology	sequencing instrument	This field can be populated by the PHA4GE field "sequencing instrument". If the information is unknown or can not be shared, put "unknown".

 $\textbf{Citation:} \ \ \textbf{Nabil-Fareed Alikhan, Emma Griffiths, Ruth Timme, Duncan MacCannell (07/09/2020).} \ \ \textbf{SARS-CoV2 GISAID submission protocol.} \\ \underline{\textbf{https://dx.doi.org/10.17504/protocols.io.bh98j99w}}$ 

Assembly method	consensus sequence method	This field can be populated by the PHA4GE field "consensus sequence method". If the information is unknown or can not be shared, leave blank or put "unknown".
Coverage	assembly coverage depth	This field can be populated by the PHA4GE field "assembly coverage depth". If the information is unknown or can not be shared, leave blank or put "unknown".
Originating lab	sample collected by	This field can be populated by the PHA4GE field "sample collected by". Caution: if the name of the lab reveals geographic information, this may be considered public health identifiable information. Consult the data steward before sharing. If the information is unknown or can not be shared, leave blank or put "unknown".

**፩** protocols.io 9 07/09/2020

Address	sample collector contact address	This field can be populated by the PHA4GE field "sample collector contact address".
Sample ID given by the sample provider	specimen collector sample ID	This field can be populated by the PHA4GE field "specimen collector sample ID". Caution: the sample ID may be considered public health identifiable information. Consult your data steward before sharing. You may need to provide an alternative ID.
Submitting lab	sequence submitted by	This field can be populated by the PHA4GE field "sequence submitted by". If information is unknown or can not be shared, leave blank or put "unknown".
Address	sequence submitter contact address	This field can be populated by the PHA4GE field "sequence submitter contact address". If information is unknown or can not be shared, leave blank or put "unknown".


**፩ protocols.io** 10 07/09/2020

Sample ID given by the submitting	consensus sequence ID	This field can
laboratory		be populated by
		the PHA4GE
		field
		"consensus
		sequence ID".
		If information
		is unknown or
		can not be
		shared, leave
		blank or put
		"unknown".
Authors	authors	This field can
		be populated by
		the PHA4GE
		required field
		"authors". If
		information is
		unknown or
		can not be
		shared, leave
		blank or put
		"unknown".


PHA4GE guidance on GISAID submission fields.

### 2 Uploading single samples

You can upload single sample through a web form shown below.




 ${\sf GISAID\ dashboard\ once\ you've\ logged\ in.}$ 



Submission form for single samples

#### 3 Uploading multiple samples (Batch upload)

You must first explictly request the batch upload feature from the curators. This will give you access to the batch upload page. Here you can upload mulitple samples (metadata and sequences). There is a link to detailed documentation and templates at the bottom left.



Batch upload page