Subcutaneous insulin injection

№	List of practical actions	Performance format (perform/say)[1]
	Preparation stage of the procedure	
1.	Review the prescription sheet	say/perform
2.	Greet the patient	say
3.	Introduce myself. Perform patient identification	say
4.	Inform the patient about the upcoming procedure, obtain verbal consent	say
5.	Remove insulin from the refrigerator 30–40 minutes before the injection	say
6.	Ask the patient to assume the required position	say
7.	Fully prepare the necessary equipment for the procedure	say/perform
8.	Check the integrity, appearance, and expiration dates of ampoules/vials with medication and medical devices before donning non-sterile gloves	perform
9.	Perform hand hygiene according to regulatory acts. Don non-sterile medical gloves	say/perform
	Main stage of the procedure	
10.	Open the package of cotton balls	perform
11.	Correctly treat the vial (open it if necessary)	perform
12.	Select, inspect, and palpate the injection site	perform
13.	Treat the injection site with two cotton balls soaked in antiseptic in one direction	perform
14.	Wait for the antiseptic to evaporate completely, observe the exposure time	say
15.	Draw air into the syringe equal to the prescribed dose of insulin (without removing the needle cap)	perform
16.	Remove the cap from the needle, place it into the "Plastic" container	perform
17.	Draw the medication into the syringe (dose it)	perform
18.	Place a dry cotton ball into my left hand	perform
19.	Hold the syringe, positioning the second finger on the cannula and wrapping the remaining fingers around the barrel	perform
20.	Gather a skin fold with the first, second, and third fingers of my left hand	perform
21.	Insert the needle with a quick motion into the base of the fold, at a 45° angle to a depth of ¾ of the needle	perform
22.	Slowly inject the medication	perform
23.	Do not withdraw the needle for 6–10 seconds	say/perform
24.	Withdraw the needle with a quick motion	perform
25.	Apply a dry cotton ball for 2–3 minutes	say
	Final Stage of the Procedure	
26.	Correctly disinfect the cotton balls	say/perform
27.	Correctly disinfect the syringe	say/perform
28.	Correctly disinfect the needle	say/perform
29.	Instruct the patient about meal timing according to the type of insulin administered	say
30.	Remove gloves with the working surface facing inward, place them into the "Disinfection of dressing materials and PPE" container. Perform hand hygiene according to regulatory acts	say/perform
31.	Place the packages into the container	say/perform
32.	Place the insulin vial into the refrigerator, indicating the date, time of opening, and the healthcare provider's signature	say/perform
33.	Record the medication administration in the medical documentation	say
34.	Observe the patient for 30 minutes, checking on their well-being	say

1- Depends on physical capability to perform the action and on the station equipment.