```
<u>Mathematics for Sustainability (part 2)/ Python refresher</u>
/ Exercise: Leap years
```

Exercise: Leap years

You might know that roughly every four years, we have a leap year. 2000 was a leap year, so we can use this to write an if statement about this fact.

First let's ask the user of our program to enter a year. To do this, use input. This prompts the user with some text and stores their response in a variable, in this case year.

```
year = input("Enter a year: ")
print(year)
```

Put this code into a program, save it and run it. It should ask you to enter a year and say it back to you.

The variable stored from input() is a string, but we want to work with a number. To convert the string to an integer, use int().

```
year = input("Enter a year: ")
year = int(year)
print(year)
```

The output should be the same, but now we have a number we can do arithmetic on. First we want to see how many years have passed since 2000.

```
years_since = year-2000
print(years_since)
```

Peter Rowlett

We want to know whether this number is a multiple of 4. Python has an operation % which returns the remainder after division. To find the remainder after division by 4, do this.

```
rem = years_since % 4 print(rem)
```

Try entering a few years - 2024, 2025, 2026, etc. Do you get the answer you expect?

If the number is a multiple of four, the remainder we stored as rem will be 0. We can test for this with an if statement.

```
if rem == 0:
    print("leap year!")
```

Running your whole program, you should now be able to enter a year since 2000 and if it is a multiple of 4 your program will say "leap year!". Enter 2028 and see what happens.

But if the year isn't a leap year, nothing happens. We can report the non-leap years using else.

```
if rem == 0:
    print("leap year!")
else:
    print("not a leap year")
```

Exercise

Actually, leap years are more complicated than this. The conditions in which a leap year occurs are:

• any year that is divisible by 400 is a leap year;

Peter Rowlett 2

- of the remaining years, any year that is divisible by 100 is not a leap year;
- of the remaining years, any year that is divisible by 4 is a leap year;
- all other years are not leap years.

The code we have written above gives you everything you need to adapt to calculate leap years properly. Can you do this?

Peter Rowlett 3