

Pandemic Pulse: Unveiling Insights with the Global Health Tracker Through AI and ML



Kamal Upreti, Vishakha Sehdev Verma, Ankit Verma, Prashant Vats, Sambhajiraje Patil, and Vishakha Kuwar

Abstract The current study highlights the importance of data analysis by applying data visualization tools to help you understand the pandemic disease informational component, and how it can be converted into knowledge that might enhance decision-making processes. In Tableau, a software for displaying data, researchers have incorporated a pandemic disease informational component from Coursera to improve assessment and selection. After becoming familiar with the data and the data visualization technological advances, some of it will be expected to conduct an initial investigation to identify significant changes in the data that is under consideration, compile and present this pandemic disease informational component, and enhance the corporate decision-making process. This issue for inquiry highlights the significance of knowledge examination via the use of communication visualization applications to aid in your comprehension of the pandemic disease informational component as well as how it may be changed into knowledge that may enhance the process of arriving at decisions. The creators of the knowledge representation computation application scenario used data from Coursera to improve their studies and make decisions. One will need to conduct an exploratory inquiry to find notable trends within the data after familiarizing oneself with it by utilizing visualization programs to compile and distribute this data to improve the company's decision-making procedures. This specific software is designed to be utilized in an early administrative duties course, an

K. Upreti (✉)

CHRIST (Deemed to be University), Delhi NCR, Ghaziabad, India

e-mail: kamalupreti1989@gmail.com

V. S. Verma

Bhagwan Parshuram Institute of Technology, Rohini, Delhi, India

A. Verma

Dr. Akhilesh Das Gupta Institute of Professional Studies, Delhi, India

P. Vats

Computer Science and Engineering, Manipal University Jaipur, Jaipur, Rajasthan, India

S. Patil · V. Kuwar

Dr. D. Y. Patil Vidyapeeth, Centre for Online Learning, Pimpri, Pune, India

undergraduate accounting data structure course, or a data analytics-only educational program as a basic introduction to an informative visualization computer application.

Keywords Tableau · Data visualization · Business intelligence · Dashboard · COVID-19 · Data exploration · Data visualization techniques

1 Introduction

The current study underlines the importance of data analysis by applying data visualization tools to help you understand pandemic disease informational component, and how it can be converted into knowledge that might enhance the process of making decisions [1–4]. To enhance review and decision in Tableaux, an application for displaying data, researchers have incorporated pandemic disease informational component from Coursera. After becoming familiar with the results and the data visualization technological advances, certain portions of it will be expected to carry out an initial investigation to identify significant modifications in the data that is according to thought compile and put forward this knowledge and enhance the organization's decision-making process [5–10]. This issue for inquiry highlights the significance of understanding inspections via the use of interaction visualization applications to aid in gaining an understanding of pandemic disease informational component as well as how this pandemic disease informational component may be changed into an understanding that may enhance the method when making selections [11–13]. Data from Coursera was utilized by the programmers of the knowledge visualization computing scenario to conduct research and make decisions. A person will be expected to conduct a qualitative investigation to uncover significant patterns amongst the material after getting familiar with the data and Pandemic disease informational component by utilizing visualization instruments to produce and distribute this data to aid the business's decision-making process [14–17]. This specific software is designed to be utilized in an early administrative duties course, an undergraduate accounting pandemic disease informational component architecture, or a pandemic disease informational component analytics-only program of study as an elementary introduction to an informative visualization application for the computer [18–22].

2 Literature Review

When a subscriber comes into touch with a COVID-positive person, the application is configured to send notifications to let them know. Any user who has interacted with a user who has been recognized as coronavirus-positive after testing will receive notifications [23–25]. The tracking is made feasible by the installation of bluetooth, which is utilized for location-based social media platforms, or GPS. It detects the user and keeps track of their movements by integrating bluetooth and GPS detectors. The

main objectives of the study work are to gain knowledge about COVID-19 statistics and use the methods mentioned above [26]. The suggested attempt would utilize the information and techniques from the database to discover nearby cell phones with the software loaded and will notify users if they are linked to infected persons. The smartphone application also offers crucial directions on how to remove oneself from one another and what items should be tossed away when an individual begins to exhibit symptoms [27]. The program suggests using bluetooth connection and navigation via satellite as little as practicable. To use the application after registering, an OTP is required to be input to verify the user's cellphone number. Users must provide certain pandemic disease-related details regarding themselves into the app's implementation, including their first and last names, age, where they hold job opportunities, and any significant overseas travel [28–30]. The COVID-19 surveillance program also has a “Self-Assessment Test” option that questions particular inquiries about the symptoms and warning signs of the device and remembers the user's responses [31, 32]. The device then displays the user's danger level using a variety of color codes. If the language reads “You are safe” and the color code is green, there is no risk [33, 34]. The threat is negligible when the two yellow indicator and the phrase “You are at moderate risk” are displayed simultaneously. A user should call the hotline number provided in the app if the color code is orange, which indicates a high likelihood of risk [35]. The device also recommends certain measures to be followed, such as avoiding being near people, maintaining perfect cleanliness, and keeping immobile as an a safety measure, to stop the transmission of the coronavirus. The data collected using the application process is shared solely only the Indian government, which is not permitted to be revealed to any other parties, by the statement of privacy for the application that was submitted [36–38]. The informative aspect on the pandemic sickness will support whatever choices the government takes to start removing it from society and take the necessary actions if necessary. The general population will not be informed of the user's identity or cellphone number [39–41]. The pandemic tracker is accessible through four tabs: your status, self-assess, pandemic updates, and e-pass. The user is warned that they might become pandemic under the “Your Status” section. Customers are advised to be aware of the danger of becoming ill under the “Self-Assess” section. Only in an emergency, it is possible to obtain a mobility permit using an e-permit, and the pandemic update section provides information on both local and nationwide pandemic occurrences [42]. Due to the pandemic tracker's creation on a system that may offer an API, or an application programming interface, the information as well as other capabilities may be utilized by different software programs, particularly as internet-based services and applications for mobile devices [43].

3 Detailed Study

To safeguard information on pandemic illness connected to known incidences and possible outbreaks, the effort utilizes the resources of a safeguarded database maintained by the Indian government. The government has kept its information management system as well as additional programming connected to the pandemic illness informational element private to prevent hostile hacking efforts on the device and the corresponding pandemic disease informational component. The technical characteristics of the app are not given significant consideration because of its security, apart from the regulations including under certain circumstances, front-end and back review, and public announcements, there are no further sources of information about Pandemic illness. The tool tracks contacts using a connection via bluetooth and GPS-generated information to inform users whether they are near someone who has a pandemic or may be at a higher risk of getting it. The user's smartphone's bluetooth and GPS sensors must both be switched on to enable the app to work properly. The capacity of the device to determine if two people are appropriately distant from each other may depend on bluetooth accessibility. The device gathers information whenever two handheld gadgets with an application installed are within bluetooth proximity to one another.

We might be able to better describe or understand how a program functions as well as how it evaluates the information it collects by closely examining related apps, such as the pandemic tracker. TraceTogether is a program that Singapore is using to try and mitigate the effects of the current epidemic. TraceTogether, like epidemic tracker, uses bluetooth signal analysis to determine whether the phone being used is close to another phone that has the app loaded. Anonymous IDs are transferred among the two cell phones and only retained in a format that is encrypted in an individual's cellphone. The fact that these sanitized IDs disappear after having been generated for the entire day is a benefit of the scheme since it stops attackers from pretending to have access to the information. The Massachusetts Institute of Technology is also responsible for the creation of the Safe Paths program, which is included in the personal kit. The individual using the device is also questioned about how they make a living in the delivery of necessities and their availability to help in an instance of emergency. Government officials can download the aforementioned educational material on pandemic sickness to investigate prospective incidences and find participants who are prepared to help in a time of need. Since other independent factors, such as living in cramped or disorganized surroundings, are additionally susceptible to transmission and have been not only reliant on proximity to one another, additional investigation needs to be conducted to investigate the usefulness of closeness mapping approaches like wireless communication via bluetooth and satellite navigation.

The value of the software can be greatly reduced by a small user base brought on by a slow pace of adoption. Bluetooth-enabled apps must follow the neighborhood identification procedure utilized by mobile phones and tablets. The precision standards for pattern recognition and transmission on various mobile phones differ

substantially as a result. The protocol establishes the quantity of electrical power used (battery life), the dependability of processes when many phones are close to the cell's receptive sequence, and the pace at how quickly two smartphones may identify one another shortly after they are coming within the approach. There are a significant number of incorrect results and false negatives that are produced by proximity-based apps. About how weak the connection to the internet is in wide spaces, proximity can be calculated. The signal can be significantly diminished even by people, though. For instance, if a thin wall separates two flats, the message might not be sufficiently muffled and result in a closeness incident even though it does not. Incorrect results may exclude untreated people, while incorrect negatives might jeopardize the core goals of the program [4].

In general, bluetooth-based techniques are more accurate than GPS-based techniques. GPS-based monitoring programs are substantially less common than bluetooth-based applications for monitoring when speaking of acceptance criteria, battery consumption, and false-positive rates. Inaccurate data from GPS monitoring is not accessible inside structures, and it has privacy difficulties. Programs for contact tracking utilize bluetooth connectivity 57% of their usage and GPS 43% of the time. In GPS-based apps, there is a considerable trade-off between the educational element about pandemic diseases and privacy. Even though user confidentiality may be an important issue, bluetooth-only programs cannot give contact-tracing information by monitoring users' geographical travels. Applications that monitor contacts using bluetooth connectivity and GPS together outperform applications that employ bluetooth just. Health-care providers can more precisely determine environmental remains when geographical information is paired with closeness history. Therefore, it appears that both the software and the hardware on which the COVID-19 tracking app is based are in relatively good shape. Additionally, this program notifies the user each time they engage with a COVID-positive individual. The app intends to simplify the management of connections procedure. A crucial step in stopping the spread of transmissible illnesses is contact monitoring. This program makes use of a GPS-based system. However, since concealing GPS data is more challenging, the device's developers have certain technological options into consideration. This is with the value of more potent secure communication.

4 Proposed Work

The primary goal of contact tracing is to identify major "hotspots" of pandemic patients and implement the required constraints on these hotspots to halt future viral spread.

Clustering is typically produced utilizing the geographical coordinates of the longitude and longitude of pandemic sufferers as well as at-risk people utilizing various computer science domains or machine-learning algorithms. Consequently, these clusters might be considered as hotspots. It is possible to categorize individuals with illnesses and identify clusters using unsupervised machine-learning methods

like K-means clustering. There is a possibility that the equipment will utilize or might use the density-based HDBSCAN operation, which relies entirely on the DBScan method as being shown in Fig. 1. Additionally, the self-evaluation test, supported by the ICMR criteria, evaluates the likelihood of PANDEMIC infection supported by the person's self-reported symptoms in addition to other important pandemic disease informational components including recent departing, biological age, and nationality. An algorithm for categorizing users, such as an assessment tree or randomly generated forest, may be used to split users into groups like green (safe), yellow (varying from small danger), orange (high risk), and red (validated patients) as being shown in Fig. 2. Users must reply to the questions above in the self-evaluation test. The outcomes of this examination, which is done on the appliance, are immediately communicated to the consumers using the hues green, yellow, or orange, which reflect a progressively higher chance of infection. Following user replies, the app categorizes the data. The gadget may potentially employ the bluetooth proximity data collecting technique known as iBeacon, according to further analysis as shown in Fig. 3.




Fig. 1 To show the react JS to create interactive user interfaces





Fig. 2 To show the initialization of the pandemic COVID-19 tracker



```

C:\Users\Admin\Downloads\Telegram Desktop\covid19tracker-master\covid19tracker-master>npm i && npm start
pm WARN tsutils@3.17.1 requires a peer of typescript@>2.8.0 || >= 3.2.0-dev || >= 3.3.0-dev || >= 3.4.0-dev || >= 1.5.
-dev || >= 3.6.0-dev || >= 3.6.0-beta || >= 3.7.0-dev || >= 3.7.0-beta but none is installed. You must install peer dep
endencies yourself.
pm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@2.1.2 (node_modules\fsevents):
pm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@2.1.2: wanted {"os":"darwin","arch":"any
"} (current: {"os":"win32","arch":"x64"})
pm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@1.2.12 (node_modules\webpack-dev-server\node_modules\fsevents):
pm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@1.2.12: wanted {"os":"darwin","arch":"an
"} (current: {"os":"win32","arch":"x64"})
pm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@1.2.12 (node_modules\webpack-dev-server\node_modules\fsevents):
pm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@1.2.12: wanted {"os":"darwin","arch":"an
"} (current: {"os":"win32","arch":"x64"})
pm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@1.2.12 (node_modules\jest-haste-map\node_modules\fsevents):
pm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@1.2.12: wanted {"os":"darwin","arch":"an
"} (current: {"os":"win32","arch":"x64"})

added 2104 packages in 23.881s
2 packages are looking for funding
  run `npm fund` for details
found 10259 vulnerabilities (5059 low, 207 moderate, 4993 high)
  run `npm audit fix` to fix them, or `npm audit` for details

corona_app@0.1.0 start C:\Users\Admin\Downloads\Telegram Desktop\covid19tracker-master\covid19tracker-master
react-scripts start
  
```

Fig. 3 To show the final output

It is a protocol that Apple developed. Beacons are iBeacon-compatible equipment transmitters that fall under the category of bluetooth low energy devices made by several vendors (which includes Android). This specific device continuously transmits a bluetooth 4.0 connection (BLE) along with its unique identification code to close-by handheld devices computers, in contrast to the vast majority of bluetooth-enabled devices which require a process called “pairing” for the sending and receiving of pandemic disease informational component. Pairing requires the user of the piece of equipment in question to approve the movement of the pandemic disease informational component on both devices for the device’s operation to proceed. The one-way transmission of iBeacons makes pandemic disease informational component transfer possible without connecting to a reception device (such as a mobile phone, laptop, etc.), substantially simplifying the procedure. When a device is close to an iBeacon, the iBeacon allows the device to do specific functions on smartphones, tablets, and other devices. The first to identify the worldwide unique identification is the COVID-19 tracker, a suitable application. The ID is used to track users, physically identify devices, or initiate location-based activities on a device, such as push notifications. Several extra bytes are also broadcast along with the ID. When a user is too close to someone who is afflicted with the coronavirus or is in another high-risk circumstance, the app will notify them. Future bluetooth proximity data (identifying the IDs, the intensity of the signal, etc.) would be made available to a protected database from the Pandemic disease informational component may be retrieved by the Indian government or the corporation that manufactured the electronic equipment. The government is permitted to evaluate such data once it has been extracted.

The COVID-19 tracker software collects personally identifiable pandemic disease informational components about the user, such as name, number, gender, age, occupation, countries visited in the last 30 days, and medical history as of the time the pandemic disease informational component was collected. This pandemic disease informational component is then stored in the cloud for future use. The user’s location is also discovered upon registration as shown in Fig. 3. The app, which continuously monitors the user’s location using bluetooth and GPS technology, also keeps

a record of their travels. This might have important consequences for the privacy and security of Pandemic disease informational component. If someone gains access to this data, they can deduce pandemic disease informational component about the user's residence and place of employment, socioeconomic status, identity (such as religion or caste), and much more. Because private data is there and using the app as a result is necessary, privacy concerns are highlighted. A person's position in society may suffer greatly and there is a chance that they would face discrimination if their medical privacy were violated.

A random distribution of the coronavirus infection lists has taken place throughout India. Such a privacy risk might be extremely harmful because of the potential for pandemic disease informational component to be used improperly. Pandemic disease informational component has been exchanged unlawfully as a result of the state government disclosing user pandemic disease informational component, such as name, address, and place of residence, of persons who are quarantined for anesthetic. It also rejects the judgment on the right to privacy issued by the Indian Supreme Court. The app fails the test of proportionality demanded by the right to privacy, which states that the conduct in issue must be lawful, have a legitimate aim, be proportionate in extent to the need for it, and be secured by procedural protections intended to prevent misuse. Due to the lack of regulations on this program, which raises the risk of abuse, the proportionality test is therefore fulfilled. The absence of a comprehensive framework for protecting private pandemic disease informational component is illegal in India. The huge amount of sensitive pandemic disease informational component that the App protects violates the rules for accountability, transparency, and purposeful knowledge reduction. Pandemic disease informational component security is a problem because of the terms of service and confidentiality agreements, as well as the absence of any governing legislation [5, 6]. The app has safeguards built in to secure users' personal pandemic disease informational component. It generates a unique device ID number. When a user contacts another person, this ID is given to their device instead of the user's name and phone number. The App's placement data is deleted after a rolling 30-day period. The COVID-19 monitoring software is now open source, which can assist the developers in better understanding how it works and how data is handled by it. This demonstrates the commitment of the government to openness. Several adjustments have been made to the app's textual content. Even if the data isn't hashed to a distinct ID anymore, a tool ID is still employed. The privacy assertion no longer implies that private data may be arranged in this manner. The user's precise location knowledge, which is collected every quarter hour and stored on the mobile device itself, as well as pandemic disease informational component about all DiD trading platforms between people the user came close to, will be uploaded only to the server's memory upon providing a pandemic positive status or upon requesting a test. No customer's sensitive pandemic disease informational component, other than what they DiD, will be sent to the server. If a specific person tested positive for malaria and was successfully treated, such data are removed after 60 days; if they test unfavorable it is destroyed after 45 days [7, 8].

5 Simulation Study

In the given work, React JS is utilized. React makes it simple to create interactive user interfaces. Make simple views for each step of your application; if the data in those views changes, React will move fast to render the necessary components as shown in Figs. 4, 5, 6, and 7. Declarative views improve predictability and make it easier to locate bugs in your code. It produces separate components with autonomous state management that are then put together to form complex user interfaces. Since the functionality of elements is specified in Java as opposed to templates, we will simply transfer rich data across the application while keeping the state of the DOM's structure. The most recent version of Chart.js may be downloaded from GitHub, a Chart.js CDN can be used, or npm can be employed. Comprehensive installation instructions are provided on the page that comes with it. Starting is easy when using Chart.js. Only one of the following pieces, the script, must be on the web page.



Fig. 4 To show the COVID-19 global tracer output




Fig. 5 To show the COVID-19 global tracer output results




Fig. 6 To show the COVID-19 global tracer output results in nations like India



Fig. 7 Simulation analysis of the App

6 Discussion and Conclusion

The “Privacy-focused Worldwide Regulations” that are solely relevant to bluetooth-based technology employing GPS Trails do not entirely apply to the COVID-19 applications monitor. Due to the mobile phone’s disguised exact position, it is simple to match devices. When traveling by public transportation or in enclosed spaces, GPS footprints are especially dependable at. These systems are susceptible to hacking. Data may be transferred to a server in the cloud under specific circumstances, which may then be removed and used illegally. The program stores the information it has gathered both on the handheld device and later on a centralized server. The encrypted customer information that is maintained on its networked computers may still be available after the coronavirus has been detected and recognized. Another conclusion that could have been drawn would be that it’s an intriguing tool that might help people prevent coronavirus contamination. The appliance has helpful features and a good look; however, it could profit from upgrades like using better algorithms for Deep Learning as well as coming up with a more secure method to deal with information security problems. The fantastic user interface (UI) shows how interaction between users was considered whenever the device was designed. As a whole, the tool aids in the identification of those who tested negative for the illness-causing virus. It

is also an excellent move to let locals know how many diseases are coronavirus-positive there, or if people unintentionally came in contact with an individual who was pandemic -positive. For the gadget to carry on constantly tracking people, it must always be on. The mobile device we employ can typically change out its tracking keys since the API of the equipment is used in this way.

References

1. World Health Organization. Origin of SARS-CoV-2. 26 March 2020. Available online: <https://www.who.int/publications/i/item/origin-of-sars-cov-2>. Accessed on 6 Aug (2022)
2. World Health Organization. WHO Director-General's Opening Remarks at the Media Briefing on COVID-19—11 March 2020. Available online: <https://www.who.int/director-general/speeches/detail/who-director-general-s-opening-remarks-at-the-media-briefing-on-covid-19---11-march-2020>. Accessed on 6 Aug (2022)
3. Krishnam NP et al (2022) Analysis of current trends, advances and challenges of machine learning (ML) and knowledge extraction: from ML to explainable AI. *Ind Qualifications Inst Adm Manage UK* 58:54–62
4. WHO. COVID-19 Weekly Epidemiological Update; World Health Organization: Geneva, Switzerland, 2021; pp. 1–23.
5. Alhasan M, Hasaneen M (2021) Digital imaging, technologies and artificial intelligence applications during COVID-19 pandemic. *Comput Med Imaging Graph* 91:101933
6. Anbalagan S, Arunprasanna V, Dinakaran S, Krishnan M (2020) Combinatory therapeutic approaches for common cold and SARS-CoV-2. *Synergy* 11:100069
7. Singh P et al (2022) Cloud-based patient health information exchange system using blockchain technology. In: *Information and communication technology for competitive strategies (ICTCS 2021) intelligent strategies for ICT*. Springer Nature Singapore, Singapore, pp 569–577
8. Petrosillo N, Viceconte G, Ergonul O, Ippolito G, Petersen E (2020) COVID-19, SARS and MERS: are they closely related? *Clin Microbiol Infect* 26:729–734
9. Mallapaty S (2020) What the cruise-ship outbreaks reveal about COVID-19. *Nature* 580:18
10. Tuli S, Tuli S, Tuli R, Gill SS (2020) Predicting the growth and trend of COVID-19 pandemic using machine learning and cloud computing. *Internet Things* 11:100222
11. Wang H, Jia S, Li Z, Duan Y, Tao G, Zhao Z (2022) A comprehensive review of artificial intelligence in prevention and treatment of COVID-19 pandemic. *Front Genet* 13:1–15
12. Jain D et al (2022) A comprehensive framework for IoT-based data protection in blockchain system. In: *Information and communication technology for competitive strategies (ICTCS 2021) intelligent strategies for ICT*. Springer Nature Singapore, Singapore, pp 473–483
13. National Institute of Health. Antiviral Agents, Including Antibody Products. Available online: <https://www.covid19treatmentguidelines.nih.gov/>. Accessed on 6 Aug (2022)
14. Zahariadis G, Gooley TA, Ryall P, Hutchinson C, Latchford MI, Fearon MA, Jamieson FB, Richardson S, Kuschak T, Mederski B (2006) Risk of ruling out severe acute respiratory syndrome by ruling in another diagnosis: variable incidence of atypical bacteria coinfection based on diagnostic assays. *Can Respir J* 13:17–22
15. Jain E et al (2022) A CNN-based neural network for tumor detection using cellular pathological imaging for lobular carcinoma. In: *ICT with intelligent applications: proceedings of ICTIS 2022*, vol 1. Springer Nature Singapore, Singapore, pp 541–551
16. Arabi YM, Al-Omari A, Mandourah Y, Al-Hameed F, Sindi AA, Alraddadi B, Shalhoub S, Almotairi A, Al Khatib K, Abdulmomen A et al (2017) Critically Ill patients with the middle east respiratory syndrome. *Crit Care Med* 45:1683–1695
17. Singh S, Basera P, Anand A, Ozair A (2022) COVID-19-Associated mucormycosis in a tertiary care hospital in India: a case series. *Cureus* 2022

18. Phogat M et al (2022) Identification of MRI-based adenocarcinoma tumours with 3-D convolutionary system. In: Information and communication technology for competitive strategies (ICTCS 2021) intelligent strategies for ICT. Springer Nature Singapore, Singapore, 2022, pp 587–597
19. Aranjani JM, Manuel A, Abdul Razack HI, Mathew ST (2021) COVID-19–associated mucormycosis: evidence-based critical review of an emerging infection burden during the pandemic's second wave in India. *PLoS Negl Trop Dis* 15:e0009921
20. Varshney S et al (2022) A blockchain-based framework for IoT based secure identity management. In: 2022 2nd international conference on innovative practices in technology and management (ICIPTM), vol. 2. IEEE
21. Mahalaxmi I, Jayaramayya K, Venkatesan D, Subramaniam MD, Renu K, Vijayakumar P, Narayanasamy A, Gopalakrishnan AV, Kumar NS, Sivaprakash P et al (2021) Mucormycosis: an opportunistic pathogen during COVID-19. *Environ Res* 201:111643
22. de Laat-Kremers R, De Jongh R, Ninivaggi M, Fiolet A, Fijnheer R, Remijn J, de Laat B (2022) Coagulation parameters predict COVID-19-related thrombosis in a neural network with a positive predictive value of 98%. *Front Immunol* 13:977443
23. Biswas S, Thakur V, Kaur P, Khan A, Kulshrestha S, Kumar P (2021) Blood clots in COVID-19 patients: Simplifying the curious mystery. *Med Hypotheses* 146:110371
24. Kashyap N, Vats P (2019) A comprehensive review of the brain mapping technique. Available at SSRN 3464789
25. Upreti K et al (2023) A deep convolution network-based pneumonia identification from thoracic X-ray imagery scans. In: Intelligent sustainable systems: selected papers of WorldS4 2022, vol 1. Springer Nature Singapore, Singapore, pp 719–728
26. Kaur R et al (2022) A Comprehensive approach for recognizing the ocular impression using machine learning-based CNN and LBP plainer interpolation. In: ICT infrastructure and computing: proceedings of ICT4SD 2022. Springer Nature Singapore, Singapore, 2022, pp 721–728
27. Palanisamy N, Vihari N, Meena DS, Kumar D, Midha N, Tak V, Sharma A, Bohra GK, Kothari N, Dutt N et al (2021) Clinical profile of bloodstream infections in COVID-19 patients: a retrospective cohort study. *BMC Infect Dis* 21:933
28. Sharma N et al (2022) A robust framework for governing blockchain-based distributed ledgers during COVID-19 for academic establishments. *ICT with intelligent applications: proceedings of ICTIS 2022*, vol 1. Springer Nature Singapore, Singapore, pp 35–41
29. Kokkoris S, Papachatzakis I, Gavrielatou E, Ntaidou T, Ischaki E, Malachias S, Vrettou C, Nichlos C, Kanavou A, Zervakis D et al (2021) ICU-acquired bloodstream infections in critically ill patients with COVID-19. *J Hosp Infect* 107:95–97
30. Fakihi MG, Bufalino A, Sturm L, Huang R-H, Ottenbacher A, Saake K, Winegar A, Fogel R, Cacchione J (2022) Coronavirus disease 2019 (COVID-19) pandemic, central-line-associated bloodstream infection (CLABSI), and catheter-associated urinary tract infection (CAUTI): The urgent need to refocus on hardwiring prevention efforts. *Infect Control Hosp Epidemiol* 43:26–31
31. Siddiqui ST, Khan H, Alam MI, Upreti K, Panwar S, Hundekari S (2023) A Systematic review of the future of education in perspective of block chain. *J Mob Multimedia* 19(05):1221–1254. <https://doi.org/10.13052/jmm1550-4646.1955>
32. Karnoukh KI, Drozdov VN, Shikh EV, Zhilina SV, Lazareva NB (2022) Etiology and antimicrobial resistance of secondary bacterial infections in patients hospitalized with COVID-19: a retrospective analysis. *Vestn Ross Akad Meditsinskikh Nauk* 77:25–32
33. Saini AK et al (2023) AI in healthcare: navigating the ethical, legal, and social implications for improved patient outcomes. In: 2023 International conference on data science and network security (ICDSNS). IEEE
34. Khan MR et al (2023) Analysis of elliptic curve cryptography & RSA. *J ICT Stand* 11(4):355–378. <https://doi.org/10.13052/jicts2245-800X.1142>
35. Al Sulayyim HJ, Ismail R, Al Hamid A, Ghafar NA (2022) Antibiotic resistance during COVID-19: a systematic review. *Int J Environ Res Public Health* 19:11931

36. Miller RA (1994) Medical diagnostic decision support systems-past, present, and future: a threaded bibliography and brief commentary. *J Am Med Inform Assoc* 1:8–27
37. Upreti K, Arora S, Sharma AK, Pandey AK, Sharma KK, Dayal M (2023) Wave height forecasting over ocean of things based on machine learning techniques: an application for ocean renewable energy generation. *IEEE J Oceanic Eng.* <https://doi.org/10.1109/JOE.2023.3314090>
38. Colubri A, Silver T, Fradet T, Retzepi K, Fry B, Sabeti P (2016) Transforming clinical data into actionable prognosis models: machine-learning framework and field-deployable app to predict outcome of Ebola patients. *PLoS Negl Trop Dis* 10:e0004549
39. Zimmerman A, Kalra D (2020) Usefulness of machine learning in COVID-19 for the detection and prognosis of cardiovascular complications. *Rev Cardiovasc Med* 21:345
40. Kagiya N, Shrestha S, Farjo PD, Sengupta PP (2019) Artificial intelligence: practical primer for clinical research in cardiovascular disease. *J Am Heart Assoc* 8:e012788
41. Hirschberg J, Manning CD (2015) Advances in natural language processing. *Science* 349:261–266
42. Russakovsky O, Deng J, Su H, Krause J, Satheesh S, Ma S, Huang Z, Karpathy A, Khosla A, Bernstein M et al (2015) ImageNet large scale visual recognition challenge. *Int J Comput Vis* 115:211–252
43. Wehbe RM, Sheng J, Dutta S, Chai S, Dravid A, Barutcu S, Wu Y, Cantrell DR, Xiao N, Allen BD et al (2021) DeepCOVID-XR: An artificial intelligence algorithm to detect COVID-19 on chest radiographs trained and tested on a large U.S. Clinical data set. *Radiology* 299:E167–E176