

6

5

4

3

2

1

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:

D5充电桩主板

项目代号：PJ0050_CT04

版本：A01

COMPANY: 广东德普精工有限公司

TITLE: PJ0050_CT04_SCH-A00


DRAWN: 王政	DATED: 2026-03-10
CHECKED: GRO : ¼ p × 6	DATED: <Checked Date>
QUALITY CONTROL: <QC By>	DATED: 2026-03-10
RELEASED: GRO : ¼ p × 6	DATED: 2026-03-10

CODE:	SIZE: D	DRAWING NO: PJ0050_CT04	REV: A01
-------	---------	-------------------------	----------


SCALE: <Scale> SHEET: 1OF 8

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




		COMMENTS: E 1 Ü Ü Ê Ð Æ Ö ¶ É ¸ Æ ¼ ¼ Ó Ð İ Þ ¹ « Ë ¼					
		TITLE: PJ0050_CT04_SCH-A00					
DRAWN: İ Æ Ö þ	DATED: 2026-03-10			CODE:	SIZE:	DRAWING NO:	REV:
CHECKED: GRÖ ² ¼ þ × é	DATED: <Checked Date>				D	PJ0050_CT04	A01
QUALITY CONTROL: <QC By>	DATED: 2026-03-10						
RELEASED: GRÖ ² ¼ þ × é	DATED: 2026-03-10	SCALE: <Scale>				SHEET: 3 of 8	



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

DRAWN: 王政		DATED: 2026-03-10		PJ0050_CT04_SCH-A00			
CHECKED: 68硬件组		DATED: <Checked Date>		CODE:	SIZE:	DRAWING NO:	REV:
QUALITY CONTROL: <QC By>		DATED: 2026-03-10		CODE:	D	PJ0050_CT04	A01
RELEASED: GRO : ¼ p × é		DATED: 2026-03-10					
SCALE: <Scale>							


60V- 10A适配器输入




charge_en为总充电开关，由WCU控制
charge_en2为备用电池充电。由WCU控制
charge_en1为D5充电。由互斥电路生产
charge_en1与charge_en2不可同时开启

CHARGE_EN	MCU控制	互斥电路生产	互斥电路生产
CHARGE_EN1	CHARGE_EN2	CHARGE_EN1	CHARGE_EN2
0	0	0	0
0	1	0	0
1	0	0	1
1	1	0	0


互斥电路



霍尔复位




输出电压采样



此处只检测电极片输出电压，引脚不够。
电池充电可通过can通讯，无需电压检测


备用电池充电



电刷接口

修改点：更换了连接器引脚，线缆对应修改。
A00：Pin1(-)接正；Pin2(+)接负
A01：Pin1(-)接负；Pin2(+)接正

D5充电



修改点：更换了连接器引脚，线缆对应修改。
A00：Pin1(-)接正；Pin2(+)接负
A01：Pin1(-)接负；Pin2(+)接正





E ĭ Ů Ú Ê Ð Æ Õ ¶ É ¿ Æ ¼ ¼ Ó Ð İ Þ ¹ « Ë ¾

TITLE: PJ0050_CT04_SCH-A00



DRAWN: 王政	DATED: 2026-03-10	CODE:	SIZE:	DRAWING NO:	REV:
CHECKED: GR硬件组	DATED: <Checked Date>				
QUALITY CONTROL: <QC By>	DATED: 2026-03-10				
RELEASED: GR硬件组	DATED: 2026-03-10				

SCALE: <Scale> SHEET: 50F 8

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




修改点：
A00：无负电压电路；
A01：新增负电压电路；




$I_{lim}=10.5\cdot R(k)mA=1.05A$
 $T_{ss}(ms)=0.161\times C_{ss}(nF)\times V_{in}=0.161\cdot 1\cdot 12=1.92ms$

COMPANY			
E i Ů Ů Ê Ð Æ Õ ¶ É ě Æ ¼ ¼ Ó Ð Ĭ Ð ¹ « Ë ¼			
TITLE:			
PJ0050_CT04_SCH-A00			
DRAWN:	DATED:	CODE:	SIZE:
í õ ò þ	2026-03-10		
CHECKED:	DATED:	DRAWING NO:	REV:
GRÖ ² ¼ þ × é	<Checked Date>		
QUALITY CONTROL:	DATED:		
<QC By>	2026-03-10		
RELEASED:	DATED:		
GRÖ ² ¼ þ × é	2026-03-10		
SCALE: <Scale>		SHEET: 60F 8	



和上位机保持一致



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

DRAWN: í ò Ñ þ	DATED: 2026-03-10
CHECKED: GRÖ ² ¼ þ × é	DATED: <Checked Date>
QUALITY CONTROL: <QC By>	DATED: 2026-03-10
RELEASED: GRÖ ² ¼ þ × é	DATED: 2026-03-10

COMPARISON: E 1 Ü Ü Ê Æ Ö ¶ É ¿ Æ ¼ ¼ Ö Ð Ï P ¹ « Ê ¼			
TITLE: PJ0050_CT04_SCH-A00			
CODE: >	SIZE: D	DRAWING NO: PJ0050_CT04	REV: A01
SCALE: <Scale>		SHEET: 83F 8	