


CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
AC	FLOOR STANDING AC	MWACM-FAC1802INV-HC		BTU: 18000 - INVERTER VERSION Inner machine size: 425*1775*425mm Outer machine size: 718*300*540mm Inner machine weight: 32kg Outer machine Weight: 24kg Refrigerant: R32 Items: Inverter heating and cooling, Function: Remote control and WiFi control Rated Input Power : 1300w EER（w/w）:3.92 Power supply source: 220～240V-1-50Hz Evaporator&Condenser tube material: Inner-grooved copper; Φ7	1	899,000
	SPLIT WALL AC	MWACM-SAC0901		BTU: 9000 Inner machine size: 713*270*210mm Outer machine size: 700*295*440mm Inner machine weight: 7kg Outer machine Weight: 22kg Refrigerant: R410A Rated Input Power :787w EER（w/w）:3.05 Items: ONLY COOLING Power supply source: 220～240V-1-50Hz Evaporator&Condenser tube material: Inner-grooved copper; Φ7	1	285,000
		MWACM-SAC0902INV		BTU: 9000 - INVERTER VERSION Inner machine size: 713*270*210mm Outer machine size: 700*295*440mm Inner machine weight: 7kg Outer machine Weight: 21kg Refrigerant: R32 Rated Input Power :909w EER（w/w）:3.05 Items: ONLY COOLING Power supply source: 220～240V-1-50Hz Evaporator&Condenser tube material: Inner-grooved copper; Φ7	1	355,000
		WITHOUT KIT MWACM-SAC0902INV			1	345,000
		MWACM-SAC1201		BTU: 12000 Inner machine size: 820*300*200mm Outer machine size: 700*295*440mm Inner machine weight: 9kg Outer machine Weight: 24kg Refrigerant: R410A Rated Input Power : 1160w EER（w/w）:3.05 Items: ONLY COOLING Power supply source: 220～240V-1-50Hz Evaporator&Condenser tube material: Inner-grooved copper; Φ7	1	320,000
		MWACM-SAC1202INV		BTU: 12000 - INVERTER VERSION Inner machine size: 820*300*200mm Outer machine size: 700*295*440mm Inner machine weight: 8.5kg Outer machine Weight: 21kg Refrigerant: R32 Rated Input Power : 1255w EER（w/w）:3.05 Items: ONLY COOLING Power supply source: 220～240V-1-50Hz Evaporator&Condenser tube material: Inner-grooved copper; Φ7	1	380,000
		WITHOUT KIT MWACM-SAC1202INV			1	370,000
AC HANGER	HANGER	MWACM-AC0918	——	For AC	1	6,600

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
	MIC	MW-MIC762WLS		Size: 50 * 30mm Frequency: 762.85Mhz	1	15,000
	MINI HIFI SYSTEM	MWAUD-MHF1202		HIFI SYSTEM PMPO：2200W Speaker: 12"x2+1"x2 Playback sources: Bluetooth, USB, DVD, Line-in HDMI output, Coaxial output, S-Video output Compatible with: DVD/DVD+R/DVD+RW, CD/CD-R/CD-RW, MP3/MPEG4, Kodak Picture FM tuner with auto-search Two microphone inputs with independent volume control Amplifier: 430 *300*180mm Speakers*2: 380*295*560MM	1	450,000
		MWAUD-MHF2001		HIFI SYSTEM PMPO：1600W Speaker: 8"x2+1"x2 Support USB / AUX / FM / Bluetooth / optical Mic input with volume control Itreble / bass / echo / reverb effect adjustment Mic voice+ / mic voice- effect control Multi-color LED party lighting (total 5 selectable modes) 6 EQ modes with independent treble and bass adjustment Include: Wireless remote control /One wired microphone Amplifier: 350*259*156mm Speakers*2: 275*305*393mm	1	182,000
		MWAUD-MHF8802		HIFI SYSTEM PMPO：2200W Speaker:8"*4+ 1"x2 Playback sources: Bluetooth, USB, DVD, Line-in, HDMI, Coaxial Compatible with: DVD/DVD+R/DVD+RW, CD/CD-R/CD-RW, MP3/MPEG4, Kodak Picture FM tuner with auto-search Two microphone inputs with independent volume control Include: Wireless remote control /One wired microphone Amplifier:430 *300*180mm Speakers*2:285*285*795mm	1	450,000
		MW-MHF1243		HIFI SYSTEM PMPO：3500W DOUBLE BLUETOOTH CONNECTION FUNCTION Speaker:12"*2+8"*2+3"x4 Playback sources: Bluetooth,USB, SD card, AUX IN, HDMI, optical Colorful speaker light / Top light LED display / digital amplifier FM tuner with auto-search 4× microphone inputs with independent volume control Include: Wireless remote control /Two wired microphone Amplifier:430 *300*180mm Speakers*2:285*285*795mm	1	799,000
	MULTIMEDIA	MWAUD-MMS305		3.1 Multiple Media Speaker PMPO:560W Speaker Unit: 6.5'x1 +3'x3 speaker support USB. SD ,FM Radio,Bluetooth and Display Include: Remote control Satelite*3: 80 x 120 x320mm Subwoofer: 298*170*325mm	1	52,500

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
AUDIO	SPEAKER 3.1	MWAUD-MMS306		3.1 Multiple Media Speaker PMPO:560W Speaker Unit: 6.5'x1 +3'x3 speaker support USB. SD ,FM Radio,Bluetooth and Display Include: Remote control Satelite*3: 80 x 120 x320mm Subwoofer: 298*170*325mm	1	52,500
	PARTY SPEAKER	MWAUD-PTS0603SG		6.5 Inch Speaker PMPO：480W Unit size：260*260*300mm Speaker: 6.5"x1+1.5"x1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：7.4V/4500mAH Color box size： 300*290*350mm Include: Wired Mic/ remote Control/9V/ 4A Adaptor	1	56,000
		MWAUD-PTS0801		Double 8 Inch Speaker PMPO：900W Unit size：320*335*715mm Speaker: 8"x2+1.5"x1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：12V/4.5AH Color box size：375*363*802mm Include: Wireless Mic/ remote Control/ 12V 6A Adaptor	1	159,900
		MWAUD-PTS0803SG		8 Inch Speaker PMPO：540W Unit size：280*280*340mm Speaker: 8"x1+1.5“x1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：7.4V/4500mAH Color box size： 300*290*350mm Include: Wired Mic/ remote Control/9V/ 4A Adaptor	1	66,500
		MWAUD-PTS1001		Double 10 Inch Speaker PMPO：1500W Unit size：355*345*860mm Speaker: 10"x2+1.5"x1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：12V/4.5AH Color box size：407*397*954mm Include: Wireless Mic/ remote Control/ 15V/8A Adaptor	1	229,900
		MWAUD-PTS1002SG		10 Inch Speaker PMPO：900W Unit size：320*335*715mm Speaker: 10"*1+3"*1+1.5*1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：12V/4.5AH Color box size：375*363*802mm Include: Wireless Mic/ remote Control/ 15V 6A Adaptor	1	158,000
		MWAUD-PTS1201DB		Double 12 Inch Speaker PMPO：1500W Unit size：380*370*1150mm Speaker: 12"×2+1.5"x1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：12V/7AH Color box size：440*430*1202mm Include: Wireless Mic/ remote Control	1	284,000
		MWAUD-PTS1201SG		12 Inch Speaker PMPO：1200W Unit size：350*350*790mm Speaker: 12"x1+3“x2+1.5”x1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：12V/5.5AH Carton box: 400*377*840mm Include: Wireless Mic/ remote Control	1	219,000

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
		MWAUD-PTS1202SG		12 Inch Speaker PMPO：1500W Unit size：355*345*860mm Speaker: 12"*1+3"*1+1.5*1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：12V/4.5AH Color box size：407*397*954mm Include: Wireless Mic/ remote Control/ 15V/8A Adaptor	1	219,000
		MW-PTS6204		Double 6.5 Inch Speaker PMPO：600W Unit Size: 555*255*255mm Speaker: 6.5''x2+1.5''x1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：7.4V/4500mA Unit size： Color box size： Include: Wireless Mic/ remote Control / Adaptor /suspenders	1	129,900
		MW-PTS6205		Double 6.5 Inch Speaker PMPO：600W Unit Size: 270*250*560mm Speaker: 6.5''x2+1.5''x1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：7.4V/3600mA Unit size： Color box size： Include: Wireless Mic/ remote Control / Adaptor	1	109,900
		MW-PTS8317		Triple 8 Inch Speaker PMPO：600W Unit size：285*280*900mm Speaker: 8''x3+1.5''x1 Function:USB/TF/BT/FM/LEDDISPLAY Battery：3.7V/3600mA Color box size：313*313*942mm Include: Wireless Mic/ remote Control / Power Cable	1	129,900
		MWAUD-MSB120		2.1 Wired Soundbar Output: 260W Speaker: 6.5"x1+2.25"x4 Soundbar size: 920*90*70mm Subwoofer size: 240*240*390mm Support USB playing/Aux in/Optical/HDMI/FM With light Include: Remote control	1	96,800
		MWAUD-MSB160		2.1 Wired Soundbar Output: 300W Speaker: 6.25"x1+5890"x2 Soundbar size: 940*98*65.9mm Subwoofer size: 212*293*375mm Support USB playing/Aux in/Optical/HDMI/FM EQ setting Metal grill & matt finish AC power supply Button: power on/off mode, pair, volume+, volume- Include: Remote control	1	108,000
		MWAUD-MSB2180		2.1 Wired Soundbar Output: 160W Speaker: 5.25"x1+2"x4 Soundbar size: 810*70*70mm Subwoofer size: 225*225*350mm Support USB playing/Aux in/Optical/HDMI/FM With light Include：AV CABLE,REMOTE COTROL	1	89,000

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
	SOUND BAR	MWAUD-MSB2280		2.1 Wired Soundbar Output: 280W Speaker: 6.5"x1+2.25"x4 Soundbar size: 920*90*70mm Subwoofer size: 210*300*430mm Support USB playing/Aux in/Optical/HDMI/FM With light on Soundbar and Subwoofer Include: Remote control	1	129,000
		MWAUD-MSB260WLS		2.1 Wireless Soundbar Output: 300W Speaker: 6.25"x1+5890"x2 Soundbar size: 940*98*65.9mm Subwoofer size: 212*293*375mm Support USB playing/Aux in/Optical/HDMI/FM With LED display EQ setting Metal grill & matt finish AC power supply & WIRELESS Button: power on/off mode, pair, volume+, volume- Include: Remote control	1	119,000
		MWAUD-MSB400		2.1 Wired Soundbar Output: 400W Speaker: 10"x1+2.25"x4 Soundbar size: 960*90*70mm Subwoofer size: 290*290*480mm Support USB playing/Aux in/Optical/HDMI/FM With light on Soundbar Include: Remote control	1	149,000
BATHROOM APPLIANCE	ELECTRIC WATER HEATER	MW-EWH3028W		Rated power: 2100W Capacity: 30L Rated Temperature: 75°C Product Size: 355*330*360mm Water Inlet Mode: Bottom Inlet Earth Leakage Protection Plug Blue porcelain enamel liner, corrosion-proof, anti-scaling, anti-explosion, acid-proof, and long service life. Over-Temperature Protection, Over-Pressure Protection, Anti-Dry-Burning Protection ABS Shell, Split Foaming, The split-type foaming structure offers excellent heat retention performance. 316 Stainless Steel Brazed Heating Tube with Magnesium Rod	1	79,900
		MWBGM-BLD01BK		Output power: 450W Capacity: 1.5L & 100ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 190 * 170* 398 (mm) Motor:7630 Rotor CCA Stator Aluminum with PTC Thermostat Housing Material: PP Jar Material: PC 2 in 1 & Dry Mill Blade:6 leaves Blade	6	19,900
		MWBGM-BLD01Y		Output power: 450W Capacity: 1.5L & 100ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 190 * 170* 398 (mm) Motor:7630 Rotor CCA Stator Aluminum with PTC Thermostat Housing Material: PP Jar Material: PC 2 in 1 & Dry Mill Blade:6 leaves Blade	6	19,900

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
		MWBGM-BLD02BK		Output power: 450W Capacity: 1.5L & 100ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 174 * 174* 401 (mm) Motor:7630 Rotor CCA Stator Aluminum with PTC Thermostat Housing Material: PP Jar Material: PC 2 in 1 & Dry Mill Blade:6 leaves Blade	6	19,900
		MWBGM-BLD02Y		Output power: 450W Capacity: 1.5L & 100ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 174 * 174* 401 (mm) Motor:7630 Rotor CCA Stator Aluminum with PTC Thermostat Housing Material: PP Jar Material: PC 2 in 1 & Dry Mill Blade:6 leaves Blade	6	19,900
		MWBGM-BLD03BK		Output power: 450W Capacity: 1.5L & 100ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 190* 170* 400 (mm) Motor:7630 Rotor CCA Stator Aluminum with PTC Thermostat Housing Material: PP Jar Material: PC 2 in 1 & Dry Mill Blade:6 leaves Blade	6	22,500
		MWBGM-BLD03Y		Output power: 450W Capacity: 1.5L & 100ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 190* 170* 400 (mm) Motor:7630 Rotor CCA Stator Aluminum with PTC Thermostat Housing Material: PP Jar Material: PC 2 in 1 & Dry Mill Blade:6 leaves Blade	6	22,500
		MWBGM-HS05BK		Output power:1000W Capacity: 2L&600ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 265* 210* 345 (mm) Motor:9525 copperclad aluminum Housing Material: PP Blade:6 leaves Blade Outer carton:52.5*39*41cm, 6pcs/ctn	6	33,000
		MWBGM-HS05Y		Output power:1000W Capacity: 2L&600ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 265* 210* 345 (mm) Motor:9525 copperclad aluminum Housing Material: PP Blade:6 leaves Blade Outer carton:52.5*39*41cm, 6pcs/ctn	6	33,000
		MWBGM-HS06BK		Output power:1000W Capacity: 2L&600ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 265* 210* 345 (mm) Motor:9525 copperclad aluminum Housing Material: PP Blade:6 leaves Blade Outer carton:52.5*39*41cm, 6pcs/ctn	6	34,000

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
BLENDER & GRINDER & MIXER	BLENDER	MWBGM-HS06Y		Output power:1000W Capacity: 2L&600ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 265* 210* 345 (mm) Motor:9525 copperclad aluminum Housing Material: PP Blade:6 leaves Blade Outer carton:52.5*39*41cm, 6pcs/ctn	6	34,000
		MWBGM-HS07BK		Output power:1000W Capacity: 2L&600ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 265* 210* 345 (mm) Motor:9525 copperclad aluminum Housing Material: PP Blade:6 leaves Blade Outer carton:52.5*39*41cm, 6pcs/ctn	6	37,000
		MWBGM-HS07Y		Output power:1000W Capacity: 2L&600ml Grinder Cup PTC overheat and overload protection Safety button Gift Box Dimensions: 265* 210* 345 (mm) Motor:9525 copperclad aluminum Housing Material: PP Blade:6 leaves Blade Outer carton:52.5*39*41cm, 6pcs/ctn	6	37,000
		MWBGM-HS08KIT		Output power:1000W Capacity: 2.5L blending cup+2L meat grinding cup +0.6L Grinder Cup PTC overheat and overload protection Safety button Stainless steel body/chassis Mechanical control with 3-gear rotary knob 7632 rotor copper long-axis motor	4	55,000
		MWBLD-HSB01BK-1800		Output power:1800W Capacity: 2L&600ml Grinder Cup PTC overheat and overload protection Safety button 15 Speeds Control Withpulse Function Gift Box Dimensions: 340* 245* 290 (mm) 100% pure copper 9525 motor voltage 220 - 240V; Food-grade 6-blade stainless steel blade Knob control for speed, with pulse function Color: Black Packaging: 5-layer hardened carton with handle	4	69,500
		MWBLD-HSB02BK-2200		Output power:2200W Capacity: 2.5&600ml Grinder Cup PTC overheat and overload protection Safety button 15 Speeds Control Withpulse Function Gift Box Dimensions: 300* 208* 390 (mm) 100% pure copper 9530 motor voltage 220 - 240V; 50/60Hz. Food-grade 6-blade stainless steel blade Knob control for speed, with pulse function Color: Black Packaging: 5-layer hardened carton with handle	4	77,000
		MWBLD-SS02BL-HEAT		Blender power: 800W Heating power: 800W Capacity: 1.75L Glass Cup PTC overheat and overload protection Safety button Blade:8 Leaves Blade Motor:7625 copperclad aluminum Jar Material: Glass Blade:8 leaves Blade	4	89,000

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
		MWBLD-SS03BL-HEAT		Blender power: 800W Heating power: 800W Capacity: 1.75L Glass Cup PTC overheat and overload protection Safety button Blade:8 Leaves Blade Motor:9530 copperclad aluminum Housing Material: PP Jar Material: Glass Blade:8 leaves Blade	4	89,000
		MW-HS3029GR		Output power:3000W Capacity: 2L&600ml Grinder Cup Digital Display & Knob Speed Control&Sound proof over ABS Plastic Housing Product Size:260*210*440mm Motor:100% pure copper motor PTC overheat and overload protection Safety button	2	129,900
		MW-HS3363GR		Output power:3300W Pot Capacity: 6L PTC overheat and overload protection Safety button Motor:100% pure copper motor Gift Box Dimensions: 450 * 245 * 340mm Operation Sun Protection: Mechanical Manual Switch Power Cord: 1.53M*1	4	109,900
		MW-HS3678GR		Output power:3600W Jug Capacity: 10L PTC overheat and overload protection Safety button Motor:100% pure copper motor Gift Box Dimensions: 590 * 310 * 365mm Operation: Mechanical Manual Switch Power Cord: 1.53M * 1	1	156,900
		MW-HS4023BK		Output power:4000W Capacity: 4L Digital Display & Knob Speed Control ABS Plastic Housing Product Size:245 * 255 * 575mm PTC overheat and overload protection Motor:100% pure copper motor Safety button	1	196,900
	BLENDER CUP	MWBGM-CUP01		it is for 1000w blenders: 05 06 07	——	7,000
	GRINDER	MW-EMG1008MT		Output Power: 1000W Capacity: 8L Blade: 420 Stainless Steel, 6 Blades PTC overheat and overload protection Motor:100% pure copper motor Safety button Pure Copper Motor Stainless Steel Mixing Barrel - 201 Stainless Steel	6	39,900
		MW-AIRF0671		Power (W):1400-1600W Capacity:6L Temperature: 100-200℃ Voltage (V):220-240V Frequency(Hz):50-60Hz Timer:1-30min Color: black With a visible window	2	53,900

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
	AIR FRYER	MW-AIRF0860BK		Power: 2000-2200W Capacity: 8L glass bowl with food rack Temperature :50-200℃ Digital display, touch screen, 7 presets Heat-resistant glass bowl High-speed air circulation technology Voltage: 220-240V Product dimensions: 289mm*325mm*323mm Timer :1-60 minutes	2	69,900
		MW-AIRF0862		Power (W):1400-1600W Capacity:8L Temperature: 100-200℃ Voltage (V):220-240V Frequency(Hz):50-60Hz Timer:1-30min Color: black With a visible window	2	65,900
		MW-AIRF1033BK		Power (W):1400W-1600W Capacity:10L Temperature: 100-200℃ Voltage (V):220-240V Frequency(Hz):50-60Hz Timer:1-30min Color: black	1	77,900
		MW-AIRF1447BK		Power: 2000-2400W Capacity: 2pcs glass bowls (6L & 8L) Temperature :50-200℃ Digital display, touch screen, 7 presets Heat-resistant glass bowl High-speed air circulation technology Voltage: 220-240V Product dimensions: 355*395*445mm	1	85,990
		MWKCA-AIRF0601		Power (W):1400-1600W Capacity:6L Temperature: 100-200℃ Voltage (V):220-240V Frequency(Hz):50-60Hz Timer:1-30min Color: black	2	49,900
		MWKCA-AIRF0801		Power (W):1400-1600W Capacity:8L Temperature: 100-200℃ Voltage (V):220-240V Frequency(Hz):50-60Hz Timer:1-30min Color: black	2	65,900
		MWKCA-AIRF1201		Power (W):2200-2600W Capacity: 12L, two pans Temperature: 50-200℃ Display : IMD panel,touch screen Voltage (V):220-240V Frequency(Hz):50-60Hz Timer:1-60min Color: black	2	99,900
		MWKCA-AIRF1802		Power (W):1700 W Inside capacity: 18 L Temperature range: 50-210 ℃ Display : IMD panel,touch screen Temperature:220-240V, , 50/60Hz Cable length: 100mm with plug Timer range: 1-60 minutes	1	105,000

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
	DEEP FRYER	MWKCA-DPF0601		Voltage: AC 220V Power: 2500W Maximum Capacity: 6L Product Dimensions: 270 X 425 X 275mm Oil Tank Dimensions: 325 X 265 X 150mm Fry Basket Dimensions: 205 X 185 X100mm Package Dimensions: 450 X 295 X 295mm N.W.: 2.8KGS; G.W.: 3.0KGS Temperature Range: 50 - 200℃	1	19,900
		MWKCA-DPF1201		Voltage: AC 220V Power: 5000W Maximum capacity: 6L + 6L Product size: 540 X 425 X 275mm Cylinder size: 325 X 265 X 150mm Frying basket size: 205 X 185 X 100mm Packaging size: 570 X 460 X 305mm Net weight: 5.6KGS Gross weight: 6.0KGS Temperature range: 50 - 200℃	1	39,900
	ELECTRIC CERAMIC STOVE	MW-ECS2048BK		Electric ceramic stove Display power :2200W+2200W Digit display Time reservation function 220-240V~ 50Hz	3	69,900
	ELECTRIC PRESSURE COOKER	MWKCA-EPC0601		Voltage: 220 - 240V 50/60Hz Power: 1000W Maximum capacity: 6L Functions: Rice/Millet/Soup, Steaming, 1 Bean/Meat/Slow Cooking/Frying Panel Material: Plastic PP Inner Container: Aluminum Alloy Single Spray Teflon, 500G Inner Container Heating Plate: Aluminum Alloy, Coated with PTFE Outer Pot: Thickness 1.0mm Steel Plate Coated SUS201 # Polished Cover, Thickness 1.0mm SUS410 Shell, Thickness 0.4mm Power Cord: PVC 3*0.75*1.2m Copper-Coated Aluminum 5-layer Gift Box, 5-layer Carton Main Board/Light Board Accessories: Rice Spoon/Rice Cup/Water Container	4	52,800
	ELECTRIC STOVE	MW-BUR1046BK		Power: 1000W Product size: 210*230*67mm Plate size: 155mm voltage: 220V-240V Net weight: 1.6kg frequency: 50/60HZ material: Iron steel, thickness 0.4mm	12	5,290
		MW-BUR1059BK		product size: 210*230*64mm; power: 1000W plate size: 155mm voltage: 220V-240V Net weight: 1.6kg frequency: 50/60HZ material:iron steel, thickness 0.4mm	12	9,290
		MW-BUR2044BK		Power: 1000W + 1000W Product size:430*230*67mm Plate size: 155mm + 155mm voltage: 220V-240V Net weight: 2.6kg frequency: 50/60HZ material: Iron steel, thickness 0.4mm	8	7,290
		MW-BUR2557BK		product size: 430*240*70mm; power: 1000W + 1500W plate size: 185mm + 155mm voltage: 220V-240V Net weight: 2.8kg frequency: 50/60HZ material: iron steel, thickness 0.4mm	6	15,990

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
COOKER	GAS STOVE	MW-GSC2153BK		Burner: two gas burners + one electrical burner Size: 590x510x120mm Burner size: φ130+φ75+φ155mm ceramic hob Inigtion: auto ignition, power cord Panel: tempered glass, material thickness 7mm Burner cover: cast iron, polish or matte Burner: sabaf, high heat resistant aluminum Pan support: cast iron Water tray: Enamel Gas type: LPG 2800 Mpa 5 layer strong carton, size: 640x540x140mm Item: Built-in gas stove	1	99,900
		MW-GSC3040BK		Burner: three gas burners Size: 720x400x120mm Burner size: φ130+φ130+φ75mm Inigtion: auto ignition, power cord Pan support: cast iron Panel: tempered glass, material thickness 7mm Burner cover: cast iron, polish or matte Burner: sabaf, high heat resistant aluminum Gas type: LPG 2800 Mpa Item: Built-in gas stove 5 layer strong carton, size: 750x430x140mm	1	98,900
		MW-GSC3066BK		Burner: three gas burners Size: 590x510x120mm Burner size: φ130+φ75+φ55mm Inigtion: auto ignition, power cord Pan support: cast iron Panel: tempered glass, material thickness 7mm Burner cover: cast iron, polish or matte Burner: sabaf, high heat resistant aluminum Gas type: LPG 2800 Mpa 5 layer strong carton, size: 640x540x140mm Item: Built-in gas stove	1	83,900
		MW-GSC4161BK		Burner: four gas burners + one electrical burner Size: 860x510x120mm Burner size: φ130+φ100+φ75+φ75+φ55mm Pan support: cast iron Panel: tempered glass, material thickness 7mm Burner cover: cast iron, polish or matte Burner: sabaf, high heat resistant aluminum Gas type: LPG 2800 Mpa Item: Built-in gas stove	1	135,900
		MW-GSC5075BK		Burner: five gas burners Size: 860x510x120mm Burner size: φ130+φ100+φ75+φ75+φ55mm Pan support: cast iron Panel: tempered glass, material thickness 7mm Burner cover: cast iron, polish or matte Burner: sabaf, high heat resistant aluminum Gas type: LPG 2800 Mpa Item: Built-in gas stove	1	125,900
		MWKCA-GSC01		Burner: two gas burners Burner Size: Ø 100mm Dimension: 700mm*350mm*110mm 6mm tempered glass 0.35mm Stainless steel body 100mm Stamped iron stove head Auto ignition valve 0.4mm Joined enamel pan support 25mm stove foot 5 layers carton box	1	35,800
		MWKCA-GSC02		Burner: two gas burners Burner Size: Ø 100mm Dimension: 710mm*370mm*110mm 0.35mm stainless steel body Auto ignition valve 0.4mm Joined enamel pan support 25mm stove foot 5 layers carton box	1	26,500

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
		MWKCA-GSC03		Burner: three gas burners + one electrical burner Size: 600x510x120mm Burner size: φ130+φ75+φ55+ceramic φ155mm Pan support: cast iron Panel: tempered glass, material thickness 7mm Burner cover: cast iron, polish or matte Burner: sabaf, high heat resistant aluminum Gas type: LPG 2800 Mpa / natural gas 2000Mpa Item: Built In gas stove	1	106,000
		MWKCA-GSC04		Burner: four gas burners Size: 600x510x120mm Burner size: φ130+φ75+φ75+φ55mm Pan support: cast iron Panel: tempered glass, material thickness 7mm Burner cover: cast iron, polish or matte Burner: Chinese sabaf, high heat resistant aluminum Gas type: LPG 2800 Mpa / natural gas 2000Mpa Item: Built In gas stove Inigtion: 1.5V battery ignition Include 1PC battery	1	101,000
	INDUCTION COOKER	MW-IDCK2073BK		Induction cooker Display power: 2000+2000W Digit display Time reservation function 220-240V~ 50Hz	3	72,900
	MICROWAVE	MWKCA-MCW2001BKGF		700W microwave output power 30' timer 6 microwave power levels Size: 20L Function: Grilling Function Turntable glass tray 245mm Power: 230V/50Hz,	1	79,500
		MW-MCW2085BK		20L, without grill function 230V, 50Hz 700W output power 245mm glass turntable 35-minute timer 5 power levels	1	69,500
		MW-MCW2506BK		850W microwave output power 35mins cooking timer 5 microwave power levels Size: 25L Turntable glass tray 285mm 230V/50Hz	1	105,000
	NORMAL PRESSURE COOKER	MWKCA-NPC0501		Capacity of the pot: 5L Aluminum polished cover and polished inner surface of the pot. straight pot body, M-shaped handle, luxurious safety valve, black cap, luxurious alarm valve (silver), pressure limiting valve black cap, 1 rubber ring	6	23,900
		MWKCA-NPC0701		Capacity of the pot: 7L Aluminum polished cover and polished inner surface of the pot. straight pot body, M-shaped handle, luxurious safety valve, black cap, luxurious alarm valve (silver), pressure limiting valve black cap, 1 rubber ring	6	28,900
		MWKCA-NPC0901		Capacity of the pot: 9L Aluminum polished cover and polished inner surface of the pot. straight pot body, M-shaped handle, luxurious safety valve, black cap, luxurious alarm valve (silver), pressure limiting valve black cap, 1 rubber ring	6	33,900

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
	OVEN	MWKCA-OVEN2501		25 liters Product Size: 464x380x291 mm 1400W, 220240V (50/60Hz), 100-230°C temperature control 60 min. timer with bell ring and automatic shutoff; 3pcs knobs 3 rack positions; 4pcs stainless steel heating elements Accessories Enamel Bake Tray (x1) / Chromed Bake Rack (x1) / Chromed Tray handle(x1) Finishing Powder paint black,white,red etc. Packing 5 layers gift box,without protect foam	1	49,000
		MWKCA-OVEN3801		38 liters Product Size: 545x396x348 mm 1600W, 220V~240V (50/60Hz), 100~230°C temperature control 60 min. timer with bell ring and automatic shutoff; 4pcs knobs 4 rack positions; 4pcs stainless steel heating elements Single hightempered resistant glass window Accessories Enamel Bake Tray (x1) / Chromed Bake Rack (x1) / Chromed Tray handle(x1) Finishing Powder paint white /black /red, etc. Packing 5 layers gift box,without protect foam	1	64,990
		MWKCA-OVEN3802		38 liters Product Size: 545x396x348 mm 3200W, 220V~240V (50/60Hz), 100~230°C temperature control 60 min. timer with bell ring and automatic shutoff; 4pcs knobs 4 rack positions; 4pcs stainless steel heating elements Single hightempered resistant glass window Accessories Enamel Bake Tray (x1) / Chromed Bake Rack (x1) / Chromed Tray handle(x1) Finishing Powder paint white /black /red, etc. Packing 5 layers gift box,without protect foam	1	69,900
	SANDWICH MAKER	MWKCA-SM0201		power :750W Type of baking tray: Triangular pan Product dimensions: 214x206x80 mm There are two indicator lights: the power indicator light and the foo d ready indicator light It is equipped with automatic temperature control and fuse control functions Equipped with a heat-insulating handle and a locking system Plate size :21x11.5 cm Cable length :75.0 cm	6	12,900
		MWKCA-SM0401		power :1200 W Type of baking tray: Triangular pan Product dimensions :331 x238x93mm There are two indicator lights: the power indicator light and the food ready indicator light It is equipped with automatic temperature control and fuse control functions Equipped with a heat-insulating handle and a locking system Plate size :23.5x23.5 cm Cable length :75.0 cm	6	23,900




CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
	STANDING GAS COOKER	MWKCA-SGC501-4G		Stainless steel panel, black powder-coated body Four burners with enamel burner covers The burner is manually ignited Flat iron furnace frame The lower burner of the oven, manual ignition + oven light Black-framed glass door with black powder-coated handle One grilling net, one oil drip pan The oven has a capacity of 58 liters Plastic knobs, plastic stove feet CKD loose piece packaging, with cartons, foam and auxiliary materials	1	129,900
		MWKCA-SGC601-3G1E		Stainless steel panel, black powder-coated body Glass cover with rear bracket, no front cover 3 Brazilian burners with enamel flame caps, 1 electric burner 1000W (no red dot), rotary switch, no indicator light Pulse ignition for burners Enamel cooking grid Bottom heating element for oven, manual ignition Black-framed glass door with black powder-coated handle One oven rack, one drip pan Oven capacity: 58L Net weight of product: 28KG CKD kit packaging, with carton, foam and accessoriesa	1	229,900
	TOASTER	MW-TST2211BK		Power: 800W; Capacity: Two slices of bread, double slots Product dimensions: 275x177x186mm Shell material: pp plastic Function: Cancel/reheat/defrost function, with indicator light Automatic power-off function	4	19,900
		MW-TST4222BK		Power: 1250-1500 w Capacity: Four slices of bread, double slots Product dimensions: 375x182x195mm Shell material: 430 stainless steel Function: Cancel/reheat/defrost function, with indicator light Automatic power-off function; Built-in baking rack	4	28,900
DRINKING WATER APPLIANCE	WATER DISPENSER	MW-TBM11236SL		Heating power: 1350W Cooling power: 75W Heat preservation power: 15W Cooling method: electronic cooling Glass panel, double doors Side iron cabinet Body: ABS Glass kettle: 0.75 liters 304 stainless - steel electric kettle: 0.8 liters Overall dimensions: 39x33x112cm Others: Warranty card (in 5 languages - African version), general / Instruction manual Outer box: reinforced Power cord: full copper, 1.7 meters Warranty card / Instruction manual / Fragile sticker	1	159,000

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
		MW-TBM11614GR		Heating power: 1375W Cooling power: 75W Heat - preservation power: 15W Cooling method: (compressor cooling) The display screen is touch - enabled Glass panel, double - door Iron cabinet, material: cold - rolled steel plate ABS plastic part material Glass kettle: 0.6 liters Warranty card / Instruction manual / Fragile sticker 304 stainless - steel electric kettle: 0.8 liters Overall dimensions: 39x33x116cm BS - standard power cord: pure copper, 1.4 meters	1	199,900
ELECTRICAL EQUIPMENT SERIES	POWER STRIP	MWEES-EPS402B		Three socket holes with USB ports BS plug Cable length: 2m Main wire: 2×1mm² Ground wire: 1×0.5mm²	50	4,550
		MWEES-EPS502B		Four socket holes with USB ports BS plug Cable length: 2m Main wire: 2×1mm² Ground wire: 1×0.5mm²	50	4,750
	PROTECTIVE SWITCH	MW-RCCB3274BL		Shenzhou Series 2 BD1LE-63 Rated current A: 32A Arc-breaking capacity KA: 6 Number of poles: 2P Frame current A: 63 Trip current (A): 0.03A Rated voltage V: AC 230V Trip characteristic: Non-delay type With leakage protection switch Product is CE certified 3 products per box, 20 boxes per carton Base quantity 205pcs, made into kraft paper boxes. Cost of this is 94RMB (cost per product increases by 0.48) Outer box size: 505*335*330MM	3	7,590
	STABILIZER	MWEES-VST2000		Rated power :2000W, Stable voltage range:110V-260V Operating frequency 50-60HZ Rated current 9A, Response time 0-4seconds, No-load current 0.05A Standbypower consumption 11W	4	39,500
		MWEES-VST3000		Input Voltage: 95–260V Output Voltage: 220V/110V Output Power: 3000W Function: 3–180 seconds delay function Dimensions: 390×260×155	1	75,900
		MW-VST5000		Rated power :5000W, Frequency:50Hz/60Hz Regulation accuracy:110V/220V±1096 Voltageregulationrange: 90V-260V Size(mm) :405*232*260	1	95,900
	VOLTAGE PROTECTOR	MW-AVP1376W		MODEL: V331 VOLTAGE:220V OUTPUT:13A UNDER VOLTAGE:150V OVER VOLTAGE:260V DELAY TIME:30S/BY PASS	1	3,990
ELECTRONIC MOSQUITO SWATTER	ELECTRONIC MOSQUITO SWATTER	MW-EMS0334		Battery Capacity: 800 mAh Discharge Voltage: 3800 V Charging Method: USB Charging	60	6,490


CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
	ELECTRIC STAND FAN	MWFAN-ESF1801		18-inch mechanical fan, full black appearance 1.Guard: 120-mesh double-ring guard, diameter 1.2mm 2.Blade: 5-blade, PP material 3.Motor: Motor model, 50W, AC motor 4.Base: Solid disc base, 2kg 5.Specification: UK standard power cord 6.Function: 3-speed adjustment with ordinary white buttons 7.Pole specification: 380 * 270mm 8.Fix the guard with plastic tape 9.Overall height: 1300mm	1	29,900
		MWFAN-ESF1803		18-inch mechanical fan, full black appearance 1.Guard: 120-mesh double-ring guard, wire diameter 1.2mm 2.Blade: 5-blade, AS (Acrylonitrile Styrene) material 3.Motor: Model 7118 motor, 60W 4.Base: Solid disc base, 2kg 5.Specification: UK standard power cord 6.Function: 3-speed adjustment with silver-plated buttons 7.Pole specification: 380 * 270mm 8.Fix the guard with plastic tape 9.Overall height: 1350mm	1	33,900
		MWFAN-ESF1804		18-inch Mechanical Fan, Full Black Appearance 1.Grille: 135-strand double-ring grille, diameter 1.2mm 2.Blades: AS5 blades 3.Motor: Model 7118 motor, 65W 4.Base: Solid disc, 2kg 5.Specification: European standard power cord 6.Function: Touch control panel + remote control 7.Pole specifications: 380 * 270mm 8.Plastic straps used to secure the grille 9.Overall height: 1430mm	1	39,900
	INDUSTRIAL FAN	MWFAN-IFN2002		1.20-inch height-adjustable stand fan, 3 blades 2.Power: 110W, pure copper motor 3.British standard (BS) plug, 2m exposed power cord 4.With height-adjustable pole 5.Cross-shaped rubber base, 7kg	1	78,900
		MWFAN-IFN2602		1.26-inch height-adjustable stand fan, 3 blades 2.Power: 150W, pure copper motor 3.British Standard (BS) plug, 2m exposed power cord 4.With height-adjustable pole 5.Cross-shaped rubber base, 7kg	1	89,900
		MWFAN-MNF10Y		Size:6-inch fan Battery:18650 battery, 3.7V / 3Ah Operating Time:3.5 - 6 hours Speed Settings:2 wind speeds LED Light:Setting 2 for light-control Charging Time: 5 Hours USB OUTPUT :5V With hanger	24	11,900
		MWFAN-MNF11Y		Size:8-inch fan Battery:18650 battery, 3.7V / 4.5Ah Operating Time:3.5 - 6 H Speed Settings:2 wind speeds LED Light:Setting 2 for light-control Charging Time: 5 H USB OUTPUT :5V	20	14,990

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
FAN	MINI FAN	MWFAN-MNF12Y		Size:8-inch fan Battery: 3.7V 4.5 AH battery Operating Time:5-8H Charging Time: 8 H Fan charger: AC110 ~ 240V 50/60Hz or DC 6V With AC charging cable Come with 6V3W Solar panel and 3V lamp *2Light Bead: 14PCS E2835U 3.0-3.4V	12	24,990
		MWFAN-MNF13Y		Product:Rechargeable Fan (7-inch housing with 6-inch blade) 360 degree adjustable fan head & bottom lithium battery 18650# 1200mAh*2 Operating Time:2.5-4.5H Charging Time: 4 H switch: stepless variable speed	20	12,500
		MWFAN-MNF14Y		Product:Rechargeable Fan (7-inch housing with 6-inch blade) Battery:18650 Lithium-ion battery, 2 cells in series (1.2Ah*2), 3.7V Operating Time:3.5 - 8.5 hours Charging Time: 4 H Speed Settings:3 wind speed	24	8,900
		MWFAN-MNF15Y		Product:Rechargeable Fan (8-inch housing with 6-inch blade) Battery:18650 Lithium-ion battery, 2 cells in series (1.2Ah*2), 3.7V Operating Time: 2.5 - 8.5 hours Charging Time: 4 H Speed Settings: 5 wind speeds	24	13,900
	MIST FAN	MW-MIST1216W		Size: 12 inch Power: 60W Working Hours: 1.5 -5 Hours Battery: 12V4.5Ah RechargeableSealed Lead-Acid Battery Water capacity: 1.6L Casing: White front panel, black rear panel Power Cord: 220-240V British Standard (BS) plug Speed Settings: 3 fan speeds Mist Function: Supports mist/humidification via both AC power and DC battery Oscillation: 360° horizontal oscillation Timer: 1-8 hours shut-off timer Wind Mode: Natural wind mode Control: button & Infrared remotecontrol Safety Feature: Dry-run protection (auto shut-off when water is low)	1	131,900
		MW-MIST1827W		Size: 18 inch Power: 75W Working Hours: 1.5 -3 Hours Battery: 12V4.5Ah RechargeableSealed Lead-Acid Battery Water capacity: 2.1L Casing & Tank: White main body, blue water tank Power Cord: 220-240V British Standard (BS) plug power cord Speed Settings: 3 fan speeds Mist Function: Supports mist/humidification via both AC power and DC battery Oscillation: Oscillation function (e.g., 360° horizontal) Timer: 1-7 hours auto shut-off timer Wind Mode: Natural wind mode Control: button & Infrared remote control Safety Feature: Dry-run protection (auto shut-off when water is low)	1	125,900

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
		MW-MIST1838BK		Size: 18 inch Power: 60w Black body (220-240 BS standard plug power cord) Five-speed wind speed adjustment Three-level mist volume adjustment Wide-angle 70° oscillating airflow 7-hour timer shutdown Three blowing mode adjustments Brushless DC motor drive Water capacity:4L Control:Button&Infrared remote control Low water protection to prevent dry burning	1	95,000
		MW-MIST1849BK		Size: 18 inch Power: 60w Voltage:220-240V Black body (with BS - standard plug adapter) 12 - level wind speed Three - level mist volume Three blowing modes DC brushless motor Timing function ranging from 1 to 8 hours Touch - control operation with LED digital display Air supply in multiple angles Water capacity:4L Touch - control operation with LED digital display Infrared remote - control function Low water protection to prevent dry burning	1	95,000
	RECHARGABLE STAND FAN	MWFAN-RSF1602BK		16Inch Battery: 12V 7AH Lead Acid Battery Charging Time: 13H Working Time: 6hrs For High Speed; 20hrs For low Speed USB/DC Output: 5V/12V DC Input: 15V AC Input: AC 110~240V 50/60Hz Dimension: 43.3 x 49 x 129 cm; Function: 2 lamp output ports; USBoutput; solar panel charging port,external battery charging port	1	69,900
		MWFAN-RSF18		18Inch Battery: 12V 7AH Lead Acid Battery Charging Time: 13H Working Time: 5.5hrs For High Speed; 18 hrs For low Speed USB/DC Output: 5V/12V DC Input: 15V AC Input: AC 110~240V 50/60Hz Dimension: 43.3 x 49 x 129 cm; Function: 2 lamp output ports; USBoutput; solar panel charging port,external battery charging port	1	77,900
		MWFAN-RSF1802BK		18Inch Battery: 12V 7AH Lead Acid Battery Charging Time: 13H Working Time: 5.5hrs For High Speed; 18 hrs For low Speed USB/DC Output: 5V/12V DC Input: 15V AC Input: AC 110~240V 50/60Hz Dimension: 43.3 x 49 x 129 cm; Function: 2 lamp output ports; USBoutput; solar panel charging port,external battery charging port	1	77,900

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
		MW-RSF1805BK		18Inch Battery: 12V 4.5AH Lead Acid Battery Charging Time: 8 Hours Working Time: 3.5hrs For High Speed; 8hrs For low Speed USB/DC Output: 5V/12V DC Input: 15V AC Input: AC 110~240V 50/60Hz Function: 2 lamp output ports; USBoutput; solar panel charging port,external battery charging port	1	74,900
	RECHARGABLE STAND FAN-SOLAR PANEL	MWEES-SLP06		Maximum power: 6W Product Size:19.5*18*29.5 Maximum voltage: 9V Current at maximum power: 0.6A Open - circuit voltage: 10.8V Short - circuit current: 0.766A	30	7,500
		MWEES-SLP10		16V10W 16"&18" FAN	20	10,000
	RECHARGABLE TABLE FAN	MWFAN-RTF12		12 Inch Battery: 6V 4.5AH Lead Acid Battery Charging Time: 8-10H Working Time: 3.5 hrs For High Speed; 8 hrs For low Speed USB/DC Output: 5V/6V DC Input: 9VAC Input: AC 110~240V 50/60Hz Dimension: 34 x 26 x 51cm; Function: 2 lamp output ports; USBoutput; solar panel charging port	1	35,000
	RECHARGABLE WALL FAN	MW-RWF1635BK		Battery: 6V/7Ah Voltage Range: 110–240V Working Time: 4.5–8 hours Timer Function: 0.5 hour Speed Levels: 3 levels	4	50,900
	STAND FAN	MWFAN-ESF1601		16-inch mechanical fan, full black appearance 1.Guard: 120-mesh double-ring guard, diameter 1.2mm 2.Blade: 5-blade, PP material 3.Motor: Motor model, 40W, pure copper motor 4.Base: Solid disc, 2kg 5.Specification: UK standard power cord 6.Function: 3-speed adjustment with ordinary white buttons 7.Pole specification: 380 * 270mm 8.Fix the guard with plastic tape 9.Overall height: 1300mm	1	25,900
	WALL FAN	MW-WMF1608BK		16-inch Wall Fan Non Rechargeable Fan guard: 120-wire double-ring fan guard, wire diameter 1.2mm Fan blades: 5 AS blades Motor: 6616 aluminum wire, 50W + synchronous motor Specification: UK standard power cord (aluminum wire) Function: 3-speed push button control Color box: Single unit packing [Size: 505*156*433mm]	1	27,900
		MW-WMF1808BK		18-inch Wall Fan Non Rechargeable Guard: 120-strand double-ring guard, wire diameter 1.2mm Fan Blades: 5 AS blades Motor: 7120 aluminum wire, 60W + synchronous motor Specification: UK standard power cord (aluminum wire) Function: 3-speed push button control Color Box: Single unit packing [Size: 510*156*501mm]	1	33,900

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
IRON	DRY IRON	MWIRON-01BK		Power: 1000W Voltage: 220 - 240v Base plate size: 208x108mm Over heat safety protection Cord Length: 190mm Easy Temperature Control Function:Dry/adjustable temperature control	12	9,000
		MWIRON-02Y		Power: 1000W Voltage: 220 - 240v Soleplate size:195x107mm Over heat safety protection Material:ABS+PP; Teflon plate Function:Dry/adjustable temperature control	12	8,500
	STEAM IRON	MWIRON-03Y		Power: 1200W Voltage: 220 - 240v Base plate size: 200x110mm Watertank capacity:180ml Over heat safety protection Material:ABS+PP; Teflon plate Function:Dry/adjustable temperature control	12	11,200
		MWIRON-04Y		Power: 2200W Voltage: 220 - 240v Base plate size: 225x121mm Watertank capacity:250ml Over heat safety protection Material:ABS+PP; Teflon plate Function:Dry/adjustable temperature control	12	14,900
		MWIRON-06BK		Power: 2200W Voltage: 220 - 240v Base plate size: 235x125mm Watertank capacity:400ml Over heat safety protection Function:Dry/Spray/Variable of steam control//Powerful burst of steam/Self-cleaning Material:Housing: ABS, Water tank: PP	12	15,900
		MWIRON-07Y		Power: 2200W Voltage: 220 - 240v Base plate size: 235x125mm Watertank capacity:400ml Over heat safety protection Function:Dry/Spray/Variable of steam control//Powerful burst of steam/Self-cleaning Material:Housing: ABS, Water tank: PP	12	15,700
		MWIRON-08Y		Power: 2400-2800W Voltage: 220 - 240v Base plate size: 245*128 mm Watertank capacity:420ml Over heat safety protection Base plate coating: Ceramic Total length of power cord: 2M (including the part assembled inside) Base plate size: 245*128 mm Packaging size: 320*128*165 mm	8	21,800
		MWIRON-09BK		Power: 2800-3200W Voltage: 220 - 240v Base plate size: 245*128 mm Watertank capacity:450ml Over heat safety protection Base plate coating: Ceramic Total length of power cord: 2M (including the part assembled in) Base plate size: 247 * 127 mm Packaging size: 320 * 130 * 155 mm	8	25,000

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
KETTLE	KETTLE	MWKET-01BK		Power: 1500W Capacity: 1.8L Body: 201# stainless steel, exterior with fine sand coating, interior washed with water, thickness typically 0.24MM Plastic parts: Black color + 201# inner steel cover Single gold temperature control	12	8,000
		MWKET-01Y		Power: 1500W Capacity: 1.8L Body: 201# stainless steel, exterior polished sand, interior washed with water, thickness 0.24MM (standard) Plastic parts: Yellow color + 201# inner steel cover Single gold temperature control	12	8,000
		MWKET-02W		Power: 1500W Capacity: 1.5L Body: 201# stainless steel, polished inside, regular thickness of 0.24MM Plastic parts: New material plastic parts+ 201 inner steel cover Single gold temperature control	12	8,000
		MWKET-02Y		Power: 1500W Capacity: 1.5L Body: 201# stainless steel, polished inside, regular thickness of 0.24MM Plastic parts: New material plastic parts+ 201 inner steel cover Single gold temperature control	12	8,000
		MWKET-04W		Power: 1500W Capacity 1.8L, Inner 304 S/S material 0.35mm Electric kettle with heat preservation function Double metal controller Heating plate 0.35mm, Heating tube 1.2mm 360 Degree rotating separated base	12	21,500
		MWKET-06BK		Power: 1800W Maximum Capacity: 5.0L, with safety lock lid Automatic on/off switch, dry heat protection 0.35mm thickened pot body, detachable power socket, new PP Power cord: 75cm copper wire 120mm diameter enlarged heating tube Material: 201 Stainless Steel	12	19,900
LED LAMP	A BULB	MW-QP1201		12W Saving 90% Energy Compare With Incandescent Lamp	100	699
	EMERGENCY BULB	MWLED-EAB8002		Power: 80 W Battery capacity: 3600mAh Usage time: 8 - 12 hours Overall dimensions of the machine: 0.11 m × 0.1 m × 0.16 m	30	5,990
	FLOOD LIGHT	MWLL-FDL60-SOLAR		Power: 60W Battery Capacity: 8000MAH Usage Time: 6 - 8 hours	10	26,900
	T BULB	MW-TP1501		15W Saving 90% Energy Compare With Incandescent Lamp	100	799
	110 INCH	MW1102STGB2WL		110" UHD 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G,Double glass，Whaleos/Webos	1	10,900,000
		MW1102STSGB2WB		110" UHD 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G,Double glass，Whaleos/Webos	1	10,900,000
	115 INCH	MW1152STGB2WL		115" MINI-LED 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G,Double glass，Whaleos	1	17,900,000
		MW322AG		32"LED HD TV,2HDMI,2USB,1VGA,1COAXIAL,DoubleGlass	1	102,500

CATEGORY	SUBCATEGORY	MODEL	DISPLAY	SPEC	PCS/ CTN	PRICE
LED TV	32 INCH	MW322SGB1		32"LED HD TV,bluetooth,,Screencast,RJ45 Input,HDMI,USB,Smart,Frameless,LAN,Double glass	1	144,000
		MW322STGB1WL		32"LED HD TV,3HDMI,2USB,1RJ45 Input,1Coaxial,Smart,1G+8G,DoubleGlass, Whaleos	1	152,000
		MW323S		32"LED HD TV,3HDMI,2USB,1RJ45 Input,1Coaxial,Smart,1G+8G,Frameless,LAN	1	140,000
	43 INCH	MW431STB1WL		43"LED FHD TV,3HDMI,2USB,1RJ45 Input,1Coaxial,Smart,1G+8G, Whaleos	1	236,000
		MW432AG		43"LED FHD TV,2HDMI,2USB,1VGA,1COAXIAL,Black,Airplay/Mir acast/DLNA,Double Glass	1	216,000
		MW432STGB1WL		43"LED FHD TV,3HDMI,2USB,1RJ45 Input,1Coaxial,Smart,1G+8G,DoubleGlass, Whaleos	1	238,000
		MW432STSGB2W B		43"LED FHD TV,3HDMI,2USB,1RJ45 Input,1Coaxial,Smart,1G+8G,DoubleGlass, Webos	1	249,000
	50 INCH	MW500STGB1WL		50"LED FHD TV,3HDMI,2USB,1RJ45 Input,1Coaxial,Smart,1G+8G,Frameless,Double Glass, Whaleos	1	339,000
		MW500STSGB2W B		50"LED FHD TV,3HDMI,2USB,1RJ45 Input,1Coaxial,Smart,1G+8G,Frameless,Double Glass, Webos	1	359,000
	55 INCH	MW550STGB2WL		55" UHD 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G,Double Glass, Whaleos	1	428,000
		MW550STSGB2W B		55" UHD 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G,Double Glass, Webos	1	447,000
		MW550STSGB2W B-QLED		QLED: 55" UHD 4K (Smart TV + T2 + S2 + 4K; 188W power consumption; with WEBOS 2.0, Dolby Digital, Bluetooth, and dual-band Wi-Fi; 1.5GB + 8GB RAM; RJ45 port, CVBS/AUDIO IN, OPTICAL, DVB-S2, DVB-T2, 3 HDMI ports, 2 USB ports, earphone out)	1	519,000
		MW551STSB2WL		55" UHD 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G, Whaleos	1	424,000
	65 INCH	MW650STGB2WL		65"UHD4K,3HDMI,2USB,1RJ45Input,1VGA,1Coaxia l,Smart,1.5G+8G,Frameless;Bluetooth, Double Glass, Whaleos	1	579,000
		MW650STSGB2W		65"UHD4K,3HDMI,2USB,1RJ45Input,1VGA,1Coaxia l,Smart,1.5G+8G,Frameless;Bluetooth, Double Glass, Webos/Whaleos	1	612,000
		MW650STSGB2W B-QLED		QLED: 65" UHD 4K (Smart TV + T2 + S2 + 4K; 228W power consumption; with WEBOS 2.0, Dolby Digital, Bluetooth, and dual-band Wi-Fi; 1.5GB + 8GB RAM; RJ45 port, CVBS/AUDIO IN, OPTICAL, DVB-S2, DVB-T2, 3 HDMI ports, 2 USB ports, earphone out)	1	688,000
	75 INCH	MW752STSGB2W B		75" UHD 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G,Double glasst,LAN, Webos /Whaleos	1	855,000
		MW752STSGB2W L		75" UHD 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G,Double glasst,LAN, Whaleos	1	825,000
	85 INCH	MW852STSGB2W B		85" UHD 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G,Double glasst,LAN, Webos	1	1,356,000
	98 INCH	MW980STSGB2W		98" UHD 4K, 3HDMI,2USB,1RJ45 Input,1VGA,1Coaxial,Smart,1.5G+8G,Double glass, Webos	1	2,200,000
	TV-MOBILE BASE	MW-110115-MOBILE BASE		tv stand 115"	1	229,000
	TV-WALL MOUNT	MW-110115-WALL MOUNT		tv stand 110"	1	199,000
		MW-1743		FROM 32" AND 43"	1	2,000
		MW-5075		FROM 50" AND 75"	1	5,500