

» Calculated Field starting Field Reference ID (Lookup Related Value)

Summary

Field Source	Report Specific
Report Name	Master Calculated All Fields Details DDR
Calculated Field Type	Calculated Field starting Field Reference ID Lookup Related Value
Business Object	Field
Indexed	No
Date Last Updated	07/10/2026, 9:23:00.003 AM
Calculated Field Function Instruction	Looks up the value of a field associated with a single instance of a related business object.

Calculation

Lookup Field	Field
Related Business Object	Field
Return Value	Reference ID

Where Used

Where Used

Area	Object Details	Usage
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishnaa-trn chpkrishna2)	2

» Field (Report Field)

Summary

Field	Field
Field Name	Field
Business Object	Field
Description	Identifies the field and allows you to drill into the details and access related actions.
Field Source	Workday Delivered
Field Type	Self referencing instance
Related Business Object	Field
Category	Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes

Date Last Updated	07/31/2018, 1:51:31.215 AM
WQL Alias	field

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	Calculated Field starting Field Reference ID (Field)	1

Area	Object Details	Usage
Calculated Field	CF EMI Cal Fields DNU (Field)	1
Calculated Field	CF LRV Field discr (Field)	1
Calculated Field	CF LRV Field Where Used (Field)	1
Calculated Field	CF LRV Standard Fields Used In Calculated Fields (Field)	1
Calculated Field	DDT - Field Name (O) (Field)	1
Computed View Definition	CV: Class Report Field, 12610\$119	1
Custom Report	Anurag CRF Report (arout-trn / Anurag Rout)	1
Custom Report	Business Object and Fields (arout-trn / Anurag Rout)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	1
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	1
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	2
Custom Report	Fields in Tenant (arout-trn / Anurag Rout)	1
Custom Report	Field Usage on Reports (Imcneil / Logan McNeil)	5
Custom Report	gyoo-all_fields (gyoo-trn / Guan Hong Yoo)	2
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	10
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishna-trn chpkrishna2)	3
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	Report Fields - SRDM (mhkhan-trn / Mohsin N Khan)	3
Custom Report	Report Fields - SRDM1 (pmodi-trn / Pranav Modi)	1
Custom Report	Testing (arout-trn / Anurag Rout)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	2
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	2
OMS Version	1.02	1
Standard Report	All Calculated Fields	2
Standard Report	All Class Report Fields for GraphQL Analysis	1
Standard Report	All CRFs Accessible by Customer	1
Standard Report	All CRFs for Module	1
Standard Report	All CRFs that are "Do Not Use"	1
Standard Report	All Custom Reports using Government Identifier CRFs	1
Standard Report	Business Object Visualization - Nodes	1
Standard Report	Calculated Fields for Time Zone Testing	1
Standard Report	Classes with Duplicate CRF Work Data	1
Standard Report	Class Report Field Not In Use By a Report Definition	1
Standard Report	Class Report Fields by Report Data Source	1
Standard Report	Class Report Fields for Web Services Comparable	2
Standard Report	Class Report Fields returning Instances of Class	1
Standard Report	Class Report Fields with Date Time Precision Mismatch	1
Standard Report	Compensation Plan Assignment Migration	3
Standard Report	Compensation Report Field Usage Audit	2
Standard Report	CRF Labels with Questionable Translation	1
Standard Report	CRF Metadata Audit	2
Standard Report	CRFs by Jira Project	1
Standard Report	CRFs from Tenant classes accessing non-tenant instances	2
Standard Report	CRFs Issuing Query Audit for Module	2
Standard Report	CRFs that are "Do Not Use" by Module	1
Standard Report	CRFs that over-ride a superclass's CRF	2
Standard Report	CRFs Update History for Release Notes	1
Standard Report	CRFs Used by New Custom Reports	1
Standard Report	CRFs with Contextual Security Mismatch	1
Standard Report	CRFs with Empty Prompt Issues	1

Area	Object Details	Usage
Standard Report	CRF Usage	2
Standard Report	CRF Usage (No Tenant Names)	2
Standard Report	Custom Data Source Extended Field Usage	2
Standard Report	Customer Referenced Class Report Fields	1
Standard Report	Customer Referenced Class Report Fields (No Tenant Names)	1
Standard Report	Data Mining Report	1
Standard Report	DER Custom Fields for Lodestar Applications	1
Standard Report	External Fields for Business Object (DEV)	2
Standard Report	Find Field Faceted	1
Standard Report	Format Mask Calculated Fields	1
Standard Report	GraphQL Read API Security Audit: Contextually Secured Class returned by CRFs with Secure Entry using Domain (Public Reporting Item)	1
Standard Report	HCM Classes with Class Report Fields	1
Standard Report	HCM Class Report Fields	2
Standard Report	Non-Contextually Secured Classes with CRF conflicts with Contextually Secured Classes	1
Standard Report	Optimizable CRFs	2
Standard Report	Recently Updated Calculated Fields	1
Standard Report	Report Fields	4
Standard Report	Report Fields for Stats Warehouse Reporting	1
Standard Report	Report Fields for Time Zone Testing	3
Standard Report	Required Domains for Standard Report	1
Standard Report	Retired Report Fields In Use	1
Standard Report	Security Audit for CRFs Returning Contextually Secure Classes	1
Standard Report	Test Organizations CRF	1
Standard Report	WATS Coverage for HR Core CRFs	2
Standard Report	What's New in Workday Report Fields	2
Standard Report	What's New in Workday Reports	2
Standard Report	Workday Data Cloud: Field Eligibility	2
Standard Report	WQL Alias Lengths for CRFs by Module and Product Area	1

» Reference ID (Report Field)

Summary

Field	Reference ID
Field Name	Reference ID
Business Object	Field
Description	Returns the Reference ID for the field. Does not apply to Workday Delivered fields.
Field Source	Workday Delivered
Field Type	Text
Related Business Object	
Category	Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes

Date Last Updated 07/31/2018, 1:51:31.215 AM

WQL Alias referenceID

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	Calculated Field starting Field Reference ID (Field)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
OMS Version	2017.09	1
Service Representation (Workday Owned)	notificationFieldRepresentation (v1 -)	1

» CF LRV Standard Fields Used In Calculated Fields (Lookup Related Value)

Summary

Field Source	Report Specific
Report Name	Master Calculated All Fields Details DDR
Calculated Field	CF LRV Standard Fields Used In Calculated Fields
Type	Lookup Related Value
Business Object	Field
Indexed	No
Date Last Updated	07/10/2026, 8:46:08.805 AM
Calculated Field Function	
Instruction	Looks up the value of a field associated with a single instance of a related business object.

Calculation

Lookup Field	Field
Related Business Object	Field
Return Value	Report Fields Used for Security

Where Used

Where Used

Area	Object Details	Usage
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishna-trn chpkrishna2)	1

» Field (Report Field)

Summary

Field	Field
Field Name	Field
Business Object	Field
Description	Identifies the field and allows you to drill into the details and access related actions.
Field Source	Workday Delivered
Field Type	Self referencing instance
Related Business Object	Field
Category	Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter 0
Indexed For Group By 0
Indexed for Facet 0
Indexed For Aggregation 0
Suitable for Indexing Yes

Date Last Updated 07/31/2018, 1:51:31.215 AM
WQL Alias field

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	Calculated Field starting Field Reference ID (Field)	1
Calculated Field	CF EMI Cal Fields DNU (Field)	1
Calculated Field	CF LRV Field discr (Field)	1
Calculated Field	CF LRV Field Where Used (Field)	1
Calculated Field	CF LRV Standard Fields Used In Calculated Fields (Field)	1
Calculated Field	DDT - Field Name (O) (Field)	1
Computed View Definition	CV: Class Report Field, 12610\$119	1
Custom Report	Anurag CRF Report (arout-trn / Anurag Rout)	1
Custom Report	Business Object and Fields (arout-trn / Anurag Rout)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	1
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	1
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	2
Custom Report	Fields in Tenant (arout-trn / Anurag Rout)	1
Custom Report	Field Usage on Reports (Imcneil / Logan McNeil)	5
Custom Report	gyoo-all_fields (gyoo-trn / Guan Hong Yoo)	2
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	10
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishna-trn chpkishna2)	3
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	Report Fields - SRDM (mhkhan-trn / Mohsin N Khan)	3
Custom Report	Report Fields - SRDM1 (pmodi-trn / Pranav Modi)	1
Custom Report	Testing (arout-trn / Anurag Rout)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	2
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	2
OMS Version	1.02	1
Standard Report	All Calculated Fields	2
Standard Report	All Class Report Fields for GraphQL Analysis	1
Standard Report	All CRFs Accessible by Customer	1
Standard Report	All CRFs for Module	1
Standard Report	All CRFs that are "Do Not Use"	1
Standard Report	All Custom Reports using Government Identifier CRFs	1
Standard Report	Business Object Visualization - Nodes	1
Standard Report	Calculated Fields for Time Zone Testing	1
Standard Report	Classes with Duplicate CRF Work Data	1
Standard Report	Class Report Field Not In Use By a Report Definition	1
Standard Report	Class Report Fields by Report Data Source	1
Standard Report	Class Report Fields for Web Services Comparable	2
Standard Report	Class Report Fields returning Instances of Class	1

Area	Object Details	Usage
Standard Report	Class Report Fields with Date Time Precision Mismatch	1
Standard Report	Compensation Plan Assignment Migration	3
Standard Report	Compensation Report Field Usage Audit	2
Standard Report	CRF Labels with Questionable Translation	1
Standard Report	CRF Metadata Audit	2
Standard Report	CRFs by Jira Project	1
Standard Report	CRFs from Tenanted classes accessing non-tenanted instances	2
Standard Report	CRFs Issuing Query Audit for Module	2
Standard Report	CRFs that are "Do Not Use" by Module	1
Standard Report	CRFs that over-ride a superclass's CRF	2
Standard Report	CRFs Update History for Release Notes	1
Standard Report	CRFs Used by New Custom Reports	1
Standard Report	CRFs with Contextual Security Mismatch	1
Standard Report	CRFs with Empty Prompt Issues	1
Standard Report	CRF Usage	2
Standard Report	CRF Usage (No Tenant Names)	2
Standard Report	Custom Data Source Extended Field Usage	2
Standard Report	Customer Referenced Class Report Fields	1
Standard Report	Customer Referenced Class Report Fields (No Tenant Names)	1
Standard Report	Data Mining Report	1
Standard Report	DER Custom Fields for Lodestar Applications	1
Standard Report	External Fields for Business Object (DEV)	2
Standard Report	Find Field Faceted	1
Standard Report	Format Mask Calculated Fields	1
Standard Report	GraphQL Read API Security Audit: Contextually Secured Class returned by CRFs with Secure Entry using Domain (Public Reporting Item)	1
Standard Report	HCM Classes with Class Report Fields	1
Standard Report	HCM Class Report Fields	2
Standard Report	Non-Contextually Secured Classes with CRF conflicts with Contextually Secured Classes	1
Standard Report	Optimizable CRFs	2
Standard Report	Recently Updated Calculated Fields	1
Standard Report	Report Fields	4
Standard Report	Report Fields for Stats Warehouse Reporting	1
Standard Report	Report Fields for Time Zone Testing	3
Standard Report	Required Domains for Standard Report	1
Standard Report	Retired Report Fields In Use	1
Standard Report	Security Audit for CRFs Returning Contextually Secure Classes	1
Standard Report	Test Organizations CRF	1
Standard Report	WATS Coverage for HR Core CRFs	2
Standard Report	What's New in Workday Report Fields	2
Standard Report	What's New in Workday Reports	2
Standard Report	Workday Data Cloud: Field Eligibility	2
Standard Report	WQL Alias Lengths for CRFs by Module and Product Area	1

» Report Fields Used for Security (Report Field)
Summary

Field	Report Fields Used for Security
Field Name	Report Fields Used for Security
Business Object	Field
Description	Returns all secured report fields that may be used when evaluating this field.

Field Source	Workday Delivered
Field Type	Multi-instance
Related Business Object	Field
Category	Report Writer
Authorized Usage	Default Areas
Indexing Information	
Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes
Date Last Updated	07/31/2018, 1:51:31.215 AM
WQL Alias	reportFieldsUsedForSecurity

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	CF EMI Report Fields Used for Security Do Not Use (Field)	1
Calculated Field	CF LRV Standard Fields Used In Calculated Fields (Field)	1
Custom Report	Custom Report Security Analysis (Imcneil / Logan McNeil)	1
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	11
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishna-trn chpkrishna2)	4
Custom Report	PLN Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PLNW Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	Sensitive Data Fields used for Masking (Imcneil / Logan McNeil)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	1
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	1
OMS Version	8.10	1

» CF TF CF LRV Field Where Used is not Blank (True/False Condition)

Summary

Field Source	Global
Calculated Field Type	CF TF CF LRV Field Where Used is not Blank True/False Condition
Business Object	Field
Indexed	No
Date Last Updated	07/10/2026, 8:11:05.230 AM
Calculated Field Function Instruction	Returns a boolean field indicating if the condition is true or false.

Calculation

And/Or	(	Field	Operator	Comparison Type	Comparison Value	)
And		CF LRV Field Where Used	is not empty			

Where Used
Where Used

Area	Object Details	Usage
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	1
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishna-trn chpkishna2)	1

» CF LRV Field Where Used (Lookup Related Value)

Summary

Field Source	Global
Calculated Field	CF LRV Field Where Used
Type	Lookup Related Value
Business Object	Field
Indexed	No
Date Last Updated	06/16/2026, 10:16:19.161 PM
Calculated Field Function	
Instruction	Looks up the value of a field associated with a single instance of a related business object.

Calculation

Lookup Field	Field
Related Business Object	Field
Return Value	Where Used

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	CF CRI Where Used (Field)	1
Calculated Field	CF TF CF LRV Field Where Used is not Blank (Field)	1

» Field (Report Field)

Summary

Field	Field
Field Name	Field
Business Object	Field
Description	Identifies the field and allows you to drill into the details and access related actions.
Field Source	Workday Delivered
Field Type	Self referencing instance
Related Business Object	Field
Category	Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter 0
Indexed For Group By 0
Indexed for Facet 0
Indexed For Aggregation 0
Suitable for Indexing Yes

Date Last Updated 07/31/2018, 1:51:31.215 AM
WQL Alias field

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	Calculated Field starting Field Reference ID (Field)	1
Calculated Field	CF EMI Cal Fields DNU (Field)	1
Calculated Field	CF LRV Field discr (Field)	1
Calculated Field	CF LRV Field Where Used (Field)	1
Calculated Field	CF LRV Standard Fields Used In Calculated Fields (Field)	1
Calculated Field	DDT - Field Name (O) (Field)	1
Computed View Definition	CV: Class Report Field, 12610\$119	1
Custom Report	Anurag CRF Report (arout-trn / Anurag Rout)	1
Custom Report	Business Object and Fields (arout-trn / Anurag Rout)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	1
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	1
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	2
Custom Report	Fields in Tenant (arout-trn / Anurag Rout)	1
Custom Report	Field Usage on Reports (Imcneil / Logan McNeil)	5
Custom Report	gyoo-all_fields (gyoo-trn / Guan Hong Yoo)	2
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	10
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishna-trn chpkrishna2)	3
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	Report Fields - SRDM (mhkhan-trn / Mohsin N Khan)	3
Custom Report	Report Fields - SRDM1 (pmodi-trn / Pranav Modi)	1
Custom Report	Testing (arout-trn / Anurag Rout)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	2
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	2
OMS Version	1.02	1
Standard Report	All Calculated Fields	2
Standard Report	All Class Report Fields for GraphQL Analysis	1
Standard Report	All CRFs Accessible by Customer	1
Standard Report	All CRFs for Module	1
Standard Report	All CRFs that are "Do Not Use"	1
Standard Report	All Custom Reports using Government Identifier CRFs	1
Standard Report	Business Object Visualization - Nodes	1
Standard Report	Calculated Fields for Time Zone Testing	1
Standard Report	Classes with Duplicate CRF Work Data	1
Standard Report	Class Report Field Not In Use By a Report Definition	1
Standard Report	Class Report Fields by Report Data Source	1
Standard Report	Class Report Fields for Web Services Comparable	2

Area	Object Details	Usage
Standard Report	Class Report Fields returning Instances of Class	1
Standard Report	Class Report Fields with Date Time Precision Mismatch	1
Standard Report	Compensation Plan Assignment Migration	3
Standard Report	Compensation Report Field Usage Audit	2
Standard Report	CRF Labels with Questionable Translation	1
Standard Report	CRF Metadata Audit	2
Standard Report	CRFs by Jira Project	1
Standard Report	CRFs from Tenanted classes accessing non-tenanted instances	2
Standard Report	CRFs Issuing Query Audit for Module	2
Standard Report	CRFs that are "Do Not Use" by Module	1
Standard Report	CRFs that over-ride a superclass's CRF	2
Standard Report	CRFs Update History for Release Notes	1
Standard Report	CRFs Used by New Custom Reports	1
Standard Report	CRFs with Contextual Security Mismatch	1
Standard Report	CRFs with Empty Prompt Issues	1
Standard Report	CRF Usage	2
Standard Report	CRF Usage (No Tenant Names)	2
Standard Report	Custom Data Source Extended Field Usage	2
Standard Report	Customer Referenced Class Report Fields	1
Standard Report	Customer Referenced Class Report Fields (No Tenant Names)	1
Standard Report	Data Mining Report	1
Standard Report	DER Custom Fields for Lodestar Applications	1
Standard Report	External Fields for Business Object (DEV)	2
Standard Report	Find Field Faceted	1
Standard Report	Format Mask Calculated Fields	1
Standard Report	GraphQL Read API Security Audit: Contextually Secured Class returned by CRFs with Secure Entry using Domain (Public Reporting Item)	1
Standard Report	HCM Classes with Class Report Fields	1
Standard Report	HCM Class Report Fields	2
Standard Report	Non-Contextually Secured Classes with CRF conflicts with Contextually Secured Classes	1
Standard Report	Optimizable CRFs	2
Standard Report	Recently Updated Calculated Fields	1
Standard Report	Report Fields	4
Standard Report	Report Fields for Stats Warehouse Reporting	1
Standard Report	Report Fields for Time Zone Testing	3
Standard Report	Required Domains for Standard Report	1
Standard Report	Retired Report Fields In Use	1
Standard Report	Security Audit for CRFs Returning Contextually Secure Classes	1
Standard Report	Test Organizations CRF	1
Standard Report	WATS Coverage for HR Core CRFs	2
Standard Report	What's New in Workday Report Fields	2
Standard Report	What's New in Workday Reports	2
Standard Report	Workday Data Cloud: Field Eligibility	2
Standard Report	WQL Alias Lengths for CRFs by Module and Product Area	1

» Where Used (Report Field)

Summary

Field	Where Used
Field Name	Where Used
Business Object	Field

Description	Returns tenanted usages of the field. Any Workday-delivered usages (ex: Standard Reports) will not be returned.
Field Source	Workday Delivered
Field Type	Multi-instance
Related Business Object	Field Usage
Category	Report Writer
Authorized Usage	Default Areas
Indexing Information	
Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	No
Date Last Updated	07/31/2018, 1:51:31.215 AM
WQL Alias	whereUsed

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF LRV Field Where Used (Field)	1
Calculated Field	RPT ARI Field Calculated Field Where Used Level 1 (Field)	1
Calculated Field	RPT ARI Field Calculated Field Where Used Level 7 (Field)	1
Calculated Field	RPT EMI Field Non-Field Usages (Field)	1
Calculated Field	RPT ESI Field Custom Data Extension (Field)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	2
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	2
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	5
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	5
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishnaa-trn chpkrishna2)	5
OMS Version	2017.38	1
Report Field	Area Where Used (Do Not Use) (Field)	1
Standard Report	All Calculated Fields	2
Standard Report	Calculated Fields Defined	2
Standard Report	Calculated Fields for Time Zone Testing	4
Standard Report	Compensation Plan Assignment Migration	3
Standard Report	Compensation Report Field Usage Audit	5
Standard Report	Format Mask Calculated Fields	1
Standard Report	Recently Updated Calculated Fields	2
Standard Report	Report Fields for Time Zone Testing	3
Standard Report	Retired Report Fields In Use	3

» CF TF CF EMI Cal Fields DNU is Not Blank (True/False Condition)

Summary

Field Source	Global
Calculated Field	CF TF CF EMI Cal Fields DNU is Not Blank
Type	True/False Condition
Business Object	Field

Indexed	No
Date Last Updated	07/10/2026, 8:46:08.805 AM
Calculated Field Function Instruction	Returns a boolean field indicating if the condition is true or false.

Calculation

And/Or	(	Field	Operator	Comparison Type	Comparison Value	)
And		CF EMI Cal Fields DNU	is not empty			

Where Used

Where Used

Area	Object Details	Usage
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	3
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishna-trn chpkrishna2)	1

» CF EMI Cal Fields DNU (Extract Multi-Instance)

Summary

Field Source	Global
Calculated Field	CF EMI Cal Fields DNU
Type	Extract Multi-Instance
Business Object	Field
Indexed	No
Date Last Updated	06/16/2026, 10:41:19.154 PM
Calculated Field Function Instruction	Extracts multiple instances of a related business object based on a condition. Will return zero, one or more instances.

Calculation

Operation Type Subset

Source Field 1

Source Field	Field
Related Business Object	Field
Condition	CF TF Top-Level Field is Do Not Use or Referenced Fields is Do Not Use

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF TF CF EMI Cal Fields DNU is Not Blank (Field)	1

» Field (Report Field)

Summary

Field	Field
Field Name	Field
Business Object	Field

Description	Identifies the field and allows you to drill into the details and access related actions.
Field Source	Workday Delivered
Field Type	Self referencing instance
Related Business Object	Field
Category	Report Writer
Authorized Usage	Default Areas
Indexing Information	
Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes
Date Last Updated	07/31/2018, 1:51:31.215 AM
WQL Alias	field

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	Calculated Field starting Field Reference ID (Field)	1
Calculated Field	CF EMI Cal Fields DNU (Field)	1
Calculated Field	CF LRV Field discr (Field)	1
Calculated Field	CF LRV Field Where Used (Field)	1
Calculated Field	CF LRV Standard Fields Used In Calculated Fields (Field)	1
Calculated Field	DDT - Field Name (O) (Field)	1
Computed View Definition	CV: Class Report Field, 12610\$119	1
Custom Report	Anurag CRF Report (arout-trn / Anurag Rout)	1
Custom Report	Business Object and Fields (arout-trn / Anurag Rout)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	1
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	1
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	2
Custom Report	Fields in Tenant (arout-trn / Anurag Rout)	1
Custom Report	Field Usage on Reports (Imcneil / Logan McNeil)	5
Custom Report	gyoo-all_fields (gyoo-trn / Guan Hong Yoo)	2
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	10
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishna-trn chpkishna2)	3
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	Report Fields - SRDM (mhkhan-trn / Mohsin N Khan)	3
Custom Report	Report Fields - SRDM1 (pmodi-trn / Pranav Modi)	1
Custom Report	Testing (arout-trn / Anurag Rout)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	2
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	2
OMS Version	1.02	1
Standard Report	All Calculated Fields	2
Standard Report	All Class Report Fields for GraphQL Analysis	1
Standard Report	All CRFs Accessible by Customer	1
Standard Report	All CRFs for Module	1
Standard Report	All CRFs that are "Do Not Use"	1
Standard Report	All Custom Reports using Government Identifier CRFs	1

Area	Object Details	Usage
Standard Report	Business Object Visualization - Nodes	1
Standard Report	Calculated Fields for Time Zone Testing	1
Standard Report	Classes with Duplicate CRF Work Data	1
Standard Report	Class Report Field Not In Use By a Report Definition	1
Standard Report	Class Report Fields by Report Data Source	1
Standard Report	Class Report Fields for Web Services Comparable	2
Standard Report	Class Report Fields returning Instances of Class	1
Standard Report	Class Report Fields with Date Time Precision Mismatch	1
Standard Report	Compensation Plan Assignment Migration	3
Standard Report	Compensation Report Field Usage Audit	2
Standard Report	CRF Labels with Questionable Translation	1
Standard Report	CRF Metadata Audit	2
Standard Report	CRFs by Jira Project	1
Standard Report	CRFs from Tenanted classes accessing non-tenanted instances	2
Standard Report	CRFs Issuing Query Audit for Module	2
Standard Report	CRFs that are "Do Not Use" by Module	1
Standard Report	CRFs that over-ride a superclass's CRF	2
Standard Report	CRFs Update History for Release Notes	1
Standard Report	CRFs Used by New Custom Reports	1
Standard Report	CRFs with Contextual Security Mismatch	1
Standard Report	CRFs with Empty Prompt Issues	1
Standard Report	CRF Usage	2
Standard Report	CRF Usage (No Tenant Names)	2
Standard Report	Custom Data Source Extended Field Usage	2
Standard Report	Customer Referenced Class Report Fields	1
Standard Report	Customer Referenced Class Report Fields (No Tenant Names)	1
Standard Report	Data Mining Report	1
Standard Report	DER Custom Fields for Lodestar Applications	1
Standard Report	External Fields for Business Object (DEV)	2
Standard Report	Find Field Faceted	1
Standard Report	Format Mask Calculated Fields	1
Standard Report	GraphQL Read API Security Audit: Contextually Secured Class returned by CRFs with Secure Entry using Domain (Public Reporting Item)	1
Standard Report	HCM Classes with Class Report Fields	1
Standard Report	HCM Class Report Fields	2
Standard Report	Non-Contextually Secured Classes with CRF conflicts with Contextually Secured Classes	1
Standard Report	Optimizable CRFs	2
Standard Report	Recently Updated Calculated Fields	1
Standard Report	Report Fields	4
Standard Report	Report Fields for Stats Warehouse Reporting	1
Standard Report	Report Fields for Time Zone Testing	3
Standard Report	Required Domains for Standard Report	1
Standard Report	Retired Report Fields In Use	1
Standard Report	Security Audit for CRFs Returning Contextually Secure Classes	1
Standard Report	Test Organizations CRF	1
Standard Report	WATS Coverage for HR Core CRFs	2
Standard Report	What's New in Workday Report Fields	2
Standard Report	What's New in Workday Reports	2
Standard Report	Workday Data Cloud: Field Eligibility	2
Standard Report	WQL Alias Lengths for CRFs by Module and Product Area	1

» CF TF Top-Level Field is Do Not Use or Referenced Fields is Do Not Use (True/False Condition)

Summary

Field Source	Global
Calculated Field Type	CF TF Top-Level Field is Do Not Use or Referenced Fields is Do Not Use
Business Object	Field
Indexed	No
Date Last Updated	06/16/2026, 10:39:55.500 PM
Calculated Field Function Instruction	Returns a boolean field indicating if the condition is true or false.

Calculation

And/Or	(	Field	Operator	Comparison Type	Comparison Value	)
And		CF TF Field is Do Not Use	equal to	Value specified in this filter	Yes	
Or		CF EMI Report Fields Used for Security Do Not Use	is not empty			

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF EMI Cal Fields DNU (Field)	1

» CF TF Field is Do Not Use (True/False Condition)

Summary

Field Source	Global
Calculated Field Type	CF TF Field is Do Not Use
Business Object	Field
Indexed	No
Date Last Updated	06/16/2026, 10:39:33.085 PM
Calculated Field Function Instruction	Returns a boolean field indicating if the condition is true or false.

Calculation

And/Or	(	Field	Operator	Comparison Type	Comparison Value	)
And		Do Not Use	equal to	Value specified in this filter	Yes	
Or		Field Name	equal to	Value specified in this filter	(Do Not Use)	
Or		Field Categories	any in the selection list	Value specified in this filter	~~~ Do Not Use ~~~ ~~~ To Be Deleted ~~~	

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF EMI Report Fields Used for Security Do Not Use (Field)	1
Calculated Field	CF TF Top-Level Field is Do Not Use or Referenced Fields is Do Not Use (Field)	1

» Field Name (Report Field)

Summary

Field	Field Name
Field Name	Field Name
Business Object	Field
Description	The name of the field on the business object.
Field Source	Workday Delivered
Field Type	Text
Related Business Object	
Category	Custom Fields Custom Object Definition Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	No

Date Last Updated	02/24/2021, 4:24:04.845 PM
WQL Alias	fieldName

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF TF Field is Do Not Use (Field)	1
Computed View Definition	CV: Class Report Field, 12610\$119	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	3
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	1
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	1
Custom Report	Custom Report Security Analysis (Imcneil / Logan McNeil)	1
Custom Report	PLN Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PLNW Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	1
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	1
OMS Version	3.09	1
Service Representation (Workday Owned)	customField (v1 -)	1

Area	Object Details	Usage
Service Representation (Workday Owned)	dataSourceFieldSummary (v1 -)	1
Service Representation (Workday Owned)	opaDataSourceFieldDetail (v1 -)	1
Service Representation (Workday Owned)	revenueFields (v4 -)	1
Service Representation (Workday Owned)	viewExternalField (v1 -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldForSwagger (labs -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldView (labs -)	1
Standard Report	Academic Class Report Fields - Track and Appointment	3
Standard Report	All CRFs for Module	1
Standard Report	Calculated Fields Defined	2
Standard Report	Compensation Plan Assignment Migration	1
Standard Report	Compensation Report Field Usage Audit	1
Standard Report	Customer Referenced Class Report Fields (No Tenant Names)	1
Standard Report	DER Custom Fields for Lodestar Applications	1
Standard Report	Metadata Field WQL Aliases Modified Since Last Drop	1
Standard Report	Performance Portal - External Field Mapping	1
Standard Report	Workday Data Cloud: Field Eligibility	1
Standard Report	Workday Data Dictionary	2

» Do Not Use (Report Field)
Summary

Field	Do Not Use
Field Name	Do Not Use
Business Object	Field
Description	Returns a true value if the report field should no longer be used.
Field Source	Workday Delivered
Field Type	Boolean
Related Business Object	
Category	Custom Fields Custom Object Definition Report Writer
Authorized Usage	Default Areas
Indexing Information	
Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes
Date Last Updated	07/31/2018, 1:51:31.215 AM
WQL Alias	doNotUse

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	"Do Not Use" Report Fields Including Calculated Fields (Custom Report)	1
Calculated Field	CF TF Field is Do Not Use (Field)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
OMS Version	8.10	1
Service Representation (Workday Owned)	customField (v1 -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldEdit (labs -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldForSwagger (labs -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldView (labs -)	1
Standard Report	All Class Report Fields for GraphQL Analysis	2
Standard Report	All CRFs that are "Do Not Use"	1
Standard Report	Business Object Visualization - Nodes	1
Standard Report	Calculated Fields used by Report Test Case Definitions	1
Standard Report	Class Report Fields available to All Users that return Sensitive Work Data	1
Standard Report	Class Report Fields for Report Test Case Definitions	1
Standard Report	Class Report Fields using Secure Method Definition	1
Standard Report	CRF Metadata Audit	2
Standard Report	CRFs that are "Do Not Use" by Module	1
Standard Report	CRF Usage	1
Standard Report	CRF Usage (No Tenant Names)	1
Standard Report	GraphQL Read API Security Audit: Contextually Secured Class returned by CRFs with Secure Entry using Domain (Public Reporting Item)	1
Standard Report	Optimizable CRFs	1
Standard Report	Performance Portal - External Field Mapping	1
Standard Report	Retired Report Fields In Use	1
Standard Report	Workday Data Dictionary	1
Standard Report	WQL Alias Lengths for CRFs by Module and Product Area	1

» Field Categories (Report Field)
Summary

Field	Field Categories
Field Name	Field Categories
Business Object	Analytic Value Definition
Description	The categories for external fields.
Field Source	Workday Delivered
Field Type	Multi-instance
Related Business Object	Field Category
Category	Uncategorized
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0

Suitable for Indexing

Yes

Date Last Updated

03/24/2021, 6:39:04.013 PM

WQL Alias

fieldCategories

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF TF Field is Do Not Use (Field)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
OMS Version	2018.31	1
Service Representation (Workday Owned)	analyticValueDefinitionRepresentation (v1 -)	1

» CF EMI Report Fields Used for Security Do Not Use (Extract Multi-Instance)

Summary

Field Source	Global
Calculated Field	CF EMI Report Fields Used for Security Do Not Use
Type	Extract Multi-Instance
Business Object	Field
Indexed	No
Date Last Updated	07/10/2026, 8:11:05.230 AM
Calculated Field Function Instruction	Extracts multiple instances of a related business object based on a condition. Will return zero, one or more instances.

Calculation

Operation Type	Subset
----------------	--------

Source Field 1

Source Field	Report Fields Used for Security
Related Business Object	Field
Condition	CF TF Field is Do Not Use

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF TF Top-Level Field is Do Not Use or Referenced Fields is Do Not Use (Field)	1
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	1
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishna-trn chpkrishna2)	1

» Report Fields Used for Security (Report Field)

Summary
Field Report Fields Used for Security
Field Name Report Fields Used for Security
Business Object Field

Description Returns all secured report fields that may be used when evaluating this field.
Field Source Workday Delivered
Field Type Multi-instance
Related Business Object Field
Category Report Writer
Authorized Usage Default Areas

Indexing Information

Indexed for Filter 0
Indexed For Group By 0
Indexed for Facet 0
Indexed For Aggregation 0
Suitable for Indexing Yes

Date Last Updated 07/31/2018, 1:51:31.215 AM
WQL Alias reportFieldsUsedForSecurity

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF EMI Report Fields Used for Security Do Not Use (Field)	1
Calculated Field	CF LRV Standard Fields Used In Calculated Fields (Field)	1
Custom Report	Custom Report Security Analysis (Imcneil / Logan McNeil)	1
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	11
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishna-trn chpkrishna2)	4
Custom Report	PLN Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PLNW Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	Sensitive Data Fields used for Masking (Imcneil / Logan McNeil)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	1
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	1
OMS Version	8.10	1

» CF TF Field is Do Not Use (True/False Condition)

Summary

Field Source Global
Calculated Field CF TF Field is Do Not Use
Type True/False Condition
Business Object Field
Indexed No
Date Last Updated 06/16/2026, 10:39:33.085 PM
Calculated Field Function
Instruction Returns a boolean field indicating if the condition is true or false.

Calculation

And/Or	(	Field	Operator	Comparison Type	Comparison Value	)
And		Do Not Use	equal to	Value specified in this filter	Yes	
Or		Field Name	equal to	Value specified in this filter	(Do Not Use)	
Or		Field Categories	any in the selection list	Value specified in this filter	~~~ Do Not Use ~~~ ~~~ To Be Deleted ~~~	

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	CF EMI Report Fields Used for Security Do Not Use (Field)	1
Calculated Field	CF TF Top-Level Field is Do Not Use or Referenced Fields is Do Not Use (Field)	1

» Field Name (Report Field)
Summary

Field	Field Name
Field Name	Field Name
Business Object	Field
Description	The name of the field on the business object.
Field Source	Workday Delivered
Field Type	Text
Related Business Object	
Category	Custom Fields Custom Object Definition Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	No

Date Last Updated 02/24/2021, 4:24:04.845 PM

WQL Alias fieldName

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	CF TF Field is Do Not Use (Field)	1
Computed View Definition	CV: Class Report Field, 12610\$119	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	3
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	1
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	1

Area	Object Details	Usage
Custom Report	Custom Report Security Analysis (Imcneil / Logan McNeil)	1
Custom Report	PLN Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PLNW Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	1
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	1
OMS Version	3.09	1
Service Representation (Workday Owned)	customField (v1 -)	1
Service Representation (Workday Owned)	dataSourceFieldSummary (v1 -)	1
Service Representation (Workday Owned)	opaDataSourceFieldDetail (v1 -)	1
Service Representation (Workday Owned)	revenueFields (v4 -)	1
Service Representation (Workday Owned)	viewExternalField (v1 -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldForSwagger (labs -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldView (labs -)	1
Standard Report	Academic Class Report Fields - Track and Appointment	3
Standard Report	All CRFs for Module	1
Standard Report	Calculated Fields Defined	2
Standard Report	Compensation Plan Assignment Migration	1
Standard Report	Compensation Report Field Usage Audit	1
Standard Report	Customer Referenced Class Report Fields (No Tenant Names)	1
Standard Report	DER Custom Fields for Lodestar Applications	1
Standard Report	Metadata Field WQL Aliases Modified Since Last Drop	1
Standard Report	Performance Portal - External Field Mapping	1
Standard Report	Workday Data Cloud: Field Eligibility	1
Standard Report	Workday Data Dictionary	2

» Do Not Use (Report Field)

Summary	
Field	Do Not Use
Field Name	Do Not Use
Business Object	Field
Description	Returns a true value if the report field should no longer be used.
Field Source	Workday Delivered
Field Type	Boolean
Related Business Object	
Category	Custom Fields Custom Object Definition Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes

Date Last Updated 07/31/2018, 1:51:31.215 AM
WQL Alias doNotUse

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	"Do Not Use" Report Fields Including Calculated Fields (Custom Report)	1
Calculated Field	CF TF Field is Do Not Use (Field)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
OMS Version	8.10	1
Service Representation (Workday Owned)	customField (v1 -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldEdit (labs -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldForSwagger (labs -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldView (labs -)	1
Standard Report	All Class Report Fields for GraphQL Analysis	2
Standard Report	All CRFs that are "Do Not Use"	1
Standard Report	Business Object Visualization - Nodes	1
Standard Report	Calculated Fields used by Report Test Case Definitions	1
Standard Report	Class Report Fields available to All Users that return Sensitive Work Data	1
Standard Report	Class Report Fields for Report Test Case Definitions	1
Standard Report	Class Report Fields using Secure Method Definition	1
Standard Report	CRF Metadata Audit	2
Standard Report	CRFs that are "Do Not Use" by Module	1
Standard Report	CRF Usage	1
Standard Report	CRF Usage (No Tenant Names)	1
Standard Report	GraphQL Read API Security Audit: Contextually Secured Class returned by CRFs with Secure Entry using Domain (Public Reporting Item)	1
Standard Report	Optimizable CRFs	1
Standard Report	Performance Portal - External Field Mapping	1
Standard Report	Retired Report Fields In Use	1
Standard Report	Workday Data Dictionary	1
Standard Report	WQL Alias Lengths for CRFs by Module and Product Area	1

» Field Categories (Report Field)
Summary

Field Field Categories
Field Name Field Categories

Business Object Analytic Value Definition
Description The categories for external fields.
Field Source Workday Delivered
Field Type Multi-instance
Related Business Object Field Category
Category Uncategorized
Authorized Usage Default Areas

Indexing Information
Indexed for Filter 0
Indexed For Group By 0
Indexed for Facet 0
Indexed For Aggregation 0
Suitable for Indexing Yes

Date Last Updated 03/24/2021, 6:39:04.013 PM
WQL Alias fieldCategories

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	CF TF Field is Do Not Use (Field)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
OMS Version	2018.31	1
Service Representation (Workday Owned)	analyticValueDefinitionRepresentation (v1 -)	1

» CF EMI Report Fields Used for Security Do Not Use (Extract Multi-Instance)

Summary

Field Source Global
Calculated Field Type CF EMI Report Fields Used for Security Do Not Use
Business Object Extract Multi-Instance
Field Field
Indexed No
Date Last Updated 07/10/2026, 8:11:05.230 AM
Calculated Field Function Instruction Extracts multiple instances of a related business object based on a condition. Will return zero, one or more instances.

Calculation

Operation Type Subset

Source Field 1

Source Field Report Fields Used for Security
Related Business Object Field
Condition CF TF Field is Do Not Use

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	CF TF Top-Level Field is Do Not Use or Referenced Fields is Do Not Use (Field)	1
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	1
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishna-trn chpkishna2)	1

» Report Fields Used for Security (Report Field)

Summary

Field	Report Fields Used for Security
Field Name	Report Fields Used for Security
Business Object	Field
Description	Returns all secured report fields that may be used when evaluating this field.
Field Source	Workday Delivered
Field Type	Multi-instance
Related Business Object	Field
Category	Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes

Date Last Updated	07/31/2018, 1:51:31.215 AM
WQL Alias	reportFieldsUsedForSecurity

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF EMI Report Fields Used for Security Do Not Use (Field)	1
Calculated Field	CF LRV Standard Fields Used In Calculated Fields (Field)	1
Custom Report	Custom Report Security Analysis (Imcneil / Logan McNeil)	1
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	11
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishna-trn chpkishna2)	4
Custom Report	PLN Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PLNW Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	Sensitive Data Fields used for Masking (Imcneil / Logan McNeil)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	1
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	1
OMS Version	8.10	1

» CF TF Field is Do Not Use (True/False Condition)

Summary

Field Source Global
Calculated Field Type CF TF Field is Do Not Use
Business Object True/False Condition
Indexed Field
Date Last Updated No
Calculated Field Function 06/16/2026, 10:39:33.085 PM
Instruction Returns a boolean field indicating if the condition is true or false.

Calculation

And/Or	(	Field	Operator	Comparison Type	Comparison Value	)
And		Do Not Use	equal to	Value specified in this filter	Yes	
Or		Field Name	equal to	Value specified in this filter	(Do Not Use)	
Or		Field Categories	any in the selection list	Value specified in this filter	~~~ Do Not Use ~~~ ~~~ To Be Deleted ~~~	

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF EMI Report Fields Used for Security Do Not Use (Field)	1
Calculated Field	CF TF Top-Level Field is Do Not Use or Referenced Fields is Do Not Use (Field)	1

» Field Name (Report Field)

Summary

Field Field Name
Field Name Field Name
Business Object Field
Description The name of the field on the business object.
Field Source Workday Delivered
Field Type Text
Related Business Object
Category Custom Fields
 Custom Object Definition
 Report Writer
Authorized Usage Default Areas

Indexing Information

Indexed for Filter 0
Indexed For Group By 0
Indexed for Facet 0
Indexed For Aggregation 0
Suitable for Indexing No

Date Last Updated 02/24/2021, 4:24:04.845 PM
WQL Alias fieldName

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF TF Field is Do Not Use (Field)	1
Computed View Definition	CV: Class Report Field, 12610\$119	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	3
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	1
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	1
Custom Report	Custom Report Security Analysis (Imcneil / Logan McNeil)	1
Custom Report	PLN Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PLNW Custom Report Security Analysis (wd-support / Workday Support)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	1
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	1
OMS Version	3.09	1
Service Representation (Workday Owned)	customField (v1 -)	1
Service Representation (Workday Owned)	dataSourceFieldSummary (v1 -)	1
Service Representation (Workday Owned)	opaDataSourceFieldDetail (v1 -)	1
Service Representation (Workday Owned)	revenueFields (v4 -)	1
Service Representation (Workday Owned)	viewExternalField (v1 -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldForSwagger (labs -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldView (labs -)	1
Standard Report	Academic Class Report Fields - Track and Appointment	3
Standard Report	All CRFs for Module	1
Standard Report	Calculated Fields Defined	2
Standard Report	Compensation Plan Assignment Migration	1
Standard Report	Compensation Report Field Usage Audit	1
Standard Report	Customer Referenced Class Report Fields (No Tenant Names)	1
Standard Report	DER Custom Fields for Lodestar Applications	1
Standard Report	Metadata Field WQL Aliases Modified Since Last Drop	1
Standard Report	Performance Portal - External Field Mapping	1
Standard Report	Workday Data Cloud: Field Eligibility	1
Standard Report	Workday Data Dictionary	2

» Do Not Use (Report Field)

Summary

Field	Do Not Use
Field Name	Do Not Use
Business Object	Field
Description	Returns a true value if the report field should no longer be used.
Field Source	Workday Delivered
Field Type	Boolean
Related Business Object	

Category	Custom Fields Custom Object Definition Report Writer
Authorized Usage	Default Areas
Indexing Information	
Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes
Date Last Updated	07/31/2018, 1:51:31.215 AM
WQL Alias	doNotUse

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	"Do Not Use" Report Fields Including Calculated Fields (Custom Report)	1
Calculated Field	CF TF Field is Do Not Use (Field)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
OMS Version	8.10	1
Service Representation (Workday Owned)	customField (v1 -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldEdit (labs -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldForSwagger (labs -)	1
Service Representation (Workday Owned)	xoAgentClassReportFieldView (labs -)	1
Standard Report	All Class Report Fields for GraphQL Analysis	2
Standard Report	All CRFs that are "Do Not Use"	1
Standard Report	Business Object Visualization - Nodes	1
Standard Report	Calculated Fields used by Report Test Case Definitions	1
Standard Report	Class Report Fields available to All Users that return Sensitive Work Data	1
Standard Report	Class Report Fields for Report Test Case Definitions	1
Standard Report	Class Report Fields using Secure Method Definition	1
Standard Report	CRF Metadata Audit	2
Standard Report	CRFs that are "Do Not Use" by Module	1
Standard Report	CRF Usage	1
Standard Report	CRF Usage (No Tenant Names)	1
Standard Report	GraphQL Read API Security Audit: Contextually Secured Class returned by CRFs with Secure Entry using Domain (Public Reporting Item)	1
Standard Report	Optimizable CRFs	1
Standard Report	Performance Portal - External Field Mapping	1
Standard Report	Retired Report Fields In Use	1
Standard Report	Workday Data Dictionary	1
Standard Report	WQL Alias Lengths for CRFs by Module and Product Area	1

» Field Categories (Report Field)

Summary

Field	Field Categories
Field Name	Field Categories
Business Object	Analytic Value Definition
Description	The categories for external fields.
Field Source	Workday Delivered
Field Type	Multi-instance
Related Business Object	Field Category
Category	Uncategorized
Authorized Usage	Default Areas
Indexing Information	
Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes
Date Last Updated	03/24/2021, 6:39:04.013 PM
WQL Alias	fieldCategories

Where Used		
Where Used		
Area	Object Details	Usage
Calculated Field	CF TF Field is Do Not Use (Field)	1
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
OMS Version	2018.31	1
Service Representation (Workday Owned)	analyticValueDefinitionRepresentation (v1 -)	1

» RPT ARI Field Calculated Field Where Used Level 1 (Aggregate Related Instances Calculated Field)

Summary

Field Source	Global
Calculated Field	RPT ARI Field Calculated Field Where Used Level 1
Type	Aggregate Related Instances Calculated Field
Business Object	Field
Indexed	No
Date Last Updated	07/10/2026, 9:23:00.003 AM
Calculated Field Function Instruction	Aggregates multiple instances of a field in a related business object based on a condition.

Calculation

Source Field	Where Used
Related Business Object	Field Usage
Condition	
Fields To Aggregate	RPT EE Field Usage Calculated Field Usage

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	RPT ARI Field Calculated Field Where Used Level 2 (Field)	1

Area	Object Details	Usage
Calculated Field	RPT ARI Field Calculated Field Where Used Level 3 (Field)	1
Calculated Field	RPT ARI Field Calculated Field Where Used Level 4 (Field)	1
Calculated Field	RPT ARI Field Calculated Field Where Used Level 5 (Field)	1
Calculated Field	RPT ARI Field Calculated Field Where Used Level 6 (Field)	1
Calculated Field	RPT EMI Field Union Field Usage Level 1 and 2 (Field)	1
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	4
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishna-trn chpkishna2)	4

» Where Used (Report Field)

Summary

Field	Where Used
Field Name	Where Used
Business Object	Field
Description	Returns tenanted usages of the field. Any Workday-delivered usages (ex: Standard Reports) will not be returned.
Field Source	Workday Delivered
Field Type	Multi-instance
Related Business Object	Field Usage
Category	Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	No

Date Last Updated 07/31/2018, 1:51:31.215 AM
WQL Alias whereUsed

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF LRV Field Where Used (Field)	1
Calculated Field	RPT ARI Field Calculated Field Where Used Level 1 (Field)	1
Calculated Field	RPT ARI Field Calculated Field Where Used Level 7 (Field)	1
Calculated Field	RPT EMI Field Non-Field Usages (Field)	1
Calculated Field	RPT ESI Field Custom Data Extension (Field)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	2
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	2
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	5
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	5
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishna-trn chpkishna2)	5
OMS Version	2017.38	1
Report Field	Area Where Used (Do Not Use) (Field)	1

Area	Object Details	Usage
Standard Report	All Calculated Fields	2
Standard Report	Calculated Fields Defined	2
Standard Report	Calculated Fields for Time Zone Testing	4
Standard Report	Compensation Plan Assignment Migration	3
Standard Report	Compensation Report Field Usage Audit	5
Standard Report	Format Mask Calculated Fields	1
Standard Report	Recently Updated Calculated Fields	2
Standard Report	Report Fields for Time Zone Testing	3
Standard Report	Retired Report Fields In Use	3

» RPT EE Field Usage Calculated Field Usage (Evaluate Expression)

Summary

Field Source	Global
Calculated Field	RPT EE Field Usage Calculated Field Usage
Type	Evaluate Expression
Business Object	Field Usage
Indexed	No
Date Last Updated	06/16/2026, 11:41:56.342 PM
Calculated Field Function Instruction	Evaluates a series of conditions and returns the value associated with the first condition that is true. If no conditions are true, returns the default value.

Calculation

Field Type	Multi-Instance
Business Object	Field
Default Value	Empty Instance

Condition	Return Value If Condition is True
RPT TF Field Usage Area is Calculated Field	Usage

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	RPT ARI Field Calculated Field Where Used Level 1 (Field)	1

» Empty Instance (Report Field)

Summary	
Field	Empty Instance
Field Name	Empty Instance
Business Object	Global
Description	a set containing no instances
Field Source	Workday Delivered
Field Type	Single instance
Related Business Object	Instance
Category	Uncategorized
Authorized Usage	Default Areas
Indexing Information	

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	No
Date Last Updated	02/16/2024, 2:54:18.650 AM
WQL Alias	emptyInstance

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	AutomationEBCF-Nested-Agg-BothSingle-withEXCEPT (Supplier Invoice Document)	1
Calculated Field	AutomationEBCF-Nested-Agg-MultiSourceEXCEPT-MultiAgg-COUNTCondition (Supplier Invoice Document)	1
Calculated Field	CF EE Any Required Skills (Worker)	1
Calculated Field	CF EE Evaluate Worker with Child < 7 with Non Singapore Citizenship (Worker)	1
Calculated Field	CF EE Evaluate Worker with Child < 7 with Singapore Citizenship (Worker)	1
Calculated Field	CF EE Required Skills (Worker)	1
Calculated Field	CF EE Worker Certifications Within Date Range (Worker)	1
Calculated Field	CF EE Worker Certifications Within Date Range (Worker)	1
Calculated Field	CF EE Worker Has Job Profile Skills Not Present (Worker)	1
Calculated Field	Default Book (Book)	1
Calculated Field	Default Book (Book)	1
Calculated Field	Evaluate Current Model Selection is More Vacation Days (Worker)	1
Calculated Field	Evaluate Current Model Selection is Salary Increase (Worker)	1
Calculated Field	Evaluate Current Model Selection is Work 1 Hour Less Per Week (Worker)	1
Calculated Field	Evaluate if Worker had FRA Paid Vacation Request with 10 or More Consecutive Days Within Legal Period and has 3 or 4 Remaining Days (Worker)	1
Calculated Field	Evaluate if Worker had FRA Paid Vacation Request with 10 or More Consecutive Days Within Legal Period and has 5 to 10 Remaining Days (Worker)	1
Calculated Field	Evaluate if Worker has a 4 Days per Week Work Schedule (Worker)	1
Calculated Field	MEX Journal Line Customer Country (Journal Line)	1
Calculated Field	MEX Journal Line Operational Transaction for Journal (Journal Line)	1
Calculated Field	MEX Journal Line Supplier Country (Journal Line)	1
Calculated Field	MEX Journal Line Transaction Currency (Journal Line)	1
Calculated Field	New Benefit Elections (Worker)	1
Calculated Field	New Cost Center (Worker)	1
Calculated Field	New Organization Assignments (Worker)	1
Calculated Field	New Payroll Withholding Status (Worker)	1
Calculated Field	Old Benefit Elections (Worker)	1
Calculated Field	Old Cost Center (Worker)	1
Calculated Field	Old Organization Assignments (Worker)	1
Calculated Field	Old Payroll Withholding Status (Worker)	1
Calculated Field	Payee (Supplier Invoice Line)	1
Calculated Field	PCS-ESE Job Classification from Position if exists else from Profile (Worker Business Process)	1

Area	Object Details	Usage
Calculated Field	Report Type (if Metric is not qualified) (App Usage Metric Tabular Values)	1
Calculated Field	RPT EE Field Usage Calculated Field Usage (Field Usage)	1
Calculated Field	RPT EE Requisition Action Available (Requisition)	1
Calculated Field	Security Groups that make up Customer Exception (Workday Account)	1
Calculated Field	Security Groups that make up the Expenses Exception (Workday Account)	1
Calculated Field	Security Groups that make up the Payroll Exception (Workday Account)	1
Calculated Field	Security Groups that make up the Supplier Exception (Workday Account)	1
Calculated Field	Supplier, Customer or Employee Value (Journal Line)	1
Calculated Field	Supplier, Customer or Employee Value (Journal Line)	1
Calculated Field	Tax Rate Application Payor/Payee Name (Tax Rate Application)	2
Calculated Field	Tax Rate Application Payor/Payee Name (Tax Rate Application)	2
Calculated Field	teslax_CF_EE_Worker on 10th hire date (Worker)	1
Calculated Field	Total Bonuses (External Payroll Result (Do Not Use))	1
Calculated Field	Total Bonuses in Reporting Currency (External Payroll Result (Do Not Use))	1
Calculated Field	Total Commissions (External Payroll Result (Do Not Use))	1
Calculated Field	Total Commissions in Reporting Currency (External Payroll Result (Do Not Use))	1
Calculated Field	Total ER Paid Deductions with Reporting Currency (External Payroll Result (Do Not Use))	1
Calculated Field	Total Overtime Amount (External Payroll Result (Do Not Use))	1
Calculated Field	Total Overtime Amount with Reporting Currency (External Payroll Result (Do Not Use))	1
Custom Report	ESP VAT Books Customer Invoices (tserrano / Teresa Serrano)	10
Custom Report	ESP VAT Books Supplier Invoices (tserrano / Teresa Serrano)	10
Custom Report	MEX Catálogo de Cuentas (tserrano / Teresa Serrano)	1
Custom Report	MEX Pólizas del Periodo (tserrano / Teresa Serrano)	1
Custom Report	My Check-Ins (Imcneil / Logan McNeil)	1
Document Delivery Event Service Configuration	Event Service Configuration: step b - Service [Document Delivery]	1
ML Feature Collection	Reconcilable Item	2
OMS Version	8.03	1
Report Field	Accounting Date (Do Not Use) (Journal Line Anomaly)	1
Report Field	Action Taken (Do Not Use) (Journal Line Anomaly)	1
Report Field	Approved by (Do Not Use) (Journal Line Anomaly)	1
Report Field	Assistance Listing (Do Not Use) (Grant Draw Detail)	1
Report Field	Book Code (Do Not Use) (Journal Line Anomaly)	1
Report Field	Clearance Pattern (Do Not Use) (Grant Draw Detail)	1
Report Field	Company (Do Not Use) (Journal Line Anomaly)	1
Report Field	Company For Journal Insights RDS Filter (Do Not Use) (Journal Line Anomaly)	1
Report Field	Corrected By (Do Not Use) (Journal Line Anomaly)	1
Report Field	Cost Center for Grant Draw Detail (Do Not Use) (Grant Draw Detail)	1
Report Field	Cost Centers for Award Line for Company RDS Filter (Do Not Use) (Award Contract Line)	1
Report Field	Currency (Do Not Use) (Journal Line Anomaly)	1
Report Field	Current Worktags (Do Not Use) (Journal Line Anomaly)	1
Report Field	Funding Technique (Do Not Use) (Grant Draw Detail)	1
Report Field	Highlighted Worktags (Do Not Use) (Journal Line Anomaly)	1

Area	Object Details	Usage
Report Field	Impacted Amount In Reporting Currency (Do Not Use) (Journal Line Anomaly)	1
Report Field	Impacted Credit Amount (Do Not Use) (Journal Line Anomaly)	1
Report Field	Impacted Credit Amount In Reporting Currency (Do Not Use) (Journal Line Anomaly)	1
Report Field	Impacted Debit Amount In Reporting Currency (Do Not Use) (Journal Line Anomaly)	1
Report Field	Indirect Cost Rate Applied (Do Not Use) (Grant Draw Component)	1
Report Field	Journal (Do Not Use) (Journal Line Anomaly)	1
Report Field	Journal Entry Status (Do Not Use) (Journal Line Anomaly)	1
Report Field	Journal Insights Feedback Event (Do Not Use) (Journal Line Anomaly)	1
Report Field	Journal Line Anomaly (Do Not Use) (Journal Line)	1
Report Field	Journal Line Anomaly (Do Not Use) (Journal Line Anomaly)	1
Report Field	Journal Line Anomaly Reason (Do Not Use) (Journal Line Anomaly)	1
Report Field	Journal Source (Do Not Use) (Journal Line Anomaly)	1
Report Field	Last Updated (REST Parm) (Do Not Use) (Case)	1
Report Field	Ledger Account (Do Not Use) (Journal Line Anomaly)	1
Report Field	Ledger Account For Journal Insights RDS Filter (Do Not Use) (Journal Line Anomaly)	1
Report Field	Multicurrency Expense Entry (Do Not Use) (Expense Report)	2
Report Field	Originated by (Do Not Use) (Journal Line Anomaly)	1
Report Field	Recommended Worktags (Do Not Use) (Journal Line Anomaly)	1
Report Field	Resulting Indirect Cost Component (Do Not Use) (Grant Draw Component)	1
Report Field	Reversed By (Do Not Use) (Journal Line Anomaly)	1
Report Field	Subaccount (Do Not Use) (Grant Draw Detail)	1
Report Field	Withdrawn Academic Periods (Academic Period Record)	2
Report Field	Withdrawn Academic Periods (Financial Aid Period Record)	2
Service Collection Resource	activeConsentLinkable/configuration (v1 -)	2
Service Collection Resource	businessProcess/types (v1 -)	1
Service Collection Resource	careerHub/careerHubRole (v1 -)	1
Service Collection Resource	ef/inboxEventTasks (v1 -)	1
Service Collection Resource	externalCareerSite/accounts (v2 -)	1
Service Collection Resource	hrPerson/countries (v1 -)	3
Service Collection Resource	hrrecruiting/accounts (v1 -)	15
Service Collection Resource	hrrecruiting/activeConsentConfiguration (v1 -)	1
Service Collection Resource	hrrecruiting/candidateEventSelfSchedule (v1 -)	2
Service Collection Resource	hrrecruiting/candidates (v1 -)	1
Service Collection Resource	hrrecruiting/jobPostings (v1 -)	1
Service Collection Resource	hrrecruiting/jobSites (v1 -)	6
Service Collection Resource	hrrecruiting/resumes (v1 -)	1
Service Collection Resource	hrrecruiting/scheduleSnapshot (v1 -)	2
Service Collection Resource	hrrecruiting/validSocialShares (v1 -)	1
Service Collection Resource	layouts/conversations (v1 -)	2
Service Collection Resource	opaCatalog/prismCleanables (v1 -)	1
Service Collection Resource	payrollInternal/paymentElectionEnrollmentEvents (v1 -)	2
Service Collection Resource	peopleExperience/runHomePageCard (1 -)	1
Service Collection Resource	peopleExperience/runInstancePreviewCard (1 -)	1
Service Collection Resource	person/countries (v1 -)	4
Service Collection Resource	recruiting/jobPostings (v1 -)	1
Service Collection Resource	serviceDefinitions/services (v1 -)	1
Service Collection Resource	serviceDefinitions/tridentServiceContainers (v1 -)	1
Service Collection Resource	skillsInternal/settings (v1 -)	1

Area	Object Details	Usage
Service Collection Resource	supplierAccounts/countries (v1 -)	1
Service Collection Resource	talentMarketplace/gigs (v1 -)	15
Service Collection Resource	talentMarketplace/gigWorkers (v1 -)	1
Service Collection Resource	talentMarketplace/marketplaceGigs (v1 -)	7
Service Collection Resource	talentMarketplace/marketplaceJobs (v1 -)	5
Service Collection Resource	talentMarketplace/skillsForJobPosting (v1 -)	1
Service Collection Resource	vps/tasks (v1 -)	1
Service Collection Resource	XOAgents/classBusinessObject (labs -)	1
Service Collection Resource	XOAgents/representationContent (labs -)	1
Service Collection Resource	XOAgents/serviceRepresentation (labs -)	1
Service Collection Resource	XOAgents/serviceVersion (labs -)	1
Service Collection Resource	ypui/searchTask (v1 -)	1
Service Representation (Workday Owned)	accountPhoneNumber (v2 -)	1
Service Representation (Workday Owned)	addressCreateAndUpdateDefinition (v1 -)	1
Service Representation (Workday Owned)	addressDefinition (v1 -)	1
Service Representation (Workday Owned)	asyncTextGenerationGenericRequest (v1 -)	3
Service Representation (Workday Owned)	businessProcessParameters (v1 -)	1
Service Representation (Workday Owned)	businessProcessStepSendBack (v1 -)	1
Service Representation (Workday Owned)	businessViewConditionItemRepresentation (v1 -)	2
Service Representation (Workday Owned)	candidateEducationCreateUpdateDefinition (v1 -)	1
Service Representation (Workday Owned)	candidateExperienceCreateUpdateDefinition (v1 -)	1
Service Representation (Workday Owned)	cascadedGoalEventBusinessProcessParameters (v5 -)	1
Service Representation (Workday Owned)	caseSummaryRequest (v1 -)	2
Service Representation (Workday Owned)	certificationSearchDetails (v1 -)	2
Service Representation (Workday Owned)	cisAsyncCallback (v1 -)	2
Service Representation (Workday Owned)	competencyID (v1 -)	1
Service Representation (Workday Owned)	conditionItemFieldRepresentation (v1 -)	1
Service Representation (Workday Owned)	contactMethodVerificationRepresentation (v2Beta -)	1
Service Representation (Workday Owned)	conversation (v1 -)	1
Service Representation (Workday Owned)	createCredentialStoreRepresentation (v1 -)	3
Service Representation (Workday Owned)	createLanguageSkillDetail (v1 -)	1
Service Representation (Workday Owned)	createSkillUsageRepresentation (v1 -)	1
Service Representation (Workday Owned)	customBusinessView (v1 -)	2
Service Representation (Workday Owned)	domain (v1 -)	1
Service Representation (Workday Owned)	emailAddressCreateAndUpdateDefinition (v1 -)	1

Area	Object Details	Usage
Service Representation (Workday Owned)	emptyLocationChainRepresentation (v1 -)	1
Service Representation (Workday Owned)	enrollBackupCodes (v1 -)	1
Service Representation (Workday Owned)	fieldJoinBusinessView (v1 -)	2
Service Representation (Workday Owned)	forgotPasswordRepresentation (v1 -)	1
Service Representation (Workday Owned)	generateJwt (v1 -)	1
Service Representation (Workday Owned)	gigWorkerShortlistRepresentation (v1 -)	1
Service Representation (Workday Owned)	goalsBusinessProcessParameters (v5 -)	1
Service Representation (Workday Owned)	hiredScoreSpotlightApplicationSkillsMatch (v1 -)	1
Service Representation (Workday Owned)	hiredScoreSpotlightQualificationsMatch (v1 -)	1
Service Representation (Workday Owned)	hop (v1 -)	1
Service Representation (Workday Owned)	hopJoinBusinessView (v1 -)	2
Service Representation (Workday Owned)	hsParsedJobApplication (v1 -)	3
Service Representation (Workday Owned)	hsParsedJobReq (v1 -)	1
Service Representation (Workday Owned)	interestEventPostRepresentation (v1 -)	1
Service Representation (Workday Owned)	jobAlertPromptables (v1 -)	1
Service Representation (Workday Owned)	joinCondition (v1 -)	2
Service Representation (Workday Owned)	joinTalentNetworkProspectUpdate (v1 -)	3
Service Representation (Workday Owned)	leafBusinessView (v1 -)	1
Service Representation (Workday Owned)	leafField (v1 -)	1
Service Representation (Workday Owned)	linkedInProvisioningResponse	1
Service Representation (Workday Owned)	listOfContextualClaimsMapping (v1 -)	2
Service Representation (Workday Owned)	messagePOST (v1 -)	1
Service Representation (Workday Owned)	mockGenAiResponse (v1 -)	1
Service Representation (Workday Owned)	nestedBusinessView (v1 -)	4
Service Representation (Workday Owned)	omsSignonAuthenticationPolicyDataRepresentation (v1 -)	1
Service Representation (Workday Owned)	omsSignonClientDataRepresentation (v1 -)	1
Service Representation (Workday Owned)	otpSendEmailRequestRepresentation (v1 -)	1
Service Representation (Workday Owned)	otpSendSmsRequestRepresentation (v1 -)	2
Service Representation (Workday Owned)	partialSessionInformationRepresentation (v1 -)	1

Area	Object Details	Usage
Service Representation (Workday Owned)	performanceReviewBusinessProcessParameters (v0 -)	1
Service Representation (Workday Owned)	performanceReviewBusinessProcessParameters (v5 -)	1
Service Representation (Workday Owned)	Phone Data Create/Update Definition (v1 -)	1
Service Representation (Workday Owned)	questionnaireViewDefinitionForPrompt (v1 -)	1
Service Representation (Workday Owned)	recruitingConsentPreferences (v1 -)	4
Service Representation (Workday Owned)	requestPurgeCreateDefinition (v1 -)	1
Service Representation (Workday Owned)	sendEmailRequestRepresentation (v1 -)	1
Service Representation (Workday Owned)	sessionInformationRepresentation (v1 -)	3
Service Representation (Workday Owned)	signonRepresentation (v1 -)	2
Service Representation (Workday Owned)	skillItemSourceAddRepresentation (v1 -)	1
Service Representation (Workday Owned)	skillItemsPromptDefinition (v1 -)	2
Service Representation (Workday Owned)	skillItemsRequestRepresentation (v1 -)	1
Service Representation (Workday Owned)	socialNetworkAccountCreateAndUpdateDefinition (v1 -)	1
Service Representation (Workday Owned)	surveyResponseRepresentationCreate (v1 -)	1
Service Representation (Workday Owned)	textGenerationGenericRequest (v1 -)	2
Service Representation (Workday Owned)	topLevelWrapperBusinessView (v1 -)	4
Service Representation (Workday Owned)	upcSignonRepresentation (v1 -)	6
Service Representation (Workday Owned)	updateActivityDetails (v1 -)	1
Service Representation (Workday Owned)	updateEmailOptInOut (v1 -)	1
Service Representation (Workday Owned)	validateJobApplication (v1 -)	1
Service Representation (Workday Owned)	verifyCredentialsRepresentation (v1 -)	1
Service Representation (Workday Owned)	webAddressCreateAndUpdateDefinition (v1 -)	1
Service Representation (Workday Owned)	webauthnCredentialsServiceRepresentation (v1 -)	1
Service Representation (Workday Owned)	workersPrompt (v1 -)	1
Service Representation (Workday Owned)	workersPrompt (v1 -)	1
Standard Report	Report to Populate Full Name for Malaysia and Singapore	25
Workday Integration Data Initialization Service	NSC Degree Verify Outbound Data	1
Workday Integration Data Initialization Service	NSC Degree Verify Outbound Data (Fields)	1
Workday Integration Data Initialization Service	NSC Degree Verify Outbound Data (SPOSR)	1
Workday Integration Data Initialization Service	NSC Enrollment Reporting Outbound Data (All Academic Periods) [DEPRECATED]	1

Area	Object Details	Usage
Workday Integration Data Initialization Service	NSC Enrollment Reporting Outbound Data [DEPRECATED]	1

» Usage (Report Field)

Summary

Field	Usage
Field Name	Usage
Business Object	Field Usage
Description	A link to the item using the field. When a field has more than 1 usage in your tenant, this field returns 1 row per usage.
Field Source	Workday Delivered
Field Type	Single instance
Related Business Object	Instance
Category	Report Writer
Authorized Usage	Default Areas
Indexing Information	
Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes
Date Last Updated	06/11/2024, 12:16:20.289 PM
WQL Alias	usage

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	RPT EE Field Usage Calculated Field Usage (Field Usage)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	1
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	1
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	1
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	3
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishna-trn chpkrishna2)	1
OMS Version	2017.38	1
Report Field	Object Details (Do Not Use) (Field Usage)	1
Standard Report	All Calculated Fields	1
Standard Report	Calculated Fields Defined	1
Standard Report	Compensation Plan Assignment Migration	1
Standard Report	Compensation Report Field Usage Audit	1
Standard Report	Recently Updated Calculated Fields	1

» RPT TF Field Usage Area is Calculated Field (True/False Condition)

Summary

Field Source	Global
---------------------	--------

Calculated Field RPT TF Field Usage Area is Calculated Field
Type True/False Condition
Business Object Field Usage
Indexed No
Date Last Updated 06/16/2026, 11:41:40.697 PM
Calculated Field Function Instruction Returns a boolean field indicating if the condition is true or false.

Calculation

And/Or	(	Field	Operator	Comparison Type	Comparison Value	)
And		Areas	equal to	Value specified in this filter	Calculated Field	

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	RPT EE Field Usage Calculated Field Usage (Field Usage)	1

» Areas (Report Field)
Summary

Field	Areas
Field Name	Areas
Business Object	Field Usage
Description	Returns the area where the field is used.
	Just like `Area, 146\$14233` except that this converts unreadable Condition Rule instances to their parent Business Process Type instances.
Field Source	Workday Delivered
Field Type	Text
Related Business Object	
Category	Report Writer
Authorized Usage	Default Areas
Indexing Information	
Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	No
Date Last Updated	06/11/2024, 12:16:20.289 PM
WQL Alias	areas

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	RPT TF Field Usage Area is Calculated Field (Field Usage)	1
Calculated Field	RPT TF Field Usage Areas Not a Field (Field Usage)	1
Calculated Field	RPT TF Field Usage Custom Data Source (Field Usage)	1

Area	Object Details	Usage
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	5
OMS Version	2021.11	1
Standard Report	Calculated Fields for Time Zone Testing	2
Standard Report	Report Fields for Time Zone Testing	2
Standard Report	Retired Report Fields In Use	1

» RPT PV Field Usage Field (Prompt for Value)

Summary

Field Source	Report Specific
Report Name	Master Calculated All Fields Details DDR
Calculated Field	RPT PV Field Usage Field
Type	Prompt for Value
Business Object	Field Usage
Indexed	No
Date Last Updated	07/10/2026, 8:11:05.230 AM
Calculated Field Function Instruction	Creates a promptable parameter and returns its value. This can be used within the report writer where the report writer can either prompt for the value or initialize it as a parameter.

Calculation

Field Type Single Instance

Business Object Field

Required

Where Used

Where Used

Area	Object Details	Usage
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishnaa-trn chpkishnaa2)	1

» CF EE Calculated Field Type (Evaluate Expression Band Calculated Field)

Summary

Field Source	Global
Calculated Field	CF EE Calculated Field Type
Type	Evaluate Expression Band Calculated Field
Business Object	Field
Indexed	No
Date Last Updated	07/10/2026, 8:11:05.230 AM
Calculated Field Function Instruction	Evaluates a series of condition bands and returns band associated with the first condition that is true. If no conditions are true, returns the default value.

Calculation

Default Value System Wise Calculated Field

Condition	Return Value If Condition is True
CF TF Field Source is Report Specific	Report Specific Calculated Field

Where Used

Where Used

Area	Object Details	Usage
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	1
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishna-trn chpkishna2)	1

» CF TF Field Source is Report Specific (True/False Condition)

Summary

Field Source	Global
Calculated Field Type	CF TF Field Source is Report Specific
Business Object	Field
Indexed	No
Date Last Updated	06/17/2026, 12:59:37.455 AM
Calculated Field Function Instruction	Returns a boolean field indicating if the condition is true or false.

Calculation

And/Or	(	Field	Operator	Comparison Type	Comparison Value	)
And		Field Source	contains	Value specified in this filter	Calculated - Report Specific	

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF EE Calculated Field Type (Field)	1

» Field Source (Report Field)

Summary

Field	Field Source
Field Name	Field Source
Business Object	Field
Description	Returns either "Workday Delivered", "Calculated" or "Calculated - Report Specific"
Field Source	Workday Delivered
Field Type	Text
Related Business Object	
Category	Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes

Date Last Updated 07/31/2018, 1:51:31.215 AM

WQL Alias fieldSource		
Where Used		
Where Used		
Area	Object Details	Usage
Calculated Field	CF TF Field Source is Report Specific (Field)	1
Custom Report	Anurag CRF Report (arout-trn / Anurag Rout)	1
Custom Report	Business Object and Fields (arout-trn / Anurag Rout)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	3
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	3
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	Report Fields - SRDM (mhkhan-trn / Mohsin N Khan)	1
Custom Report	Report Fields - SRDM1 (pmodi-trn / Pranav Modi)	1
Custom Report	Testing (arout-trn / Anurag Rout)	1
OMS Version	8.08	1
Service Representation (Workday Owned)	fieldScopeRepresentation (v1 -)	1
Standard Report	All Calculated Fields	3
Standard Report	Business Object Visualization - Nodes	1
Standard Report	Calculated Fields Defined	3
Standard Report	Custom Data Source Extended Field Usage	1
Standard Report	Recently Updated Calculated Fields	2
Standard Report	Report Fields	1
Standard Report	Report Fields for Stats Warehouse Reporting	1
Standard Report	Workday Data Dictionary	1

» CF EE Shared CF vs Stand alone CF (Evaluate Expression Band Calculated Field)

Summary

Field Source	Global
Calculated Field	CF EE Shared CF vs Stand alone CF
Type	Evaluate Expression Band Calculated Field
Business Object	Field
Indexed	No
Date Last Updated	07/10/2026, 8:11:05.230 AM
Calculated Field Function Instruction	Evaluates a series of condition bands and returns band associated with the first condition that is true. If no conditions are true, returns the default value.

Calculation

Default Value	Standalone Calculated Field
Condition	Return Value If Condition is True
CF TF CF CRI Where Used >1	Shared Calculated Field

Where Used

Where Used

Area	Object Details	Usage
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	1
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishnaa-trn chpkishna2)	1

» CF TF CF CRI Where Used >1 (True/False Condition)

Summary

Field Source	Global
Calculated Field	CF TF CF CRI Where Used >1
Type	True/False Condition
Business Object	Field
Indexed	No
Date Last Updated	06/16/2026, 9:44:31.429 PM
Calculated Field Function	
Instruction	Returns a boolean field indicating if the condition is true or false.

Calculation

And/Or	(	Field	Operator	Comparison Type	Comparison Value	)
And		CF CRI Where Used	greater than	Value specified in this filter	1	

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF EE Shared CF vs Stand alone CF (Field)	1

» CF CRI Where Used (Count Related Instances)

Summary

Field Source	Global
Calculated Field	CF CRI Where Used
Type	Count Related Instances
Business Object	Field
Indexed	No
Date Last Updated	07/10/2026, 8:46:08.805 AM
Calculated Field Function	
Instruction	Counts the number of instances in a related business object based on a condition.

Calculation

Related Field	CF LRV Field Where Used
Related Business Object	Field Usage
Count	
All Instances	Yes

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF TF CF CRI Where Used >1 (Field)	1
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	1

» CF LRV Field Where Used (Lookup Related Value)

Summary

Field Source	Global
Calculated Field	CF LRV Field Where Used
Type	Lookup Related Value
Business Object	Field
Indexed	No
Date Last Updated	06/16/2026, 10:16:19.161 PM
Calculated Field Function Instruction	Looks up the value of a field associated with a single instance of a related business object.

Calculation

Lookup Field	Field
Related Business Object	Field
Return Value	Where Used

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	CF CRI Where Used (Field)	1
Calculated Field	CF TF CF LRV Field Where Used is not Blank (Field)	1

» Field (Report Field)

Summary

Field	Field
Field Name	Field
Business Object	Field
Description	Identifies the field and allows you to drill into the details and access related actions.
Field Source	Workday Delivered
Field Type	Self referencing instance
Related Business Object	Field
Category	Report Writer
Authorized Usage	Default Areas

Indexing Information

Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	Yes

Date Last Updated	07/31/2018, 1:51:31.215 AM
WQL Alias	field

Where Used

Where Used

Area	Object Details	Usage
Calculated Field	Calculated Field starting Field Reference ID (Field)	1
Calculated Field	CF EMI Cal Fields DNU (Field)	1
Calculated Field	CF LRV Field discr (Field)	1
Calculated Field	CF LRV Field Where Used (Field)	1
Calculated Field	CF LRV Standard Fields Used In Calculated Fields (Field)	1

Area	Object Details	Usage
Calculated Field	DDT - Field Name (O) (Field)	1
Computed View Definition	CV: Class Report Field, 12610\$119	1
Custom Report	Anurag CRF Report (arout-trn / Anurag Rout)	1
Custom Report	Business Object and Fields (arout-trn / Anurag Rout)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	1
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	1
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	2
Custom Report	Fields in Tenant (arout-trn / Anurag Rout)	1
Custom Report	Field Usage on Reports (Imcneil / Logan McNeil)	5
Custom Report	gyoo-all_fields (gyoo-trn / Guan Hong Yoo)	2
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni-trn / Aditya Divakaruni)	10
Custom Report	Master Calculated All Fields Details DDR (chpkrishnaa-trn / chpkrishna-trn chpkrishna2)	3
Custom Report	PraGupta-trn_EmployeeType Trial (PraGupta-trn / Pravar Gupta)	1
Custom Report	Report Fields - SRDM (mhkhan-trn / Mohsin N Khan)	3
Custom Report	Report Fields - SRDM1 (pmodi-trn / Pranav Modi)	1
Custom Report	Testing (arout-trn / Anurag Rout)	1
Custom Report	WICRT - Field Security - Calc Field Domain (dsrivastava-trn / Devina Srivastava)	2
Custom Report	WICRT - Field Security - Domain (dsrivastava-trn / Devina Srivastava)	2
OMS Version	1.02	1
Standard Report	All Calculated Fields	2
Standard Report	All Class Report Fields for GraphQL Analysis	1
Standard Report	All CRFs Accessible by Customer	1
Standard Report	All CRFs for Module	1
Standard Report	All CRFs that are "Do Not Use"	1
Standard Report	All Custom Reports using Government Identifier CRFs	1
Standard Report	Business Object Visualization - Nodes	1
Standard Report	Calculated Fields for Time Zone Testing	1
Standard Report	Classes with Duplicate CRF Work Data	1
Standard Report	Class Report Field Not In Use By a Report Definition	1
Standard Report	Class Report Fields by Report Data Source	1
Standard Report	Class Report Fields for Web Services Comparable	2
Standard Report	Class Report Fields returning Instances of Class	1
Standard Report	Class Report Fields with Date Time Precision Mismatch	1
Standard Report	Compensation Plan Assignment Migration	3
Standard Report	Compensation Report Field Usage Audit	2
Standard Report	CRF Labels with Questionable Translation	1
Standard Report	CRF Metadata Audit	2
Standard Report	CRFs by Jira Project	1
Standard Report	CRFs from Tenanted classes accessing non-tenanted instances	2
Standard Report	CRFs Issuing Query Audit for Module	2
Standard Report	CRFs that are "Do Not Use" by Module	1
Standard Report	CRFs that over-ride a superclass's CRF	2
Standard Report	CRFs Update History for Release Notes	1
Standard Report	CRFs Used by New Custom Reports	1
Standard Report	CRFs with Contextual Security Mismatch	1
Standard Report	CRFs with Empty Prompt Issues	1
Standard Report	CRF Usage	2
Standard Report	CRF Usage (No Tenant Names)	2

Area	Object Details	Usage
Standard Report	Custom Data Source Extended Field Usage	2
Standard Report	Customer Referenced Class Report Fields	1
Standard Report	Customer Referenced Class Report Fields (No Tenant Names)	1
Standard Report	Data Mining Report	1
Standard Report	DER Custom Fields for Lodestar Applications	1
Standard Report	External Fields for Business Object (DEV)	2
Standard Report	Find Field Faceted	1
Standard Report	Format Mask Calculated Fields	1
Standard Report	GraphQL Read API Security Audit: Contextually Secured Class returned by CRFs with Secure Entry using Domain (Public Reporting Item)	1
Standard Report	HCM Classes with Class Report Fields	1
Standard Report	HCM Class Report Fields	2
Standard Report	Non-Contextually Secured Classes with CRF conflicts with Contextually Secured Classes	1
Standard Report	Optimizable CRFs	2
Standard Report	Recently Updated Calculated Fields	1
Standard Report	Report Fields	4
Standard Report	Report Fields for Stats Warehouse Reporting	1
Standard Report	Report Fields for Time Zone Testing	3
Standard Report	Required Domains for Standard Report	1
Standard Report	Retired Report Fields In Use	1
Standard Report	Security Audit for CRFs Returning Contextually Secure Classes	1
Standard Report	Test Organizations CRF	1
Standard Report	WATS Coverage for HR Core CRFs	2
Standard Report	What's New in Workday Report Fields	2
Standard Report	What's New in Workday Reports	2
Standard Report	Workday Data Cloud: Field Eligibility	2
Standard Report	WQL Alias Lengths for CRFs by Module and Product Area	1

» Where Used (Report Field)

Summary	
Field	Where Used
Field Name	Where Used
Business Object	Field
Description	Returns tenanted usages of the field. Any Workday-delivered usages (ex: Standard Reports) will not be returned.
Field Source	Workday Delivered
Field Type	Multi-instance
Related Business Object	Field Usage
Category	Report Writer
Authorized Usage	Default Areas
Indexing Information	
Indexed for Filter	0
Indexed For Group By	0
Indexed for Facet	0
Indexed For Aggregation	0
Suitable for Indexing	No

Date Last Updated 07/31/2018, 1:51:31.215 AM
WQL Alias whereUsed

Where Used
Where Used

Area	Object Details	Usage
Calculated Field	CF LRV Field Where Used (Field)	1
Calculated Field	RPT ARI Field Calculated Field Where Used Level 1 (Field)	1
Calculated Field	RPT ARI Field Calculated Field Where Used Level 7 (Field)	1
Calculated Field	RPT EMI Field Non-Field Usages (Field)	1
Calculated Field	RPT ESI Field Custom Data Extension (Field)	1
Custom Report	Calculated Fields (Imcneil / Logan McNeil)	2
Custom Report	Calculated Fields & Indicators (pobrien / Patrick O'Brien)	2
Custom Report	Compensation Report Field Usage Audit - Copy (int_m.sumit.galhotra / Sumit Galhotra)	5
Custom Report	Master Calculated All Fields Details (R-0915) (adivakaruni- trn / Aditya Divakaruni)	5
Custom Report	Master Calculated All Fields Details DDR (chpkishnaa-trn / chpkishna-trn chpkishna2)	5
OMS Version	2017.38	1
Report Field	Area Where Used (Do Not Use) (Field)	1
Standard Report	All Calculated Fields	2
Standard Report	Calculated Fields Defined	2
Standard Report	Calculated Fields for Time Zone Testing	4
Standard Report	Compensation Plan Assignment Migration	3
Standard Report	Compensation Report Field Usage Audit	5
Standard Report	Format Mask Calculated Fields	1
Standard Report	Recently Updated Calculated Fields	2
Standard Report	Report Fields for Time Zone Testing	3
Standard Report	Retired Report Fields In Use	3