

Arjuna NEET 2027

Zoology

Animal Kingdom

DPP: 2

Samapti Sinha Ma'am

- Q1** Consider following features.
 A. Organ system level of organisation
 B. Bilateral symmetry
 C. True coelomates with segmentation of body
 Select the correct option of animal groups which possess all the above characteristics.
 (A) Annelida, arthropoda and chordata
 (B) Annelida, arthropoda and mollusca
 (C) Arthropoda, mollusca and chordata
 (D) Annelida, mollusca and chordata
- Q2** Given below are two statements:
Statement I: Open type of circulatory system is the one in which the blood is pumped out of the heart and the cells and tissues are directly bathed in it.
Statement II: In some animals, the body is externally and internally divided into segments with a serial repetition of at least some organs.
 In the light of the above statements, choose the most appropriate answer from the options given below:
 (A) Statement I and Statement II both are correct.
 (B) Statement I is correct but Statement II is incorrect.
 (C) Statement I is incorrect but Statement II is correct.
 (D) Statement I and Statement II both are incorrect.
- Q3** During embryonic development if mouth is formed first and anus is formed later, the condition is called
 (A) Protostomia
 (B) Deuterostomia
 (C) Both A and B
 (D) None of these
- Q4** Coelom is
 (A) The body cavity which is lined by mesoderm
 (B) The body cavity which is lined by ectoderm
 (C) The body cavity which is lined by endoderm
 (D) None of the above
- Q5** Assertion: All triploblastic animals are not coelomate.
 Reason. Animal with incomplete type of digestive tract are diploblastic.
 (A) Both Assertion and Reason are correct and Reason is a correct explanation of the Assertion.
 (B) Both Assertion and Reason are correct but Reason is not a correct explanation of the Assertion.
 (C) Assertion is correct but Reason is incorrect.
 (D) Assertion is incorrect but Reason is correct
- Q6** Which of the following statements are **correct**?
 A. In earthworm, the body shows metameric segmentation.
 B. Aschelminthes are pseudocoelomates.
 C. Sponges are mostly asymmetrical.
 D. Mesoglea is an undifferentiated layer present in between the ectoderm and the endoderm.
 (A) A & B
 (B) B & C
 (C) B, C & D
 (D) All of these
- Q7** In some animal groups, the body is found divided into compartments with serial repetition of at



least some organs. This characteristic feature is named as

- (A) Segmentation (B) Metamerism
(C) Metagenesis (D) Metamorphosis

Q8 Metamerism is found in

- (A) Arthropoda, Annelida, Chordata
(B) Aschelminthes, Annelida, Chordata
(C) Mollusca, Porifera, Echinodermata
(D) Annelida, Arthropoda, Porifera

Q9 Notochord is derived from

- (A) Mesoderm layer
(B) Ectoderm layer
(C) Endoderm layer
(D) None of these

Q10 Notochord is a (X) derived rod-like structure formed on the (Y) side during embryonic development in some animals.

Choose the option which fills the blanks **correctly**.

- (A) (X): mesodermally, (Y): ventral
(B) (X): ectodermally, (Y): dorsal
(C) (X): endodermally, (Y): ventral
(D) (X): mesodermally, (Y): dorsal

Q11 Which of the following is **correctly** matched?

- (A) Radial symmetry - Coelenterates
(B) True coelom - Aschelminthes
(C) Metamerism - Molluscs
(D) Triploblastic - Sponges



Answer Key

Q1 (A)

Q2 (A)

Q3 (A)

Q4 (A)

Q5 (C)

Q6 (D)

Q7 (B)

Q8 (A)

Q9 (A)

Q10 (D)

Q11 (A)



[Master NCERT with PW Books APP](#)

