
MURUGAPPA POLYTECHNIC COLLEGE

SATHYAMURTHY NAGAR, CHENNAI-600 062
(Academically Autonomous Institution)

PRACTICAL MANUAL

ACADEMIC YEAR 2024 – 2025

DEPARTMENT : COMPUTER ENGINEERING

COURSE CODE : CSN65

COURSE NAME : COMPUTER BASED TECHNOLOGY PRACTICAL

SEMESTER : VI

PREPARED BY : MRS.P.SINDHUJA
Lecturer/Computer Engg

APPROVED BY : MR.B.RAJENDRAN
HOD/Computer Engg

LIST OF EXERCISES

1. Accept a character from console and check the case of the character.
2. Write a program to accept any character from keyboard and display whether it is vowel or not.
3. Write a program to implement a calculator with memory and recall operations.
4. Develop a form in to pick a date from Calendar control and display the day, month, year details in separate text boxes.
5. Develop an application using the File and Directory controls to implement a common dialog box.
6. Develop a database application to store the details of students using ADO.NET.
7. Create a simple ASP.NET page to Output Text with a form, two HTML text boxes, an HTML button, and an HTML `<span>` element. Create an event procedure for the button.
8. Develop a menu based application to implement a text editor with cut, copy, paste, save and close operations.
9. Develop an application to perform Timer based quiz of 5 questions.
10. Develop a database application using ADO.NET to insert, modify, update and delete operations.
11. Develop an application using Datagrid to add, edit and modify records.
12. Develop a web application to input data through a web form to a database and validate the data. Use the Required Field Validator and RangeValidator Controls.
13. Develop a Window application to read an XML document containing subject, mark scored, year of passing into a Dataset.
14. Develop a Window application to read students record from Database using ADO.NET and generate XML Document containing students records.

Ex. No: 1 CASE CHECKING

Aim:

To accept a character from console and check the case of the character.

Procedure:

1. Open Microsoft Visual studio, File→ New →Project
2. Select project type as Visual c# →Windows and Template type as Console application, and then click OK.

Program.cs:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;

namespace Ex.no._1
{
    class Program
    {
        static void Main(string[] args)
        {
            char c;
            Console.WriteLine("\nEnter a character");
            c = (char)Console.Read();
            if (char.IsLetter(c))
            {
                if (char.IsUpper(c))
                {
                    Console.WriteLine("\nUppercase");
                }
                else
                {
                    Console.WriteLine("\nLowerCase");
                }
            }
            else
            {
                Console.WriteLine("\nOther Character");
            }
            Console.ReadKey();
        }
    }
}
```

OUTPUT :

```
Enter a character
b
Lower case
Enter a character
G
Uppercase
Enter a character
+
Other character
```

RESULT: Thus the above program is executed successfully.

Ex. No: 2 VOWEL CHECKING


Aim :

To write a program to accept any character from keyboard and display whether it is vowel or not.

Procedure:

1. Open Microsoft Visual studio File → New → Project
2. Select project type as Visual c# → Windows and Template type as Windows application, then click OK

Form1.cs [Design]



Form1.cs

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;
```

```
namespace Exno._2_Vowel
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }

        private void button1_Click(object sender, EventArgs e)
        {
            char c;
            c = char.Parse(textBox1.Text.ToUpper());
            if (c == 'A' || c == 'E' || c == 'I' || c == 'O' || c == 'U')
            {

```

```
        textBox2.Text = "Vowel";
    }
    else
    {
        textBox2.Text = "Not Vowel";
    }
}
}
```

OUTPUT:

Vowel Checking	
Enter a Character	a
Check	
Output	Vowel

RESULT: Thus the above program is executed successfully.

Ex. No. : 3 CALCULATOR DESIGNING


Aim:

To write a program to implement a calculator with memory and recall operations.

Procedure:

1. Open Microsoft Visual studio File → New → Project
2. Select project type as Visual c# → Windows and Template type as Windows application, then click OK.

Form1.cs [Design]



Form1.cs

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
```

```
namespace ex3_calculator
{
    public partial class Form1 : Form
    {
        float first, second, m, result;
        char op;
```

```
public Form1()
{
    InitializeComponent();
}
private void button1_Click(object sender, EventArgs e)
{
    textBox1.AppendText("0");
}

private void button2_Click(object sender, EventArgs e)
{
    textBox1.AppendText("1");
}

private void button3_Click(object sender, EventArgs e)
{
    textBox1.AppendText("2");
}

private void button4_Click(object sender, EventArgs e)
{
    textBox1.AppendText("3");
}

private void button5_Click(object sender, EventArgs e)
{
    textBox1.AppendText("4");
}

private void button6_Click(object sender, EventArgs e)
{
    textBox1.AppendText("5");
}

private void button7_Click_1(object sender, EventArgs e)
{
    textBox1.AppendText("6");
}

private void button8_Click_2(object sender, EventArgs e)
{
    textBox1.AppendText("7");
}

private void button9_Click(object sender, EventArgs e)
{
    textBox1.AppendText("8");
}
private void button10_Click(object sender, EventArgs e)
{
    textBox1.AppendText("9");
}
private void button11_Click(object sender, EventArgs e)
{
    textBox1.AppendText(".");
}
private void button12_Click(object sender, EventArgs e)
```

```

{
    first = float.Parse(textBox1.Text);
    op = '+';
    textBox1.Clear();
}
private void button13_Click(object sender, EventArgs e)
{
    first = float.Parse(textBox1.Text);
    op = '-';
    textBox1.Clear();
}
private void button14_Click(object sender, EventArgs e)
{
    first = float.Parse(textBox1.Text);
    op = '/';
    textBox1.Clear();
}
private void button15_Click(object sender, EventArgs e)
{
    first = float.Parse(textBox1.Text);
    op = '*';
    textBox1.Clear();
}
private void button16_Click(object sender, EventArgs e)
{
    second = float.Parse(textBox1.Text);
    switch (op)
    {
        case '+': result = first + second;
            textBox1.Text = result.ToString();
            break;
        case '-': result = first - second;
            textBox1.Text = result.ToString();
            break;
        case '*': result = first * second;
            textBox1.Text = result.ToString();
            break;
        case '/': result = first / second;
            textBox1.Text = result.ToString();
            break;
    }
}
private void button17_Click(object sender, EventArgs e)
{
    textBox1.Clear();
}
private void button18_Click(object sender, EventArgs e)
{
    m = float.Parse(textBox1.Text);
}
private void button19_Click(object sender, EventArgs e)
{
    textBox1.Text = m.ToString();
}
}
}

```

RESULT: Thus the above program is executed successfully.

Ex. No. : 4 CALENDAR APPLICATION


Aim:

To develop a form in to pick a date from Calendar control and display the day, month, and year details in separate text boxes.

Procedure:

1. Open Microsoft Visual studio File →New →Project
2. Select project type as Visual c#→ Windows and Template type as Windows application, then click OK.

Form1.cs [Design]



Form1.cs

```
using System;  
using System.Collections.Generic;  
using System.ComponentModel;  
using System.Data;  
using System.Drawing;  
using System.Linq;  
using System.Text;  
using System.Threading.Tasks;  
using System.Windows.Forms;
```

```
namespace WindowsFormsApplication17  
{  
    public partial class Form1 : Form  
    {  
        public Form1()  
        {  
            InitializeComponent();  
        }  
        private void label1_Click(object sender, EventArgs e)
```

```
    {  
    }  
  
    private void Form1_Load(object sender, EventArgs e)  
    {  
        textBox1.Text = dateTimePicker1.Value.Day.ToString();  
        textBox2.Text = dateTimePicker1.Value.Month.ToString();  
        textBox3.Text = dateTimePicker1.Value.Year.ToString();  
    }  
    private void dateTimePicker1_ValueChanged(object sender, EventArgs e)  
    {  
        textBox1.Text = dateTimePicker1.Value.Day.ToString();  
        textBox2.Text = dateTimePicker1.Value.Month.ToString();  
        textBox3.Text = dateTimePicker1.Value.Year.ToString();  
    }  
}  
}
```

RESULT: Thus the above program is executed successfully.

Ex.No: 5 FILE AND FOLDER CONTROL


Aim:

To develop a application using the File and Directory controls to implement a common dialog.

Procedure:

1. Open Microsoft Visual studio File →New →Project.
2. Select project type as Visual c#→ Windows and Template type as Windows application, then click OK.

Form1.cs [Design]



Form1 .cs using System;

```
using System;  
using System.Collections.Generic;  
using System.ComponentModel;  
using System.Data;  
using System.Drawing;  
using System.Linq;  
using System.Text;  
using System.Threading.Tasks;  
using System.Windows.Forms;
```

```
namespace WindowsFormsApplication18  
{  
    public partial class Form1 : Form  
    {  
        public Form1()
```

```

{
    InitializeComponent();
}

private void label2_Click(object sender, EventArgs e)
{

}

private void button1_Click(object sender, EventArgs e)
{
    if (radioButton1.Checked == true)
    {
        folderBrowserDialog1.ShowDialog();
        textBox1.Text = folderBrowserDialog1.SelectedPath;
    }
    else
    {
        openFileDialog1.ShowDialog();
        textBox2.Text = openFileDialog1.FileName;
    }
}
}
}

```

RESULT: Thus the above program is executed successfully.

EX No. : 6 DATABASE CREATION USING ADO.NET

Aim:

To develop a database application to store the details of students using ADO.NET.

Procedure:

1. Create a table stud in a Sql server database student (using SQL Query Analyzer).
Execute the following commands.

Create database student

Use student

Create table stud (regno varchar(10), sname varchar(15),dept varchar(10));

2. Open Microsoft Visual studio and create a new C# windows application.
3. Design a Form as shown below. **Form1.cs[design]**

The screenshot shows a Windows Form titled 'Form1'. Inside the form, there is a label 'Enter the details'. Below this label, there are three text boxes arranged vertically. The first text box is labeled 'Reg no', the second is labeled 'Stud name', and the third is labeled 'Dept'. At the bottom of the form, there is a button labeled 'Store'. To the right of the form, there are five labels with arrows pointing to the controls: 'Label1' points to the 'Enter the details' label, 'TextBox1' points to the 'Reg no' text box, 'TextBox2' points to the 'Stud name' text box, 'TextBox3' points to the 'Dept' text box, and 'Button1' points to the 'Store' button.

Form1.cs

```
using System;  
using System.Collections.Generic;  
using System.ComponentModel;  
using System.Data;  
using System.Drawing;  
using System.Linq;  
using System.Text;  
using System.Threading.Tasks;  
using System.Windows.Forms;  
using System.Data.SqlClient;
```

```
namespace WindowsFormsApp1  
{  
    public partial class Form1 : Form  
    {  
        SqlConnection conn;  
        SqlCommand comm;
```

```

public Form1()
{
    InitializeComponent();
}

private void Form1_Load(object sender, EventArgs e)
{
    conn = new SqlConnection();
    comm = new SqlCommand();
    conn.ConnectionString= "Data Source=DESKTOP-VRRUHHP\\SQLEXPRESS;Initial
Catalog=data;Integrated Security=True";
    conn.Open();
    comm.Connection = conn;
}

private void button1_Click(object sender, EventArgs e)
{
    if ((textBox1.Text == "") || (textBox2.Text == "") || (textBox3.Text == ""))
    {
        MessageBox.Show("please fill all the details");
    }

    else
    {
        comm.CommandText = "insert into Table_1 values('" + textBox1.Text + "','" +
textBox2.Text + "','" + textBox3.Text + "')";
        comm.ExecuteNonQuery();
        MessageBox.Show("1 record is stored successfully");
    }
}
}
}

```

RESULT: Thus the above program is executed successfully.


EX No :7 SIMPLE WEBPAGE CREATION

Aim :

To create a simple ASP.NET page to output Text with a form, two HTML text boxes, one HTML button and a HTML element and to create an event procedure for the button.

Procedure:

1. Open Microsoft Visual studio File →New website 2.
Design the web page as shown below.



3. Click the source tab and edit the required code as given below.

```
<%@ Page Language="C#" AutoEventWireup="true"        CodeFile="Default.aspx.cs"
Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Untitled Page</title>
    <script runat="server"> void
        Button1_Click(object sender, EventArgs e)
        { p1.InnerHtml = "Username is " + Text1.Value + " and Password is " +
        Password1.Value;

        }

    </script>
</head>
<body>
    <form id="form1" runat="server">
    <div>
```



Ex. No :8 TEXT EDITOR CREATION

Aim :

To develop a menu based application to implement a text editor with cut, copy, paste, save and. Close operations **Procedure:**

1. Open Microsoft Visual studio File →New →Project
2. Select project type as Visual c#→ Windows and Template type as Windows application, then click OK.

Form1.cs [Design]



Form1.cs

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System. Data;
using System. Drawing;
using System. Text;
using System Windows.Forms;
namespace WindowsFormsApplication1
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent ();
        }
        private void Form1_Load(object sender, EventArgs e)
        {

```

```

label1.Visible = false; textBox1.
Visible = false; button1.Visible
= false;
}
private void newToolStripMenuItem_Click(object sender, EventArgs e)
{
richTextBox1.Clear();
}
private void saveToolStripMenuItem_Click(object sender, EventArgs e)
{
Label1.Visible = true;
textBox1.Visible = true;
button1.Visible = true;
}
Private void closeToolStripMenuItem_Click(object sender, EventArgs e)
{
richTextBox1.Clear();
}
Private void cutToolStripMenuItem_Click(object sender, EventArgs e)
{
richTextBox1.Cut();
}
Private void copyToolStripMenuItem_Click (object sender, EventArgs e)
{
richTextBox1.Copy ();
}
Private void pasteToolStripMenuItem_Click (object sender, EventArgs e)
{
richTextBox1.Paste ();
}
Private void button1_Click (object sender, EventArgs e)
{
richTextBox1.SaveFile(textBox1.Text);
}
}
}
}

```

RESULT: Thus the above program is executed successfully.

Ex.No:9 QUIZ CREATION


Aim :

To develop an application to perform timer based quiz of 5 questions.

Procedure:

1. Open Microsoft Visual studio File →New →Project
2. Select project type as Visual c#→ Windows and Template type as Windows application, then click OK.

Form1.cs [Design]



Timer1

Form1.cs

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

{
    public partial class Form1 : Form
    {
        string[,] Quest = new string[5, 4];
        string[,] Ans = new string[5, 2];
        int i = 0;
        public Form1()
```

```

{
    InitializeComponent();
}
private void Form1_Load(object sender, EventArgs e)
{
    Quest = new string [5,4];
    Ans = new string [5,2];
    Quest [0, 0] = "In _____ India won cricket worldcup";
    Quest [0, 1] = "1973";
    Quest [0, 2] = "1983";
    Quest [0, 3] = "1987";
    Quest [1, 0] = "Scanner is a _____ device";
    Quest [1, 1] = "input";
    Quest [1, 2] = "output";
    Quest [1, 3] = "I/O";
    Quest [2, 0] = "Which one of the following is a browser?";
    Quest [2, 1] = "visual basic";
    Quest [2, 2] = "java";
    Quest [2, 3] = "internet explorer";
    Quest [3, 0] = "_____ was not a cheif minister";
    Quest [3, 1] = "kamarajar";
    Quest [3, 2] = "sivaji";
    Quest [3, 3] = "MGR";
    Quest [4, 0] = "Tsunami hit india on";
    Quest [4, 1] = "24-12-2004";
    Quest [4, 2] = "26-12-2004";
    Quest [4, 3] = "26-12-2006";
    Ans [0, 0] = "1983";
    Ans[1, 0] = "input";
    Ans[2, 0] = "internet explorer";
    Ans[3, 0] = "sivaji";
    Ans[4, 0] = "26-12-2004";
    textBox1.Text=Quest[0,0];
    radioButton1.Text=Quest[0,1];
    radioButton2.Text=Quest[0,2];
    radioButton3.Text=Quest[0,3];
    timer1.Enabled = true;
    button1.Enabled = false;
}

private void timer1_Tick(object sender, EventArgs e)
{
    i=i+1;
    if(i == 5)
    {
        timer1.Enabled = false;
        button1.Enabled =true;
    }
}

```

```

    }
    else
    {
        radioButton1.Checked=false;
        radioButton1.Checked=false;
        radioButton3.Checked=false;
        textBox1.Text = Quest [i,0];
        radioButton1.Text = Quest [i,1];
        radioButton2.Text = Quest [i,2];
        radioButton3.Text = Quest [i,3];
    }
}
private void button1_Click(object sender, EventArgs e)
{
    int count = 1;
    for (int j = 0; j < 5; j++)
    {
        if(Ans[j, 0]==Ans[j, 1])
        {
            count +=1;
        }
    }
    MessageBox.Show("you have scored" + count + "Marks");
}
private void radioButton1_CheckedChanged(object sender, EventArgs e)
{
    Ans[i, 1] = radioButton1.Text;
}

private void radioButton2_CheckedChanged(object sender, EventArgs e)
{
    Ans[i, 1] = radioButton2.Text;
}

private void radioButton3_CheckedChanged(object sender, EventArgs e)
{
    Ans[i, 1] = radioButton3.Text;
}

}
}

```

RESULT: Thus the above program is executed successfully.

Ex. No: 10 DATABASE UPDATION USING ADO.NET

Aim:

To develop a database application using ADO.NET to insert, modify, update and delete operations **Procedure:**

1. Create a table stud in a Sql server database student (using SQL Query Analyzer)
Create database student
Use student
Create table stud (regno varchar(10), sname varchar(15), dept varchar(10));
Insert into stud values ('115526', 'Robert', 'Civil')
2. Open Microsoft Visual studio and create a new C# Windows application.
3. Design a Form as shown below. **Form1.cs[design]**

The screenshot shows a Windows Form titled 'Form1'. It features a group box labeled 'click the option' containing two radio buttons: 'insert' (which is selected) and 'view'. Below the group box, there are three text boxes labeled 'Regno', 'Student name', and 'dept'. At the bottom of the form, there are three buttons labeled 'insert', 'update', and 'delete'. Arrows from external labels point to these controls: 'Button1' points to the 'insert' button at the bottom left; 'Button2' points to the 'update' button at the bottom center; 'Button3' points to the 'delete' button at the bottom right; 'TextBox1' points to the 'Regno' text box; 'ComboBox' points to the dropdown arrow of the 'Regno' text box; 'TextBox2' points to the 'Student name' text box; and 'TextBox3' points to the 'dept' text box.

Form1.cs

```
using System;  
using System.Collections.Generic;  
using System.ComponentModel;  
using System.Data;  
using System.Drawing;  
using System.Linq;
```

```
using System.Text;
using System.Windows.Forms;
using System.Data.SqlClient;
namespace WindowsFormsApplication1
{
    public partial class Form1:Form
    {
        public SqlConnection con;
        public SqlCommand com;
        public SqlDataReader rd;
        public Form1()
        {
            InitializeComponent();
        }
        private void Form1_Load(object sender, EventArgs e)
        {
            con = new SqlConnection("");
            com = new SqlCommand();
            com.Connection=con;
            con.Open();
        }
        private void radioButton1_CheckedChanged(object sender,EventArgs e)
        {
            textBox1. Clear();
            textBox2.Clear();
            textBox3.Clear(); comboBox1.
            Visible = false;
            button1 .Enabled = true;
            button2.Enabled = false;
            button3.Enabled = false;
        }
        private void radioButton2_CheckedChanged(object sender,EventArgs e)
        {
            comboBox1. Items.Clear(); button1
            .Enabled false; button2.Enabled = true;
            button3.Enabled=true;
            comboBox1.Visible=true;
            com.CommandText = "select * from stud";
            rd.com.ExecuteReader();
            while (rd. Read())
            {
                comboBox1. Items. Add (rd. GetString(0)); rd.
                Close() ;
            }
        }
    }
}
```

```

}
private void comboBox1_SelectedIndexChanged(object sender, EventArgs e)
{
    Com.CommandText = "select * from stud where regno='"+ comboBox1 .SelectedItem +"'";
    rd = com.ExecuteReader();
    if (rd.Read())
    {
        textBox2.Text= rd.GetString(1);
        textBox3.Text= rd.GetString(2);
    }
    rd.Close();
}

private void button1_Click(object sender, EventArgs e)
{
    if (textBox1 . Text==" " || textBox2. Text==" " || textBox3.Text==" ")
    {
        MessageBox.Show("Please fill all details");
    }
    else
    {
        com.CommandText ="insert into stud values('" +(textBox1 . Text + " ' , '" +textBox2. Text + " ' ,
        , '" +textBox3. Text + " ' )"; com.ExecuteNonQuery();
        MessageBox.Show("record inserted");
    }
}

private void button2_Click(object sender, EventArgs e)
{
    Com.CommandText = "delete from stud where regno='"+comboBox1 .SelectedItem +"'";
    rd = com.ExecuteReader();
    comboBox 1.Items. Remove(comboBox1. SelectedItem); textBox2.Clear();
    textBox3.Clear();
    MessageBox.Show("record deleted");
}

private void button3_Click(object sender, EventArgs e)
{
    com.CommandText = "update stud set sname='" +textBox2.Text + "', dept='" +
    "'+textBox3.Text+"'" where regno='"+ comboBox1 .SelectedItem +"'";
    com.ExecuteNonQuery();
    MessageBox.Show("record updated");
}}}

```

RESULT: Thus the above program is executed successfully.

Ex. No. : 11 DATABASE UPDATION USING DATAGRID


Aim :

To develop an application using Datagrid to add, edit and modify records.

Procedure:

1. Create a table stud in the database student using sql Query Analyser. Execute the following commands.
Creat database student
Use student
Create table stud (regno varchar(10), sname varchar (15),address varchar(15), dept varchar(10))
- 2.set anyone column as a primary key.
3. Open Microsoft Visual Stuido and create a new C# windows applications.
4. Design a form as shown below.

Form1.cs[design]



Form1.cs:

```
using System;  
using System.Collections.Generic;  
using System.ComponentModel;  
using System.Data;  
using System.Drawing;  
using System.Linq;  
using System.Text;  
using System.Windows.Forms;  
using System.Data.SqlClient;
```

```

namespace ex12in_c
{
    public partial class Form1 : Form
    {
        SqlConnection con;
        SqlCommandBuilder sb;
        SqlDataAdapter da;

        DataTable dt;

        public Form1()
        {
            InitializeComponent();
        }

        private void Form1_Load(object sender, EventArgs e)
        {

        }

        private void button1_Click(object sender, EventArgs e)
        {
            con = new SqlConnection ("Data
            source=.\\SQLEXPRESS;AttachDbFilename=C:\\Users\\cse\\Documents\\student.mdf;Integ
            rated Security=True;");
            da = new SqlDataAdapter("Select * from student", con);
            dt = new DataTable();
            da.Fill(dt);
            dataGridView1.DataSource = dt;

        }

        private void button2_Click(object sender, EventArgs e)
        {
            sb = new SqlCommandBuilder(da );
            da.Update(dt);
            MessageBox.Show("records updated");
        }
    }
}

```

RESULT: Thus the above program is executed successfully.

Ex. No. : 12 SIMPLE WEB PAGE CREATION WITH VALIDATION CONTROLS

Aim :


To develop a web application to input data through a web form to a database and validate the data using the RequiredFieldValidator and RangeValidator controls.

Procedure:


1. Create a **student** database in SQL server (using management studio).
2. Under **student** database, create a table **stu** with the following fields,

Name	Varchar(30)
Age	int


3. Open Microsoft Visual Studio and create a new website.
4. Design the webpage as shown below.



5. Set **ControlToValidate** property of RequiredFieldValidator1 control to **TextBox1**.
6. Also set **ErrorMessage** property of RequiredFieldValidator1 control as “**Please enter your name here**”. Now the design appears as shown below.



7. Set **ControlToValidate** property of RangeValidator1 control to **TextBox2**.
8. Also set **ErrorMessage** property of RangeValidator1 control as “***The age entered is invalid**”, Now the design appears as shown below.



9. Also set **MaximumValue** property as **99** and **MinimumValue** property as **05**.
10. Enter one label control below the button as shown below. Set the **Text property of Label1** control as **space**. This label will not appear while page loading.

11. Set **Text** property of **Button1** as **SUBMIT** as shown below.

12. Double click **SUBMIT** button . Code behind file that is **default.aspx.cs** file appears now.

13. Include the following at the top before **public partial class_Default : System.Web.UI.Page** using **System.Data.SqlClient**;

14. Edit the following code inside **public partial class_Default**:

```
public SqlConnection con;
public SqlCommand com;
```

15. Edit the following code inside **page_load** event

```
con = new SqlConnection();
com = new SqlCommand(); con
.ConnectionString = "Data
Source=.\SQLEXPRESS;AttachDbFilename=C:\\Users\\mathi\\Documents\\student.
m df;Integrated Security=True;Connect Timeout=30;User Instance=True";
con.Open(); com.Connection
= con;
```

16. Edit the following code inside **Button1_Click** event

```
com.CommandText = "insert into stu values('" + TextBox1.Text + "','" +
TextBox2.Text + "')"; com.ExecuteNonQuery();
Label1.Text = "one record inserted successfully!";
```

17. Run the page using web browser.

RESULT: Thus the above program is executed successfully.

Ex. No: 13 READING XML DATABASE

Aim:

To develop a Windows application to read an Xml document containing subject, marks scored, year of passing into a dataset.

Procedure:

1. Open Microsoft Visual Studio2005 and create a new windows application with the name ReadingXml
2. On the Project menu click Add New item and then click Xml File option.
3. Enter the file name as student.xml and click Add button. Now edit the following Xml code.

```
<student>
    <stud>
        <name> Martin </name>
        <subject> Civil </subject>
        <marks> 567 </marks>
        <year>2012</year>
    </stud>
    <stud>
        <name> Jeba</name>
        <subject> ECE </subject>
        <marks> 480</marks>
        <year> 2017</year>
    </stud>
    <stud>
        <name> Banu </name>
        <subject> CSE</subject>
        <marks> 520</marks>
        <year> 2014</year>
    </stud>
</student>
```

4. On File menu click **Save student.xml** option.
5. On Form1 add a Button control, and a DataGridView control from the tool box. Change the Text property of Button1 as Show Table.
7. On Form1 add a DataSet control from the tool box. In the **AddDataSet** dialogue box, select **Untyped dataset** option and then click Ok. Now DataSet1 is added to the componenttray.
8. Set the **Name** and **DataSetName** properties for **dataset1**.
9. Edit the following C# code in the click event of Button1

```
{
    String filepath = ("D:\\student14.xml");
```

```

dataSet1.ReadXml(filepath);
dataGridView1.DataSource = dataSet1.Tables[0];
}

```

10. Press F5 to run the application.

Ex.No:14 GENERATING XML DOCUMENT USING ADO.NET

Aim:

To develop a windows application to read students records from database using ADO.NET and generate Xml document containing students record.

Procedure:

1. Create a student database in SQL Server (using SQL Query Analyzer), Execute the following code one by one.

Create database student Use student Create table stud(sname varchar(20), dept varchar(10), mark number(3))

Insert into stud values('Joshy', 'TEE',95)

Insert into stud values('Nisha', 'I.T.',100)

2. Open Visual studio and create a new Windows application. Design Form1 with a button control Edit the following code at the top before Public class form1

Imports System.Xml

Imports System.Data.SqlClient

3. Edit the following code in the click event of Button1

```

SqlConnection con;
SqlCommand com;
SqlDataAdapter da;
DataSet ds;
public Form1()
{
    InitializeComponent();
}

```

```

private void button1_Click(object sender, EventArgs e)
{
    con = new SqlConnection();
    com = new SqlCommand();
    da = new SqlDataAdapter();
    ds = new DataSet();
    con.ConnectionString = "Data Source=DESKTOP-6HFHBVP\\SQLEXPRESS;Initial
Catalog=student;Integrated Security=True";
    con.Open();
    com.Connection = con;
    com.CommandText = "select * from stud";
    da.SelectCommand = com;
    da.Fill(ds,"stud");
    con.Close();
    ds.WriteXml("D:\\student2.xml");
}

```

```
        MessageBox.Show("student XML Document generated successfully");  
    }  
}  
}
```

RESULT: Thus the above program is executed successfully.