EXPERIMENT : 1:

Execute and display the results for the following commands in Kali Linux Operating

Systems:

- rm command
- users command
- tree command



EXPERIMENT : 2:

```
┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ echo "Kali Linux Ethical Hacking Lab" > lab.txt

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ cat lab.txt
Kali Linux Ethical Hacking Lab

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ less lab.txt


┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ less lab.txt


┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ more lab.txt
Kali Linux Ethical Hacking Lab

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ vi vi_test.txt

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ cat vi_test.txt
kali Linux
Ethical Hacking Lab

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$
```



DAS@DESKTOP-H18E37R: ~
Kali Linux Ethical Hacking Lab
lab.txt (END)


DAS@DESKTOP-H18E37R: ~
"vi_test.txt" [New] 0,0-1 All

EXPERIMENT : 3 :

3. Execute and display the results for the following commands in Kali Linux Operating Systems:

- Tree
- Head
- Tail



```
Line 9 - Tail Command
Line 10 - Practical Lab
Line 11 - End of File

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$
```

EXPERIMENT 4:

4. Execute and display the results for the following commands in Kali Linux Operating Systems:

i) Ls

ii) Cat

iii) Mkdir

```
┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ ls
example.com  lab.txt  sample.txt  vi_test.txt

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ cat sample.txt
Line 1 - Kali Linux
Line 2 - Ethical Hacking
Line 3 - Linux Commands
Line 4 - Operating System
Line 5 - File Management
Line 6 - Cyber Security
Line 7 - Terminal
Line 8 - Head Command
Line 9 - Tail Command
Line 10 - Practical Lab
Line 11 - End of File

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ mkdir lab_folder

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ ls
example.com  lab_folder  lab.txt  sample.txt  vi_test.txt

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$
```

5. Execute and display the results for the following commands in Kali Linux Operating

Systems:

i) Uptime

ii) Date

iii) Mv

```
Session  Actions  Edit  View  Help
┌──(kali㉿kali)-[~]
└─$ uptime
 23:54:54 up 0 min,  1 user,  load average: 0.83, 0.22, 0.07

┌──(kali㉿kali)-[~]
└─$ date
Tue Oct 13 11:55:24 PM EDT 2026

┌──(kali㉿kali)-[~]
└─$ touch old.txt

┌──(kali㉿kali)-[~]
└─$ mv old.txt new.txt

┌──(kali㉿kali)-[~]
└─$ ls
Desktop     dhanu3.txt  file.txt  new.txt          splunk.deb  Templates
dhanu       Documents   folder    Pictures         sumafolder  Videos
dhanu1.txt  Downloads   folders   Public           suma.txt    welcome
dhanu2.txt  file1.txt   Music     scanme.nmap.org  tab.txt

┌──(kali㉿kali)-[~]
└─$
```


6. Execute and display the results for the following commands in Kali Linux Operating

Systems:

i) Touch

ii) Pwd

iii) Wget




7. Execute and display the results for the following commands in Kali Linux Operating

Systems:

Cd

Cp

ls



kali-linux-2026.1-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

kali@kali: ~

Session Actions Edit View Help

```
┌──(kali㉿kali)-[~/Documents]
└─$ cd ~

┌──(kali㉿kali)-[~]
└─$ echo "Kali Linux Lab" > original.txt

┌──(kali㉿kali)-[~]
└─$ cp original.txt copy.txt

┌──(kali㉿kali)-[~]
└─$ ls
copy.txt    dhanu2.txt  file.txt    new.txt          splunk.deb  Videos
demo.txt    dhanu3.txt  folder      original.txt     sumafolder  welcome
Desktop     Documents   folders     Pictures         suma.txt
dhanu       Downloads   index.html  Public           tab.txt
dhanu1.txt  file1.txt   Music       scanme.nmap.org  Templates

┌──(kali㉿kali)-[~]
└─$ cat copy.txt
Kali Linux Lab

┌──(kali㉿kali)-[~]
└─$ ls
copy.txt    dhanu2.txt  file.txt    new.txt          splunk.deb  Videos
demo.txt    dhanu3.txt  folder      original.txt     sumafolder  welcome
Desktop     Documents   folders     Pictures         suma.txt
dhanu       Downloads   index.html  Public           tab.txt
dhanu1.txt  file1.txt   Music       scanme.nmap.org  Templates

┌──(kali㉿kali)-[~]
└─$ ls -l
total 88
```

kali-linux-2026.1-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

kali@kali: ~

Session Actions Edit View Help

```
┌──(kali㉿kali)-[~]
└─$ ls -l
total 88
-rw-rw-r-- 1 kali kali   15 Oct 14 00:41 copy.txt
-rw-rw-r-- 1 kali kali    0 Oct 14 00:03 demo.txt
drwxr-xr-x 2 kali kali 4096 Oct  5 03:57 Desktop
drwxrwxr-x 2 kali kali 4096 Oct  7 01:26 dhanu
-rw-rw-r-- 1 kali kali   14 Sep 28 04:49 dhanu1.txt
-rw-rw-r-- 1 kali kali   44 Sep 28 04:54 dhanu2.txt
-rw-rw-r-- 1 kali kali   30 Sep 28 04:51 dhanu3.txt
drwxr-xr-x 3 kali kali 4096 Sep 15 00:14 Documents
drwxr-xr-x 2 kali kali 4096 Sep 11 06:32 Downloads
-rw-rw-r-- 1 kali kali    0 Oct  7 01:24 file1.txt
-rw-rw-r-- 1 kali kali    6 Sep 30 00:18 file.txt
drwxrwxr-x 2 kali kali 4096 Sep 15 00:39 folder
drwxrwxr-x 2 kali kali 4096 Sep 15 01:07 folders
-rw-rw-r-- 1 kali kali  577 Oct 13 18:05 index.html
drwxr-xr-x 2 kali kali 4096 Sep 11 06:32 Music
-rw-rw-r-- 1 kali kali    0 Oct 13 23:56 new.txt
-rw-rw-r-- 1 kali kali   15 Oct 14 00:28 original.txt
drwxr-xr-x 2 kali kali 4096 Oct 13 23:57 Pictures
drwxr-xr-x 2 kali kali 4096 Sep 11 06:32 Public
-rw-rw-r-- 1 kali kali  258 Oct  9 05:01 scanme.nmap.org
-rw-rw-r-- 1 kali kali    0 Oct  7 01:24 splunk.deb
drwxrwxr-x 2 kali kali 4096 Oct  5 04:22 sumafolder
-rw-rw-r-- 1 kali kali    0 Oct  5 04:06 suma.txt
-rw-rw-r-- 1 kali kali 2142 Oct  5 04:26 tab.txt
drwxr-xr-x 2 kali kali 4096 Sep 11 06:32 Templates
drwxr-xr-x 2 kali kali 4096 Sep 11 06:32 Videos
drwxrwxr-x 2 kali kali 4096 Oct  7 01:21 welcome

┌──(kali㉿kali)-[~]
└─$
```

28°C Partly sunny | Search | ENG IN | 10:15 AM 14-10-2026

8. Execute and display the results for the following Nmap service version and OS detection commands in Kali Linux operating systems:

i) detect the version of services running

ii) aggressive scan

iii) detect operating system of the target

```
┌──(root㉿DESKTOP-H18E37R)-[/mnt/c/Users/Sudha V]
└─# nmap -A 127.0.0.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-20 21:50 +053
0
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00014s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored s
tates.
Not shown: 1000 closed tcp ports (reset)
Too many fingerprints match this host to give specific OS detail
s
Network Distance: 0 hops

OS and Service detection performed. Please report any incorrect
results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 2.99 seconds

┌──(root㉿DESKTOP-H18E37R)-[/mnt/c/Users/Sudha V]
└─# nmap -O 127.0.0.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-20 21:51 +053
0
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00023s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored s
tates.
Not shown: 1000 closed tcp ports (reset)
Too many fingerprints match this host to give specific OS detail
s
Network Distance: 0 hops

OS detection performed. Please report any incorrect results at h
ttps://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 1.72 seconds
```

9. Execute and display the results for the following Nmap Timing and performance commands in Kali Linux operating Systems:

(i) polite IDS evasion

(ii) normal IDS evasion

```
┌──(root㉿DESKTOP-H18E37R)-[/mnt/c/Users/Sudha V]
└─# nmap -T3 127.0.0.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-20 22:21 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000070s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.11 seconds

┌──(root㉿DESKTOP-H18E37R)-[/mnt/c/Users/Sudha V]
└─# nmap -T2 -p 22,80,443 127.0.0.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-20 22:23 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.000062s latency).

PORT    STATE  SERVICE
22/tcp  closed ssh
80/tcp  closed http
443/tcp closed https

Nmap done: 1 IP address (1 host up) scanned in 1.27 seconds
```

10. To execute the following commands in Kali Linux Operating Systems:

Free command

Sort command

History command

DAS@DESKTOP-H18E37R: ~

```
┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ free -h
               total        used        free      shared  buff/cache   avail
able
Mem:            11Gi       579Mi        10Gi       4.2Mi       124Mi
10Gi
Swap:          3.0Gi          0B       3.0Gi

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ printf "Mango\nApple\nBanana\n" | sort
Apple
Banana
Mango

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ history
    1  ls
    2  cd
    3  cd../
    4  das0216
    5  wsl --list --verbose
    6  cd../
    7  ls
    8  cd mnt
    9  ls
   10  cd mnt
   11  uname -a
   12  das0216
   13  uname -a
   14  id
   15  grep VERSION= /etc/*release
   16  ls
   17  touch test.txt
   18  ls
   19  cat test.txt
   20  mkdri test1
   21  date
   22  cd ~/pictures
   23  users
   24  wget -r https://example.com
   25  ped
   26  pwd
   27  head test1.txt
   28  a1234
   29  uninstall kali lunix
   30  touch test.txt
   31  ls
   32  rm test.txt
   33  ls
```

```
33  ls
34  users
35  tree
36  echo "Kali Linux Ethical Hacking Lab" > lab.txt
37  cat lab.txt
38  less lab.txt
39  more lab.txt
40  vi vi_test.txt
41  cat vi_test.txt
42  tree
43  cat > sample.txt << 'EOF'
44  Line 1 - Kali Linux
45  Line 2 - Ethical Hacking
46  Line 3 - Linux Commands
47  Line 4 - Operating System
48  Line 5 - File Management
49  Line 6 - Cyber Security
50  Line 7 - Terminal
51  Line 8 - Head Command
52  Line 9 - Tail Command
53  Line 10 - Practical Lab
54  Line 11 - End of File
55  EOF
56  head sample.txt
57  tail sample.txt
58  ls
59  cat sample.txt
60  mkdir lab_folder
61  ls
62  nmap -sV 127.0.0.1
63  sudo apt update
64  whoami
65  cat /etc/os-release
66  which nmap
67  ls -l /usr/bin/nmap
68  id
69  uname -a
70  free -h
71  printf "Mango\nApple\nBanana\n" | sort
72  history

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$
```

11. Execute and display the results for the following Nmap Timing and performance commands in Kali Linux operating Systems:

(i) aggressive speed scan

(ii) insane speed scan

```
┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ nmap -T4 127.0.0.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-20 22:33 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000060s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.09 seconds

┌──(DAS㉿DESKTOP-H18E37R)-[~]
└─$ nmap -T5 127.0.0.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-20 22:33 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000060s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.10 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap 127.0.0.1
Starting Nmap 7.98 ( https://nmap.org ) at 2026-10-26 04:44 -0400
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000020s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.06 seconds

┌──(kali㉿kali)-[~]
└─$ nmap -sV 127.0.0.1
Starting Nmap 7.98 ( https://nmap.org ) at 2026-10-26 04:45 -0400
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000020s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 1000 closed tcp ports (reset)

Service detection performed. Please report any incorrect results at https://nmap.
org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 0.19 seconds

┌──(kali㉿kali)-[~]
└─$ sudo nmap -O 127.0.0.1
[sudo] password for kali:
Starting Nmap 7.98 ( https://nmap.org ) at 2026-10-26 04:46 -0400
Nmap scan report for localhost (127.0.0.1)
Host is up (0.000051s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 1000 closed tcp ports (reset)
Too many fingerprints match this host to give specific OS details
Network Distance: 0 hops

OS detection performed. Please report any incorrect results at https://nmap.org/s
ubmit/ .
Nmap done: 1 IP address (1 host up) scanned in 1.54 seconds

┌──(kali㉿kali)-[~]
└─$ nmap -A 127.0.0.1
Starting Nmap 7.98 ( https://nmap.org ) at 2026-10-26 04:46 -0400
Nmap scan report for localhost (127.0.0.1)
Host is up (0.000052s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 1000 closed tcp ports (reset)
Too many fingerprints match this host to give specific OS details
Network Distance: 0 hops

OS and Service detection performed. Please report any incorrect results at https:
//nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 1.72 seconds

┌──(kali㉿kali)-[~]
└─$ nmap -p 22,80,443 127.0.0.1
Starting Nmap 7.98 ( https://nmap.org ) at 2026-10-26 04:47 -0400
Nmap scan report for localhost (127.0.0.1)
Host is up (0.000041s latency).


PORT    STATE  SERVICE
22/tcp  closed ssh
```

```
80/tcp  closed http
443/tcp closed https


Nmap done: 1 IP address (1 host up) scanned in 0.08 seconds

┌──(kali㉿kali)-[~]
└─$ nmap --open 127.0.0.1
Starting Nmap 7.98 ( https://nmap.org ) at 2026-10-26 04:48 -0400
Nmap done: 1 IP address (1 host up) scanned in 0.06 seconds
```


13. Host Discovery




14. Cracking the Password Using Hydra



15. Information Gathering Using theHarvester



16. Use Google & Who.is for Reconnaissance



17. Windows OS Commands Execution (traceroute, ping, ifconfig, netstat)

```
┌──(kali㉿kali)-[~]
└─$ ping -c 4 google.com
PING google.com (142.250.183.174) 56(84) bytes of data.
64 bytes from lcmaaa-ar-in-f14.1e100.net (142.250.183.174): icmp_seq=1 ttl=64 tim
e=4.71 ms
64 bytes from lcmaaa-ar-in-f14.1e100.net (142.250.183.174): icmp_seq=2 ttl=64 tim
e=4.37 ms
64 bytes from lcmaaa-ar-in-f14.1e100.net (142.250.183.174): icmp_seq=3 ttl=64 tim
e=4.77 ms
64 bytes from lcmaaa-ar-in-f14.1e100.net (142.250.183.174): icmp_seq=4 ttl=64 tim
e=5.10 ms

── google.com ping statistics ──
4 packets transmitted, 4 received, 0% packet loss, time 3031ms
rtt min/avg/max/mdev = 4.373/4.736/5.098/0.257 ms

┌──(kali㉿kali)-[~]
└─$ traceroute google.com
traceroute to google.com (142.250.183.174), 30 hops max, 60 byte packets
 1  10.0.2.2 (10.0.2.2)  0.468 ms  0.453 ms  0.443 ms
 2  10.0.2.2 (10.0.2.2)  1.355 ms  1.288 ms  1.243 ms
```

```
kali@kali: ~
Session  Actions  Edit  View  Help
┌──(kali㉿kali)-[~]
└─$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1500
        inet 10.0.2.15  netmask 255.255.255.0  broadcast 10.0.2.255
        inet6 fe80::51cf:2bb2:52de:ed66  prefixlen 64  scopeid 0x20<link>
        inet6 fd17:625c:f037:2:ac56:94:3fce:f5aa  prefixlen 64  scopeid 0x0<globa
l>
        ether 08:00:27:8a:35:d2  txqueuelen 1000  (Ethernet)
        RX packets 12693  bytes 16388043 (15.6 MiB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 6704  bytes 763775 (745.8 KiB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0x10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 8  bytes 480 (480.0 B)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 8  bytes 480 (480.0 B)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0


┌──(kali㉿kali)-[~]
└─$ netstat -an
Active Internet connections (servers and established)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
tcp        0      0 10.0.2.15:50734         151.101.129.91:443      ESTABLISHED
tcp        0      0 10.0.2.15:49978         34.107.243.93:443       ESTABLISHED
udp        0      0 10.0.2.15:68            10.0.2.2:67             ESTABLISHED
raw6       0      0 :::58                   :::*                    7
Active UNIX domain sockets (servers and established)
Proto RefCnt Flags       Type       State         I-Node   Path
```

```
Session   Actions   Edit   View   Help
unix  3      [ ]         SEQPACKET   CONNECTED     26316
unix  3      [ ]         SEQPACKET   CONNECTED     23826
unix  3      [ ]         STREAM      CONNECTED     24081
unix  3      [ ]         STREAM      CONNECTED     11418
unix  2      [ ]         DGRAM       CONNECTED     8892
unix  3      [ ]         DGRAM       CONNECTED     7058
unix  3      [ ]         STREAM      CONNECTED     14360    /run/user/1000/bus
unix  3      [ ]         STREAM      CONNECTED     13188
unix  3      [ ]         STREAM      CONNECTED     11306    /run/user/1000/bus
unix  3      [ ]         STREAM      CONNECTED     6733
unix  3      [ ]         STREAM      CONNECTED     8230     /run/dbus/system_bus_s
ocket
unix  3      [ ]         STREAM      CONNECTED     30465    /run/user/1000/at-spi/
bus_0
unix  3      [ ]         STREAM      CONNECTED     12337    @/tmp/.X11-unix/X0
unix  3      [ ]         STREAM      CONNECTED     11801
unix  3      [ ]         STREAM      CONNECTED     11663    @/tmp/.X11-unix/X0
unix  3      [ ]         SEQPACKET   CONNECTED     22882
unix  3      [ ]         STREAM      CONNECTED     10178    /run/systemd/journal/s
tdout
unix  3      [ ]         STREAM      CONNECTED     30457    /run/user/1000/at-spi/
bus_0
unix  3      [ ]         STREAM      CONNECTED     14071
unix  3      [ ]         STREAM      CONNECTED     15119
unix  3      [ ]         STREAM      CONNECTED     13510
unix  3      [ ]         STREAM      CONNECTED     13237    /run/user/1000/pipewir
e-0
unix  3      [ ]         DGRAM       CONNECTED     10058
unix  3      [ ]         STREAM      CONNECTED     15684
unix  3      [ ]         STREAM      CONNECTED     11450
unix  3      [ ]         STREAM      CONNECTED     11272    /run/systemd/journal/s
tdout
unix  3      [ ]         STREAM      CONNECTED     15796
```

```
kali@kali: ~
Session   Actions   Edit   View   Help
unix  3      [ ]         STREAM      CONNECTED     13997
unix  3      [ ]         SEQPACKET   CONNECTED     26606
unix  3      [ ]         STREAM      CONNECTED     14355    @/tmp/.X11-unix/X0
unix  3      [ ]         STREAM      CONNECTED     12895
unix  3      [ ]         STREAM      CONNECTED     15928
unix  3      [ ]         STREAM      CONNECTED     14220
unix  3      [ ]         STREAM      CONNECTED     15215
unix  3      [ ]         STREAM      CONNECTED     11031
unix  3      [ ]         STREAM      CONNECTED     14020    /run/user/1000/bus
unix  3      [ ]         STREAM      CONNECTED     23000    /run/dbus/system_bus_s
ocket
unix  3      [ ]         STREAM      CONNECTED     12888    /run/user/1000/at-spi/
bus_0
unix  3      [ ]         STREAM      CONNECTED     11165
unix  3      [ ]         STREAM      CONNECTED     8227
unix  2      [ ACC ]     STREAM      LISTENING     9327     @/tmp/.X11-unix/X0
unix  3      [ ]         STREAM      CONNECTED     10064    @ec966899710c3d2b/bus/
systemd/bus-system
unix  2      [ ]         STREAM                    14010    @printer-applet-lock-u
ser-kali
unix  2      [ ACC ]     STREAM      LISTENING     11493    @/tmp/.ICE-unix/982
unix  3      [ ]         STREAM      CONNECTED     10186    @ba46834214a482c2/bus/
systemd/bus-api-user
unix  3      [ ]         STREAM      CONNECTED     7020     @98f42f5b39124c4d/bus/
systemd-timesyn/bus-api-timesync
unix  3      [ ]         STREAM      CONNECTED     7955     @fda93022064d30bf/bus/
systemd-logind/system
unix  2      [ ]         DGRAM                     5731     @8003945326006207017
unix  3      [ ]         STREAM      CONNECTED     7998     @db0778ee0f678ad2/bus/
systemd/bus-api-system

┌──(kali㉿kali)-[~]
```