

QA FINDINGS REPORT

Report Template — Standard Tier

Client	<i>[Client Name]</i>
Project / Application	<i>[Project Name]</i>
Platform(s) Testedd	<i>[e.g. Web — Chrome, Firefox, Edge]</i>
Build / Version	<i>[Build number or version string]</i>
Engagement Tier	<i>[Basic / Standard / Comprehensive / Custom]</i>
Testing Period	<i>[Start date] – [End date]</i>
Report Date	<i>[Date]</i>
Tested By	<i>Przemyslaw (Brian) Pawlak — Pawlak QA & Consulting</i>

This document is a blank template illustrating the structure, sections, and level of detail included in every QA engagement report delivered by Pawlak QA & Consulting. Bracketed text indicates fields completed per engagement.

Table of Contents

Table of Contents	2
Executive Summary	3
Scope of Testing	3
Coverage Summary	3
Findings	3
Finding F-01	3
Finding F-02	4
Issues Unable to Be Reproduced	4
Recommendations & Next Steps	5
Appendix: Test Environment Details	5

Executive Summary

[A short, high-level paragraph summarizing the overall health of the application, the general nature of issues found, and whether the application is ready to proceed to its next stage (e.g. release, beta, further development). Written for a non-technical stakeholder to read in under a minute.]

Scope of Testing

The following areas and functionality were included in this engagement:

- [Functional area or page 1]
- [Functional area or page 2]
- [Functional area or page 3]

The following were explicitly out of scope for this engagement:

- [Excluded area or functionality, if applicable]

[Stating what was NOT tested protects both parties from ambiguity about coverage.]

Coverage Summary

A breakdown of testing activity performed against each area in scope:

Area Tested	Checks Performed	Pass	Fail	N/A	Notes
[Area 1]	[#]	[#]	[#]	[#]	
[Area 2]	[#]	[#]	[#]	[#]	
[Area 3]	[#]	[#]	[#]	[#]	
[Area 4]	[#]	[#]	[#]	[#]	

Findings

Each issue identified during testing is documented below with severity, reproduction steps, and supporting evidence. Severity definitions:

- Critical — Application is unusable, data loss, or core function completely broken.
- High — Major function impaired with no reasonable workaround.
- Moderate — Function impaired but a workaround exists, or issue is cosmetic but highly visible.
- Minor — Small, low-impact issue, edge case, or polish item.

Finding F-01

Finding ID	F-01
Title	[Short, descriptive summary of the issue]
Severity	[Critical / High / Moderate / Minor]
Area / Page	[Where in the application this occurs]
Environment	[Browser/OS/device + version, or build number]
Steps to Reproduce	1. [Step] 2. [Step] 3. [Step]
Expected Result	[What should happen]
Actual Result	[What actually happens]
Screenshot / Evidence	[Placeholder — screenshot inserted here]

Finding F-02

Finding ID	F-02
Title	[Short, descriptive summary of the issue]
Severity	[Critical / High / Moderate / Minor]
Area / Page	[Where in the application this occurs]
Environment	[Browser/OS/device + version, or build number]
Steps to Reproduce	1. [Step] 2. [Step] 3. [Step]
Expected Result	[What should happen]
Actual Result	[What actually happens]
Screenshot / Evidence	[Placeholder — screenshot inserted here]

[Additional findings follow the same format — one block per issue, numbered sequentially.]

Issues Unable to Be Reproduced

Any issue observed but not reliably reproducible is documented here in full, including every attempt made, so that nothing is simply omitted from the record.

[Issue description] — Observed once on [date/environment]. Reproduction attempted via: [list every attempt made, including variations in steps, environment, and timing]. Status: Unresolved / Monitoring.

Recommendations & Next Steps

Prioritized guidance on what to address before proceeding:

- [Highest priority recommendation, tied to Critical/High findings]
- [Secondary recommendation]
- [Lower-priority polish or future consideration]

Appendix: Test Environment Details

Full environment and configuration details used during testing:

- [OS / Device / Browser versions]
- [Screen resolutions tested]
- [Test accounts or data sets used]
- [Tools used: e.g. browser dev tools, emulator, physical device]