## Class structure

```
Class person
       protected String Name;
       protected String Dob;
       protected String Gender;
       protected int Age;
       protected long int Mobile_Num;
       protected void Update_values()
       {
       }
}
class user extends person
{
       protected String Uid;
       protected String Password;
       protected String Email_id;
       ticket t = new ticket();
       payment p = new payment();
       passenger pg = new passenger();
       protected void Generate_user_id()
       {
       }
       protected void Change_password()
       }
}
Class passenger extends person
{
       protected String Email_id;
       protected void Get_Eid()
```

```
}
}
Class bus_driver extends person
       protected void Update_values()
       {
       }
}
class bus extends bus_driver
{
       String Bus_no;
       String Bus_type;
       String no_of_seats;
       route r = new route();
       void Update_bus_details()
       {
       }
 }
class route
{
        String Route_id;
        String start;
        String Destination;
        String intermidiate_1;
        String intermidiate_2;
        String intermidiate_3;
        String intermidiate_4;
        String Boarding_point[10];
        void update_route_details()
        {
       }
```

```
Class ticket extends bus
       protected int seat_no;
       protected String ticket_id;
       protected String date;
       protected String boarding_point;
       protected void generate_ticket_id()
       {
       }
       protected void check_copassenger()
       }
       protected void cancel_booking()
       {
       }
}
class payment extends ticket
{
       protected int payment_id;
       protected String status;
       protected String payment_method;
       protected void calculate_amount()
       {
       }
```

}

}