

Cucumber Report

06-Mar-2022, 7:54:44 AM

Start : Mar 06, 7:50:38.542 AM

End : Mar 06, 7:54:42.807 AM

Duration : 4 m 4.265 s

Features

Scenarios

Steps

PASSED - 4

FAILED - 1

SKIPPED - 0

PASSED - 6


FAILED - 3


SKIPPED - 0

PASSED - 33


FAILED - 3

SKIPPED - 6







#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Amazon</u>	1	1	0	0	0.024 s
2	<u>Test button</u>	1	1	0	0	10.140 s
3	<u>feature to test Google search function</u>	1	1	0	0	6.782 s
4	<u>Test login functionality</u>	5	2	3	0	3 m 42.185 s
5	<u>feature to test login</u>	1	1	0	0	5.009 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Amazon</u>	<u>Search a product</u>	3	3	0	0	0.024 s
2	<u>Test button</u>	<u>Check button is working</u>	5	5	0	0	10.140 s
3	<u>feature to test Google search function</u>	<u>verify google search is working</u>	5	5	0	0	6.749 s
4	<u>Test login functionality</u>	<u>Check login is sucessful</u>	5	4	1	0	7.066 s
5	<u>Test login functionality</u>	<u>Check login is sucessful</u>	5	0	1	4	3 m 13.845 s
6	<u>Test login functionality</u>	<u>Check login is sucessful</u>	5	5	0	0	5.538 s
7	<u>Test login functionality</u>	<u>Check login is sucessful</u>	5	2	1	2	9.604 s
8	<u>Test login functionality</u>	<u>Check login is sucessful</u>	5	5	0	0	6.037 s
9	<u>feature to test login</u>	<u>to check login with valid cred</u>	4	4	0	0	5.009 s

(F)- Amazon



PASSED	DURATION - 0.024 s	Scenarios		Steps	
/ 7:50:38.542 AM // 7:50:38.566 AM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Search a product



<div>PASSED</div> <div>DURATION - 0.024 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:50:38.542 AM // 7:50:38.566 AM /				
Amazon				

#	Step / Hook Details	Status	Duration
1	Given i have a search field on amazone page	PASSED	0.000 s
2	When i search for a product with name "fan" and price 1000	PASSED	0.000 s
3	Then product with name "fan" should be diplayed	PASSED	0.000 s

(F)- Test button

PASSED	DURATION - 10.140 s	Scenarios		Steps	
/ 7:50:38.582 AM // 7:50:48.722 AM /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check button is working



<div>PASSED</div> <div>DURATION - 10.140 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:50:38.582 AM // 7:50:48.722 AM /</div>			
<div>Test button</div>			
<div>@button</div>			

#	Step / Hook Details	Status	Duration
1	Given open browser	PASSED	4.120 s
2	And user is navigating to path	PASSED	2.759 s
3	When user is on button tab	PASSED	2.318 s
4	Then button clicked by user	PASSED	0.154 s
5	Then A message will be shown up	PASSED	0.784 s

(F)- feature to test Google search function



<div>PASSED</div>	<div>DURATION - 6.782 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>5</div></div>
/ 7:50:48.789 AM // 7:50:55.571 AM /					

(S)- verify google search is working



PASSED		<i>DURATION - 6.749 s</i>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 7:50:48.822 AM // 7:50:55.571 AM /							
feature to test Google search function							

#	Step / Hook Details	Status	Duration
1	Given browser is opening	PASSED	1.750 s
2	And user is on google search page	PASSED	1.215 s
3	When user enters a bird in search box	PASSED	0.082 s
4	And hits enter	PASSED	2.943 s
5	Then user is navigated to search results	PASSED	0.744 s

(F)- Test login functionality

FAILED	DURATION - 3 m 42.185 s	Scenarios Total - 5 Pass - 2 Fail - 3 Skip - 0		Steps Total - 25 Pass - 16 Fail - 3 Skip - 6	
/ 7:50:55.600 AM // 7:54:37.785 AM /					



(S)- Check login is sucessful

<div>FAILED</div> <div>DURATION - 7.066 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:50:55.600 AM // 7:51:02.666 AM /</div>				
<div>Test login functionality</div>				
<div>@smoke</div>				

#	Step / Hook Details	Status	Duration
1	Given Browser is opening	PASSED	2.021 s
2	And user is on login page	PASSED	1.993 s
3	When user enters 8171765673 and Shivu@srd1	PASSED	0.747 s
4	Then user is navigated to the home page	PASSED	0.131 s
5	Then user enters shoes name	FAILED	2.170 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.1.2', revision: '9a5a329c5a' System info: host: 'DESKTOP-493EAAE', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50ad34fe0788bc898a051edf010acb7c, sendKeysToElement {id=7dad25ff-fa0c-4203-91fa-072ff011d31c, value=[Ljava.lang.		

#	Step / Hook Details	Status	Duration
	<p>CharSequence;@7d0100ea}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Windows\TEMP\scoped_dir3..., goog:chromeOptions: {debuggerAddress: localhost:49297}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49297/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (50ad34fe0788bc898a051edf010acb7c)] -> xpath: //*[@class="_3704LK"]] Session ID: 50ad34fe0788bc898a051edf010acb7c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:558) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.\$Proxy24.sendKeys(Unknown Source) at pages.Login_page.search(Login_page.java:51) at StepDefinations.Logindemo.user_enters_shoes_name(Logindemo.java:60) at ?.user enters shoes name(file:///C:/Users/dubey/Downloads/Cucumber_demo/src/test/resources/Features/Logindemo.feature:8)</p> <p>* Not displayable characters are replaced by '?'. </p>		

(S)- Check login is sucessful

<div>FAILED</div> <div>DURATION - 3 m 13.845 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 7:51:02.712 AM // 7:54:16.557 AM /</div>				
<div>Test login functionality</div>				
<div>@smoke</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given Browser is opening</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Build info: version: '4.1.2', revision: '9a5a329c5a' System info: host: 'DESKTOP-493EAAE', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:576) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:106) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:93) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:48) at StepDefinations.Logindemo.browser_is_opening(Logindemo.java:28) at ?.Browser is opening(file:///C:/Users/dubey/Downloads/Cucumber_demo/src/test/resources/Features/Logindemo.feature:4) Caused by: java.io.UncheckedIOException: java.io.IOException: Stream closed at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:80) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$6(RetryRequest.java:80) at net.jodah.failsafe.Functions.lambda\$get\$0(Functions.java:48) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.Execution.executeSync(Execution.java:128) at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379) at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$7(RetryRequest.java:80) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$6(RetryRequest.java:80) at net.jodah.failsafe.Functions.lambda\$get\$0(Functions.java:48) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.Execution.executeSync(Execution.java:128) at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379) at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$7(RetryRequest.java:80) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:102) </pre>	FAILED	3 m 13.832 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:558) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:106) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:93) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:48) at StepDefinations.Logindemo.browser_is_opening(Logindemo.java:28) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:364) at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:272) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:237) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:158) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:428) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:562) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:548) Caused by: java.io.IOException: Stream closed at java.base/java.io.BufferedInputStream.getIfOpen(BufferedInputStream.java:165) at java.base/java.io.BufferedInputStream.available(BufferedInputStream.java:416) at java.base/java.io.FilterInputStream.available(FilterInputStream.java:167) at java.base/java.io.PushbackInputStream.available(PushbackInputStream.java:274) at io.netty.handler.stream.ChunkedStream.isEndOfInput(ChunkedStream.java:82) at io.netty.handler.stream.ChunkedStream.readChunk(ChunkedStream.java:109) at io.netty.handler.stream.ChunkedStream.readChunk(ChunkedStream.java:36) at io.netty.handler.stream.ChunkedWriteHandler.doFlush(ChunkedWriteHandler.java:229) at io.netty.handler.stream.ChunkedWriteHandler.flush(ChunkedWriteHandler.java:131) at io.netty.channel.AbstractChannelHandlerContext.invokeFlush0(AbstractChannelHandlerContext.java:750) at io.netty.channel.AbstractChannelHandlerContext.invokeWriteAndFlush(AbstractChannelHandlerContext.java:765) at io.netty.channel.AbstractChannelHandlerContext.write(AbstractChannelHandlerContext.java:790) at io.netty.channel.AbstractChannelHandlerContext.writeAndFlush(AbstractChannelHandlerContext.java:758) at io.netty.channel.DefaultChannelPipeline.writeAndFlush(DefaultChannelPipeline.java:1020) at io.netty.channel.AbstractChannel.writeAndFlush(AbstractChannel.java:311) at org.asynchttpclient.netty.request.body.NettyInputStreamBody.write(NettyInputStreamBody.java:77) at org.asynchttpclient.netty.request.NettyRequestSender.writeRequest(NettyRequestSender.java:433) at org.asynchttpclient.netty.channel.NettyConnectListener.writeRequest(NettyConnectListener.java:80) at org.asynchttpclient.netty.channel.NettyConnectListener.onSuccess(NettyConnectListener.java:156) at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onSuccess(NettyChannelConnector.java:92) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:26) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20) at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578) at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:571) at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:550) at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491) </pre>		

#	Step / Hook Details	Status	Duration
	at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616) at io.netty.util.concurrent.DefaultPromise.setSuccess0(DefaultPromise.java:605) at io.netty.util.concurrent.DefaultPromise.trySuccess(DefaultPromise.java:104) at io.netty.channel.DefaultChannelPromise.trySuccess(DefaultChannelPromise.java:84) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:300) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:335) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:834) * Not displayable characters are replaced by '?'.		
2	And user is on login page	SKIPPED	0.002 s
3	When user enters 8171765673 and Shivu@srd1	SKIPPED	0.000 s
4	Then user is navigated to the home page	SKIPPED	0.001 s
5	Then user enters backpack name	SKIPPED	0.000 s

(S)- Check login is sucessful

<div>PASSED</div> <div>DURATION - 5.538 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:54:16.579 AM // 7:54:22.117 AM /</div>			
<div>Test login functionality</div>			
<div>@smoke</div>			

#	Step / Hook Details	Status	Duration
1	Given Browser is opening	PASSED	1.618 s
2	And user is on login page	PASSED	2.406 s
3	When user enters 8171765673 and Shivu@srd1	PASSED	0.498 s
4	Then user is navigated to the home page	PASSED	0.069 s
5	Then user enters heater name	PASSED	0.941 s



(S)- Check login is sucessful

<div>FAILED</div> <div>DURATION - 9.604 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>1.598</td></tr><tr><td>2</td><td>2.967</td></tr><tr><td>3</td><td>5.037</td></tr></tbody></table></div>	Step	Duration (s)	1	1.598	2	2.967	3	5.037	<div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div> <div></div>
Step		Duration (s)								
1		1.598								
2		2.967								
3	5.037									
<div>/ 7:54:22.129 AM // 7:54:31.733 AM /</div>										
<div>Test login functionality</div>										
<div>@smoke</div>										

#	Step / Hook Details	Status	Duration
1	Given Browser is opening	PASSED	1.598 s
2	And user is on login page	PASSED	2.967 s
3	When user enters 8171765673 and Shivu@srd1 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"" //body/div[2]/div[1]/div[1]/div[1]/div[1]/div[2]/div[1]/form[1]/div[1]/input[1]} (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.2', revision: '9a5a329c5a' System info: host: 'DESKTOP-493EAAE', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8e3db737fb474b50c3f2d1c065b07d1c, findElement {using=xpath, value= //body/div[2]/div[1]/div[1]/div[1]/div[1]/div[2]/div[1]/form[1]/div[1]/input[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Windows\TEMP\scoped_dir4..., goog:chromeOptions: {debuggerAddress: localhost:49689}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49689/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8e3db737fb474b50c3f2d1c065b07d1c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:558) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:382) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374)	FAILED	5.037 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy24.sendKeys(Unknown Source) at pages.Login_page.gen(Login_page.java:41) at StepDefinations.Logindemo.user_enters_username_and_password(Logindemo.java:43) at ?.user enters 8171765673 and Shivu@srd1(file:///C:/Users/dubey/Downloads/Cucumber_demo/src/test/resources/Features/Logindemo.feature:6) * Not displayable characters are replaced by '?'.		
4	Then user is navigated to the home page	SKIPPED	0.000 s
5	Then user enters mobile name	SKIPPED	0.000 s

(S)- Check login is sucessful

<div>PASSED</div> <div>DURATION - 6.037 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:54:31.748 AM // 7:54:37.785 AM /</div>			
<div>Test login functionality</div>			
<div>@smoke</div>			

#	Step / Hook Details	Status	Duration
1	Given Browser is opening	PASSED	1.944 s
2	And user is on login page	PASSED	2.523 s
3	When user enters 8171765673 and Shivu@srd1	PASSED	0.534 s
4	Then user is navigated to the home page	PASSED	0.070 s
5	Then user enters games name	PASSED	0.963 s

(F)- feature to test login

<div>PASSED</div>	<div>DURATION - 5.009 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:54:37.798 AM // 7:54:42.807 AM /					


(S)- to check login with valid cred

PASSED

DURATION - 5.009 s

/ 7:54:37.798 AM // 7:54:42.807 AM /

feature to test login




Steps

Total - 4

Pass - 4

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given is on login page	PASSED	3.675 s
2	When user enters valid cred	PASSED	0.344 s
3	And cicks on login button	PASSED	0.167 s
4	Then user is navigated to the page	PASSED	0.821 s