User Manual

Agricultural Extension Decision Support platform - field, insight and administration workflows

Version 1.1

Issued 29 October 2026

Source: `docs/USER_MANUAL.md`

Contents

About this manual 5

Who this manual is for . . . 5
Conventions used . . . 5
What the platform is, in one page . . . 5

Getting started 7

System requirements . . . 7
Create an account . . . 7
Sign in . . . 8
Roles and what they can do . . . 9
Navigation tour . . . 9
Language, theme and accessibility . . . 10
Install for field use . . . 10

Dashboard 11

Officer dashboard . . . 11
Farmer dashboard . . . 12
Offline behaviour . . . 12

Farmers 13

Find a farmer . . . 13
Register a farmer . . . 13
Farmer profile . . . 13
Assign farmers to officers . . . 13
Bulk actions . . . 14

Fields and crops 15

Register a field . . . 15
Field detail . . . 15
Editing boundaries . . . 15

Visits 16

Schedule a visit . . . 16
Check in on arrival . . . 16
Complete a visit . . . 16

Visit statuses . . . 16

Disease diagnosis **18**

Photo diagnosis . . . 18
Reading a diagnosis result . . . 18
Follow-up actions . . . 18
Symptom-only diagnosis . . . 18

Advisory Studio **20**

Use a template . . . 20
Build a protocol . . . 20
Share and export . . . 20

AI Assistant and Farmer Chat **21**

Ask a question . . . 21
What the answer includes . . . 21
Farmer Chat . . . 21
Plan limits . . . 21

Knowledge Base **22**

Search . . . 22
Ask the library . . . 22
Add material . . . 22
Offline . . . 22

Reports **23**

Generate a report . . . 23
Read and share . . . 23
Data honesty in reports . . . 23

SMS and messaging channels **24**

Send a bulk SMS . . . 24
Templates . . . 24
Scheduled and triggered messages . . . 24
Quotas . . . 24

Analytics and WorldMonitor **25**

Analytics . . . 25

WorldMonitor . . . 25

Billing and plans **26**

Plans . . . 26
Upgrade . . . 26
Change or cancel . . . 26
Invoices and payment methods . . . 26

Administration **27**

User management . . . 27
Telemetry . . . 27
Agents . . . 27
System Health . . . 27
Memory and MCP Tools . . . 27
Email workflows . . . 27

Account and security **28**

Profile . . . 28
Multi-factor authentication . . . 28
Sessions . . . 28
Your data . . . 28

Offline use and synchronisation **29**

What works offline . . . 29
How the queue behaves . . . 29
Good field practice . . . 29

Troubleshooting **30**

When to escalate . . . 30

Glossary **31**

About this manual

This manual is the working guide for everyone who uses the Agricultural Extension Decision Support platform: field extension officers, farmers, regional managers and administrators. It explains what each screen is for, the steps to complete the common tasks, and what the system does when data or connectivity is missing.

It is written against the application as shipped in this repository. Where a capability depends on configuration (an AI provider key, an SMS gateway, a satellite source), the manual says so instead of assuming it is switched on.

Who this manual is for

Reader	Start with
Field extension officer	Chapters 2 to 10
Farmer	Chapters 2, 3, 7 and 9
Regional manager	Chapters 3, 12 and 13
Administrator	Chapters 2, 14, 15 and 16
Support and onboarding staff	Chapters 2, 17 and 18

Conventions used

- Menu names appear in title case exactly as they appear in the sidebar: **Farmers**, **Visits**, **Disease Diagnosis**.
- Buttons and fields are written in **bold**.
- Text you type is shown as `example input`.
- Notes beginning with "Offline" describe behaviour when the device has no connection.
- A "provenance" note explains where a number or recommendation came from. The platform labels data status rather than hiding it, so read those labels before quoting figures.
- Figures with numbered pins: the number in the image matches the numbered list directly below it. Figures 1 and 2 are captured from the running application. Figure 3 is a schematic of a signed-in screen, because those screens require a seeded account; it is labelled as a map wherever it is used.

What the platform is, in one page

The platform gives a small extension team the reach of a much larger one. It does four jobs:

1. **Records the field relationship.** Farmers, their fields, their visits and their history live in one place, tied to the officer who owns them.
2. **Answers agronomic questions with evidence.** A disease diagnosis, advisory workflow or AI answer carries a data source and a confidence statement, so you know what to trust.
3. **Reaches farmers on the channel they have.** SMS, WhatsApp and in-app messages are all fed from the same record, with per-plan quotas.
4. **Makes the work auditable.** Visit verification, regulatory rule provenance and traceability passports give funders, buyers and ministries something stronger than a paper log.

> *If a module cannot produce a real answer, it says so explicitly. Never replace the label "unavailable" with an estimate when reporting to a funder or a buyer.*

Getting started

System requirements

Platform	Requirement
Desktop browser	Current Chrome, Edge, Firefox or Safari. Chrome 111 or later is recommended.
Android	Chrome 111 or later; the app can be installed to the home screen as a PWA. A camera is required for photo diagnosis.
iOS	Safari 16.4 or later; add to Home Screen for full-screen use.
Network	Any connection for normal use. Field workflows are designed to work offline and sync later.
Location	Optional but required for parcel mapping, visit verification and outbreak plotting.

A dedicated Android and iOS build of the dashboard also exists in this repository (Capacitor wrappers under `src/frontend/android` and `src/frontend/ios`). Where the manual says "install the app", either the PWA install prompt or the packaged build applies.

Create an account




Figure 1. The registration screen, with the numbered controls used in the steps below.

1. **First name** - enter the officer or farmer's given name.
2. **Email** - the address that receives verification and password-reset mail.
3. **Password** - at least eight characters; the eye icon reveals what you typed.
4. **Role** - the role requested at registration; administrators can adjust it later.
5. **Create Account** - submits the form. Nothing is usable until the email is verified.

To register:

1. Open the platform URL and select **Create account** (or go to `/register`).
2. Enter your first name, last name, email address, phone number and a password.
3. Choose your role. Self-registration offers the field roles; administrative roles are assigned by an administrator afterwards.
4. Submit the form. The account is created but not yet usable for protected actions.
5. Open the verification email and follow the link, which lands on `/verify-email`. If the message does not arrive within a few minutes, check the spam folder, then ask an administrator to resend it.

Password rules. Use at least eight characters with a mix of letters and numbers. A password that fails the server policy is rejected with a message describing the failing rule; nothing is saved.

Sign in




Figure 2. The sign-in screen: 1 email, 2 password, 3 sign in, 4 password recovery, 5 registration.

1. **Email address** - the verified address on the account.
2. **Password** - masked by default; the eye icon reveals it on a private device.
3. **Sign In** - authenticates and loads the dashboard for your role.

4. **Forgot password** - starts the reset flow described below.
5. **Create account** - opens registration for a new user.

To sign in:

1. Go to `/login`.
2. Enter email and password, then **Sign in**.
3. If multi-factor authentication is enabled on your account, enter the six-digit code from your authenticator app on the next screen.

Account lockout. Repeated failed sign-ins lock the account temporarily. Wait for the lockout window to expire, or ask an administrator to reset it. Do not keep retrying: each attempt extends the lockout.

Forgot your password. Select **Forgot password** on the login screen, enter your email, and follow the emailed link to `/reset-password`. Reset links are single-use and expire. A reset does not unlock a locked account by itself; sign in again after resetting.

Roles and what they can do

The platform enforces permissions on the server, not just in the menu. A menu item that is hidden for your role is also refused by the API.

Capability	Farmer	Extension officer	Regional manager	Administrator
Own dashboard	Yes	Yes	Yes	Yes
Register and edit farmers	No	Own portfolio	Portfolio oversight	All
Record visits	Own visits	Yes	Yes	Yes
Disease diagnosis	No	Yes	Yes	Yes
AI Assistant	Yes (plan limits)	Yes	Yes	Yes
Reports	No	Own data	Region	All
SMS campaigns	No	Yes (plan limits)	Yes	Yes
Analytics	No	Yes	Yes	Yes
Billing and plans	Own	Own	Own	Organisation
User management, telemetry, agents	No	No	No	Yes

Navigation tour

The sidebar groups the application into four sections. On a phone the same destinations appear in the bottom navigation bar.

Section	Items
Field work	Dashboard, AI Assistant, Farmer Chat, Knowledge Base, Farmers, Visits, Fields, Disease Diagnosis, Advisory Studio
Insights	Reports, Analytics, WorldMonitor
Operations	SMS, Billing, Email Workflows

Section	Items
Administration	Telemetry, Agents, System Health, Memory, MCP Tools, User Management

Additional tools are always available:

- **Global search** in the header finds farmers, visits and reports by name or identifier.
- **Notifications** lists alerts and system messages.
- **Help** opens the in-app help centre, which repeats the short task recipes in this manual.
- **Profile menu** holds your profile, security settings, language and theme.

Language, theme and accessibility

The interface is translated into more than fifteen languages, including English, Swahili, French, Portuguese, Spanish, Arabic (right-to-left), Chinese, Hindi and Russian. Choose the language from the sidebar switcher or the profile menu; the choice persists on the device.

Light, dark and high-contrast themes are available. All interactive controls are reachable by keyboard, and the main regions expose landmarks for screen readers. If a translation is missing for a label, the English string is shown rather than a blank.

Install for field use

1. Open the platform in the mobile browser.
2. Accept the install prompt, or use the browser menu and choose **Install app** / **Add to Home Screen**.
3. Launch from the home screen once while online so the application shell and language files are cached.
4. Open **Settings** in the installed app and confirm the offline indicator appears when you enable airplane mode.

Once installed, previously loaded screens, draft visits, field registrations and diagnosis captures remain usable without a connection. Chapter 6 explains how those drafts synchronise.

Dashboard

The dashboard is the first screen after sign-in and answers one question: what needs attention today?




Figure 3. Dashboard layout map (schematic): 1 sidebar, 2 global search, 3 metric cards, 4 performance chart, 5 farmer map, 6 recent activity, 7 alerts.

1. **Sidebar** - the four navigation sections. The current item is highlighted; the mobile build moves the same destinations to the bottom bar.
2. **Global search** - finds farmers, visits and reports by name or identifier.
3. **Metric cards** - portfolio size, visits in the period, open follow-ups and resolution rate. Each card opens the filtered list behind the number.
4. **Performance chart** - visit volume and completion trend; change the period with the selector.
5. **Farmer map** - registered locations; select a marker to open the farmer summary.
6. **Recent activity** - the latest visits, diagnoses and advisories, newest first.
7. **Alerts** - weather, pest and follow-up reminders awaiting action.

Officer dashboard

Area	What it shows	How to use it
Metric cards	Number of farmers, visits this period, open follow-ups, resolution rate	Select a card to jump to the filtered list behind the number
Performance chart	Visit volume and completion trend over the selected period	Change the period with the date selector

Area	What it shows	How to use it
Map	Registered farmers plotted by location	Select a marker to open the farmer summary; expand the map for a larger view
Recent activity	Latest visits, diagnoses and advisories	Select an entry to open its record
Alerts	Weather, pest and follow-up reminders	Dismiss or open the linked record

Numbers are computed from records you can open. If a card shows zero, check the period selector and your portfolio filter before assuming data is missing.

Farmer dashboard

Farmers see a smaller dashboard: their fields, upcoming and past visits, advisories addressed to them, and their subscription status. Sections that are unavailable on the current plan show an upgrade prompt instead of a disabled control with no explanation.

Offline behaviour

The last successfully loaded dashboard remains visible offline and is marked with the time it was fetched. Figures are not silently refreshed from stale data; the banner states the age of the data.

Farmers

Farmers is the portfolio of the people you serve. Everything else in the platform references a farmer record, so keep this list clean.

Find a farmer

1. Open **Farmers**.
2. Type a name, phone number, national ID or farmer code into the search box. Results filter as you type.
3. Use the location and status filters to narrow a long list.
4. Select a row to open the farmer detail panel.

The list is paginated. Sorting by last visit answers "who have I not seen in a while"; sorting by registration date answers "who is new this month".

Register a farmer

1. Select **Add farmer**.
2. Complete the required fields: first and last name, phone number, county or district, and the primary crop.
3. Optional but valuable: national ID, gender, year of birth, household size, land size, irrigation access and group membership. These feed reporting and eligibility checks; blanks are recorded as unknown, never guessed.
4. Set the location. You can use **Use my location**, drop a pin on the map, or enter coordinates. Coordinates are stored as WGS-84.
5. Select **Save**.

Offline: the record is queued and shown with a "pending sync" badge. It receives its permanent identifier when the queue drains. Do not register the same farmer again while the first record is pending, or you will create a duplicate that an administrator must merge.

Farmer profile

The detail panel is organised into tabs:

- **Overview** - contact details, location, assigned officer, registration date, verification state.
- **Fields** - parcels with area, crop and last NDVI observation.
- **Visits** - chronological timeline with outcomes and follow-ups.
- **Advisories** - messages sent to this farmer and their delivery status.
- **Yield** - recorded harvests and the yield trend chart.
- **Documents** - uploaded files such as soil tests or cooperative membership letters.

Use **Edit** to correct details. Every edit is attributed to your account in the audit trail; there is no anonymous editing.

Assign farmers to officers

Administrators and regional managers can reassign a farmer or a batch of farmers from the selection toolbar. The previous officer keeps read access to historical visits but loses the farmer from their active portfolio. Reassignment history is retained so reporting can be reconstructed.

Bulk actions

Select the checkboxes in the list to act on several farmers at once:

Action	Effect	Caution
Send SMS	Opens the bulk composer with the selected recipients	Counts against your SMS quota
Export	Downloads the selected records as a spreadsheet	Contains personal data; handle per your data policy
Delete	Removes the records	Restricted to administrators or owners; asks for confirmation

Bulk operations report how many records succeeded and how many failed, with the reason for each failure. Read that summary: a partial success is not the same as a clean run.

Fields and crops

Fields hold the spatial record that makes satellite monitoring, pesticide rules and traceability possible.

Register a field

1. Open **Fields** and select **Add field**.
2. Choose the farmer the parcel belongs to.
3. Enter the crop, variety, planting date and, if known, the expected harvest date.
4. Draw the boundary: select **Draw on map** and tap each corner of the parcel, closing the polygon on the first point. At least three vertices are required for area and satellite calculations.
5. Confirm the computed area, then **Save**.

The area is calculated from the polygon on the device, in hectares, and stored with the polygon as GeoJSON. A parcel without a polygon can still be recorded, but it cannot receive satellite indices or deforestation checks.

Field detail

The field view combines:

- **Crop and phenology** - what is planted, at what stage.
- **Area and boundary** - polygon, vertex count and computed area.
- **Satellite indices** - vegetation and moisture indices with the observation date.
- **Hazards** - weather and pest warnings that intersect the parcel.
- **Visits** - visits recorded against this field.

> *Satellite and soil modules state their own data status. A modelled estimate is labelled as modelled; a proxy measurement is labelled as a proxy. Never present an estimate as a field sensor reading in a report.*

Editing boundaries

Redraw a boundary when a farmer expands or splits a parcel. Historic visits keep the boundary that was current at the time, so changing a polygon does not rewrite past records.

Visits

Visits are the unit of accountable field work. A visit has a schedule, a check-in, evidence, an outcome and a follow-up.

Schedule a visit

1. Open **Visits** and select **Schedule visit**.
2. Pick the farmer, the field and the planned date.
3. Choose the visit type and add the purpose.
4. Save. The visit appears in the calendar and in the officer's task list.

Offline: scheduling works from the cached farmer list. Conflicts are resolved on sync; if two officers scheduled the same slot, both records are kept and flagged for review rather than one being silently dropped.

Check in on arrival

1. Open the visit and select **Check in**.
2. Allow location access when prompted. The application records the position and the time.
3. If the position is outside the field boundary or the device has moved implausibly fast, the visit is flagged. Complete the form anyway and explain the discrepancy in the notes.

> *Verification is deliberately strict. A visit completed without physical presence, or with a dwell time below the configured minimum, is rejected as stationary fraud and must be re-recorded honestly. Do not attempt to work around it.*

Complete a visit

1. Record what you observed. The synthesis form prompts for symptoms, agronomic observations, recommendations and follow-up needs.
2. Attach photographs, laboratory slips or other evidence where relevant.
3. Record the recommendation given, including product, dose and pre-harvest interval when a pesticide is involved.
4. Set the follow-up date if the case is not closed.
5. Select **Complete visit**.

The platform then:

- stores the record against the farmer and field,
- updates the officer's dashboard and analytics,
- queues any advisory to the farmer's channel if you selected one,
- records a provenance entry for the recommendation, including which regulatory dataset and rule version was applied.

Visit statuses

Status	Meaning
Scheduled	Planned, not started
In progress	Checked in, not completed
Completed	Recorded and verified
Flagged	Recorded but verification found an anomaly; needs review
Cancelled	Did not take place; a reason is required

Officers can reopen their own visits in the current period. Older visits are read-only to preserve the audit trail.

Disease diagnosis

The diagnosis tools turn a photograph or a symptom description into a ranked, evidence-labelled assessment.

Photo diagnosis

1. Open **Disease Diagnosis** (sidebar) or select **AI Scan** in the mobile navigation.
2. Select the crop, then choose **Take photo** or **Upload**.
3. Frame a single affected leaf or plant part in even light. Avoid shadows and blur; one symptom per photo gives better results.
4. Start the analysis.

Two paths are possible, and the result tells you which one ran:

Path	When it runs	What you get
On-device scan	No connection, or when you choose the offline scanner	Colour and lesion-based classification computed on the phone. No image leaves the device.
Server analysis	Connection available and the vision service is configured	Model-based diagnosis with ranked candidates and a confidence score

Both paths return a confidence value. Treat anything below the displayed threshold as "possible, needs confirmation" and escalate rather than treating on the spot.

Reading a diagnosis result

- **Candidates** - likely causes, each with a confidence score. The top candidate is not a certainty.
- **Evidence** - the symptoms the assessment relied on.
- **Provenance** - which engine produced the result and whether it was on-device, model-based, or unavailable.
- **Recommended action** - treatment or cultural guidance, including dose and legal constraints where a pesticide is suggested.

If the service is unavailable, the screen says so and offers the on-device scanner and a symptom questionnaire. It does not fabricate a diagnosis.

Follow-up actions

Action	Result
Save to farmer record	Attaches the diagnosis to the farmer and field history
Create advisory	Opens the advisory composer prefilled with the treatment
Plot on WorldMonitor	Adds the finding to the outbreak map so neighbouring officers see the signal
Escalate	Assigns the case for review with the evidence attached

Symptom-only diagnosis

When a photo is not possible, describe the symptoms in the questionnaire. The result is explicitly labelled as an internal heuristic, not a laboratory confirmation, and carries a confidence statement. Use it to decide whether to visit, not as a final determination.

Advisory Studio

Advisory Studio builds repeatable field protocols: a sequence of steps an officer follows in the same order every time, so results are comparable across farms and seasons.

Use a template

1. Open **Advisory Studio**.
2. Pick a template from the library, for example a maize and fall armyworm scouting protocol.
3. Review the step list: crop and phenology, scouting, photo capture, dosage guidance and notes.
4. Select **Run** to walk through the steps with the farmer, or **Customise** to adapt it.

Build a protocol

1. Select **New workflow**.
2. Name the protocol and choose a category and target crop.
3. Add steps with **Add step**. Each step has a type (crop selection, soil test, pest scouting, leaf photo, dosage advisory, free text), a title and optional conditions that decide when the step appears.
4. Reorder steps with the up and down controls.
5. Select **Save draft**, then **Publish** when it is ready for the team.

Draft protocols are private to their author. Published protocols are available to every officer in the organisation and are versioned: editing a published protocol creates a new version, and completed runs keep the version they used.

Share and export

Published protocols can be exported as a document for training and can be attached to SMS or in-app advisories so farmers receive the same instructions the officer used.

AI Assistant and Farmer Chat

The assistant answers agronomic questions using the knowledge base, the farmer's record and, where configured, live data sources. It is a decision support tool, not a replacement for an agronomist.

Ask a question

1. Open **AI Assistant**.
2. Type the question, or use the microphone to dictate it.
3. For a farmer-specific answer, attach the farmer record first so the answer can use their crops, location and history.
4. Read the answer and its sources before acting on it.

What the answer includes

- **Answer** - the guidance, in your selected language.
- **Sources** - knowledge base articles or regulatory documents used. Select a source to open it.
- **Confidence and status** - whether the answer is grounded in retrieved documents, generated without retrieval, or unavailable.
- **Suggested follow-ups** - next questions or the matching workflow.

If no provider is reachable, the assistant states that it cannot answer and points to the knowledge base. It does not produce an unsourced guess.

Farmer Chat

Farmer Chat is the conversation inbox. Each farmer has a thread combining their messages from the app, SMS and WhatsApp, so an officer can answer in context.

1. Select a farmer conversation from the list.
2. Read the thread. Inbound messages are labelled with the channel they arrived on.
3. Reply. The reply is delivered on the channel the farmer last used, unless you choose otherwise.
4. Use **Summarise** to condense a long thread into a case summary before a visit.

Plan limits

AI features are metered separately from messaging. When a quota is exhausted the interface explains which limit was hit and when it resets. The counters are visible under **Billing**, then **Quota & Telemetry**.

Knowledge Base

The knowledge base holds the agronomic library the platform answers from: crop guides, pest and disease references, regulatory documents and locally added material.

Search

1. Open **Knowledge Base**.
2. Enter a question or keywords.
3. Filter by crop, pest, region or source.
4. Open a result. Each article shows its source, publication date and, where applicable, the version of the document it was ingested from.

Search combines keyword matching with semantic retrieval, so a natural-language question can find an article that does not contain the exact words. Results show why they matched and which document they came from.

Ask the library

Select **Ask AI** inside the knowledge base to get a synthesised answer with citations restricted to the library. This is the preferred mode when you need a quotable answer: every claim links to a document you can open.

Add material

Administrators can upload documents or point the platform at a source. Ingested files are chunked, embedded and indexed; the ingestion status is shown per document.

> *A document that is still processing will not appear in answers. Check the ingestion status before concluding that a source is missing.*

Offline

Recently opened articles are cached on the device. Offline search covers the cached set only, and the interface states that the index is partial so you do not mistake a limited result for an empty library.

Reports

Reports convert the records into something a cooperative, funder or ministry can read.

Generate a report

1. Open **Reports** and select **Generate report**.
2. Choose the report type (activity summary, portfolio performance, visit verification, advisory outcomes, custom).
3. Set the period and, if you are a manager, the officer or region.
4. Add a title and any framing notes.
5. Select **Generate**.

Generation runs in the background. The report appears in the list with a status: queued, generating, ready or failed. A failed report states the reason; retry after fixing the cause (usually a missing period or an empty portfolio).

Read and share

The report viewer shows the narrative, the tables behind it and the period covered. Use **Download** for the available formats (PDF, spreadsheet, document) and **Share** to send a link to an authorised user.

Every report records the period, the filters and the account that generated it. Two reports with the same title but different filters are different documents.

Data honesty in reports

The platform refuses to fill gaps with invented values. If a metric could not be computed, the report says which input was missing. When you forward a report, keep those notes: they are the difference between an auditable document and a claim.

SMS and messaging channels

Messaging reaches farmers who do not use the app. Everything sent is recorded against the farmer and counted against the plan quota.

Send a bulk SMS

1. Open **SMS**.
2. Select recipients by portfolio filter or by picking farmers individually.
3. Write the message, or choose a template.
4. Check the character count and the estimated number of message parts. Long messages are split and billed per part.
5. Send now, or schedule for a date and time.

The delivery report shows sent, delivered, failed and pending counts per recipient. Failures include the gateway reason; a wrong number is a data-quality issue to fix in the farmer record, not something to retry blindly.

Templates

Templates keep recurring messages consistent: planting reminders, weather warnings, follow-up prompts. Templates support placeholders such as the farmer's name, crop and next visit date. Preview a template against a real record before sending to a group.

Scheduled and triggered messages

- **Scheduled** campaigns send at a chosen time in the farmer's local time zone.
- **Triggered** messages send when an event occurs, for example a weather warning intersecting a field, or an advisory created during a visit.

Review the trigger list before enabling a campaign; a misconfigured trigger can send the same message repeatedly.

Quotas

Each plan defines a monthly allowance for SMS, WhatsApp, AI chat, reports, vision analyses and speech transcription. The current allowances are shown in **Billing**, then **Plans & Pricing**, and the consumed amounts in **Quota & Telemetry**. When a limit is reached, sending is blocked with an explanation rather than silently dropped.

Analytics and WorldMonitor

Analytics

Analytics summarises performance over a chosen period:

Metric	Meaning
Resolution rate	Share of raised cases closed with an outcome
Average response time	Time from farmer message or visit request to first substantive reply
Satisfaction score	Farmer feedback score where collected; blank when not collected
Follow-up rate	Share of visits with a scheduled follow-up
First contact resolution	Cases closed at the first interaction

Use the filters to compare officers, regions and periods. A metric with no underlying data is shown as unavailable, not as zero.

WorldMonitor

WorldMonitor is the geographic view of risk: observed pest and disease signals, weather hazards, and the trajectory of active outbreaks.

1. Open **WorldMonitor**.
2. Choose the layers to display: sightings, hazard warnings, forecast corridors.
3. Select a cluster to see its sighting count, the counties observed, and the projected movement.
4. Use **Report sighting** to add a field observation; it becomes available to neighbouring officers after sync.

> *Outbreak trajectories are deterministic estimates from wind speed and direction, not boundary-intersection models. The panel lists its assumptions; quote them when you forward an alert.*

Billing and plans

Plans

Every account has a plan. The Free plan is deliberately limited for evaluation; paid plans raise or remove the meter limits. The authoritative allowances are always the ones displayed in **Plans & Pricing**, because they are the same values the server enforces at request time.

Free plan allowances as shipped:

Capability	Free allowance
SMS	Not included
AI chat and Farmer Chat	Not included
Automated reports	Not included
Disease and soil photo diagnosis	Not included
Speech transcription	100 per cycle
WhatsApp and Telegram broadcasting	Not included
Knowledge Base searches	3 per day

Upgrade

1. Open **Billing**, then **Plans & Pricing**.
2. Compare allowances and select **Choose plan**.
3. Complete checkout on the payment provider's page.
4. Return to the platform. The plan updates after the provider confirms payment; if it does not appear within a minute, refresh, then check **Invoices & Receipts** before contacting support.

Change or cancel

- **Switch plan** from the billing dashboard. The change takes effect immediately when the payment provider accepts it; the platform records the change so revenue reporting can separate expansion from contraction.
- **Cancel** ends the subscription at the end of the paid period. Access continues until then.
- When cancelling, you may choose a reason and add a comment. This is optional, but it feeds the churn report and is the only way the organisation learns why customers leave.

Invoices and payment methods

Invoices & Receipts lists past charges with download links. **Payment Rails** shows the card or wallet on file and lets you update it. Payment details are handled by the provider; the platform stores only the reference needed to reconcile the charge.

Administration

These screens are visible to administrators only.

User management

Create users, assign roles, reassign officers between regions, deactivate leavers and reset credentials. Deactivation immediately blocks sign-in and revokes sessions; data created by the user remains, attributed to them.

Telemetry

Live operational counters: request rates, agent activity, queue depth and error classes. Use it to answer "is anything failing right now" before escalating to engineering.

Agents

The agent console shows background workers and their recent runs: ingestion, advisory scheduling, weather polling and the orchestration queue. A worker that is disabled by configuration says so explicitly instead of appearing healthy.

System Health

Dependency status for the database, cache, AI providers and external services, with the reason for any failure. This is the first screen to check when users report that "nothing works".

Memory and MCP Tools

Memory holds the long-running context the assistant uses for an account, with the option to clear it. **MCP Tools** lists the agronomic tool endpoints exposed to agents, their inputs and their last invocation status.

Email workflows

Templates and automations for transactional and campaign email. Preview every template change against sample data before enabling it.

Account and security

Profile

Update your name, phone number and language from the profile menu. Email changes require verification of the new address.

Multi-factor authentication

1. Open the profile menu and choose **Security**.
2. Select **Enable MFA** and scan the QR code with an authenticator app.
3. Enter the six-digit code to confirm.
4. Store the backup codes offline. They are shown once.

If you lose the authenticator and the backup codes, an administrator must reset MFA for you.

Sessions

The security panel lists active sessions with device and last-seen time. **Revoke** ends a session immediately. Changing your password revokes other sessions.

Your data

The platform supports data export and deletion requests from the account settings. Exports are delivered as a download; deletion removes personal records subject to legal retention obligations, and the response states what was retained and why.

Offline use and synchronisation

Offline capability is a core feature, not a fallback.

What works offline

Works offline	Needs a connection
Viewing cached farmers, fields and visits	Registering a brand-new account
Registering farmers and fields (queued)	Payment and plan changes
Recording visits and capturing photos	Server-side AI diagnosis
On-device photo scan	Bulk SMS sending
Reading cached knowledge articles	Report generation
Drafting advisories	Syncing queued records

How the queue behaves

1. Actions taken offline are written to local storage with a unique identifier and marked pending.
2. When a connection returns, the queue drains in order, retrying failed items with increasing delays.
3. Items that cannot be applied, for example because the farmer was deleted elsewhere, are surfaced for review rather than discarded.
4. Duplicate submissions are detected by identifier, so a retry after a timeout does not create a second record.

Good field practice

- Sync before leaving for the field, so the day's farmers and fields are cached.
- Keep the app open long enough after returning to coverage for the queue to drain; the badge shows pending items.
- Photograph evidence even when you will diagnose later: images stay with the queued visit.
- Never clear browser data or uninstall the app while items are pending.

Troubleshooting

Symptom	Likely cause	What to do
"No active subscription found" on cancel	No paid subscription on the account	Check **Billing**, **Plans & Pricing**
A plan is chosen but features stay locked	Payment not yet confirmed	Refresh; check **Invoices & Receipts**; wait for provider confirmation
Diagnosis returns "unavailable"	Vision provider not configured or unreachable	Use the on-device scanner or the symptom questionnaire; report the outage
AI Assistant refuses to answer	Provider unreachable or quota exhausted	Check **Billing**, **Quota & Telemetry**; use the Knowledge Base
Visit rejected as stationary fraud	Device did not move, or dwell time below minimum	Re-record honestly; explain the situation in the notes
Records stuck as pending	Queue has not drained	Keep the app open on a connection; check storage space
SMS shows failed for many recipients	Invalid numbers or quota exhausted	Fix numbers in farmer records; check quota
Maps or satellite layers blank	No location permission, or source unavailable	Grant location; read the layer's status message
Cannot sign in after several attempts	Account locked	Wait for the lockout window or ask an administrator
Report has blanks instead of numbers	Missing inputs for that metric	Read the report's data notes; fill the gap and regenerate

When to escalate

Escalate to an administrator, with the farmer code or visit identifier and the time of the problem, when:

- data you recorded is missing after a successful sync,
- a verification decision looks wrong and the evidence supports you,
- a payment succeeded but the plan did not change,
- the same error repeats after a refresh and a re-login.

Glossary

Term	Meaning
Advisory	Guidance issued to a farmer, in app, by SMS or by WhatsApp
Confidence	How strongly the evidence supports a diagnosis or answer; not a guarantee
Coverage	The share of a population a figure actually accounts for, for example recorded cancellation reasons
Dwell time	Time spent at a location, used to verify that a visit physically happened
EUDR	European Union Deforestation Regulation; requires proof a commodity was not grown on land deforested after 2020
Field / parcel	A mapped piece of land with a crop and, usually, a boundary polygon
GS1 Digital Link	A standard web-resolvable identifier used on traceability passports
NDVI	Normalised Difference Vegetation Index; a satellite-derived measure of vegetation vigour
Portfolio	The set of farmers assigned to an officer
Provenance	The recorded origin and status of a value: measured, computed, modelled, demo or unavailable
PWA	Progressive Web App; the installable web build of the dashboard
Quota	The metered allowance of a capability on a plan
Traceability passport	A signed record of a batch's origin, harvest and compliance status
Verification	Evidence that a recorded visit or recommendation actually happened as described