

/swagger-ui


Explore

Swagger Docs

/swagger-ui

Servers	
/	Authorize 🔒

open-user-controller



Media type


application/json;charset=UTF-8

```
Controls Accept header.

Example Value Schema

{
    "code": "string",
    "message": "string",
    "debug": "string",
    "data": {
        "accessToken": "string",
        "type": "string",
```

member-point-controller



```
Code
              Description
                                                                                                     Links
                 "code": "string",
                  "message": "string",
                 "debug": "string",
"data": {
    "amount": 0
                }
             /api/members/points
  GET
                                                                                               Try it out
Parameters
No parameters
Responses
Code
              Description
                                                                                                     Links
200
                                                                                                     No links
              OK
              Media type
                application/json;charset=UTF-8
              Controls Accept header.
              Example Value Schema
                  "code": "string",
                 "message": "string",
"debug": "string",
                  "data": {
                    "amount": 0
```

 Name
 Description

 size
 size

 (query)
 lastSequence

 (query)
 lastSequence

 searchStartDateTime
 searchStartDateTime

 (query)
 searchEndDateTime

 (query)
 searchEndDateTime

Responses

Code Description Links

200 No links


Media type

application/json;charset=UTF-8


Controls Accept header.

Example Value Schema

member-order-controller




```
Links
Code
              Description
                        "orderDateTime": "2024-10-09T09:51:39.469Z",
"orderStatus": "ORDERED",
                        "orderStatusValue": "string"
                   ]
                 }
            /api/members/orders
 POST
                                                                                             Try it out
Parameters
No parameters
Request body required
                                                                 application/json;charset=UTF-8
Example Value Schema
   "items": [
       "itemId": 0,
"amount": 0
Responses
```



```
Code
                Description
                                                                                                                Links
                    "message": "string",
                    "debug": "string",
                    "data": {
                      "id": 0,
                      "title": "string",
"orderDateTime": "2024-10-09T09:51:39.475Z",
"orderStatus": "ORDERED",
                      "orderStatusValue": "string",
                      "orderItems": [
                           "orderItemId": 0,
                           "itemId": 0,
                           "name": "string",
                           "price": 0,
"amount": 0
                      ]
                   }
```

open-item-controller



Swagger UI 24. 10. 9. 오후 6:51

Responses

•		
Code	Description	Links
200	OK	No links
	OK	
	Media type	
	application/json;charset=UTF-8	
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "code": "string", "message": "string", "debug": "string", "data": { "pageInfo": {</pre>	

/api/open/items/{itemId} **GET**





Parameters

Try it out

Name

Description

itemId * required

integer(\$int64) (path)

itemId

Swagger UI 24. 10. 9. 오후 6:51

Code	Description	Links
00	OK	No links
	Media type application/json;charset=UTF-8	
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "code": "string", "message": "string", "debug": "string", "data": { "id": 0, "name": "string", "price": 0, "amount": 0, "description": "string" } }</pre>	

/api/open/items/top **GET**





Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links
	Media type	
	application/json;charset=UTF-8	
	Controls Accept header.	
	Example Value Schema	

"code": "string",
"message": "string",
"debug": "string",

```
Code Description Links

"data": [
{
    "id": 0,
    "name": "string",
    "price": 0,
    "amount": 0
}

}
```

```
Schemas
   UserLoginPost
   ApiResponse User Login Result\\
   UserLoginResult
   PointChargePost
   ApiResponsePointDetail
   PointDetail
   OrderPost
   OrderPostItem
   {\bf ApiResponseOrderPostResult}
   OrderPostResult
```

ApiResponseltem Page Result
ItemPageResult
ItemSummary
PageInfo
ApiResponseItemDetail
ItemDetail
ApiResponseListItemSummary
ApiResponsePointHistorySlicingResult
PointHistoryDetail
PointHistorySlicingResult
SlicingInfo
ApiResponse Order Slicing Result
OrderSlicingResult

OrderSummary
ApiResponseOrderDetail
OrderDetail
OrderDetailItem