



/swagger-ui

Explore

# Swagger Docs

/swagger-ui

Servers

/

Authorize

## open-user-controller



POST

/api/open/users/login

Parameters

Try it out

No parameters

Request body required

application/json;charset=UTF-8

Example Value

Schema

```
{
  "username": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

application/json;charset=UTF-8

Code	Description	Links
------	-------------	-------

Controls **Accept** header.

**Example Value** Schema

```
{
  "code": "string",
  "message": "string",
  "debug": "string",
  "data": {
    "accessToken": "string",
    "refreshToken": "string",
    "type": "string"
  }
}
```

## member-point-controller

**POST** /api/members/points/charge



### Parameters

Try it out

No parameters

**Request body** required

application/json;charset=UTF-8

**Example Value** Schema

```
{
  "chargeAmount": 0
}
```

### Responses

Code	Description	Links
------	-------------	-------

200	OK	No links
-----	----	----------

Media type

application/json;charset=UTF-8

Controls **Accept** header.

**Example Value** Schema

Code	Description	Links
	<pre>{  "code": "string",  "message": "string",  "debug": "string",  "data": {    "amount": 0  }  }</pre>	

GET

/api/members/points

^

🔒

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>application/json;charset=UTF-8</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <pre>{  "code": "string",  "message": "string",  "debug": "string",  "data": {    "amount": 0  }  }</pre>	No links

GET

/api/members/points/histories

^

🔒

Parameters

Try it out

size	size
(query)	
lastSequence	lastSequence
(query)	
searchStartDateTime	searchStartDateTime
(query)	
searchEndDateTime	searchEndDateTime
(query)	

Code	Description	Links
------	-------------	-------

Media type

**application/json; charset=UTF-8**

Controls Accept header.

```
{
  "code": "string",
  "message": "string",
  "debug": "string",
  "data": {
    "slicingInfo": {
      "size": 0,
      "lastSequence": 0,
      "hasNext": true
    },
    "pointHistories": [
      {
        "originalBalance": 0,
        "changeAmount": 0,
        "reason": "string",
        "createdDateTime": "2024-10-09T15:22:15.557Z"
      }
    ]
  }
}
```

## member-order-controller



POST

/api/members/orders/{orderId}/confirm



## Parameters

Try it out

Name

Description

**orderId** \* requiredinteger(\$int64)  
(path)

orderId

## Responses

Code

Description

Links

200

OK

No links

Media type

application/json;charset=UTF-8

Controls Accept header.

Example Value Schema

```
{
  "code": "string",
  "message": "string",
  "debug": "string",
  "data": {}
}
```

POST

/api/members/orders/new



## Parameters

Try it out

No parameters

**Request body** required

application/json;charset=UTF-8

Example Value Schema

```
{
  "items": [
    {
      "itemId": 0,
      "amount": 0
    }
  ]
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

application/json;charset=UTF-8

Controls Accept header.

Example Value   Schema

```
{
  "code": "string",
  "message": "string",
  "debug": "string",
  "data": {
    "orderId": 0
  }
}
```

GET

/api/members/orders

^

🔒

Parameters

Try it out

Name	Description
size (query)	<div>size</div>
lastSequence (query)	<div>lastSequence</div>
searchStartDateTime (query)	<div>searchStartDateTime</div>

Name

Description

searchEndDateTime

(query)

searchEndDateTime

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div>application/json;charset=UTF-8</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div><pre>{   "code": "string",   "message": "string",   "debug": "string",   "data": {     "slicingInfo": {       "size": 0,       "lastSequence": 0,       "hasNext": true     },     "orders": [       {         "id": 0,         "title": "string",         "orderDateTime": "2024-10-09T15:22:15.566Z",         "orderStatus": "ORDERED",         "orderStatusValue": "string"       }     ]   } }</pre></div>	No links

GET   /api/members/orders/{orderId}

Parameters

Try it out

localhost:8080/swagger-ui/index.html#/open-user-controller/login

7/13

NameDescription

**orderId** \* required

integer(\$int64)  
(path)

orderId

Responses

Code	Description	Links
200	OK	No links

Media type

application/json;charset=UTF-8

Controls Accept header.

Example Value Schema

```
{
  "code": "string",
  "message": "string",
  "debug": "string",
  "data": {
    "id": 0,
    "title": "string",
    "orderDateTime": "2024-10-09T15:22:15.571Z",
    "orderStatus": "ORDERED",
    "orderStatusValue": "string",
    "orderItems": [
      {
        "orderItemId": 0,
        "itemId": 0,
        "name": "string",
        "price": 0,
        "amount": 0
      }
    ]
  }
}
```

open-item-controller



GET /api/open/items



Parameters

Try it out



Name	Description
page (query)	<div>page</div>
size (query)	<div>size</div>
prop (query)	<div>prop</div>
dir (query)	<div>dir</div>
search (query)	<div>search</div>
atLeastPrice (query)	<div>atLeastPrice</div>
atMostPrice (query)	<div>atMostPrice</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>application/json;charset=UTF-8</div></div> <div>Controls <b>Accept</b> header.</div> <div>Example Value   Schema</div> <div><pre>{   "code": "string",   "message": "string",   "debug": "string",   "data": {     "pageInfo": {       "page": 0,       "size": 0,       "total": 0,       "lastPage": 0,       "start": 0, </pre></div>	No links

Code	Description	Links
	<pre>"end": 0, "hasPrev": true, "hasNext": true }, "items": [ { "id": 0, "name": "string", "price": 0, "amount": 0 } ] }</pre>	

GET /api/open/items/{itemId}

^

Parameters 

Try it out

Name	Description
<b>itemId</b> * required integer(\$int64) (path)	<div>itemId</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div>application/json;charset=UTF-8</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div><pre>{  "code": "string",  "message": "string",  "debug": "string",  "data": {    "id": 0,    "name": "string",    "price": 0,    "amount": 0,    "description": "string"  }  }</pre></div>	No links
GET	/api/open/items/top	<div>⌵</div> <div>🔒</div>

Schemas	⌴
UserLoginPost	
ApiResponseUserLoginResult	
UserLoginResult	
PointChargePost	
ApiResponsePointDetail	
PointDetail	

**ApiResponseObject**

**OrderPost**

**OrderPostItem**

**ApiResponseOrderIdResponse**

**OrderIdResponse**

**ApiResponseItemPageResult**

**ItemPageResult**

**ItemSummary**

**PageInfo**

**ApiResponseItemDetail**

**ItemDetail**

**ApiResponseListItemSummary**

**ApiResponsePointHistorySlicingResult**

**PointHistoryDetail**

**PointHistorySlicingResult**

**SlicingInfo**

**ApiResponseOrderSlicingResult**

**OrderSlicingResult**

**OrderSummary**

**ApiResponseOrderDetail**

**OrderDetail**

**OrderDetailItem**