2020 Naked Winter Barley

Pablo Sandro

Winter Naked Barley 2020

During 2020 we planted three winter barley trials, AMBA its a set of Experimental cover lines coming from Oregon state university, FRT its a set of Naked Barley lines coming from OREI Naked Barley, and HB its a subset of Naked Barley that survived from the previous year fall Diversity panel (DIV), and its checks.

TW AMBA
lb/bushel

Genotype	TW (lb/B)	S.E.
DH161782	55.03	5.82
DH162131	53.76	5.86
DH161991	52.83	4.45
DH160949	51.30	4.64
DH161766	51.22	5.86
DH162133	50.62	4.62
DH161231	50.45	4.63
DH161768	50.36	5.86
DH162125	49.44	4.63
DH162144	49.41	4.64
DH162181	48.70	4.63
DH162130	48.48	4.63
DH161774	48.35	4.62
DH160950	48.31	4.64
DH161215	47.33	4.62
DH162114	46.91	4.62
DH162122	46.66	4.61
DH162113	45.95	4.62
DH161033	45.78	4.62
DH161787	45.31	4.62
DH161788	45.21	4.64
DH161218	45.21	5.86
DH161770	43.95	5.82
DH162119	43.30	4.64
DH162129	41.97	4.62
DH161995	35.86	5.86
Fill Border	NA	NA

Grain Yield AMBA

Bushel/Acre

Genotype	Grain Yield (B/A)	S. E.
DH161218	63.63	13.35
DH161991	59.45	11.11
DH162181	58.07	10.86
DH162144	57.32	10.84
DH161788	57.19	10.81
DH161231	56.68	10.42
DH162114	55.44	10.57
DH162133	55.40	10.74
DH162131	50.28	12.60
DH162119	45.96	10.90
DH161766	45.13	13.31
DH162113	44.79	10.74
DH162130	44.27	10.76
DH161774	44.20	10.65
DH162122	43.12	10.74
DH162125	43.11	10.88
DH161995	42.81	12.49
DH160950	42.01	10.93
DH161782	41.86	12.60
DH161033	41.60	10.52
DH161768	39.77	13.32
DH162129	38.65	11.03
DH160949	38.44	11.09
DH161215	36.85	10.92
DH161787	35.21	10.64
DH161770	31.19	13.99
Fill Border	NA	NA

TW FRT
lb/bushel

Genotype	TW (lb/B)	S.E.
101492	64.87	1.86
101154	62.77	1.88
DH140030	60.70	1.65
VA15H-79 WS	60.35	1.83
DH133532	60.27	1.78
101986	60.19	1.69
Buck	59.74	1.72
AMAZE 10	58.78	1.71
DH133529	57.57	1.72
DH133535	57.38	1.78
1_4	57.17	1.76
DH140490	56.93	1.76
#STRKR	56.70	1.75
DH140394	54.81	1.83
DH133783	54.20	1.71
100777	50.10	1.68
Local	46.18	1.74
100662	38.36	1.75
100655	35.46	1.75
DH160794	NA	NA

Grain Yield FRT

Bushel/Acre

Genotype	Grain Yield (B/A)	S.E.
101492	81.17	6.56
Buck	71.72	6.10
DH133535	70.37	6.14
101154	67.57	6.54
DH133532	62.46	6.22
Local	62.32	6.11
101986	62.16	6.00
#STRKR	61.57	6.18
VA15H-79 WS	57.98	6.56
100777	57.52	6.00
1_4	50.56	6.17
AMAZE 10	49.18	6.09
DH133783	47.67	6.02
DH133529	46.14	6.12
DH140394	43.54	6.60
DH140030	38.37	5.95
DH140490	31.25	6.18
100655	20.12	6.61
100662	18.46	6.35
DH160794	NA	NA

Test weight HB

lb/Bushel

Genotype	TW (lb/B)	S.E.
VA16H-247	63.26	0.60
VA16H-158	62.38	0.65
OBADV 10-13	62.32	0.63
VA14H-58	62.32	0.57
DH133950	61.63	0.62
OR-85	61.47	0.63
AMAZE 10	61.40	0.41
Buck	60.39	0.44
DH133625	59.84	0.43
Alba	51.95	0.43
Fill	50.44	0.32
PI 190661	40.58	0.58
DH160799	NA	NA
VA16H-89	NA	NA

grain yield HB

Bushel/Acre

Genotype	Grain yield (B/A)	Std. Error
Alba	88.46	6.56
Buck	72.37	6.49
AMAZE 10	69.74	6.85
Fill	69.28	7.22
VA16H-158	67.57	8.20
VA14H-58	64.35	8.38
DH133625	64.30	6.66
DH133950	63.81	7.61
VA16H-247	61.63	8.79
OBADV 10-13	61.02	8.13
OR-85	53.47	8.29
PI 190661	32.43	6.84
DH160799	NA	NA
VA16H-89	NA	NA