

An Intro to L^AT_EX

Portland State Aerospace Society

Joe Shields

January 18, 2020

1 What is L^AT_EX

1.1 Things L^AT_EX is:

- A document preparation system
- A markup language
- Old
- Widely used in academia
- Technically Turing complete
- A way to process, standardize, and automate large, complicated documents
- A way to make professional-quality documents (particularly math)

1.2 Things L^AT_EX isn't:

- A replacement to word processors
- A replacement to hand-written math
- A sane programming language to use
- Something you can easily emulate with other tools

2 The Basics

2.1 A Minimal Document

```
1 \documentclass{article}
2 \begin{document}
3 Hello, world!
4 \end{document}
```

Hello, world!

2.2 Text Syntax

```
1 \documentclass{article}
2 \begin{document}
3 Hello, ‘‘world’’!
4 This is still part of the first paragraph.
5
6 Blank lines signal new paragraphs.
7 Spaces only \emph{separate} words.
8 % Everything after a '%' is omitted.
9 \end{document}
```

Hello, “world”! This is still part of the first paragraph.
Blank lines signal new paragraphs. Spaces only *separate* words.

2.3 Basic Elements

```
1 % this section is the preamble:
2 \documentclass{article}
3 \usepackage{amsmath} % a package
4
5 % this section is the body of the document:
6 \begin{document}
7 The quick brown fox jumps over
8 the lazy dog. % some text
9
10 \LaTeX % a control sequence
11
12 \begin{equation} % an environment
13     1+1=2
14 \end{equation}
15
16 \end{document}
```

2.4 Math

```
1 \[\frac{2}{2}=1\]
2 \begin{equation}
3     a^2 + b^2 = c^2
4 \end{equation}
5 Remember that $1 \neq 0$.
```

$$\frac{2}{2} = 1$$

$$a^2 + b^2 = c^2 \tag{1}$$

Remember that $1 \neq 0$.

2.5 Structure

```

1 \section{Higher Level}\label{sec:high}
2 \subsection{Lower Level}
3 \section*{Labels}
4 This section doesn't have one.
5 \subsection{References}
6 See section \ref{sec:high}.

```

When adding or changing your labels, you must compile [at least] twice, because the counters can depend on how the document is rendered and vice versa.

2.6 Titles

```

1 \documentclass{article}
2
3 \title{Methods of Grain Alchohol Production}
4 \author{Billy Bob}
5 \date{\today}
6
7 \begin{document}
8 \maketitle
9 ...
10 \end{document}

```

2.7 Table of Contents

```

1 \tableofcontents

```

Contents

1	What is \LaTeX	1
1.1	Things \LaTeX is:	1
1.2	Things \LaTeX isn't:	1

2	The Basics	1
2.1	A Minimal Document	1
2.2	Text Syntax	2
2.3	Basic Elements	2
2.4	Math	2
2.5	Structure	3
2.6	Titles	3
2.7	Table of Contents	3
3	Useful Environments	4
3.1	Useful Environments: lists	4
3.2	Useful Environments: align	5
3.3	Useful Environments: verbatim	5
4	Packages	6
4.1	How to Use Packages	6
4.2	Useful Packages	6
5	Floats	6
5.1	Figures	6
5.2	Tables	7
5.3	Notes on Floats	7
6	Bibliographies	8
6.1	Bibliographies and Citations	8
6.2	Databases	8
6.3	Compiling with Bibliographies	8
6.4	Notes on Bibliographies	8
7	Miscellaneous	9
7.1	Misc: special document classes	9
7.2	Misc: custom control sequences	9
7.3	Misc: Fudgey Stuff	9
7.4	Lengths	10
8	Resources	10
8.1	Resources	10

3 Useful Environments

3.1 Useful Environments: lists

1	<code>\begin{itemize}</code>
2	<code> \item paper</code>
3	<code> \item water</code>
4	<code> \item fruit</code>

```

5      \begin{itemize}
6          \item bananas
7          \item oranges
8      \end{itemize}
9 \end{itemize}

```

- paper
- water
- fruit
 - bananas
 - oranges

3.2 Useful Environments: align

This requires the `amsmath` package.

```

1 \begin{align}
2     0 &= \sum_i F_i \\
3     0 &= F_{gravity} + F_1 + F_2
4 \end{align}

```

$$0 = \sum_i F_i \quad (2)$$

$$0 = F_{gravity} + F_1 + F_2 \quad (3)$$

3.3 Useful Environments: verbatim

```

1 \begin{verbatim}
2 \documentclass{article}
3 \begin{document}
4 Hello, world!
5 \end{document}
6 \end{verbatim}
7 Here is some code: \verb+print('Hello, world!')+

```

```

\documentclass{article}
\begin{document}
Hello, world!
\end{document}

```

Here is some code: `print('Hello, world!')`.

4 Packages

4.1 How to Use Packages

```
1 \documentclass{article}
2
3 \usepackage{amsmath, amssymb}
4 \usepackage{graphicx}
5 \usepackage[letterpaper, margin=1in]{geometry}
6
7 \begin{document}
8 ...
9 \end{document}
```

4.2 Useful Packages

amsmath	
amssymb	really useful stuff for math
amsfonts	
graphicx	inserting images (including PDFs)
geometry	changing the layout of the page
hyperref	clickable inter- and extra-document links
lipsum	filler text for testing document formatting
nicefrac	inline fractions
siunitx	easy formatting of units
fancyvrb	customized <code>verbatim</code> environments
calc	allows multiplication of widths

Using `\documentclass[twocolumn]{article}` is also nice.

5 Floats

5.1 Figures

Typically, it's best to set `[width=\textwidth]`.

```
1 \begin{figure}
2     \centering
3     \includegraphics[height=5em]{doge.jpg}
4     \caption{A figure.}
5     \label{fig:doge}
6 \end{figure}
```



Figure 1: A figure.

Table 1: A table.

Engineering	Awesomeness
Mechanical	9001
Electrical	100
Software	10
Civil	-1

5.2 Tables

```

1 \begin{table}
2   \centering
3   \caption{A table.}
4   \label{tab:eng}
5   \begin{tabular}{r|l}
6     Engineering & Awesomeness \\
7     \hline
8     Mechanical & 9001 \\
9     Electrical & 100 \\
10    Software & 10 \\
11    Civil & -1 \\
12  \end{tabular}
13 \end{table}

```

5.3 Notes on Floats

Floats don't usually stay where you put them. \LaTeX puts them in the spots of "least badness."

You can use `\begin{float}[t]` to force the float to the top of the page. `[h]` and `[b]` put it roughly where it is in the source and at the bottom of the page, respectively.

6 Bibliographies

6.1 Bibliographies and Citations

```
1 It has been shown that you can put really awesome
2 stuff on a rocket \cite{schmidt2015development}.
3 \bibliographystyle{ieeetr}
4 \bibliography{psas.bib}
```

It has been shown that you can put really awesome stuff on a rocket [1].

References

- [1] E. Schmidt, J. Louke, K. Arnell, J. Hickman, and B. Wiles, “Development of a low-cost, open-hardware attitude control system for high-powered rockets,” in *AIAA SPACE 2015 Conference and Exposition*, p. 4623, 2015.

6.2 Databases

This the TeXinfo format. Google Scholar provides citations in this format, which makes creating bibliographies *much easier!*

```
1 @inproceedings{schmidt2015development,
2   title={Development of a Low-Cost, Open-Hardware
3     Attitude Control System for High-Powered Rockets},
4   author={Schmidt, Erin and Louke, Jeremy and
5     Arnell, Kenneth and Hickman, Jeffrey and Wiles, Brentley},
6   booktitle={AIAA SPACE 2015 Conference and Exposition},
7   pages={4623},
8   year={2015}
9 }
10
11 @incollection{shields2016design,
12   title={Design and Manufacture of an Open-Hardware
13     University Rocket Airframe using Carbon Fiber},
14   author={Shields, Joseph P and Elwood, Leslie},
15   booktitle={AIAA SPACE 2016},
16   pages={5365},
17   year={2016}
18 }
```

6.3 Compiling with Bibliographies

Bibliographies add another layer of linking to your labels and references. You’ll have to run an extra command in between renders.

```
1 $ pdflatex hello_world
2 $ bibtex hello_world
3 $ pdflatex hello_world
```

6.4 Notes on Bibliographies

There’s also the `biblatex` package, which is more powerful than the default `bibtex`. Note, however, that it uses a different syntax!

7 Miscellaneous

7.1 Misc: special document classes

AIAA provides their own documentclass (as many other journals do) which helps create documents which conform to their standards. They also provide sample documents which demonstrate how to use this documentclass.

<https://www.aiaa.org/WorkArea/DownloadAsset.aspx?id=4199>

7.2 Misc: custom control sequences

You can make shorthand commands for useful things.

```
1 \newcommand{\id}{\mathrm{d} }
2 \newcommand{\fd}[2]{\frac{\id #1}{\id #2} }
3 \newcommand{\pd}[2]{\frac{\partial #1}{\partial #2} }
4 \newcommand{\lag}{\mathcal{L} }
5
6 \begin{align*}
7 \frac{\partial}{\partial \mathcal{L}} \frac{\partial q}{\mathrm{d} t} &= \\
8 \frac{\partial \mathcal{L}}{\partial q} &= \frac{\mathrm{d} \mathcal{L}}{\mathrm{d} q} \\
9 \frac{\partial \mathcal{L}}{\partial q} &= \frac{\mathrm{d} \mathcal{L}}{\mathrm{d} q} \\
10 \\
11 \frac{\partial \mathcal{L}}{\partial q} &= \frac{\mathrm{d} \mathcal{L}}{\mathrm{d} q} \\
12 \end{align*}
```

$$\frac{\partial \mathcal{L}}{\partial q} = \frac{\mathrm{d} \mathcal{L}}{\mathrm{d} q}$$
$$\frac{\partial \mathcal{L}}{\partial q} = \frac{\mathrm{d} \mathcal{L}}{\mathrm{d} q}$$

7.3 Misc: Fudgey Stuff

```
1 \begin{minipage}{\textwidth}
2   % This acts like a self-contained page
3   % of the specified width.
4 \end{minipage}
5 \vfill
6 \vspace{2em}
7 % give a badness rating to not breaking the page:
8 \pagebreak[1000]
```

There are a ton of different preset whitespaces too. Look them up if you need them.

7.4 Lengths

em	width of a capital M
ex	width of a lower-case x
in	an inch
cm	a centimeter
<code>\textwidth</code>	current text width
<code>\linewidth</code>	page's line width

8 Resources

8.1 Resources

- L^AT_EXwikibook: <https://en.wikibooks.org/wiki/LaTeX>
Pretty comprehensive descriptions of everything you will *actually need and use*.
- detexify: <http://detexify.kirelabs.org/classify.html>
Translates handwritten symbols into L^AT_EX control sequences, and tells you which package is needed.
- T_EXstack exchange: <http://tex.stackexchange.com/>
A place where virtually every problem you will have with L^AT_EX has already been answered.