

Cerne A Ninth-Century Script Font

The Book of Cerne (Cambridge University Library, MS U. 1. 10), a ninth-century prayerbook, is counted among the great books produced in England before the Norman Conquest. No small part of this book's artistic triumph is its script, a fine example of the hand that paleographers call "pointed Insular Minuscule."

The principal scribe of the Book of Cerne was especially fond of color, filling or shadowing most capitals (which are modest in size and often lowercase in shape), and also, quite frequently, punctuation marks, accents, and lowercase letters. It thus is appropriate that the Cerne font should be a color font, with colors based on those of the book itself, from the rich brown of its ink to the muted red, blue, green and yellow washes used for fill and shadow. OpenType features can be used to add, omit or vary colors: these are listed below, after a brief demonstration of the font's "historical mode," which approximates the look of the original script.

As the x-height of Cerne is small (compare Cerne x and Elstob X at the same point size), it must be set large to harmonize with surrounding text or simply to preserve legibility. It should usually be set "solid," that is, with line spacing equal to the point size of the type. Here, for example, text is set in 24pt and line spacing is also 24pt. Descenders may be cut off in editors, but they will print correctly and be correctly displayed in web pages.

To harmonize with 12pt JuniusX, set the size of Cerne to 21pt. To harmonize with 12pt Elstob or 12pt Times, set the size of Cerne to 22pt, at which size line spacing must be at least 18pt (as in this paragraph) to accommodate Cerne's ascenders and descenders, which are much longer than those of conventional roman fonts. To match Cerne's text color, use HSB values 15°, 36%, 41% or RGB 105, 76, 66 (#694c42).

From Bede's *Historia Ecclesiastica Gentis Anglorum*:

Britannia Oceani insula, cui quondā Albion nomen fuit, inter septentrionem & occidentem locata est, Germaniae, Galliae, Hispaniae, maximis Europae partibus, multo intervallo aduersa. Quae per miliarium .dccc. in boreā longa, latitudinis habet milia .cc, septem dumtaxat promontoriis diuersorum promontorium tractibus, quibus perficitur, ut circuitus eius quadrages octo .lxxv. milia expleat. Habet a meridie Galliam belgicam, cuius proximū litus transmeantibus apertis ciuitas, quae dicitur Rutubi portus, a gente Anglorū nunc corrupte Rehtacaestir uocata, interposito mari a Thyropiaco Norynorum gentis litore proximo, traiectu milium .l., siue, ut quidā perperre, stadium .cccl. Aethio autem, unde Oceano infinito patet, Orcadas insulas habet.

OpenType features

A. Required features.

The following features should always be on. In most programs they will be on by default, but in Microsoft Word they must be explicitly enabled: **kern** (which in Word enables the use of all other features), **ccmp** (Glyph Composition/Decomposition), **calt** (Contextual Alternates), **liga** (Standard Ligatures).

B. Historical mode

Use **hist** (Historical Forms) or **ss16** (Stylistic Set 16) to turn on Historical Mode, which substitutes old letter-shapes for modern ones (and also *punctus interrogativus* for the question mark). These features are used for the same purpose in the designer's Eadui and Cissanthemos fonts.

C. Color of capital letters

The default color scheme will produce a variety of colors in any stretch of text. Use **ss02** (Stylistic Set 2) for a different color scheme, or to vary colors within a single stretch of text (for example, if the letter **B** occurs twice in the same sentence and you want a different color for each occurrence).

To turn off color for all capitals (but the text color remains), use **ss03** (Stylistic Set 3).

West Sæxe West Sæxe West Sæxe

D. Color of punctuation and accents

Use **cv48** (Character Variant 48) to turn on a red wash for accents. This feature also works with precomposed letter + accent combinations like **á** and **ē**. Use **cv79** for punctuation. In this sequence, both features have been applied:

dm omnip . Qui in

E. Color of lowercase letters

By default, color is not applied to lowercase letters. Rather than a single feature to turn on color, one feature is supplied for every letter of the alphabet, and also several symbols, as follows:

cv01	a	cv12	h	cv22	p	cv30	x
cv03	b	cv13	i	cv23	q	cv31	y
cv04	c	cv14	j	cv24	r	cv32	z
cv05	d	cv15	k	cv25	s	cv35	æ
cv07	e	cv16	l	cv26	t	cv40	& ʝ
cv08	ę	cv18	m	cv27	u	cv42	ʒ 9
cv09	f	cv19	n	cv28	v	cv51	? ʔ
cv10	g	cv21	o	cv29	w		

These match the mapping of letters to features in the designer’s [JuniusX](#) font; but in Cerne, cvXX features only add color: they do not produce alternate letterforms. As some letters have many variants, including ligatures (only a single element of which is usually colored), these cvXX features may not affect every instance of the letters they apply to.

It will rarely work well to apply these features to entire texts: apply them to individual words instead. If you need to apply the feature to only part of a word (for example, because there are two instances of a letter and you only want one highlighted), try to make sure the boundaries of the sequence you apply it to don’t fall between characters that are ligatured or kerned (the default spacing altered)—such boundaries will separate ligatured elements and disrupt letter-spacing. For example, if you want to highlight the initial but not the last **y** in

yoyo

you should not apply the feature **cv31** to only the initial **y**, since that is kerned with the following **o** (as you’ll see if you try it), but rather to the initial **yo** sequence, since **o** is not kerned with the following **y**. The difference in the case of “yoyo” would be subtle, but consider this word:

taught

Here the feature **cv26** has been applied to the sequence **ta**, which has a special form of **t** that forms a ligature with the following **a**. If you applied the feature only to the initial **t**, the boundary of that one-letter sequence would fall between the **t** and the **a**, breaking the ligature:

taught

This is not a consideration in MS Word, which provides no access to these lowercase variants. In Adobe InDesign, you choose variants from a palette instead of by applying a feature, so you needn't worry about feature boundaries in that program either.

F. Other features

ss04 “Word-final forms” produces word-final variants of **a**, **e**, insular **r**, and **t**. This is a context-sensitive feature: it will work only at the ends of words, and so it is safe to apply it to whole words so as to avoid interfering with other formatting. ss05 produces variants of several characters: **A**, **Q**, **T**, **h** (> insular abbrev. for *autem*), **i**, **l**, **u**, **p** (> insular shape). Use it to introduce variety into your text. dlig (Discretionary Ligatures) produces several ligatures used irregularly in the Book of Cerne:

e + i > h e + o > w r + r > w

Use these in Historical Mode to vary the look of the text.

The Cerne font
Copyright © 2021 by Peter S. Balch
The font is distributed under the Open Font License and is free to use
for any purpose, either in print or online.

Download it here: <https://github.com/psb1558/Cerne-font>

This document was created with LibreOffice. The text font is Elstob, the variable font for medievalists.