VIM-PLUGIN bash-support.vim VERSION 1.13

Plugin: http://vim.sourceforge.netFritz Mehner (mehner@fh-swf.de) April 2006

HOT KEYS

Key mappings for Vim without GUI. All mappings also work for gVim.

$oldsymbol{L}$ oad / $oldsymbol{U}$ nload Bash Support			
\lbs	Load Bash Support The key sequences below are defi	(normal)	
\ubs	Unload Bash Support The key sequences below are und	(normal) efined.	
Comments			
\cl	Line End Comment	(normal, visual)	
\cf	Frame Comment	(normal)	
\cu	Function Description	(normal)	
\ch	File Header	(normal)	
\ckb	Keyword BUG	(normal)	
\ckt	Keyword TODO	(normal)	
\ckr	Keyword TRICKY	(normal)	
\ckw	Keyword WARNING	(normal)	
\ckn	Keyword: new keyword	d (normal)	
\cc	$code \rightarrow comment$	(normal, visual)	
\co	$comment \rightarrow code$	(normal, visual)	
\cd	Date	(normal)	
\ct	Date & Time	(normal)	
\ce	echo " <line>"</line>	(normal)	
\cr	remove echo	(normal)	
\cv	vim modeline	(normal)	
Statements			
\ac	case in esac	(normal)	
\al	elif then	(normal)	
\af	for in do done	(normal, visual)	
\ai	if then fi	(normal, visual)	
\ae	if then else fi	(normal, visual)	
∖as	select in do done	(normal, visual)	
\at	until do done	(normal, visual)	
\aw	while do done	(normal, visual)	
∖ao	echo -e "\n"	(normal, visual)	

	\mathbf{R} u	n	
\rr	update file, run script (norma	ıl)	
\rc	update file, check syntax (norma	ıl)	
\ra	set command line arguments (normal)		
\rd	start debugger (norma	ıl)	
\re	make script executable (norma	ıl)	
\rh	hardcopy buffer (norma	ıl)	
	to FILENAME.ps		
\rs	settings and hotkeys (normal	ıl)	
\rt	set xterm size (normal, GUI only	(normal, GUI only)	
\ro	change output destination (normal	ıl)	
	H el	p	
\h	display help for builtin (norms)	ıl)	
	name under the cursor		