Configuring Firewall Interfaces with pfSense (3e)

Network Security, Firewalls, and VPNs, Third Edition - Lab 05


Student: Payton Seay
Email: pseay2005@gmail.com
Report Generated: Sunday, August 2, 2026 at 1:20 PM

Time on Task: 1 hour, 8 minutes
Progress: 100%


Section 1: Hands-On Demonstration

Part 1: Plan the Physical Configuration of the Firewall


10. **Make a screen capture** showing the **completed General tab of the Planner**.



25. **Make a screen capture** showing the **completed WAN tab of the Physical Configuration worksheet**.




27. **Make a screen capture** showing the **completed LAN tab of the Physical Configuration worksheet**.




Part 2: Configure the LAN and WAN Firewall Interfaces

36. **Make a screen capture** showing the **LAN and WAN interfaces on the pfSense WebGUI dashboard**.




Part 3: Verify the Firewall Implementation

3. **Make a screen capture** showing the **successful ICMP request** to pfSense's upstream gateway.




8. **Make a screen capture** showing the **successful ICMP request to the pfSense WAN interface**.



Section 2: Applied Learning


Part 1: Plan the Physical Configuration of the Firewall

4. **Make a screen capture** showing the **completed DMZ tab of the Physical Configuration worksheet**.




Part 2: Configure the DMZ Firewall Interface

9. **Make a screen capture** showing the **DMZ interface on the pfSense WebGUI dashboard**.




Part 3: Verify the Firewall Implementation

4. **Make a screen capture** showing the **successful ICMP request to the DMZ interface**.




8. **Make a screen capture** showing the **corporationtechs.com web page on the RemoteWindows01 machine**.




Section 3: Challenge and Analysis

Part 1: Configure and Test Split DNS on pfSense

Make a screen capture showing **your Host Override entries in the DNS Resolver**.




Make a screen capture showing a **successful nslookup test for both DNS entries**.




Part 2: Enable and Test Secure Shell Access on pfSense

Make a screen capture showing **the enabled option for SSH access**.



Make a screen capture showing your **successful SSH connection**.


Configuring Firewall Interfaces with pfSense (3e)
vWorkstation
2026-08-02 13:19:41
Payton Seay
payton-pfSense.localdomain - Sy
webConfigurator access in certain corner cases such as using external scripts to interact with this system. More information on HTTP_REFERER is available from Wikipedia.
OpenSSH SSH client
Microsoft Windows [Version 10.0.17763.1217]
(c) 2018 Microsoft Corporation. All rights reserved.
C:\Users\Administrator>ssh root@172.30.0.1
Password for root@payton-pfSense.localdomain:
VMware Virtual Machine - Netgate Device ID: 483df02d52407680df7d
*** Welcome to pfSense 2.4.5-RELEASE (amd64) on payton-pfSense ***
WAN (wan) -> vmx1 -> v4: 202.20.1.1/24
LAN (lan) -> vmx0 -> v4: 172.30.0.1/24
DMZ (opt1) -> vmx2 -> v4: 172.40.0.1/24
0) Logout (SSH only)
1) Assign Interfaces
2) Set interface(s) IP address
3) Reset webConfigurator password
4) Reset to factory defaults
5) Reboot system
6) Halt system
7) Ping host
8) Shell
9) pfTop
10) Filter Logs
11) Restart webConfigurator
12) PHP shell + pfSense tools
13) Update from console
14) Disable Secure Shell (sshd)
15) Restore recent configuration
16) Restart PHP-FPM
Enter an option:
Threshold
30
Block attackers when their cumulative attack score exceeds threshold. Most attacks have a score of 10.
Blocktime
120
Block attackers for initially blocktime seconds after exceeding threshold. Subsequent blocks increase by a factor of 1.5.
Attacks are unblocked at random intervals, so actual block times will be longer.
Detection time
1800
Remember potential attackers for up to detection_time seconds before resetting their score.
Whitelist
Address
10:19 AM
8/2/2026