
Computer Chemistry Class

Tutorial day X

Spring Semester 2017
Your name

Geometry optimization
topic 2
topic 3
topic 4

Title

Optional Subtitle

content

Lists

Items

- something
- something else

Enumerations

- ➊ First,
- ➋ Second and
- ➌ Last.

Descriptions

Gaussian A code
GaussView A GUI

Highlighting text

Different ways to highlight text

- *emphasized* text
- **alerted** text
- **bold** text
- typewriter

$$L' = L\sqrt{1 - \frac{v^2}{c^2}}$$

Tables

Team	P	W	D	L	F	A	Pts
Manchester United	6	4	0	2	10	5	12
Celtic	6	3	0	3	8	9	9
Benfica	6	2	1	3	7	8	7
FC Copenhagen	6	2	1	3	5	8	7

Figures




Figure : dead or alive?

Columns

Contents of the first column

Contents split
into two lines

Blocks

This is a Block

This is important information

This is an Alert block

This is an important alert

This is an Example block

This is an example

Boxes

Some
text

Some

other text

Some
more text

Bibliography I



A. Autor.

Introduction to Giving Presentations.

Klein-Verlag, 1990.



S. Jemand.

On this and that.

Journal of This and That, 2(1):50–100, 2000.

Overlays

You can create overlays. . .

- using the `pause` command:
 - First item.

Overlays

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
- using the general `uncover` command:

Overlays

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
- using the general `uncover` command:

Overlays

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:

Overlays

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.

Overlays

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.