


Agent Artificial Intelligence Containment Assurance Sandbox Conceptual Flow Design v1.0

AI-CAL 4.5 | ON-PREM AGENT FLOW
Review draft v0.3 - ordered application steps and boundary crossings




READING KEY
Blue: outbound request. Violet / light blue dashed: register / ACK.
Green: model return and inline agent reply. Orange: package.
Repeated FW3 icons = different zone interfaces on the SAME FW3/HA pair.
FW2: Camel 1 to model gateway; FW3: gateway to corporate edge.
Return diode is one physical one-way pair with two logical proxy services.
Proxy sessions restart at RX; no end-to-end TCP or SFTP session crosses fiber.
Jenkins retrieves approved package, then submits payload + job trigger to MFT.
No Artifactory-to-MFT path. Agent GET is a timeout fallback only.
F5 pending-response implementation and timers require platform validation.
Monitoring / IDS / SIEM and out-of-band management are omitted.

Patrick Shannon
Digitally signed by Patrick Shannon
Date: 2026.10.01 18:25:38 -04'00'

AI-CAL 4.5 | MESSAGE HANDOFFS + KEY CUSTODY

Review draft v0.1 - proposed fields; see companion contract for ownership and checks



[illegible]

Patrick Shannon | Principal Information Security Architect
Cyber Certifications: CISSP · CISA · CRISC · GPEN · GCLD · GISP · CDPSE · GPPA(ret.)
Companion diagram to the AI-CAL AI Agent Containment Framework v1.0
Diagram revision: October 2026 | License: CC BY 4.0
DOI: <https://doi.org/10.5281/zenodo.22925685>
LinkedIn: <https://www.linkedin.com/in/patrick-shannon-cissp-crisc-cisa-gisp-gpen-gcld-cdpse>
Framework repo: <https://github.com/pshannon011/AI-CAL-Containment-Assurance-Framework>