01 / PS SMS
L1 support reference

For application users and first-line support | Version 1.0 | 20 October 2026

Use this guide when laboratory result SMS notifications are missing, records remain Generated, or the PS SMS screen is unavailable. It provides observation and escalation steps; it does not establish a root cause or a verified repair.

What the application does

The screen lists SMS requests for laboratory reports, including visit reference, message, sending information and status. A generated message is prepared in the application; it is not evidence that the gateway accepted it or that the patient received it.

Start here: five checks

1. Record the site, incident time and affected visit/message ID in the support ticket.

2. Open the approved site URL and sign in with your assigned account.

3. Set the correct request-date range, Centre Name and Status filters.

4. Find the affected row and record SMS Sent, Send Date, Response, SMS Status and Error.

5. Compare with one recent successful row, collect relevant logs and escalate if no sending outcome is recorded.

L1 boundaries

Use read-only checks. Do not edit queue flags, run bulk resends, change web.config, restart IIS/services or deploy a build without the responsible L2 owner's instruction. Repeated generation does not prove repeated sending; a resend could duplicate notifications.

Evidence scope: based on supplied screenshots, Deepti's status clarification and Ashish's KB article PKA-16. The source code, deployed build and live database were not inspected for this guide. Site-specific details remain to be confirmed by L2.

02 / Using the screen

Observed site example: hlth-labcare01/PS_SMSV2/sendsms. This is an internal hostname from the supplied screenshot; use the approved URL for your customer/site. Login and password-reset procedures were not supplied.

Field / control	How L1 should use it
From Date / To Date	Choose the SMS request dates being investigated. Include the original request date, not only today. Exact date-boundary behavior needs L2 confirmation.
Centre Name / Status	Choose the relevant centre and status. Use All when checking whether a filter hid a record.
Message Count / page numbers	Count applies to the displayed selection. Check subsequent pages; the first page is not the entire queue.
Last Refresh	Record the displayed time. It shows the page refresh time, not proof that the sender/background process is healthy.
ID / VST Code / Request Date	Use these to identify and correlate a row. Do not confuse the row ID, visit code and gateway SMS ID.
Send Date / Gateway / Response	Capture whether a send timestamp and provider response exist. A configured gateway address alone does not prove it was called.
SMS Sent / SMS Status / Error	Record all fields exactly. SMS Sent and SMS Status are different fields and may have different code definitions.

Status reference: SMS Sent field only

Value	Meaning / evidence
1	Displayed with Send Successful in supplied rows. This does not establish handset delivery.
3	Generated - confirmed by Deepti on 18 October 2026. Does not establish a sending attempt.
0 and 2	Not confirmed. Record the number and ask L2 for the deployed application's definition.

Avoid repeated refreshes or repeated actions during processing. Prevention of automatic page refresh was requested, but deployment of that improvement has not been verified.

03 / Troubleshoot by symptom

Symptom	L1 check and next action
Page will not open / login fails	Record URL, exact browser error and time. Confirm approved network/VPN access with the site IT team. Do not bypass browser security warnings. Escalate access failures to site IT/L2.
Affected record not visible	Check request-date range, centre, status and pagination. Confirm the visit ID with the requester. If still absent, escalate as missing from the displayed queue; do not regenerate it yourself.
SMS Sent = 3; send fields blank	Record Generated, blank send date/response/status/error, and the request age. Collect logs for this ID. Ask L2 to trace where processing stopped. Blank error does not mean no error occurred.
Same ID generated repeatedly	Capture two or more generation timestamps and the ID. Ask L2 to check retry behavior and overlapping workers. Do not start another sender or clear the queue.
Send Successful but patient reports no SMS	Capture send date, provider response and any gateway message ID. Ask L2/provider for delivery status. Confirm recipient details only through approved channels. Do not treat application success as delivery confirmation.
Missing PDF / report unavailable	Record the exact error or observation. Ask L2 to confirm report readiness and PDF lookup in the web database. Treat it as waiting for a prerequisite unless evidence shows otherwise; do not force Sent.
License / timeout / gateway / database error	Copy the exact non-secret error, timestamp and affected ID into the ticket. Escalate to L2; avoid repeated retries or configuration changes.
No useful logs / no progress	Record the log file name, latest timestamp and missing event. Ask L2 for the actual log location and worker status. A silent log is an evidence gap, not a successful run.

Observe once, then compare

If safe and no active process will be interrupted, compare the same ID after the site's known processing interval. If the interval is unknown, ask L2; do not invent a timeout. Record whether the status changed and whether recent requests at the same site are progressing.

04 / Collect evidence safely

Read-only queue summary - authorized SQL users only

If database access is outside your role, ask L2 to run this query. Use the approved LABCARE database connection. This is the query recorded in PKA-16; it counts rows requested within a rolling 15-day window according to the SQL Server clock.

```
SELECT sms_sent, COUNT(*) AS row_count
FROM send_sms
WHERE sms_reqdate >= GETDATE() - 15
GROUP BY sms_sent
ORDER BY sms_sent;
```

This groups **sms_sent**, not sms_status. It counts rows, not unique recipients or delivered messages. Do not add UPDATE, DELETE or queue-reset statements. Avoid repeated database polling.

What the evidence already shows

Historical UI examples: 14 August 2026 showed 351 rows with visible successful sending records; 15 August showed 330 rows with visible Generated (3) records and blank sending outcomes. These are examples, not current queue totals or proof that every row on those dates had the same outcome.

PKA-16 records an older 15-day SQL summary: 4,412 rows with value 0 and 3,264 with value 3. These are historical screenshot counts. Value 0 remains unconfirmed.

Logs to request from L2

Ask for the configured application/background-worker log path and relevant time range. Search by message/visit ID and collect the sequence: selection, generation, PDF check, send attempt, provider response and queue update. These are desired trace points; the existing application may not log every stage.

Keep original logs intact. Share only relevant extracts through the approved support channel. Mask patient names, phone numbers, report links/tokens, credentials and API keys. This guide deliberately omits patient screenshots.

Requested improvements - deployment not verified

Configurable batch size and lookback days; license and expiry logging; missing-PDF and unhandled-error logging; protection against refresh during processing; per-cycle PDF error statistics and monitoring/email alerts. Do not assume these are available in the installed build. The supported log levels and alert thresholds still need confirmation.

05 / Escalate and close

Escalation destination

Raise or update the service desk ticket and route it to Ashish / the assigned SMS L2 owner. The requested primary monitoring email recipient is **support@pssolutions.org**; automatic alert delivery has not been verified. Use the established incident process for a site-wide sending stoppage.

Copy this into the support ticket

Site / application URL / build: _____

Incident time and timezone: _____

Scope: one request / several requests / site-wide / unknown

Message ID / visit reference: _____

Request date / filters used: _____

SMS Sent / SMS Status: _____

Send Date / gateway response / error: _____

Last successful example and timestamp: _____

Repeated generation timestamps: _____

PDF availability: confirmed / unavailable / not checked

Evidence attached: redacted screen / log extract / queue summary

Checks completed / actions taken / impact: _____

Closure checks

L2 must identify the tested build and corrective action. Check an affected request and a new eligible request for the expected sending outcome. Record provider acceptance separately from delivery evidence. If delivery cannot be confirmed, state that limitation. Do not close solely because the page opens or the Generated count changes.

References and verification gaps

Ashish KB: PKA-16, Send SMS - Generated but not sent: queue query & support investigation. Status when retrieved: Needs Review.
Open the source KB article

Other sources: supplied PS SMS screenshots (18 October 2026) and Deepti's confirmation that SMS Sent 3 = Generated. This newer clarification supersedes the KB's earlier uncertainty about value 3 for this guide.

L2 to confirm: values 0/2; login/reset procedure; log path/levels; worker name and schedule; PDF lookup rules; license handling; deployed improvements; provider delivery reporting. Review this guide when these details or the installed build change.