

Reach me at below email Id If you need assistance in Rest API Resume Preparation/ Rest Assured Interview Questions/ Rest API Material

Email : mentor@rahulshettyacademy.com

Google Maps Add API (POST):

This API Will add new place into Server

Complete URL : <https://rahulshettyacademy.com/maps/api/place/add/json?key=qaclick123>

Base URL: <https://rahulshettyacademy.com>

Resource: /maps/api/place/add/json

Query Parameters: key =qaclick123

Http Method: POST

Sample Body :

```
{  
  "location": {  
    "lat": -38.383494,  
    "lng": 33.427362  
  },  
  "accuracy": 50,
```

```
"name": "Frontline house",  
"phone_number": "(+91) 983 893 3937",  
"address": "29, side layout, cohen 09",  
"types": [  
  "shoe park",  
  "shop"  
],  
"website": "http://google.com",  
"language": "French-IN"  
}
```

Sample Response

```
{  
  "status": "OK",  
  "place_id": "928b51f64aed18713b0d164d9be8d67f",  
  "scope": "APP",  
  "reference":  
    "736f3c9bec384af62a184a1936d42bb0736f3c9bec384af62a184a1936d42bb0",  
  "id": "736f3c9bec384af62a184a1936d42bb0"  
}
```

Google Maps Delete API (POST):

This API Will delete existing place from Server

Complete URL:

<https://rahulshettyacademy.com/maps/api/place/delete/json?key=qaclick123>

Base URL: <https://rahulshettyacademy.com>

Resource: /maps/api/place/delete/json

Query Parameters: key

Http request : POST

Sample Body :

```
{  
  "place_id": "928b51f64aed18713b0d164d9be8d67f"  
}
```

Sample Response

```
{  
  "status": "OK"  
}
```

Google Maps get Place API (GET):

This API Will get existing place details from Server

Complete URL :

`http://rahulshettyacademy.com/maps/api/place/get/json?place_id=xxxx&key=qaclick123`

Base URL: <https://rahulshettyacademy.com>

Resource: /maps/api/place/get/json

Parameters: key, place_id //(place_id value comes from Add place response)

Http request: GET

Note: Key value is hardcoded and it is always qaclick123

Sample Response for the Provided Place_Id

{

 "location":{

"lat" : -38.383494,

"lng" : 33.427362

},

"accuracy":50,

"name":"Frontline house",

"phone_number":"+91) 983 893 3937",

"address" : "29, side layout, cohen 09",

"types": ["shoe park","shop"],

"website" : "http://google.com",

"language" : "French-IN"

}

Google Maps Put Place API (PUT):

This API Will update existing place in Server with new values

Complete URL :

http://rahulshettyacademy.com/maps/api/place/update/json?place_id=xxxx
&key=qaclick123

Base URL : <https://rahulshettyacademy.com>

Resource: /maps/api/place/update/json

Query Parameters: key, place_id //(place_id value comes from Add place response)

Http Method: PUT

Note: Key value is hardcoded and it is always qaclick123

Sample Request:

```
{  
  "place_id":"8d2573bdf6ceec0e474c5f388fa917fb",  
  "address":"70 winter walk, USA",  
  "key":"qaclick123"  
}
```

Sample Response for the Provided Place_Id

```
{  
  
  "location":{  
  
    "lat" : -38.383494,  
  
    "lng" : 33.427362  
  
  },  
  
  "accuracy":50,
```

"name":"Frontline house",

"phone_number":"+91) 983 893 3937",

"address" : "29, side layout, cohen 09",

"types": ["shoe park","shop"],

"website" : "http://google.com",

"language" : "French-IN"

}

