

ICPSR 8424

**National Youth Survey [United States]: Wave II, 1977**

Delbert Elliott

*University of Colorado. Institute of Behavioral Science*

Codebook



## **Terms of Use**

The terms of use for this study can be found at:

<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/8424.xml>



**\*\*ICPSR Processor Note\*\***  
NYS WAVE 2 1977:  
National Youth Survey  
(ICPSR 8424)

- 1) Previously ICPSR generated variables (V1, V2, V3, & V4) to provide study information about the dataset. These are no longer created by ICPSR. The four variables have been removed.
- 2) The variables RECORD1 and RECORD2 were removed as individual cases are no longer split into 2 lines of data.
- 3) As a result of the removal of the six variables mentioned in the above notes, users should refer to the SAS or SPSS data definition statement files for column locations of variables in the ICPSR data file. The column locations detailed in Appendix A apply to the original data only.



## TABEL OF CONTENTS

Sections	Page
CODEBOOK	
1) Codebook	1
a) Identification	1
b) Respondent Characteristics	3
c) Social Integration	6
i) Friends	6
ii) Social Activities	10
iii) Studying	11
iv) School Athletics	14
v) School Activities	17
vi) Community Activities	21
vii) Employment	24
viii) Family	27
d) Aspirations	30
i) Current Success	30
ii) Future Aspirations	44
e) Expectation for Future Goals	46
f) Social Isolation	47
g) Normlessness	55
h) Labeling	62
i) Labeling by Parents	62
ii) Labeling by Friends	68
iii) Labeling by Teachers	74
i) Perceived Disapproval	80
i) Perceived Disapproval from Parents	80
ii) Perceived Disapproval from Peer	87
j) Counterlabeling	94
k) Attitudes Towards Deviance	100
l) Delinquent Peers	106
i) Exposure to Delinquent Peers	106
ii) Commitment to Delinquent Peers	113
m) Sex Roles	115
n) Interpersonal Violence	122
o) Pressure for Substance Abuse by Peers	127
p) Exposure to Substance Abuse Among Parents	130
q) Self-Reported Delinquency	132
r) Substance Use	215
i) General Drugs	215
ii) Alcohol	226
iii) Tobacco	295

Sections	Page
CODEBOOK continued	

iv) Marijuana	317
v) Hallucinogens	340
vi) Tranquilizers	362
vii) Amphetamines	369
viii) Sedatives/Barbituates	376
ix) Codeine	383
x) Heroin	390
xi) Cocaine	395
xii) Inhalants	402
xiii) PCP	407
xiv) Other Substances	414
xv) Future Use	420
xvi) Problem Behavior Resulting from Use	423
s) Victimization	436
t) Handguns	443
u) Respondent Observations	449
v) Interviewer Observations	454
w) Geographic Code	459

#### APPENDICES

2. Appendix A: Original Codebook	461
3. Appendix B: Original Instrument	523
a) Log of Calls	525
b) Respondent Receipt Form	527
c) Refusal Form	528
d) Youth Interview Schedule	529
e) Interviewer Observations	608



<b>IDENTIFICATION</b>
-----------------------

<b>CASEID</b>	<b>CASE IDENTIFICATION NUMBER</b>
---------------	-----------------------------------

1,725 cases (Range of valid codes: 1-1725)

Data type: numeric  
Columns: 1751-1758

<b>V68</b>	<b>PSU NUMBER</b>
------------	-------------------

1,725 cases (Range of valid codes: 1-76)

Data type: numeric  
Missing-data code: -1  
Columns: 125-126

<b>V69</b>	<b>FUND AGENCY DESIGNATION</b>
------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	57.1	985	1	
42.9	42.9	740	2	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Column: 127

<b>V70</b>	<b>HOUSEHOLD ID NUMBER</b>
------------	----------------------------

1,725 cases (Range of valid codes: 3-9895)

Data type: numeric  
Missing-data code: -1  
Columns: 128-131

V71	RESPONDENT ID NUMBER			
-----	----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	60.5	1,043	2	
27.2	27.2	469	3	
9.3	9.3	160	4	
2.4	2.4	41	5	
0.6	0.6	10	6	
0.1	0.1	2	7	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Column: 132

V132	CLASS (FROM WAVE I)
------	---------------------

1,725 cases (Range of valid codes: 11-77)

Data type: numeric  
Missing-data code: -1  
Columns: 253-254

<b>RESPONDENT CHARACTERISTICS</b>
-----------------------------------

<b>V5</b>	<b>Y2-1: SEX</b>
-----------	------------------

Respondent's Sex

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	53.2	918	1	Male
46.8	46.8	807	2	Female
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Column: 1

<b>V6</b>	<b>Y2-2: ETHNICITY</b>
-----------	------------------------

With which of the following ethnic groups do you most identify?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	78.9	1,361	1	Anglo
15.1	15.1	260	2	Black
4.4	4.4	76	3	Chicano
0.5	0.5	8	4	American Indian
1.0	1.0	17	5	Asian
0.2	0.2	3	6	Other
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Column: 2

**V7****Y2-3: AGE**

Respondent's Age

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.6	252	12	
14.9	14.9	257	13	
15.6	15.6	269	14	
15.0	15.0	258	15	
14.7	14.7	253	16	
13.9	13.9	239	17	
11.4	11.4	197	18	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 3-4

**V8****Y2-4: GRADE IN SCHOOL**

What grade are you in at school? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	5	
5.0	4.8	82	6	
15.5	14.9	257	7	
14.9	14.3	246	8	
14.9	14.3	247	9	
15.0	14.4	248	10	
13.1	12.5	216	11	
12.0	11.5	198	12	
3.3	3.2	55	13	
0.2	0.2	3	14	
5.4	5.2	90	17	Not in school
0.4	0.4	7	18	Other
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 5-6

V9

## Y2-5: GRADE POINT AVERAGE

What is your grade point average?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	11	1	Mostly F's
4.4	4.2	72	2	Mostly D's
33.7	32.1	553	3	Mostly C's
45.0	42.9	740	4	Mostly B's
16.3	15.5	267	5	Mostly A's
	4.8	82	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 7-8

<b>SOCIAL INTEGRATION</b>
---------------------------

<b>Friends</b>
----------------

<b>V10</b>	<b>Y2-6: PARTICULAR GROUP-FRIENDS</b>
------------	---------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

Was there a particular group of friends that you ran around with?

(IF NO, GO TO V11)

(IF YES, SKIP TO V12)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.1	243	1	No
85.3	81.9	1,412	2	Yes
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 9-10

<b>V11</b>	<b>Y2-7: HOW IMPORTANT HAVE FRNDS</b>
------------	---------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

How important is it to you to have a group of friends and be included in their activities?

(AFTER RESPONSE, SKIP TO V17)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	1.2	20	1	Not important
29.2	4.1	71	2	Not too important
34.2	4.8	83	3	Somewhat important
16.0	2.3	39	4	Pretty important
12.3	1.7	30	5	Very important
	85.9	1,482	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 11-12

V12	Y2-8: AFTN/SCHL WK W/FRIENDS
-----	------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	10.8	186	0	Less than once wk
11.9	9.7	167	1	
20.4	16.6	287	2	
22.7	18.5	319	3	
11.9	9.7	167	4	
20.0	16.3	282	5	
	18.4	317	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 13-14

V13	Y2-9: EVEN/SCHL WK W/FRIENDS
-----	------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	16.8	289	0	Less than once wk
19.3	15.8	272	1	
21.8	17.8	307	2	
18.2	14.8	256	3	
7.7	6.3	109	4	
12.6	10.3	177	5	
	18.3	315	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 15-16

<b>V14</b>	<b>Y2-10: TIME W/FRNDS ON WEEKENDS</b>
------------	----------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

On the weekends, how much time have you generally spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	6.8	117	1	Very little
10.0	8.2	141	2	Not too much
25.6	21.0	362	3	Some
29.7	24.3	419	4	Quite a bit
26.4	21.6	373	5	A great deal
	18.1	313	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 17-18

<b>V15</b>	<b>Y2-11: INFLUENCE OF FRIENDS</b>
------------	------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

How much have your friends influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	5.8	100	1	Very little
16.2	13.2	228	2	Not too much
43.6	35.5	612	3	Some
23.3	19.0	327	4	Quite a bit
9.8	7.9	137	5	A great deal
	18.6	321	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 19-20



V16

## Y2-12: HOW IMPORTANT WERE FRNDS

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

How important has it been to you to have a group of friends and be included in their activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	13	1	Not important
5.4	4.4	76	2	Not too important
20.3	16.6	286	3	Somewhat important
33.8	27.7	477	4	Pretty important
39.7	32.5	560	5	Very important
	18.1	313	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 21-22

<b>Social Activities</b>
--------------------------

**V17****Y2-13: EVEN/WEEK SPENT DATING**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How many evenings in an average week, including weekends, have you gone on dates, to parties, or to other social activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	18.5	319	0	Less than once wk
25.6	24.5	422	1	
24.1	23.1	398	2	
17.1	16.3	282	3	
7.5	7.2	124	4	
3.8	3.6	62	5	
1.2	1.1	19	6	
1.5	1.4	24	7	
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 23-24

**V18****Y2-14: HOW IMP SOC ACTIVITIES**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important has it been to you to have dates and go to parties and other social activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.1	106	1	Not important
19.7	18.8	325	2	Not too important
30.0	28.8	496	3	Somewhat important
26.9	25.8	445	4	Pretty important
16.9	16.2	280	5	Very important
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 25-26

Studying
----------

<b>V19</b>	<b>Y2-15: ATTENDED REG SCHL PROGRM</b>
------------	----------------------------------------

Did you attend a regular school program such as grade school, junior high, or high school between Christmas a year ago (1976) and the Christmas just past (1976)?

(IF NO, SKIP TO V37)

(IF YES, GO TO V20)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	37	1	No
97.8	93.8	1,618	2	Yes
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 27-28

<b>V20</b>	<b>Y2-16: AFTN/SCHL WK STUDYING</b>
------------	-------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school to dinner, have you spent studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	19.4	335	0	Less than once wk
13.5	12.6	218	1	
19.3	18.1	312	2	
20.0	18.7	323	3	
10.0	9.3	161	4	
16.6	15.6	269	5	
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 29-30

<b>V21</b>	<b>Y2-17: EVEN/SCHL WK STUDYING</b>
------------	-------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	16.2	280	0	Less than once wk
14.1	13.2	228	1	
21.1	19.8	341	2	
21.8	20.5	353	3	
12.0	11.3	195	4	
13.7	12.9	222	5	
	6.1	106	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 31-32

<b>V22</b>	<b>Y2-18: TIME STUDYING -WEEKENDS</b>
------------	---------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	30.5	526	1	Very little
26.0	24.4	421	2	Not too much
31.6	29.7	512	3	Some
7.2	6.7	116	4	Quite a bit
2.7	2.5	43	5	A great deal
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 33-34

V23

Y2-19: HOW IMPORTANT SCHL WORK

Between Christmas a year ago (1976) and the Christmas just past  
(1977) . . .

How important has your school work been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	16	1	Not important
4.7	4.4	76	2	Not too important
18.5	17.3	299	3	Somewhat important
35.5	33.3	575	4	Pretty important
40.3	37.8	652	5	Very important
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 35-36

<b>School Athletics</b>
-------------------------

**V24****Y2-20: MEMBER OF ATHLETIC TEAM**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Have you been a member of any athletic teams at school?

(IF NO, GO TO V25)

(IF YES, SKIP TO V26)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	51.8	894	1	No
44.7	42.0	724	2	Yes
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 37-38

**V25****Y2-21: HOW IMPORTANT BE ON TEAM**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important is it to you to be on an athletic team at school?

(AFTER RESPONSE, SKIP TO V30)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	15.1	261	1	Not important
37.0	19.2	331	2	Not too important
16.6	8.6	148	3	Somewhat important
9.5	4.9	85	4	Pretty important
7.7	4.0	69	5	Very important
	48.2	831	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 39-40

V26	Y2-22: AFTN/SCHL WK ON TEAM
-----	-----------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on team activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	3.4	59	0	Less than once wk
7.5	3.1	54	1	
16.2	6.8	117	2	
16.2	6.8	117	3	
10.9	4.6	79	4	
41.1	17.2	297	5	
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 41-42

V27	Y2-23: EVEN/SCHL WK ON TEAM
-----	-----------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on team activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	19.8	341	0	Less than once wk
14.6	6.1	106	1	
19.9	8.3	144	2	
9.5	4.0	69	3	
3.9	1.6	28	4	
5.0	2.1	36	5	
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 43-44

**V28****Y2-24: TIME SPENT ON TEAM WKEND**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent on team activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	12.9	223	1	Very little
16.2	6.8	117	2	Not too much
28.3	11.9	205	3	Some
15.3	6.4	111	4	Quite a bit
9.4	3.9	68	5	A great deal
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 45-46

**V29****Y2-25: HOW IMP SCHL ATHLETICS**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important have school athletics been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.3	5	1	Not important
5.7	2.4	41	2	Not too important
20.7	8.7	150	3	Somewhat important
34.3	14.4	248	4	Pretty important
38.7	16.2	280	5	Very important
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 47-48



<b>School Activities</b>
--------------------------

<b>V30</b>	<b>Y2-26: PARTICPANT SCHL ACTIV</b>
------------	-------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Have you taken part in any activities at school, for example, service clubs, recreational or hobby clubs, student government, newspaper and/or yearbook (not counting athletic teams and honor societies)?

(IF NO, GO TO V31)  
(IF YES, SKIP TO V32)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	49.3	851	1	No
47.4	44.4	766	2	Yes
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 49-50

<b>V31</b>	<b>Y2-27: HOW IMP SCHL ACTIVITIES</b>
------------	---------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important is it to you to be involved in these school activities?

(AFTER RESPONSE, SKIP TO V36 )

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	11.2	193	1	Not important
41.6	20.5	354	2	Not too important
20.5	10.1	174	3	Somewhat important
9.6	4.8	82	4	Pretty important
5.5	2.7	47	5	Very important
	50.7	875	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 51-52

**V32****Y2-28: AFTN/SCHL WK SCHL ACTIV**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on these activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	9.3	160	0	Less than once wk
32.5	14.4	249	1	
25.7	11.4	197	2	
12.0	5.3	92	3	
3.9	1.7	30	4	
5.0	2.2	38	5	
	55.6	959	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 53-54

**V33****Y2-29: EVEN/SCHL WK SCHL ACTIV**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	22.3	385	0	Less than once wk
25.0	11.1	191	1	
14.4	6.4	110	2	
7.6	3.4	58	3	
1.7	0.8	13	4	
1.0	0.5	8	5	
	55.7	960	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 55-56

<b>V34</b>	<b>Y2-30: TIME SCHL ACTIV WKEND</b>
------------	-------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent on these school activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	20.5	354	1	Very little
18.8	8.3	144	2	Not too much
25.1	11.1	192	3	Some
8.2	3.7	63	4	Quite a bit
1.7	0.8	13	5	A great deal
	55.6	959	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 57-58

<b>V35</b>	<b>Y2-31: HOW IMP SCHL ACTIVITIES</b>
------------	---------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important have school activities been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.9	16	1	Not important
10.2	4.5	78	2	Not too important
33.6	14.9	257	3	Somewhat important
33.2	14.7	254	4	Pretty important
21.0	9.3	161	5	Very important
	55.6	959	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 59-60

V36

## Y2-32: HOW CLASSMATES SEE YOU

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Which of the following descriptions best describes how your classmates see you? (CIRCLE ONLY ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	11.4	197	1	Athlete
5.1	4.8	82	2	Activities member
24.8	23.2	401	3	Social type
25.2	23.7	408	4	Good student
28.2	26.4	456	5	Average student
1.4	1.3	22	6	None of the above
3.2	3.0	51	7	Other
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 61-62

<b>Community Activities</b>
-----------------------------

<b>V37</b>	<b>Y2-33: PARTICIP COMM ACTIVITIES</b>
------------	----------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Have you been'a member of any groups in the community such as service clubs, religious groups, recreational or hobby clubs, and athletic teams?

(IF NO, GO TO V38)  
(IF YES, SKIP TO V39)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	53.0	914	1	No
44.8	43.0	741	2	Yes
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 63-64

<b>V38</b>	<b>Y2-34: HOW IMP ARE COMM ACTIV</b>
------------	--------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important is it to you to be involved in any of these community activities?

(AFTER RESPONSE, SKIP TO V43)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	12.7	219	1	Not important
46.9	24.8	428	2	Not too important
21.1	11.2	193	3	Somewhat important
5.6	3.0	51	4	Pretty important
2.4	1.3	22	5	Very important
	47.1	812	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 65-66

**V39****Y2-35: AFTN/SCHL WK COMM ACTIV**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent on these community activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	13.2	227	0	Less than once wk
28.1	12.1	208	1	
19.8	8.5	147	2	
11.2	4.8	83	3	
3.5	1.5	26	4	
6.7	2.9	50	5	
	57.0	984	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 67-68

**V40****Y2-36: EVEN/SCHL WK COMM ACTIV**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these community activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	13.6	234	0	Less than once wk
35.2	15.1	261	1	
17.7	7.6	131	2	
9.3	4.0	69	3	
3.2	1.4	24	4	
3.0	1.3	22	5	
	57.0	984	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 69-70

<b>V41</b>	<b>Y2-37: TIME ON COMM ACTIV WKEND</b>
------------	----------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent on these community activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	9.0	156	1	Very little
17.4	7.5	129	2	Not too much
33.1	14.2	245	3	Some
17.7	7.6	131	4	Quite a bit
10.8	4.6	80	5	A great deal
	57.0	984	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 71-72

<b>V42</b>	<b>Y2-38: HOW IMP WERE COMM ACTIV</b>
------------	---------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important have these community activities been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.5	9	1	Not important
10.3	4.4	76	2	Not too important
31.6	13.6	234	3	Somewhat important
33.6	14.4	249	4	Pretty important
23.3	10.0	173	5	Very important
	57.0	984	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 73-74

<b>Employment</b>
-------------------

<b>V43</b>	<b>Y2-39: ANY JOBS PAST YEAR</b>
------------	----------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Have you had a job or jobs in the community such as working at a store, a service station, or babysitting for pay?

(IF NO, GO TO V44)

(IF YES, SKIP TO V45)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	29.5	509	1	No
69.2	66.4	1,146	2	Yes
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 75-76

<b>V44</b>	<b>Y2-40: HOW IMPORTANT HAVE JOB</b>
------------	--------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important is it to you to have a job?

(AFTER RESPONSE, SKIP TO V48)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	1.6	28	1	Not important
16.7	4.9	85	2	Not too important
19.3	5.7	98	3	Somewhat important
26.3	7.8	134	4	Pretty important
32.2	9.5	164	5	Very important
	70.5	1,216	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 77-78



<b>V45</b>	<b>Y2-41: JOB DESCRIPTION</b>
------------	-------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Did your job involve full-time (40 hour week or more) or part-time work (less than 40 hour week)?

(IF RESPONDENT HAS HAD MORE THAN ONE JOB IN THE LAST YEAR, ASK HIM OR HER TO RESPOND TO THESE QUESTIOINS IN TERMS OF THE MOST RECENT JOB.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	58.2	1,004	1	Part-time
12.4	8.2	142	2	Full-time
	33.6	579	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 79-80

<b>V46</b>	<b>Y2-42: WHAT KIND OF WORK</b>
------------	---------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

What kind of work did you do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	26.6	459	1	Informal
48.9	32.5	560	2	Un/semi skilled
4.6	3.1	53	3	Skilled manual
6.3	4.2	72	4	Cler/tech/sales
0.2	0.1	2	5	Exec/prof/admin
	33.6	579	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 81-82

V47

## Y2-43: HOW IMPORTANT HAS YOUR JOB BEEN

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important has your job been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.6	10	1	Not important
6.0	4.0	69	2	Not too important
17.3	11.5	198	3	Somewhat important
35.7	23.7	409	4	Pretty important
40.1	26.7	460	5	Very important
	33.6	579	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 83-84

<b>Family</b>
---------------

<b>V48</b>	<b>Y2-44: WERE YOU MARRIED</b>
------------	--------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Were you married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	23	1	Yes
98.6	94.6	1,632	2	No
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 85-86

<b>V49</b>	<b>Y2-45: AFTN/SCHL WK W/FAMILY</b>
------------	-------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent, talking, working, or playing with your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.6	165	0	Less than once wk
9.8	9.3	161	1	
13.3	12.8	220	2	
21.5	20.6	355	3	
12.1	11.6	200	4	
33.3	31.8	549	5	
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 87-88

**V50****Y2-46: EVEN/SCHL WK W/FAMILY**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent talking, working, or playing with your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.9	84	0	Less than once wk
7.6	7.2	125	1	
13.6	13.0	224	2	
20.0	19.2	331	3	
15.3	14.6	252	4	
38.5	36.9	636	5	
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 89-90

**V51****Y2-47: TIME W/FAMILY WEEKEND**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent talking, working, or playing with your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.8	134	1	Very little
13.7	13.1	226	2	Not too much
31.0	29.7	513	3	Some
25.6	24.6	424	4	Quite a bit
21.6	20.7	357	5	A great deal
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 91-92

<b>V52</b>	<b>Y2-48: IMPORTANCE OF FAM ACTIV</b>
------------	---------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important have the things you've done with your family been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	19	1	Not important
3.0	2.8	49	2	Not too important
17.1	16.4	283	3	Somewhat important
32.9	31.5	544	4	Pretty important
45.9	44.0	759	5	Very important
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 93-94

<b>V53</b>	<b>Y2-49: INFLUENCE OF PARENTS</b>
------------	------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How much have your parents influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	44	1	Very little
4.4	4.2	72	2	Not too much
16.7	15.9	274	3	Some
32.5	31.0	534	4	Quite a bit
43.8	41.8	721	5	A great deal
	4.6	80	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 95-96

<b>ASPIRATIONS</b>
--------------------

<b>Current Success</b>
------------------------

<b>V54</b>	<b>Y2-50: FAM TOGETHER -IMPORTANT</b>
------------	---------------------------------------

How important is it to you...

to have a family that does lots of things together.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	42	1	Not important
29.3	28.1	485	3	Somewhat important
68.2	65.4	1,128	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 97-98

<b>V55</b>	<b>Y2-51: FAM TOGETH -HOW DOING</b>
------------	-------------------------------------

How are you doing at this?

to have a family that does lots of things together.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.5	77	1	Not well
59.5	55.6	959	3	O.K.
35.7	33.4	576	5	Very well
	6.6	113	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 99-100

V56

Y2-52: OTH THINK GOOD STUD -IMP

How important is it to you...

to have other students think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.3	109	1	Not important
46.9	44.0	759	3	Somewhat important
46.3	43.4	749	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 101-102

V57

Y2-53: OTH THK GD ST -HOW DOING

How are you doing at this?

to have other students think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.4	42	1	Not well
66.1	57.7	995	3	O.K.
31.1	27.2	469	5	Very well
	12.7	219	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 103-104

<b>V58</b>	<b>Y2-54: HAVE DATES -IMPORTANT</b>
------------	-------------------------------------

How important is it to you...

to have lots of dates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	28.3	489	1	Not important
53.4	51.0	879	3	Somewhat important
16.8	16.1	277	5	Very important
	4.6	80	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 105-106

<b>V59</b>	<b>Y2-55: HAVE DATES - HOW DOING</b>
------------	--------------------------------------

How are you doing at this?

to have lots of dates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	11.3	195	1	Not well
64.6	43.2	746	3	O.K.
18.5	12.3	213	5	Very well
	33.1	571	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 107-108



V60	Y2-56: TALK TO PARENTS -IMPORT
-----	--------------------------------

How important is it to you...

to have parents you can talk to about almost everything.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	39	1	Not important
18.9	18.1	312	3	Somewhat important
78.8	75.6	1,304	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 109-110

V61	Y2-57: TLK TO PARENTS-HOW DOING
-----	---------------------------------

How are you doing at this?

to have parents you can talk to about almost everything.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.2	141	1	Not well
46.7	43.6	752	3	O.K.
44.6	41.6	718	5	Very well
	6.6	114	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 111-112

V62	Y2-58: DO WELL -IMPORTANT
-----	---------------------------

How important is it to you...

to do well even in hard subjects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.4	42	1	Not important
34.6	32.5	560	3	Somewhat important
62.8	58.8	1,015	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 113-114

V63	Y2-59: DO WELL -HOW DOING
-----	---------------------------

How are you doing at this?

to do well even in hard subjects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.2	141	1	Not well
72.1	65.9	1,136	3	O.K.
18.9	17.3	298	5	Very well
	8.7	150	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 115-116

<b>V64</b>	<b>Y2-60: INCLD FRIENDS ACTIV -IMP</b>
------------	----------------------------------------

How important is it to you...

to be asked to take part in things your friends do, such as going to parties and games.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.3	126	1	Not important
46.8	44.8	773	3	Somewhat important
45.6	43.7	754	5	Very important
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 117-118

<b>V65</b>	<b>Y2-61: INC FRNDS ACTIV-HOW DOING</b>
------------	-----------------------------------------

How are you doing at this?

to be asked to take part in things your friends do, such as going to parties and games.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.7	47	1	Not well
57.9	51.2	883	3	O.K.
39.1	34.6	596	5	Very well
	11.5	199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 119-120

**V66****Y2-62: PARENT COMFORT-IMPORTANT**

How important is it to you...

to have parents who comfort you when you're unhappy about something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.5	61	1	Not important
26.3	25.3	436	3	Somewhat important
70.0	67.1	1,158	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 121-122

**V67****Y2-63: PARENT COMFORT-HOW DOING**

How are you doing at this?

to have parents who comfort you when you're unhappy about something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.3	57	1	Not well
50.1	46.3	798	3	O.K.
46.4	42.8	739	5	Very well
	7.6	131	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 123-124

V72

Y2-64: SCHL WRK W/O HELP-IMPORT

How important is it to you...

to do your own school work without help from anybody.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.4	94	1	Not important
42.5	39.8	687	3	Somewhat important
51.7	48.5	836	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 133-134

V73

Y2-65: S.WRK W/O HLP -HOW DOING

How are you doing at this?

to do your own school work without help from anybody.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.7	47	1	Not well
55.3	48.8	842	3	O.K.
41.6	36.7	633	5	Very well
	11.8	203	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 135-136

**V74****Y2-66: HAVE BOY/GIRLFRND -IMPOR**

How important is it to you...

to have a special boyfriend/girlfriend.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	20.5	353	1	Not important
44.8	42.8	739	3	Somewhat important
33.8	32.3	557	5	Very important
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 137-138

**V75****Y2-67: HV.B0Y/GRLFRND-HOW DOING**

How are you doing at this?

to have a special boyfriend/girlfriend.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	9.0	155	1	Not well
54.0	40.6	700	3	O.K.
34.0	25.6	441	5	Very well
	24.9	429	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 139-140

**V76****Y2-68: PARNTS THINK WELL-IMPORT**

How important is it to you...

to have your parents think you do things well.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	22	1	Not important
23.8	22.8	394	3	Somewhat important
74.9	71.8	1,239	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 141-142

**V77****Y2-69: PRNS.THNK WELL-HOW DOING**

How are you doing at this?

to have your parents think you do things well.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	53	1	Not well
58.1	55.0	949	3	O.K.
38.6	36.6	631	5	Very well
	5.3	92	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 143-144

**V78****Y2-70: TCH THINK GOOD ST-IMPORT**

How important is it to you...

to have teachers think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.5	78	1	Not important
39.1	36.6	632	3	Somewhat important
56.1	52.6	907	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 145-146

**V79****Y2-71: TCH THNK GD ST-HOW DOING**

How are you doing at this?

to have teachers think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.4	58	1	Not well
62.1	55.4	955	3	O.K.
34.1	30.4	525	5	Very well
	10.8	187	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 147-148



<b>V80</b>	<b>Y2-72: FRNDS ASK YOU -IMPORTANT</b>
------------	----------------------------------------

How important is it to you...

to have friends ask to spend time and do things with you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	46	1	Not important
46.5	44.6	769	3	Somewhat important
50.8	48.7	840	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 149-150

<b>V81</b>	<b>Y2-73: FRNDS ASK YOU -HOW DOING</b>
------------	----------------------------------------

How are you doing at this?

to have friends ask to spend time and do things with you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	26	1	Not well
54.4	50.7	875	3	O.K.
44.0	41.0	708	5	Very well
	6.7	116	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 151-152

<b>V82</b>	<b>Y2-74: HIGH GPA -IMPORTANT</b>
------------	-----------------------------------

How important is it to you...

to have a high grade point average.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.3	74	1	Not important
30.6	28.7	495	3	Somewhat important
64.8	60.8	1,048	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 153-154

<b>V83</b>	<b>Y2-75: HIGH GPA -HOW DOING</b>
------------	-----------------------------------

How are you doing at this?

to have a high grade point average.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	9.4	162	1	Not well
61.3	54.8	946	3	O.K.
28.2	25.2	435	5	Very well
	10.6	182	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 155-156

<b>V84</b>	<b>Y2-76: GET ALONG W/PRNTS-IMPORT</b>
------------	----------------------------------------

How important is it to you...

to get along well with your parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	7	1	Not important
12.8	12.3	212	3	Somewhat important
86.8	83.2	1,436	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 157-158

<b>V85</b>	<b>Y2-77: GET ALNG W/PTS-HOW DOING</b>
------------	----------------------------------------

How are you doing at this?

to get along well with your parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	50	1	Not well
44.4	42.4	732	3	O.K.
52.5	50.2	866	5	Very well
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 159-160

<b>Future Aspirations</b>
---------------------------

<b>V86</b>	<b>Y2-78: IMPORTANCE OF: GOOD JOB</b>
------------	---------------------------------------

How important is it to you . . .

to have a good job/career after you've finished with school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	12	1	Not important
7.6	7.2	125	3	Somewhat important
91.7	87.9	1,517	5	Very important
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 161-162

<b>V87</b>	<b>Y2-79: IMPORTANCE OF: COLLEGE</b>
------------	--------------------------------------

How important is it to you . . .

to go to college?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.3	246	1	Not important
29.5	28.3	488	3	Somewhat important
55.6	53.3	919	5	Very important
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 163-164

V88

## Y2-80: IMPORTANCE OF: MARRAGE

How important is it to you . . .

to get married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	16.2	279	1	Not important
51.2	48.7	840	3	Somewhat important
31.9	30.3	523	5	Very important
	4.8	83	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 165-166

V89

## Y2-81: IMPOR OF:HAVING CHILDREN

How important is it to you . . .

to have children of your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	15.7	270	1	Not important
44.2	42.2	728	3	Somewhat important
39.4	37.7	650	5	Very important
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 167-168

<b>EXPECTATION FOR FUTURE GOALS</b>
-------------------------------------

**V90****Y2-82: CHANCES FOR:JOB YOU LIKE**

What do you think your chances are for . . .

getting the kind of job you would like to have after finishing  
school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	23	1	Poor
28.6	27.3	471	2	Fair
70.0	66.8	1,153	3	Good
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 169-170

**V91****Y2-83: CHANCES FOR:COLLEGE DEG**

What do you think your chances are for . . .

completing a college degree?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	15.2	262	1	Poor
36.4	34.7	598	2	Fair
47.6	45.3	781	3	Good
	4.9	84	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 171-172

<b>SOCIAL ISOLATION</b>
-------------------------

**V92****Y2-84: DONT FIT WELL W/FRIENDS**

Please tell me how much you agree or disagree with these statements about you.

I don't feel that I fit in very well with my friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	22.8	393	1	Strongly disagree
63.4	60.8	1,049	2	Disagree
5.8	5.6	96	3	Neither
5.9	5.6	97	4	Agree
1.1	1.1	19	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 173-174

**V93****Y2-85: TEACHERS DONT CALL ON**

Please tell me how much you agree or disagree with these statements about you.

Teachers don't call on me in class, even when I raise my hand.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	17.8	307	1	Strongly disagree
62.3	58.4	1,007	2	Disagree
10.9	10.2	176	3	Neither
6.8	6.4	110	4	Agree
1.0	0.9	16	5	Strongly agree
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 175-176

**V94****Y2-86: OUTSIDER W/FAMILY**

Please tell me how much you agree or disagree with these statements about you.

I feel like an outsider with my family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	35.2	607	1	Strongly disagree
53.8	51.6	890	2	Disagree
4.6	4.4	76	3	Neither
3.7	3.6	62	4	Agree
1.2	1.2	20	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 177-178

**V95****Y2-87: NOBODY AT SCHOOL CARES**

Please tell me how much you agree or disagree with these statements about you.

I often feel like nobody at school cares about me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	24.0	414	1	Strongly disagree
61.9	58.0	1,000	2	Disagree
7.7	7.2	124	3	Neither
3.9	3.7	63	4	Agree
0.9	0.8	14	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 179-180



**V96****Y2-88: FRNDS DONT TAKE INTEREST**

Please tell me how much you agree or disagree with these statements about you.

My friends don't take much interest in my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	22.3	385	1	Strongly disagree
59.6	57.2	986	2	Disagree
9.6	9.2	158	3	Neither
6.7	6.4	111	4	Agree
0.8	0.8	14	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 181-182

**V97****Y2-89: FAMILY LISTENS TO PROBS**

Please tell me how much you agree or disagree with these statements about you.

My family is willing to listen if I have a problem.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	20	1	Strongly disagree
4.0	3.8	66	2	Disagree
5.4	5.2	90	3	Neither
59.8	57.3	989	4	Agree
29.6	28.3	489	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 183-184

**V98****Y2-90: FEEL CLOSE TO FRIENDS**

Please tell me how much you agree or disagree with these statements about you.

I feel close to my friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	10	1	Strongly disagree
2.6	2.5	43	2	Disagree
5.6	5.3	92	3	Neither
67.5	64.8	1,117	4	Agree
23.7	22.7	392	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 185-186

**V99****Y2-91: FEEL LONELY W/FAMILY**

Please tell me how much you agree or disagree with these statements about you.

Sometimes I feel lonely when I'm with my family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.1	243	1	Strongly disagree
46.3	44.4	766	2	Disagree
13.1	12.6	217	3	Neither
23.6	22.6	390	4	Agree
2.3	2.2	38	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 187-188

<b>V100</b>	<b>Y2-92: DONT BELONG AT SCHOOL</b>
-------------	-------------------------------------

Please tell me how much you agree or disagree with these statements about you.

I don't feel as if I really belong at school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	22.8	394	1	Strongly disagree
62.2	58.3	1,005	2	Disagree
7.2	6.7	116	3	Neither
5.0	4.7	81	4	Agree
1.2	1.2	20	5	Strongly agree
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 189-190

<b>V101</b>	<b>Y2-93: FRIENDS LISTEN TO PROBS</b>
-------------	---------------------------------------

Please tell me how much you agree or disagree with these statements about you.

My friends are willing to listen if I have a problem.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	16	1	Strongly disagree
4.7	4.5	78	2	Disagree
8.8	8.5	146	3	Neither
68.6	65.7	1,134	4	Agree
16.9	16.2	279	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 191-192

**V102****Y2-94: FEEL LONELY AT SCHOOL**

Please tell me how much you agree or disagree with these statements about you.

Even though there are lots of kids around, I often feel lonely at school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	12.6	217	1	Strongly disagree
53.5	50.1	864	2	Disagree
10.5	9.9	170	3	Neither
20.6	19.3	333	4	Agree
2.0	1.9	32	5	Strongly agree
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 193-194

**V103****Y2-95: TCHS DONT ASK -PROJECTS**

Please tell me how much you agree or disagree with these statements about you.

Teachers don't ask me to work on special classroom projects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.0	189	1	Strongly disagree
63.0	59.0	1,018	2	Disagree
13.3	12.4	214	3	Neither
10.8	10.1	174	4	Agree
1.2	1.2	20	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 195-196

**V104****Y2-96: FEEL CLOSE TO FAMILY**

Please tell me how much you agree or disagree with these statements about you.

I feel close to my family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	9	1	Strongly disagree
3.6	3.4	59	2	Disagree
4.7	4.5	77	3	Neither
56.2	53.9	930	4	Agree
35.0	33.6	580	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 197-198

**V105****Y2-97: FEEL LONELY W/FRIENDS**

Please tell me how much you agree or disagree with these statements about you.

Sometimes I feel lonely when I'm with my friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	12.5	216	1	Strongly disagree
56.6	54.3	936	2	Disagree
9.4	9.0	156	3	Neither
20.0	19.2	331	4	Agree
0.9	0.9	15	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 199-200

V106

Y2-98: FAMILY NOT INTERESTED

Please tell me how much you agree or disagree with these statements about you.

My family doesn't take much interest in my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	31.5	544	1	Strongly disagree
58.4	56.1	967	2	Disagree
4.5	4.3	75	3	Neither
3.4	3.2	56	4	Agree
0.8	0.8	13	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 201-202

<b>NORMLESSNESS</b>
---------------------

V107

Y2-99: IMP TO BE HONEST W/PRNTS

Please tell me how much you agree or disagree with these statements about you.

It's important to be honest with your parents, even if they become upset or you get punished.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	12	1	Strongly disagree
4.4	4.2	73	2	Disagree
8.5	8.1	140	3	Neither
56.6	54.3	936	4	Agree
29.8	28.6	493	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 203-204

V108

Y2-100: AVOID TRBL: LIE TO TCHRS

Please tell me how much you agree or disagree with these statements about you.

To stay out of trouble, it is sometimes necessary to lie to teachers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	12.5	216	1	Strongly disagree
45.3	42.4	731	2	Disagree
13.4	12.6	217	3	Neither
25.6	24.0	414	4	Agree
2.3	2.1	37	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 205-206

**V109****Y2-101: W/FRNDS:GOOD IMPRESN IMP**

Please tell me how much you agree or disagree with these statements about you.

Making a good impression is more important than telling the truth to friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	17.9	309	1	Strongly disagree
62.8	60.1	1,036	2	Disagree
8.7	8.3	143	3	Neither
8.6	8.2	142	4	Agree
1.2	1.1	19	5	Strongly agree
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 207-208

**V110****Y2-102: PLAY DIRTY TO WIN/SCHOOL**

Please tell me how much you agree or disagree with these statements about you.

At school it is sometimes necessary to play dirty in order to win.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	21.7	375	1	Strongly disagree
58.2	54.6	942	2	Disagree
7.4	7.0	120	3	Neither
10.8	10.1	174	4	Agree
0.4	0.4	7	5	Strongly agree
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 209-210



<b>V111</b>	<b>Y2-103: LYING OK FOR FRIENDS</b>
-------------	-------------------------------------

Please tell me how much you agree or disagree with these statements about you.

It's okay to lie if it keeps your friends out of trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	13.7	237	1	Strongly disagree
46.0	44.1	761	2	Disagree
22.7	21.7	375	3	Neither
16.4	15.8	272	4	Agree
0.5	0.5	9	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 211-212

<b>V112</b>	<b>Y2-104: W/PRNTS:GOOD IMPRESN IMP</b>
-------------	-----------------------------------------

Please tell me how much you agree or disagree with these statements about you.

Making a good impression is more important than telling the truth to parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	23.3	402	1	Strongly disagree
61.5	58.9	1,016	2	Disagree
6.8	6.6	113	3	Neither
6.3	6.0	104	4	Agree
1.0	0.9	16	5	Strongly agree
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 213-214

**V113****Y2-105: BEAT UP KIDS,GET RESPECT**

Please tell me how much you agree or disagree with these statements about you.

In order to gain the respect of your friends, it's sometimes necessary to beat up on other kids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	33.4	576	1	Strongly disagree
58.1	55.7	961	2	Disagree
4.0	3.9	67	3	Neither
2.7	2.6	44	4	Agree
0.4	0.4	7	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 215-216

**V114****Y2-106: CAN SUCCEED W/O CHEATING**

Please tell me how much you agree or disagree with these statements about you.

You can make it in school without having to cheat on exams/tests.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	19	1	Strongly disagree
7.8	7.4	127	2	Disagree
5.1	4.8	83	3	Neither
62.9	59.0	1,018	4	Agree
22.9	21.5	371	5	Strongly agree
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 217-218

<b>V115</b>	<b>Y2-107: TO BE POPULAR: BRK RULES</b>
-------------	-----------------------------------------

Please tell me how much you agree or disagree with these statements about you.

You have to be willing to break some rules if you want to be popular with your friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.1	278	1	Strongly disagree
59.1	56.7	978	2	Disagree
11.0	10.6	182	3	Neither
12.5	11.9	206	4	Agree
0.6	0.6	10	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 219-220

<b>V116</b>	<b>Y2-108: LIE TO PARNTS:KEEP TRUST</b>
-------------	-----------------------------------------

Please tell me how much you agree or disagree with these statements about you.

Sometimes it's necessary to lie to your parents in order to keep their trust.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	18.6	321	1	Strongly disagree
53.4	51.2	884	2	Disagree
10.6	10.1	175	3	Neither
16.1	15.5	267	4	Agree
0.4	0.4	7	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 221-222

**V117****Y2-109: OWN WORK MORE IMPORTANT**

Please tell me how much you agree or disagree with these statements about you.

It is important to do your own work at school even if it means some kids won't like you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	15	1	Strongly disagree
11.0	10.3	178	2	Disagree
10.8	10.1	174	3	Neither
62.2	58.2	1,004	4	Agree
15.1	14.1	244	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 223-224

**V118****Y2-110: BRK.PR.N.RULES:KEEP FRNDS**

Please tell me how much you agree or disagree with these statements about you.

It may be necessary to break some of your parent's rules in order to keep some of your friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.0	172	1	Strongly disagree
49.0	46.9	809	2	Disagree
15.9	15.2	263	3	Neither
23.2	22.2	383	4	Agree
1.5	1.4	25	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 225-226

V119

Y2-111: W/TCHRS:GD IMPRES IMPORT

Please tell me how much you agree or disagree with these statements about you.

Making a good impression is more important than telling the truth to teachers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	13.0	224	1	Strongly disagree
65.4	61.2	1,056	2	Disagree
10.7	10.0	173	3	Neither
9.3	8.8	151	4	Agree
0.7	0.6	11	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 227-228

<b>LABELING</b>
-----------------

<b>Labeling by Parents</b>
----------------------------

V120

Y2-112: WELL LIKED

How much would your parents agree that you . . .  
are well-liked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	Strongly disagree
1.0	1.0	17	2	Disagree
3.6	3.5	60	3	Neither
63.2	60.5	1,043	4	Agree
31.8	30.4	525	5	Strongly agree
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 229-230

V121

Y2-113: NEED HELP

How much would your parents agree that you . . .  
need help

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	14.6	251	1	Strongly disagree
54.4	51.9	896	2	Disagree
12.0	11.4	197	3	Neither
15.4	14.7	253	4	Agree
3.1	3.0	51	5	Strongly agree
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 231-232

**V122****Y2-114: BAD KID**

How much would your parents agree that you . . .  
are a bad kid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	24.9	430	1	Strongly disagree
61.4	58.8	1,015	2	Disagree
7.6	7.3	126	3	Neither
4.0	3.8	66	4	Agree
0.9	0.9	15	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 233-234

**V123****Y2-115: OFTEN UPSET**

How much would your parents agree that you . . .  
are often upset

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.7	116	1	Strongly disagree
46.5	44.5	768	2	Disagree
17.8	17.0	293	3	Neither
26.1	25.0	431	4	Agree
2.5	2.4	42	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 235-236

<b>V124</b>	<b>Y2-116: GOOD CITIZEN</b>
-------------	-----------------------------

How much would your parents agree that you . . .  
are a good citizen

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly disagree
3.5	3.4	58	2	Disagree
10.1	9.6	166	3	Neither
72.6	69.2	1,194	4	Agree
13.6	12.9	223	5	Strongly agree
	4.6	80	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 237-238

<b>V125</b>	<b>Y2-117: GET ALONG WELL W/OTHERS</b>
-------------	----------------------------------------

How much would your parents agree that you . . .  
get along well with other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly disagree
1.9	1.9	32	2	Disagree
3.7	3.6	62	3	Neither
69.1	66.3	1,143	4	Agree
25.0	23.9	413	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 239-240



**V126****Y2-118: MESSED UP**

How much would your parents agree that you . . .  
are messed up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	28.7	495	1	Strongly disagree
61.3	58.5	1,009	2	Disagree
4.6	4.4	76	3	Neither
2.8	2.7	46	4	Agree
1.2	1.2	20	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 241-242

**V127****Y2-119: BREAK RULES**

How much would your parents agree that you . . .  
break rules

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	16.2	280	1	Strongly disagree
56.0	53.7	926	2	Disagree
13.8	13.3	229	3	Neither
12.6	12.1	208	4	Agree
0.7	0.6	11	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 243-244

<b>V128</b>	<b>Y2-120: PERSONAL PROBLEMS</b>
-------------	----------------------------------

How much would your parents agree that you . . .  
have a lot of personal problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	14.7	254	1	Strongly disagree
58.4	55.8	963	2	Disagree
11.9	11.4	196	3	Neither
12.6	12.1	208	4	Agree
1.8	1.7	29	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 245-246

<b>V129</b>	<b>Y2-121: GET INTO TROUBLE</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
get into trouble

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	17.9	308	1	Strongly disagree
58.8	56.3	971	2	Disagree
10.7	10.3	177	3	Neither
10.9	10.4	180	4	Agree
1.0	0.9	16	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 247-248

<b>V130</b>	<b>Y2-122: LIKELY TO SUCCEED</b>
-------------	----------------------------------

How much would your parents agree that you . . .  
are likely to succeed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	16	1	Strongly disagree
6.2	5.9	101	2	Disagree
8.1	7.7	132	3	Neither
66.0	62.7	1,081	4	Agree
18.9	17.9	309	5	Strongly agree
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 249-250

<b>V131</b>	<b>Y2-123: DO THINGS AGAINST LAW</b>
-------------	--------------------------------------

How much would your parents agree that you . . .  
do things that are against the law

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	31.9	550	1	Strongly disagree
53.7	51.5	888	2	Disagree
6.3	6.1	105	3	Neither
6.0	5.7	99	4	Agree
0.7	0.7	12	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 251-252

<b>Labeling by Friends</b>
----------------------------

**V133****Y2-124: WELL LIKED**

How much would your friends agree that you . . .  
are well-liked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	7	1	Strongly disagree
1.0	1.0	17	2	Disagree
5.3	5.1	88	3	Neither
72.5	69.3	1,195	4	Agree
20.7	19.8	342	5	Strongly agree
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 255-256

**V134****Y2-125: NEED HELP**

How much would your friends agree that you . . .  
need help

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	16.6	286	1	Strongly disagree
68.9	65.8	1,135	2	Disagree
6.7	6.4	111	3	Neither
6.1	5.9	101	4	Agree
0.9	0.9	15	5	Strongly agree
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 257-258

**V135****Y2-126: BAD KID**

How much would your friends agree that you . . .  
are a bad kid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	18.3	315	1	Strongly disagree
70.6	67.4	1,162	2	Disagree
6.5	6.2	107	3	Neither
3.2	3.0	52	4	Agree
0.7	0.6	11	5	Strongly agree
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 259-260

**V136****Y2-127: OFTEN UPSET**

How much would your friends agree that you . . .  
are often upset

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	8.9	153	1	Strongly disagree
57.8	55.1	951	2	Disagree
14.7	14.0	242	3	Neither
16.5	15.8	272	4	Agree
1.7	1.6	28	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 261-262

**V137****Y2-128: GET ALONG WELL W/OTHERS**

How much would your friends agree that you . . .

get along well with other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly disagree
2.4	2.3	39	2	Disagree
3.4	3.2	56	3	Neither
76.8	73.5	1,268	4	Agree
17.4	16.6	287	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 263-264

**V138****Y2-129: MESSED UP**

How much would your friends agree that you . . .

are messed up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	23.0	396	1	Strongly disagree
70.2	67.0	1,155	2	Disagree
3.4	3.2	56	3	Neither
1.9	1.9	32	4	Agree
0.4	0.4	7	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 265-266

**V139****Y2-130: BREAK RULES**

How much would your friends agree that you . . .

break rules

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	16.2	280	1	Strongly disagree
59.0	56.3	971	2	Disagree
11.7	11.2	193	3	Neither
11.8	11.3	195	4	Agree
0.5	0.5	8	5	Strongly agree
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 267-268

**V140****Y2-131: PERSONAL PROBLEMS**

How much would your friends agree that you . . .

have a lot of personal problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.0	241	1	Strongly disagree
63.2	60.3	1,040	2	Disagree
9.8	9.3	161	3	Neither
11.2	10.7	185	4	Agree
1.2	1.1	19	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 269-270

<b>V141</b>	<b>Y2-132: GET INTO TROUBLE</b>
-------------	---------------------------------

How much would your friends agree that you . . .  
get into trouble

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	15.7	271	1	Strongly disagree
62.1	59.4	1,025	2	Disagree
9.5	9.1	157	3	Neither
11.2	10.7	185	4	Agree
0.7	0.7	12	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 271-272

<b>V142</b>	<b>Y2-133: LIKELY TO SUCCEED</b>
-------------	----------------------------------

How much would your friends agree that you . . .  
are likely to succeed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	17	1	Strongly disagree
6.7	6.4	110	2	Disagree
12.8	12.1	209	3	Neither
68.2	64.6	1,115	4	Agree
11.2	10.6	183	5	Strongly agree
	5.3	91	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 273-274



V143

Y2-134: DO THINGS AGAINST LAW

How much would your friends agree that you . . .  
do things that are against the law

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	23.4	403	1	Strongly disagree
59.1	56.5	974	2	Disagree
7.7	7.4	127	3	Neither
8.1	7.7	133	4	Agree
0.7	0.7	12	5	Strongly agree
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 275-276

<b>Labeling by Teachers</b>
-----------------------------

**V144****Y2-135: WELL LIKED**

How much would your teachers agree that you . . .  
are well-liked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly disagree
2.0	1.9	33	2	Disagree
8.0	7.5	129	3	Neither
75.0	70.1	1,209	4	Agree
14.8	13.8	238	5	Strongly agree
	6.6	114	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 277-278

**V145****Y2-136: NEED HELP**

How much would your teachers agree that you . . .  
need help

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	12.5	216	1	Strongly disagree
61.7	57.6	994	2	Disagree
9.9	9.2	159	3	Neither
13.9	13.0	224	4	Agree
1.2	1.1	19	5	Strongly agree
	6.6	113	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 279-280

**V146****Y2-137: BAD KID**

How much would your teachers agree that you . . .  
are a bad kid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	16.6	287	1	Strongly disagree
70.6	66.1	1,140	2	Disagree
6.1	5.7	99	3	Neither
5.0	4.6	80	4	Agree
0.6	0.5	9	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 281-282

**V147****Y2-138: OFTEN UPSET**

How much would your teachers agree that you . . .  
are often upset

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	10.8	186	1	Strongly disagree
62.7	58.7	1,012	2	Disagree
12.0	11.2	194	3	Neither
12.9	12.1	208	4	Agree
0.8	0.8	13	5	Strongly agree
	6.5	112	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 283-284

<b>V148</b>	<b>Y2-139: GOOD CITIZEN</b>
-------------	-----------------------------

How much would your teachers agree that you . . .  
are a good citizen

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly disagree
3.8	3.5	61	2	Disagree
12.7	11.8	204	3	Neither
73.2	68.2	1,177	4	Agree
10.0	9.3	161	5	Strongly agree
	6.8	118	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 285-286

<b>V149</b>	<b>Y2-140: GET ALONG WELL W/OTHERS</b>
-------------	----------------------------------------

How much would your teachers agree that you . . .  
get along well with other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly disagree
2.4	2.3	39	2	Disagree
4.8	4.5	77	3	Neither
78.4	73.4	1,266	4	Agree
14.3	13.3	230	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 287-288

**V150****Y2-141: MESSED UP**

How much would your teachers agree that you . . .  
are messed up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	20.1	346	1	Strongly disagree
70.2	65.6	1,131	2	Disagree
5.6	5.2	90	3	Neither
2.4	2.2	38	4	Agree
0.4	0.4	7	5	Strongly agree
	6.6	113	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 289-290

**V151****Y2-142: BREAK RULES**

How much would your teachers agree that you . . .  
break rules

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	15.2	262	1	Strongly disagree
62.5	58.4	1,008	2	Disagree
11.5	10.8	186	3	Neither
8.9	8.3	144	4	Agree
0.9	0.8	14	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 291-292

<b>V152</b>	<b>Y2-143: PERSONAL PROBLEMS</b>
-------------	----------------------------------

How much would your teachers agree that you . . .  
have a lot of personal problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	12.8	221	1	Strongly disagree
64.8	60.6	1,046	2	Disagree
11.8	11.0	190	3	Neither
9.1	8.5	147	4	Agree
0.6	0.5	9	5	Strongly agree
	6.5	112	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 293-294

<b>V153</b>	<b>Y2-144: GET INTO TROUBLE</b>
-------------	---------------------------------

How much would your teachers agree that you . . .  
get into trouble

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	14.3	247	1	Strongly disagree
64.2	60.1	1,036	2	Disagree
9.7	9.0	156	3	Neither
10.2	9.5	164	4	Agree
0.7	0.6	11	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 295-296

<b>V154</b>	<b>Y2-145: LIKELY TO SUCCEED</b>
-------------	----------------------------------

How much would your teachers agree that you . . .  
are likely to succeed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	15	1	Strongly disagree
5.8	5.4	93	2	Disagree
12.9	11.9	206	3	Neither
69.1	64.1	1,105	4	Agree
11.3	10.4	180	5	Strongly agree
	7.3	126	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 297-298

<b>V155</b>	<b>Y2-146: DO THINGS AGAINST LAW</b>
-------------	--------------------------------------

How much would your teachers agree that you . . .  
do things that are against the law

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	22.7	391	1	Strongly disagree
64.7	60.6	1,045	2	Disagree
7.5	7.0	121	3	Neither
3.2	3.0	51	4	Agree
0.4	0.3	6	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 299-300

## PERCEIVED DISAPPROVAL

## Perceived Disapproval from Parents

V156

Y2-147: KEPT PROMISES

How would your parents react if you ...

kept promises you made to others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	29.9	516	1	Strongly approve
60.8	58.3	1,005	2	Approve
4.3	4.1	71	3	Neither
3.1	3.0	51	4	Disapprove
0.5	0.5	9	5	Strongly disapprove
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 301-302

V157

Y2-148: CHEATED

How would your parents react if you ...

cheated on school tests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.4	0.3	6	2	Approve
2.1	2.0	34	3	Neither
54.5	52.1	898	4	Disapprove
43.0	41.0	708	5	Strongly disapprove
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 303-304



<b>V158</b>	<b>Y2-149: STOLE SOMTHNG WRTH &lt; \$5</b>
-------------	--------------------------------------------

How would your parents react if you ...

stole something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.5	0.5	8	2	Approve
1.8	1.7	30	3	Neither
45.6	43.8	755	4	Disapprove
51.9	49.8	859	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 305-306

<b>V159</b>	<b>Y2-150: FRIENDLY W/OTHER RACES</b>
-------------	---------------------------------------

How would your parents react if you ...

were friendly with people who are of a different race, religion, or color than you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	20.6	356	1	Strongly approve
59.2	56.6	977	2	Approve
14.4	13.8	238	3	Neither
3.9	3.8	65	4	Disapprove
0.9	0.9	15	5	Strongly disapprove
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 307-308

**V160****Y2-151: SOLD HARD DRUGS**

How would your parents react if you ...

sold hard drugs such as heroin, cocaine, and LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
0.2	0.2	3	2	Approve
0.2	0.2	4	3	Neither
17.5	16.8	289	4	Disapprove
81.9	78.5	1,354	5	Strongly disapprove
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 309-310

**V161****Y2-152: RETURNED MONEY**

How would your parents react if you ...

returned money you found or any extra change a cashier gave you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	29.2	503	1	Strongly approve
56.7	54.3	937	2	Approve
9.4	9.0	155	3	Neither
2.8	2.7	47	4	Disapprove
0.7	0.6	11	5	Strongly disapprove
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 311-312

<b>V162</b>	<b>Y2-153: USED MARIJUANA</b>
-------------	-------------------------------

How would your parents react if you ...

used marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.3	0.3	5	2	Approve
4.1	3.9	68	3	Neither
30.4	29.0	501	4	Disapprove
65.1	62.1	1,072	5	Strongly disapprove
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 313-314

<b>V163</b>	<b>Y2-154: STOLE SOMTHNG WRTH &gt; \$50</b>
-------------	---------------------------------------------

How would your parents react if you ...

stole something worth more than \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.4	0.4	7	2	Approve
0.5	0.5	8	3	Neither
20.4	19.5	337	4	Disapprove
78.6	75.3	1,299	5	Strongly disapprove
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 315-316

**V164****Y2-155: HIT SOMEONE**

How would your parents react if you ...

hit or threatened to hit someone without any reason

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.8	0.8	13	2	Approve
2.7	2.6	45	3	Neither
52.5	50.4	869	4	Disapprove
43.9	42.1	726	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 317-318

**V165****Y2-156: GAVE TO NEEDY**

How would your parents react if you ...

gave some of your time to someone or some group who was in need

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	31.3	540	1	Strongly approve
61.7	59.1	1,020	2	Approve
3.8	3.7	63	3	Neither
1.5	1.4	25	4	Disapprove
0.4	0.3	6	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 319-320

**V166****Y2-157: USED ALCOHOL**

How would your parents react if you ...

used alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
2.8	2.7	46	2	Approve
12.1	11.6	200	3	Neither
45.9	43.9	758	4	Disapprove
39.2	37.6	648	5	Strongly disapprove
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 321-322

**V167****Y2-158: DID A FAVOR**

How would your parents react if you ...

did a favor for someone without being asked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	27.0	465	1	Strongly approve
64.2	61.6	1,062	2	Approve
4.5	4.3	74	3	Neither
2.8	2.7	47	4	Disapprove
0.3	0.3	5	5	Strongly disapprove
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 323-324

**V168****Y2-159: DESTROYED PROPERTY**

How would your parents react if you ...

purposely damaged or destroyed property that did not belong to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly approve
0.2	0.2	4	2	Approve
0.4	0.4	7	3	Neither
37.0	35.5	612	4	Disapprove
62.1	59.5	1,027	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 325-326

**V169****Y2-160: BROKE INTO VEHICLE**

How would your parents react if you ...

broke into a vehicle or building to steal something

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
0.2	0.2	4	2	Approve
0.2	0.2	4	3	Neither
23.8	22.8	394	4	Disapprove
75.5	72.4	1,249	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 327-328

<b>Perceived Disapproval from Peers</b>
-----------------------------------------

<b>V170</b>	<b>Y2-161: KEPT PROMISES</b>
-------------	------------------------------

How would your close friends react if you . . .

kept promises you made to others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	18.5	319	1	Strongly approve
70.1	66.7	1,150	2	Approve
5.7	5.4	94	3	Neither
4.2	4.0	69	4	Disapprove
0.5	0.5	8	5	Strongly disapprove
	4.9	85	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 329-330

<b>V171</b>	<b>Y2-162: CHEATED</b>
-------------	------------------------

How would your close friends react if you . . .

cheated on school tests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.5	9	1	Strongly approve
10.6	10.0	173	2	Approve
36.1	34.2	590	3	Neither
45.0	42.7	736	4	Disapprove
7.8	7.4	128	5	Strongly disapprove
	5.2	89	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 331-332

**V172****Y2-163: STOLE SOMTHNG WRTH < \$5**

How would your close friends react if you . . .

stole something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
6.8	6.4	111	2	Approve
26.1	24.8	428	3	Neither
52.6	50.0	863	4	Disapprove
14.3	13.6	235	5	Strongly disapprove
	4.9	85	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 333-334

**V173****Y2-164: FRIENDLY W/OTHER RACES**

How would your close friends react if you . . .

were friendly with people who are of a different race, religion, or color than you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.0	173	1	Strongly approve
59.2	56.2	970	2	Approve
22.8	21.6	373	3	Neither
7.0	6.7	115	4	Disapprove
0.5	0.5	8	5	Strongly disapprove
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 335-336



<b>V174</b>	<b>Y2-165: SOLD HARD DRUGS</b>
-------------	--------------------------------

How would your close friends react if you . . .

sold hard drugs such as heroin, cocaine, and LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
2.7	2.6	44	2	Approve
9.6	9.1	157	3	Neither
45.0	42.8	738	4	Disapprove
42.5	40.4	697	5	Strongly disapprove
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 337-338

<b>V175</b>	<b>Y2-166: RETURNED MONEY</b>
-------------	-------------------------------

How would your close friends react if you . . .

returned money you found or any extra change a cashier gave you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.0	121	1	Strongly approve
46.7	44.4	766	2	Approve
29.2	27.8	479	3	Neither
15.1	14.4	248	4	Disapprove
1.6	1.5	26	5	Strongly disapprove
	4.9	85	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 339-340

**V176****Y2-167: USED MARIJUANA**

How would your close friends react if you . . .

used marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	11	1	Strongly approve
10.0	9.5	164	2	Approve
19.0	18.0	310	3	Neither
38.0	35.9	620	4	Disapprove
32.3	30.6	527	5	Strongly disapprove
	5.4	93	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 341-342

**V177****Y2-168: STOLE SOMTHNG WRTH > \$50**

How would your close friends react if you . . .

stole something worth more than \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly approve
3.5	3.4	58	2	Approve
9.2	8.7	150	3	Neither
47.4	45.0	776	4	Disapprove
39.7	37.7	650	5	Strongly disapprove
	5.0	87	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 343-344

**V178****Y2-169: HIT SOMEONE**

How would your close friends react if you . . .

hit or threatened to hit someone without any reason

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	Strongly approve
4.9	4.6	80	2	Approve
18.6	17.6	304	3	Neither
56.9	54.0	932	4	Disapprove
19.3	18.3	316	5	Strongly disapprove
	5.0	87	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 345-346

**V179****Y2-170: GAVE TO NEEDY**

How would your close friends react if you . . .

gave some of your time to someone or some group who was in need

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.2	193	1	Strongly approve
68.1	64.6	1,115	2	Approve
17.5	16.6	286	3	Neither
2.5	2.4	41	4	Disapprove
0.2	0.2	3	5	Strongly disapprove
	5.0	87	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 347-348

**V180****Y2-171: USED ALCOHOL**

How would your close friends react if you . . .

used alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	14	1	Strongly approve
16.9	16.1	277	2	Approve
27.5	26.1	450	3	Neither
38.3	36.3	627	4	Disapprove
16.5	15.7	271	5	Strongly disapprove
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 349-350

**V181****Y2-172: DID A FAVOR**

How would your close friends react if you . . .

did a favor for someone without being asked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.0	172	1	Strongly approve
72.1	68.4	1,180	2	Approve
14.3	13.6	234	3	Neither
2.6	2.4	42	4	Disapprove
0.5	0.5	9	5	Strongly disapprove
	5.1	88	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 351-352

<b>V182</b>	<b>Y2-173: DESTROYED PROPERTY</b>
-------------	-----------------------------------

How would your close friends react if you . . .

purposely damaged or destroyed property that did not belong to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
2.1	2.0	35	2	Approve
12.9	12.3	212	3	Neither
59.2	56.3	971	4	Disapprove
25.5	24.2	418	5	Strongly disapprove
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 353-354

<b>V183</b>	<b>Y2-174: BROKE INTO VEHICLE</b>
-------------	-----------------------------------

How would your close friends react if you . . .

broke into a vehicle or building to steal something

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	5	1	Strongly approve
1.6	1.6	27	2	Approve
8.0	7.6	131	3	Neither
54.7	52.0	897	4	Disapprove
35.4	33.7	581	5	Strongly disapprove
	4.9	84	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 355-356

## COUNTERLABELING

V184

Y2-175: REACTION: AT SCHL-MOTHER

If you got into trouble at school how often would each of the following people defend you or stick up for you?

Your mother (or mother figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.8	100	1	Almost never
19.6	18.6	320	2	Sometimes
21.8	20.6	356	3	Often
52.5	49.8	859	4	Almost always
	5.2	90	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 357-358

V185

Y2-176: REACTION: AT SCHL-FATHER

If you got into trouble at school how often would each of the following people defend you or stick up for you?

Your father (or father figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.2	125	1	Almost never
20.0	17.9	308	2	Sometimes
22.9	20.4	352	3	Often
48.9	43.6	752	4	Almost always
	10.9	188	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 359-360

**V186****Y2-177: REACTION:AT SCHL-FRIENDS**

If you got into trouble at school how often would each of the following people defend you or stick up for you?

Your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	41	1	Almost never
15.8	15.0	258	2	Sometimes
31.0	29.3	506	3	Often
50.6	47.9	826	4	Almost always
	5.4	94	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 361-362

**V187****Y2-178: REACTION:W/POLICE-MOTHER**

If you got in trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not worry?

Your mother (or mother figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.3	177	1	Almost never
23.0	21.8	376	2	Sometimes
28.6	27.1	468	3	Often
37.6	35.7	616	4	Almost always
	5.1	88	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 363-364

**V188****Y2-179: REACTION:W/POLICE-FATHER**

If you got in trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not worry?

Your father (or father figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	11.7	202	1	Almost never
25.7	22.9	395	2	Sometimes
27.4	24.4	421	3	Often
33.9	30.2	521	4	Almost always
	10.8	186	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 365-366

**V189****Y2-180: REACTION: W/POLICE-FRNDs**

If you got in trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not worry?

Your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.2	90	1	Almost never
24.9	23.5	406	2	Sometimes
35.4	33.4	577	3	Often
34.2	32.3	557	4	Almost always
	5.5	95	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 367-368



**V190****Y2-181: REACTION: NBRHD -MOTHER**

If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they believed in you and still trusted you?

Your mother (or mother figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.3	75	1	Almost never
19.1	18.1	313	2	Sometimes
28.8	27.4	472	3	Often
47.6	45.3	781	4	Almost always
	4.9	84	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 369-370

**V191****Y2-182: REACTION: NBRHD -FATHER**

If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they believed in you and still trusted you?

Your father (or father figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.2	107	1	Almost never
21.5	19.2	332	2	Sometimes
29.1	26.0	448	3	Often
42.4	37.9	654	4	Almost always
	10.7	184	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 371-372

**V192****Y2-183: REACTION: NBRHD -FRIENDS**

If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they believed in you and still rusted you?

Your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.4	59	1	Almost never
21.7	20.6	355	2	Sometimes
35.7	33.8	583	3	Often
39.0	37.0	638	4	Almost always
	5.2	90	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 373-374

**V193****Y2-184: REACTION:W/RUMORS-MOTHER**

If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

Your mother (or mother figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.8	65	1	Almost never
12.0	11.5	198	2	Sometimes
21.6	20.6	355	3	Often
62.4	59.5	1,026	4	Almost always
	4.7	81	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 375-376

**V194****Y2-185: REACTION:W/RUMORS-FATHER**

If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

Your father (or father figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.7	81	1	Almost never
13.7	12.2	211	2	Sometimes
22.9	20.5	354	3	Often
58.2	52.1	898	4	Almost always
	10.5	181	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 377-378

**V195****Y2-186: REACTN:W/RUMORS -FRIENDS**

If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

Your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.5	77	1	Almost never
20.0	19.0	327	2	Sometimes
29.7	28.2	487	3	Often
45.6	43.3	747	4	Almost always
	5.0	87	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 379-380

<b>ATTITUDES TOWARD DEVIANCE</b>
----------------------------------

**V196****Y2-187: CHEAT ON SCHOOL TESTS**

How wrong is it for someone your age to . . .

cheat on school tests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	26	1	Not wrong
19.9	19.1	329	2	A little wrong
47.9	46.0	793	3	Wrong
30.6	29.3	506	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 381-382

**V197****Y2-188: DESTROY PROPERTY**

How wrong is it for someone your age to . . .

purposely damage or destroy property that does not belong to him  
or her

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	5	1	Not wrong
2.8	2.7	46	2	A little wrong
28.0	26.8	463	3	Wrong
68.9	66.1	1,141	4	Very wrong
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 383-384

<b>V198</b>	<b>Y2-189: USE MARIJUANA</b>
-------------	------------------------------

How wrong is it for someone your age to . . .

use marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.3	160	1	Not wrong
14.4	13.8	238	2	A little wrong
22.5	21.6	372	3	Wrong
53.4	51.1	882	4	Very wrong
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 385-386

<b>V199</b>	<b>Y2-190: STEAL SOMTHNG WRTH &lt; \$5</b>
-------------	--------------------------------------------

How wrong is it for someone your age to . . .

steal something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	16	1	Not wrong
10.0	9.6	166	2	A little wrong
48.5	46.5	802	3	Wrong
40.5	38.8	670	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 387-388

<b>V200</b>	<b>Y2-191: HIT SOMEONE</b>
-------------	----------------------------

How wrong is it for someone your age to . . .

hit or threaten to hit someone without any reason

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	10	1	Not wrong
8.5	8.2	141	2	A little wrong
48.8	46.8	808	3	Wrong
42.1	40.3	696	4	Very wrong
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 389-390

<b>V201</b>	<b>Y2-192: USE ALCOHOL</b>
-------------	----------------------------

How wrong is it for someone your age to . . .

use alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	12.4	214	1	Not wrong
20.1	19.2	332	2	A little wrong
30.1	28.8	497	3	Wrong
36.9	35.4	610	4	Very wrong
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 391-392

<b>V202</b>	<b>Y2-193: BREAK INTO VEHICLE</b>
-------------	-----------------------------------

How wrong is it for someone your age to . . .

break into a vehicle or building to steal something

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Not wrong
2.1	2.0	34	2	A little wrong
24.7	23.7	409	3	Wrong
73.0	70.0	1,208	4	Very wrong
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 393-394

<b>V203</b>	<b>Y2-194: SELL HARD DRUGS</b>
-------------	--------------------------------

How wrong is it for someone your age to . . .

sell hard drugs such as heroin, cocaine, and LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	12	1	Not wrong
2.1	2.0	35	2	A little wrong
15.6	15.0	259	3	Wrong
81.5	78.2	1,349	4	Very wrong
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 395-396

<b>V204</b>	<b>Y2-195: STEAL SOMTHNG WRTH &gt; \$50</b>
-------------	---------------------------------------------

How wrong is it for someone your age to . . .

steal something worth more than \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	Not wrong
1.5	1.4	25	2	A little wrong
21.5	20.6	355	3	Wrong
76.7	73.5	1,268	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 397-398

<b>V205</b>	<b>Y2-196: GET DRUNK</b>
-------------	--------------------------

How wrong is it for someone your age to . . .

get drunk once in awhile

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	15.1	260	1	Not wrong
24.7	23.7	408	2	A little wrong
28.1	27.0	465	3	Wrong
31.5	30.2	521	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 399-400



**V206****Y2-197: USE PRESCRIPTION DRUGS**

How wrong is it for someone your age to . . .

use prescription drugs such as amphetamines or barbiturates when  
there is no medical need for them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	14	1	Not wrong
4.2	4.0	69	2	A little wrong
26.3	25.2	434	3	Wrong
68.7	65.8	1,135	4	Very wrong
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 401-402

**V207****Y2-198: GIVE OR SELL ALCOHOL**

How wrong is it for someone your age to . . .

give or sell alcohol to kids under 18

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	57	1	Not wrong
12.8	12.2	211	2	A little wrong
27.7	26.6	458	3	Wrong
56.1	53.8	928	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 403-404

## DELINQUENT PEERS

## Exposure to Delinquent Peers

V208

Y2-199: CHEATED ON SCHOOL TESTS

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

cheated on school tests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	15.9	274	1	None of them
30.5	26.2	452	2	Few of them
28.9	24.9	429	3	Some of them
14.4	12.4	214	4	Most of them
7.7	6.7	115	5	All of them
	14.0	241	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 405-406

**V209****Y2-200: DESTROYED PROPERTY**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

purposely damaged or destroyed property that did not belong to them

PCT VALID	PCT ALL	N	VALUE	LABEL
59.8	51.8	894	1	None of them
27.6	23.9	413	2	Few of them
9.8	8.5	147	3	Some of them
1.9	1.6	28	4	Most of them
0.8	0.7	12	5	All of them
	13.4	231	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 407-408

**V210****Y2-201: USED MARIJUANA**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

used marijuana or hashish

PCT VALID	PCT ALL	N	VALUE	LABEL
54.5	47.3	816	1	None of them
16.1	14.0	241	2	Few of them
13.5	11.7	202	3	Some of them
8.4	7.2	125	4	Most of them
7.5	6.5	112	5	All of them
	13.3	229	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 409-410

<b>V211</b>	<b>Y2-202: STOLEN SOMTHNG WRTH &lt; \$5</b>
-------------	---------------------------------------------

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

stolen something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	43.7	754	1	None of them
28.6	24.6	424	2	Few of them
12.8	11.0	189	3	Some of them
4.9	4.2	73	4	Most of them
2.7	2.3	40	5	All of them
	14.2	245	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 411-412

<b>V212</b>	<b>Y2-203: HIT SOMEONE</b>
-------------	----------------------------

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

hit or threatened to hit someone without any reason

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	44.6	769	1	None of them
30.0	26.0	448	2	Few of them
13.8	12.0	207	3	Some of them
3.3	2.8	49	4	Most of them
1.5	1.3	22	5	All of them
	13.3	230	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 413-414

**V213****Y2-204: USED ALCOHOL**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

used alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	29.4	507	1	None of them
20.5	17.7	306	2	Few of them
17.0	14.7	253	3	Some of them
13.5	11.7	201	4	Most of them
15.1	13.0	225	5	All of them
	13.5	233	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 415-416

**V214****Y2-205: BROKEN INTO VEHICLE**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

broken into a vehicle or building to steal something

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	75.5	1,303	1	None of them
9.2	7.9	137	2	Few of them
2.6	2.3	39	3	Some of them
0.7	0.6	10	4	Most of them
0.3	0.3	5	5	All of them
	13.4	231	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 417-418

**V215****Y2-206: SOLD HARD DRUGS**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

sold hard drugs such as heroin, cocaine, and LSD

PCT VALID	PCT ALL	N	VALUE	LABEL
93.1	80.7	1,392	1	None of them
4.2	3.7	63	2	Few of them
2.1	1.9	32	3	Some of them
0.2	0.2	3	4	Most of them
0.3	0.3	5	5	All of them
	13.3	230	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 419-420

**V216****Y2-207: STOLEN SOMTHNG WRTH >\$50**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

stolen something worth more than \$50

PCT VALID	PCT ALL	N	VALUE	LABEL
90.3	78.0	1,345	1	None of them
7.0	6.1	105	2	Few of them
2.1	1.9	32	3	Some of them
0.2	0.2	3	4	Most of them
0.3	0.3	5	5	All of them
	13.6	235	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 421-422

**V217****Y2-208: SUGGESTED YOU BREAK LAW**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

suggested you do something that was against the law

PCT VALID	PCT ALL	N	VALUE	LABEL
70.1	60.8	1,049	1	None of them
17.8	15.4	266	2	Few of them
8.3	7.2	124	3	Some of them
2.5	2.1	37	4	Most of them
1.4	1.2	21	5	All of them
	13.2	228	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 423-424

**V218****Y2-209: GOTTEN DRUNK**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

gotten drunk once in awhile

PCT VALID	PCT ALL	N	VALUE	LABEL
34.8	30.1	520	1	None of them
20.8	18.0	310	2	Few of them
17.6	15.2	263	3	Some of them
13.1	11.4	196	4	Most of them
13.7	11.8	204	5	All of them
	13.4	232	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 425-426

**V219****Y2-210: USED PRESCRIPTION**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

used prescription drugs such as amphetamines or barbiturates when there was no medical need for them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	74.3	1,281	1	None of them
8.5	7.3	126	2	Few of them
3.6	3.1	53	3	Some of them
1.4	1.2	21	4	Most of them
0.5	0.4	7	5	All of them
	13.7	237	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 427-428

**V220****Y2-211: SOLD OR GIVEN ALCOHOL**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

sold or given alcohol to kids under 18

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	63.1	1,088	1	None of them
12.4	10.7	185	2	Few of them
10.9	9.4	162	3	Some of them
2.1	1.8	31	4	Most of them
1.8	1.6	27	5	All of them
	13.4	232	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 429-430



<b>Commitment to Delinquent Peers</b>
---------------------------------------

<b>V221</b>	<b>Y2-212: STILL RUN AROUND W/THEM</b>
-------------	----------------------------------------

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

If you found that your group of friends was leading you into trouble, would you still run around with them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	58.1	1,003	1	No
24.8	21.6	373	2	Don't know
8.4	7.3	126	3	Yes
	12.9	223	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 431-432

<b>V222</b>	<b>Y2-213: TRY TO STOP THESE ACTIVS</b>
-------------	-----------------------------------------

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

If you found that your group of friends was leading you into trouble, would you try to stop these activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	4.9	84	1	No
12.1	10.5	181	2	Don't know
82.4	71.7	1,237	3	Yes
	12.9	223	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 433-434

V223

Y2-214: WILLING TO LIE

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

If your friends got into trouble with the police, would you be willing to lie to protect them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	51.5	888	1	No
22.8	19.9	343	2	Don't know
18.0	15.7	270	3	Yes
0.1	0.1	1	4	
	12.9	223	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 435-436

## SEX ROLES

V224

Y2-215: WOMEN W/CHLDRN -NOT WORK

Please tell me how much you agree or disagree with these statements.

Women with children should not work outside the home unless there is no one else to support the family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	8.7	150	1	Strongly disagree
34.6	33.2	572	2	Disagree
13.3	12.7	219	3	Neither
34.8	33.3	575	4	Agree
8.2	7.8	135	5	Strongly agree
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 437-438

V225

Y2-216: FATHER-GREATER AUTHORITY

Please tell me how much you agree or disagree with these statements.

In general, the father should have greater authority than the mother in the bringing up of the children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.8	118	1	Strongly disagree
35.4	33.9	585	2	Disagree
26.3	25.2	434	3	Neither
26.2	25.0	432	4	Agree
5.0	4.8	83	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 439-440

<b>V226</b>	<b>Y2-217: WOMEN ABLE - MOST JOBS</b>
-------------	---------------------------------------

Please tell me how much you agree or disagree with these statements.

Women are able to do most jobs as well as men.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	17	1	Strongly disagree
14.5	13.9	240	2	Disagree
15.3	14.7	253	3	Neither
57.8	55.4	955	4	Agree
11.4	10.9	188	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 441-442

<b>V227</b>	<b>Y2-218: WOMEN-SHLD ASK FOR DATES</b>
-------------	-----------------------------------------

Please tell me how much you agree or disagree with these statements.

There is no reason why women should not ask men for dates if they want to.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.2	56	1	Strongly disagree
16.3	15.6	269	2	Disagree
17.8	17.0	294	3	Neither
55.9	53.5	923	4	Agree
6.6	6.3	109	5	Strongly agree
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 443-444

<b>V228</b>	<b>Y2-219: HUSBS &amp; WIVES:= PARTNERS</b>
-------------	---------------------------------------------

Please tell me how much you agree or disagree with these statements.

Husbands and wives should be equal partners in planning the family budget.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly disagree
1.2	1.2	20	2	Disagree
3.5	3.4	58	3	Neither
70.4	67.5	1,165	4	Agree
24.8	23.8	410	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 445-446

<b>V229</b>	<b>Y2-220: WOMEN ARE TOO EMOTIONAL</b>
-------------	----------------------------------------

Please tell me how much you agree or disagree with these statements.

Women are too emotional to solve problems well.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	12.9	223	1	Strongly disagree
58.7	56.0	966	2	Disagree
16.2	15.4	266	3	Neither
10.4	9.9	171	4	Agree
1.2	1.2	20	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 447-448

**V230****Y2-221: WOMEN SHLD BE ATTRACTIVE**

Please tell me how much you agree or disagree with these statements.

It is more important for a woman to be attractive than intelligent.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	10.5	181	1	Strongly disagree
53.0	50.7	874	2	Disagree
20.7	19.8	342	3	Neither
13.9	13.3	229	4	Agree
1.4	1.3	23	5	Strongly agree
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 449-450

**V231****Y2-222: SONS SHLD GO TO COLLEGE**

Please tell me how much you agree or disagree with these statements.

Sons in a family should be given more encouragement to go to college than daughters.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	16.2	279	1	Strongly disagree
54.1	51.9	895	2	Disagree
13.7	13.1	226	3	Neither
13.9	13.3	230	4	Agree
1.4	1.3	23	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 451-452

**V232****Y2-223: WOMAN RESP FOR CHILDREN**

Please tell me how much you agree or disagree with these statements.

In a marriage, it is the woman's responsibility to care for any children and to take care of the home.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	6.9	119	1	Strongly disagree
33.0	31.7	546	2	Disagree
18.2	17.4	301	3	Neither
37.4	35.8	618	4	Agree
4.2	4.0	69	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 453-454

**V233****Y2-224: MEN-TELL DIRTY STORIES**

Please tell me how much you agree or disagree with these statements.

It is OK for men to tell dirty stories, but it is embarrassing when women do.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.2	159	1	Strongly disagree
44.2	42.3	729	2	Disagree
23.4	22.4	386	3	Neither
20.6	19.7	340	4	Agree
2.2	2.1	36	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 455-456

**V234****Y2-225: MEN CAN RAISE CHILDREN**

Please tell me how much you agree or disagree with these statements.

Men can raise and care for children as well as women.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	21	1	Strongly disagree
20.0	19.2	331	2	Disagree
12.2	11.7	202	3	Neither
60.4	57.9	999	4	Agree
6.0	5.8	100	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 457-458

**V235****Y2-226: AGGR WOMEN -UNATTRACTIVE**

Please tell me how much you agree or disagree with these statements.

Women who are aggressive and competitive are unattractive.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.2	125	1	Strongly disagree
59.1	55.9	964	2	Disagree
20.3	19.2	331	3	Neither
11.9	11.2	194	4	Agree
1.0	0.9	16	5	Strongly agree
	5.5	95	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 459-460



**V236****Y2-227: WOMEN -PHYSICALLY WEAKER**

Please tell me how much you agree or disagree with these statements.

Women are physically and emotionally weaker than men and therefore need male protection and support.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.7	115	1	Strongly disagree
39.2	37.6	649	2	Disagree
23.8	22.8	394	3	Neither
27.5	26.4	455	4	Agree
2.5	2.4	41	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 461-462

**V237****Y2-228: WOMEN SHLD HAVE FREEDOM**

Please tell me how much you agree or disagree with these statements.

Women should have the same freedom as men to go out and have dates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	7	1	Strongly disagree
3.5	3.4	58	2	Disagree
6.5	6.3	108	3	Neither
76.6	73.4	1,267	4	Agree
12.9	12.4	214	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 463-464

<b>INTERPERSONAL VIOLENCE</b>
-------------------------------

**V238****Y2-229: OK TO BEAT SOMEONE UP**

Please tell me how much you agree or disagree with each of the following statements.

It is alright to physically beat up another person if he/she called you a dirty name.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	18.8	324	1	Strongly disagree
55.3	53.0	914	2	Disagree
13.4	12.9	222	3	Neither
10.8	10.3	178	4	Agree
1.0	0.9	16	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 465-466

**V239****Y2-230: WOMEN ASK TO BE SEX ASLT**

Please tell me how much you agree or disagree with each of the following statements.

Women who are sexually assaulted have generally asked for it by the way they dress and act.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	10.9	188	1	Strongly disagree
42.0	39.8	686	2	Disagree
21.6	20.5	353	3	Neither
23.1	21.9	377	4	Agree
1.8	1.7	30	5	Strongly agree
	5.3	91	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 467-468

**V240****Y2-231: HITTING ANOTHER IS OK**

Please tell me how much you agree or disagree with each of the following statements.

Hitting another person is an acceptable way to get him/her to do what you want.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.1	329	1	Strongly disagree
65.9	63.2	1,091	2	Disagree
8.2	7.9	136	3	Neither
5.7	5.5	95	4	Agree
0.2	0.2	4	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 469-470

**V241****Y2-232: FEW JUSTIFICATIONS-ATTCK**

Please tell me how much you agree or disagree with each of the following statements.

Other than self-defense there are few situations which justify physically attacking another person

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.5	61	1	Strongly disagree
27.9	26.4	456	2	Disagree
14.4	13.6	235	3	Neither
46.7	44.3	764	4	Agree
7.3	7.0	120	5	Strongly agree
	5.2	89	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 471-472

<b>V242</b>	<b>Y2-233: SEX ASLT IS ACT OF FORCE</b>
-------------	-----------------------------------------

Please tell me how much you agree or disagree with each of the following statements.

Sexual assault has little to do with sexual desires; it is an act of force and violence

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.7	46	1	Strongly disagree
23.3	21.7	375	2	Disagree
17.2	16.1	277	3	Neither
48.2	45.0	776	4	Agree
8.4	7.9	136	5	Strongly agree
	6.7	115	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 473-474

<b>V243</b>	<b>Y2-234: BEAT OTHER-IF STARTS IT</b>
-------------	----------------------------------------

Please tell me how much you agree or disagree with each of the following statements.

It is alright to beat up another person if he/she started the fight

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.5	112	1	Strongly disagree
34.7	33.2	573	2	Disagree
15.9	15.2	262	3	Neither
39.7	38.0	656	4	Agree
3.0	2.8	49	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 475-476

**V244****Y2-235: WOM NOT ASLTD AGNST WILL**

Please tell me how much you agree or disagree with each of the following statements.

A woman cannot really be sexually assaulted against her will unless a weapon is used or more than one attacker is involved

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	7.9	137	1	Strongly disagree
47.0	44.1	760	2	Disagree
15.2	14.3	246	3	Neither
27.5	25.8	445	4	Agree
1.7	1.6	28	5	Strongly agree
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 477-478

**V245****Y2-236: SOMETIMES NEC TO FIGHT**

Please tell me how much you agree or disagree with each of the following statements.

It is sometimes necessary to get into a fight to uphold your honor or "put someone in his/her place"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.9	85	1	Strongly disagree
36.0	34.4	593	2	Disagree
19.1	18.3	315	3	Neither
37.5	35.8	617	4	Agree
2.2	2.1	37	5	Strongly agree
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 479-480

V246

Y2-237: WOMEN CURIOUS -SEX ASSLT

Please tell me how much you agree or disagree with each of the following statements.

While women appear to be afraid of being sexually assaulted, they have a curiosity and excitement about sexual assault.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.3	126	1	Strongly disagree
37.8	34.9	602	2	Disagree
32.3	29.8	514	3	Neither
21.3	19.7	339	4	Agree
0.6	0.6	10	5	Strongly agree
	7.8	134	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 481-482

**PRESSURE FOR SUBSTANCE ABUSE BY PEERS**

**V247****Y2-238: SUGG GO DRINKING W/THEM**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Suggested that you should go drinking with them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	17.5	302	1	Never
23.0	8.5	147	2	Once or twice
18.3	6.8	117	3	Several times
11.6	4.3	74	4	Often
	62.9	1,085	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 483-484

**V248****Y2-239: PRESSURE YOU TO DRINK**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS,SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Put pressure on you to drink

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	32.2	556	1	Never
8.4	3.1	54	2	Once or twice
4.1	1.5	26	3	Several times
0.8	0.3	5	4	Often
	62.8	1,084	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 485-486

**V249****Y2-240: SUGG HAVE TO GET DRUNK**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Suggested or claimed that you have to get drunk to have a good time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.6	29.6	510	1	Never
13.3	4.9	85	2	Once or twice
4.1	1.5	26	3	Several times
3.1	1.2	20	4	Often
	62.8	1,084	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 487-488

**V250****Y2-241: OFFERED MARIJUANA TO YOU**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Offered marijuana to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	24.2	417	1	Never
16.1	6.0	103	2	Once or twice
11.1	4.1	71	3	Several times
7.8	2.9	50	4	Often
	62.8	1,084	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 489-490



**V251****Y2-242: SUGG HAVE TO GET HIGH**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Suggested or claimed that you have to get high on drugs to have a good time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	31.6	545	1	Never
9.5	3.5	61	2	Once or twice
3.3	1.2	21	3	Several times
2.0	0.8	13	4	Often
	62.9	1,085	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 491-492

**V252****Y2-243: PRESS YOU TO USE DRUGS**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Put pressure on you to use drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	34.8	600	1	Never
4.4	1.6	28	2	Once or twice
1.2	0.5	8	3	Several times
0.9	0.3	6	4	Often
	62.8	1,083	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 493-494

EXPOSURE TO SUBSTANCE ABUSE AMONG PARENTS
-------------------------------------------

V253	Y2-244: USED ALCOHOL
------	----------------------

Have your parents' . . .

Used alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	11.7	202	1	Never
32.8	13.4	232	2	Once or twice
25.0	10.3	177	3	Several times
13.6	5.6	96	4	Often
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 495-496

V254	Y2-245: GOTTEN DRUNK
------	----------------------

Have your parents' . . .

Gotten drunk

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	25.4	438	1	Never
26.0	10.6	183	2	Once or twice
7.4	3.0	52	3	Several times
4.3	1.7	30	4	Often
	59.2	1,022	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 497-498

V255	Y2-246: USED MARIJUANA
------	------------------------

Have your parents' . . .

Used marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	39.9	688	1	Never
1.4	0.6	10	2	Once or twice
0.6	0.2	4	3	Several times
0.3	0.1	2	4	Often
	59.2	1,021	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 499-500

V256	Y2-247: USED DRUGS:TRANQUILIZERS
------	----------------------------------

Have your parents' . . .

Used drugs such as tranquiliizers, sleeping pills or diet pills

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	29.3	506	1	Never
18.5	7.5	129	2	Once or twice
5.5	2.2	38	3	Several times
3.3	1.3	23	4	Often
	59.7	1,029	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 501-502

SELF-REPORTED DELINQUENCY
---------------------------

V257

Y2-248: DAMGD FAM PROP-FREQUENCY

How many times in the LAST YEAR have you:

purposely damaged or destroyed property that did not belong to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	34.2	590	0	
7.4	3.0	52	1	
4.8	2.0	34	2	
1.0	0.4	7	3	
1.0	0.4	7	4	
0.7	0.3	5	5	
0.1	0.1	1	7	
0.1	0.1	1	9	
0.4	0.2	3	10	
0.4	0.2	3	12	
0.1	0.1	1	13	
0.1	0.1	1	45	
0.1	0.1	1	50	
0.1	0.1	1	52	
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 503-504

V258

Y2-249: DAMGD FAM PROPERTY-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V257) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed property that did not belong to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	34.2	590	1	Never
13.2	5.4	93	2	Once/twice yr
1.7	0.7	12	3	Once every 2-3 mos
1.3	0.5	9	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.3	0.1	2	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 505-506

V259

Y2-250: DAMGD FAM PROPERTY-FREQ

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to your  
PARENTS or other family MEMBERS.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	44.5	768	0	
10.0	5.5	95	1	
4.7	2.6	44	2	
1.8	1.0	17	3	
0.2	0.1	2	4	
0.7	0.4	7	5	
0.2	0.1	2	6	
0.3	0.2	3	10	
0.3	0.2	3	12	
0.1	0.1	1	14	
0.2	0.1	2	20	
0.1	0.1	1	50	
0.1	0.1	1	75	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 507-508

V260

Y2-251: DAMGD FAM PROPERTY-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V259) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to your PARENTS or other family MEMBERS.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	44.5	768	1	Never
16.5	9.0	156	2	Once/twice yr
1.2	0.6	11	3	Once every 2-3 mos
0.7	0.4	7	4	Once a mo
0.2	0.1	2	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 509-510

V261

Y2-252: DAMGD SCH PROP-FREQUENCY

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to a SCHOOL.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	47.2	815	0	
7.0	3.8	66	1	
2.8	1.5	26	2	
1.2	0.6	11	3	
0.6	0.3	6	4	
0.4	0.2	4	5	
0.2	0.1	2	8	
0.1	0.1	1	9	
0.6	0.3	6	10	
0.2	0.1	2	12	
0.1	0.1	1	15	
0.1	0.1	1	70	
0.1	0.1	1	110	
0.1	0.1	1	200	
0.1	0.1	1	400	
	45.3	781	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 511-513



V262

Y2-253: DAMGD SCHL PROPERTY-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V261) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to a SCHOOL.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	47.2	815	1	Never
10.9	6.0	103	2	Once/twice yr
1.1	0.6	10	3	Once every 2-3 mos
1.0	0.5	9	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.3	0.2	3	9	2-3 times day
	45.3	781	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 514-515

V263

Y2-254: DAMGD OTH PROP-FREQUENCY

How many times in the LAST YEAR have you:

purposely damaged or destroyed OTHER PROPERTY that did not belong to you (not counting family or school property).

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	47.0	811	0	
5.9	3.2	56	1	
3.3	1.8	31	2	
1.6	0.9	15	3	
0.7	0.4	7	4	
0.7	0.4	7	5	
0.4	0.2	4	6	
0.1	0.1	1	7	
0.5	0.3	5	10	
0.4	0.2	4	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	30	
0.2	0.1	2	52	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 516-517

V264

Y2-255: DAMGD OTH PROPERTY-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V263) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed OTHER PROPERTY that did not belong to you (not counting family or school property).

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	47.0	811	1	Never
10.8	5.9	102	2	Once/twice yr
1.9	1.0	18	3	Once every 2-3 mos
1.1	0.6	10	4	Once a mo
0.2	0.1	2	5	Once every 2-3 wks
0.3	0.2	3	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 518-519

**V265****Y2-256: STOLEN MOTOR VEHICL-FREQ**

How many times in the LAST YEAR have you:

stolen (or tried to steal) a motor vehicle, such as a car or motorcycle

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	95.1	1,640	0	
0.4	0.4	7	1	
0.1	0.1	2	2	
0.1	0.1	1	3	
0.1	0.1	2	4	
0.1	0.1	1	5	
0.1	0.1	1	8	
0.1	0.1	1	321	
	4.1	70	-1	

-----  
 100.0 100.0 1,725 cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 520-522

**V266****Y2-257: STOLEN MOTOR VEHICL-RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V265) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) a motor vehicle, such as a car or motorcycle

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	95.1	1,640	1	Never
0.6	0.6	10	2	Once/twice yr
0.2	0.2	3	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times day
	4.1	70	-1	

-----  
 100.0 100.0 1,725 cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 523-524

V267

Y2-258: STOLEN:WRTH &gt; \$50 -FREQ

How many times in the LAST YEAR have you:

stolen (or tried to steal) something worth more than \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	93.8	1,618	0	
1.0	0.9	16	1	
0.5	0.5	8	2	
0.2	0.2	4	5	
0.1	0.1	2	6	
0.1	0.1	1	7	
0.1	0.1	1	10	
0.1	0.1	2	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	23	
	4.1	70	-1	

-----

100.0	100.0	1,725	cases
-------	-------	-------	-------

Data type: numeric  
 Missing-data code: -1  
 Columns: 525-526

V268

Y2-259: STOLEN:WRTH &gt; \$50 -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V267) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) something worth more than \$50

PCT VALID	PCT ALL	N	VALUE	LABEL
97.8	93.8	1,618	1	Never
1.5	1.4	24	2	Once/twice yr
0.4	0.3	6	3	Once every 2-3 mos
0.3	0.3	5	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 527-528

V269

Y2-260: BOUGHT STOLEN GOODS-FREQ

How many times in the LAST YEAR have you:

knowingly bought, sold or held stolen goods (or tried to do any of these things)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	87.9	1,516	0	
3.6	3.5	60	1	
2.3	2.2	38	2	
0.8	0.8	14	3	
0.2	0.2	3	4	
0.2	0.2	4	5	
0.3	0.3	5	6	
0.1	0.1	2	9	
0.2	0.2	3	10	
0.2	0.2	3	12	
0.1	0.1	1	14	
0.1	0.1	1	15	
0.2	0.2	3	20	
0.1	0.1	1	100	
0.1	0.1	1	185	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 529-531

V270

Y2-261: BOUGHT STOLEN GOODS-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V269) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

knowingly bought, sold or held stolen goods (or tried to do any of these things)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	87.9	1,516	1	Never
6.8	6.5	112	2	Once/twice yr
0.7	0.7	12	3	Once every 2-3 mos
0.7	0.7	12	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 532-533



V271

Y2-262: RETND THNG TO OWNER-FREQ

How many times in the LAST YEAR have you:

found something (like a wallet or some jewelry) and returned it to the owner or the police

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	39.4	679	0	
14.6	8.0	138	1	
8.0	4.4	76	2	
3.2	1.7	30	3	
0.4	0.2	4	4	
0.7	0.4	7	5	
0.2	0.1	2	6	
0.3	0.2	3	7	
0.2	0.1	2	10	
0.5	0.3	5	12	
0.1	0.1	1	35	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 534-535

V272

Y2-263: RETND THNG TO OWNER-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V271) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

found something (like a wallet or some jewelry) and returned it to the owner or the police

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	39.4	679	1	Never
25.8	14.1	244	2	Once/twice yr
1.4	0.8	13	3	Once every 2-3 mos
1.1	0.6	10	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 536-537

V273

## Y2-264: THROWN OBJECTS-FREQUENCY

How many times in the LAST YEAR have you:

thrown objects (such as rocks, snowballs, or bottles) at cars  
or people.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
58.2	31.9	550	0	
9.5	5.2	90	1	
7.9	4.3	75	2	
4.0	2.2	38	3	
2.5	1.4	24	4	
5.0	2.7	47	5	
1.5	0.8	14	6	
0.5	0.3	5	7	
0.2	0.1	2	8	
0.3	0.2	3	9	
3.7	2.0	35	10	
1.3	0.7	12	12	
0.3	0.2	3	14	
0.8	0.5	8	15	
0.5	0.3	5	20	
0.1	0.1	1	22	
0.5	0.3	5	25	
0.4	0.2	4	30	
0.1	0.1	1	35	
0.1	0.1	1	40	
0.1	0.1	1	45	
0.6	0.3	6	50	
0.1	0.1	1	75	
0.2	0.1	2	83	
0.6	0.3	6	100	
0.1	0.1	1	194	
0.2	0.1	2	200	
0.1	0.1	1	500	
0.1	0.1	1	900	
0.1	0.1	1	999	
	45.2	780	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 538-540

V274

Y2-265: THROWN OBJECTS- RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V273) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

thrown objects (such as rocks, snowballs, or bottles) at cars or people.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	31.9	550	1	Never
21.5	11.8	203	2	Once/twice yr
9.0	4.9	85	3	Once every 2-3 mos
3.9	2.1	37	4	Once a mo
1.2	0.6	11	5	Once every 2-3 wks
1.2	0.6	11	6	Once a wk
1.8	1.0	17	7	2-3 times wk
0.5	0.3	5	8	Once a day
2.8	1.5	26	9	2-3 times day
	45.2	780	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 541-542

**V275****Y2-266: RUN AWAY FROM HOME -FREQ**

How many times in the LAST YEAR have you:

run away from home

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	90.6	1,563	0	
3.8	3.7	63	1	
0.8	0.8	14	2	
0.5	0.5	8	3	
0.1	0.1	1	4	
0.1	0.1	2	5	
0.1	0.1	1	7	
0.1	0.1	1	30	
0.1	0.1	1	100	
	4.1	71	-1	

-----  
 100.0 100.0 1,725 cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 543-545

**V276****Y2-267: RUN AWAY FROM HOME -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V275) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

run away from home

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	90.6	1,563	1	Never
5.1	4.9	85	2	Once/twice yr
0.2	0.2	3	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	71	-1	

-----  
 100.0 100.0 1,725 cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 546-547

V277

Y2-268: LIED ABOUT AGE-FREQUENCY

How many times in the LAST YEAR have you:

lied about your age to gain entrance or to purchase something, for example, lying about your age to buy liquor or get into a movie

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
70.2	38.6	665	0	
7.4	4.1	70	1	
6.7	3.7	63	2	
3.8	2.1	36	3	
1.9	1.0	18	4	
2.2	1.2	21	5	
0.5	0.3	5	6	
0.3	0.2	3	7	
0.1	0.1	1	8	
1.9	1.0	18	10	
1.2	0.6	11	12	
0.2	0.1	2	13	
0.5	0.3	5	15	
0.1	0.1	1	16	
0.1	0.1	1	17	
0.8	0.5	8	20	
0.2	0.1	2	22	
0.1	0.1	1	28	
0.2	0.1	2	30	
0.3	0.2	3	50	
0.2	0.1	2	52	
0.1	0.1	1	60	
0.2	0.1	2	83	
0.3	0.2	3	100	
0.1	0.1	1	150	
0.1	0.1	1	200	
0.1	0.1	1	365	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 548-550

V278

Y2-269: LIED ABOUT AGE -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V277) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

lied about your age to gain entrance or to purchase something, for example, lying about your age to buy liquor or get into a movie

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	38.6	665	1	Never
17.8	9.8	169	2	Once/twice yr
4.6	2.6	44	3	Once every 2-3 mos
3.0	1.6	28	4	Once a mo
1.9	1.0	18	5	Once every 2-3 wks
1.1	0.6	10	6	Once a wk
1.2	0.6	11	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.1	0.1	1	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 551-552

V279

Y2-270: CARRIED HIDDEN WEAP -FREQ

How many times in the LAST YEAR have you:

carried a hidden weapon other than a plain pocket knife

PCT VALID	PCT ALL	N	VALUE	LABEL
93.1	89.3	1,540	0	
2.2	2.1	36	1	
1.0	0.9	16	2	
0.3	0.3	5	3	
0.5	0.5	9	4	
0.5	0.5	8	5	
0.1	0.1	2	6	
0.1	0.1	2	7	
0.1	0.1	1	8	
0.2	0.2	4	10	
0.2	0.2	3	12	
0.1	0.1	1	13	
0.1	0.1	2	14	
0.2	0.2	4	20	
0.1	0.1	2	25	
0.1	0.1	1	30	
0.1	0.1	1	45	
0.2	0.2	3	50	
0.1	0.1	1	70	
0.1	0.1	1	90	
0.1	0.1	2	100	
0.1	0.1	1	194	
0.1	0.1	1	200	
0.5	0.5	8	365	
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 553-555



V280

Y2-271: CARRIED HIDDEN WEAP -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V279) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

carried a hidden weapon other than a plain pocket knife

PCT VALID	PCT ALL	N	VALUE	LABEL
93.1	89.3	1,540	1	Never
3.4	3.3	57	2	Once/twice yr
1.1	1.1	19	3	Once every 2-3 mos
0.5	0.5	9	4	Once a mo
0.3	0.3	5	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.4	0.4	7	7	2-3 times wk
0.7	0.7	12	8	Once a day
0.1	0.1	2	9	2-3 times day
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 556-557

V281

Y2-272: STOL SMTHNG WRTH&lt;\$5-FREQ

How many times in the LAST YEAR have you:

stolen (or tried to steal) things worth \$5 or less

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	79.0	1,362	0	
7.0	6.7	116	1	
5.0	4.8	83	2	
1.6	1.6	27	3	
0.6	0.6	10	4	
0.5	0.5	9	5	
0.2	0.2	4	6	
0.1	0.1	2	7	
0.7	0.7	12	10	
0.8	0.8	14	12	
0.1	0.1	1	13	
0.1	0.1	1	14	
0.1	0.1	1	15	
0.1	0.1	2	17	
0.1	0.1	1	20	
0.1	0.1	1	23	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.1	0.1	1	35	
0.1	0.1	1	36	
0.1	0.1	1	40	
0.2	0.2	3	50	
0.1	0.1	1	400	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 558-560

V282

Y2-273: STOL SMTHNG WRTH&lt;\$5-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V281) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) things worth \$5 or less

PCT VALID	PCT ALL	N	VALUE	LABEL
82.3	79.0	1,362	1	Never
13.7	13.1	226	2	Once/twice yr
1.4	1.3	23	3	Once every 2-3 mos
1.8	1.7	29	4	Once a mo
0.4	0.4	7	5	Once every 2-3 wks
0.4	0.3	6	6	Once a wk
0.1	0.1	2	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 561-562

V283

Y2-274: ATTACKED SOMEONE -FREQ

How many times in the LAST YEAR have you:

attacked someone with the idea of seriously hurting or killing  
him/her

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.2	1,591	0	
1.8	1.7	30	1	
0.9	0.9	15	2	
0.4	0.3	6	3	
0.2	0.2	3	4	
0.2	0.2	4	5	
0.1	0.1	2	6	
0.1	0.1	1	8	
0.1	0.1	1	10	
0.1	0.1	1	35	
0.1	0.1	1	55	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 563-564

<b>V284</b>	<b>Y2-275: ATTACKED SOMEONE -RATE</b>
-------------	---------------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V283) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

attacked someone with the idea of seriously hurting or killing him/her

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.2	1,591	1	Never
3.1	3.0	51	2	Once/twice yr
0.5	0.5	9	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	2	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	

-----  
100.0 100.0 1,725 cases

Data type: numeric  
Missing-data code: -1  
Columns: 565-566

<b>V285</b>	<b>Y2-276: PAID FOR SEX REL -FREQ</b>
-------------	---------------------------------------

How many times in the LAST YEAR have you:

been paid for having sexual relations with someone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	95.2	1,642	0	
0.2	0.2	3	1	
0.1	0.1	2	2	
0.1	0.1	1	3	
0.1	0.1	1	5	
0.1	0.1	1	6	
	4.3	75	-1	

-----  
100.0 100.0 1,725 cases

Data type: numeric  
Missing-data code: -1  
Columns: 567-568

**V286****Y2-277: PAID FOR SEX REL -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V285) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been paid for having sexual relations with someone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	95.2	1,642	1	Never
0.4	0.3	6	2	Once/twice yr
0.1	0.1	2	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 569-570

**V287****Y2-278: SEXUAL INTERCOURSE -FREQ**

How many times in the LAST YEAR have you:

had sexual intercourse with a person of the opposite sex  
(IF MARRIED, ADD other than wife/husband)

1,725 cases (Range of valid codes: 0-365)

Data type: numeric

Missing-data code: -1

Columns: 571-573

V288

Y2-279: SEXUAL INTERCOURSE -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V287) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

had sexual intercourse with a person of the opposite sex  
(IF MARRIED, ADD other than wife/husband)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	76.0	1,311	1	Never
8.2	7.8	135	2	Once/twice yr
2.9	2.8	48	3	Once every 2-3 mos
3.0	2.8	49	4	Once a mo
2.2	2.1	36	5	Once every 2-3 wks
1.8	1.7	29	6	Once a wk
1.9	1.9	32	7	2-3 times wk
0.2	0.2	3	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.8	82	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 574-575

V289

Y2-280: BEEN IN GANG FIGHTS-FREQ

How many times in the LAST YEAR have you:

been involved in gang fights

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	86.1	1,485	0	
5.6	5.3	92	1	
2.1	2.0	35	2	
0.7	0.7	12	3	
0.5	0.5	8	4	
0.3	0.3	5	5	
0.1	0.1	2	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.1	0.1	1	9	
0.1	0.1	1	10	
0.4	0.4	7	12	
0.1	0.1	1	30	
0.1	0.1	1	35	
0.1	0.1	1	94	
0.1	0.1	1	194	
0.1	0.1	1	350	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 576-578



V290

Y2-281: BEEN IN GANG FIGHTS-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V289) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been involved in gang fights

PCT VALID	PCT ALL	N	VALUE	LABEL
89.7	86.1	1,485	1	Never
8.4	8.1	139	2	Once or twice a yr
0.9	0.9	15	3	Once every 2-3 mos
0.7	0.6	11	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times/wk
0.1	0.1	2	8	Once a day
0.1	0.1	1	9	2-3 times/day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 579-580

V291

Y2-282: SOLD MARIJUANA-FREQUENCY

How many times in the LAST YEAR have you:

sold marijuana or hashish ("pot", "grass", "hash")

PCT VALID	PCT ALL	N	VALUE	LABEL
92.7	88.9	1,534	0	
1.4	1.3	23	1	
1.7	1.6	28	2	
0.7	0.6	11	3	
0.2	0.2	3	4	
0.8	0.8	14	5	
0.1	0.1	1	6	
0.1	0.1	2	7	
0.6	0.6	10	10	
0.5	0.5	8	12	
0.1	0.1	1	14	
0.1	0.1	2	15	
0.1	0.1	1	20	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.1	0.1	2	40	
0.2	0.2	4	50	
0.1	0.1	1	52	
0.1	0.1	1	70	
0.1	0.1	1	83	
0.1	0.1	1	100	
0.1	0.1	1	150	
0.1	0.1	1	194	
0.1	0.1	1	250	
0.1	0.1	1	365	
0.1	0.1	1	700	
	4.1	70	-1	

-----  
 100.0 100.0 1,725 cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 581-583

V292

Y2-283: SOLD MARIJUANA -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V291) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

sold marijuana or hashish ("pot", "grass", "hash")

PCT VALID	PCT ALL	N	VALUE	LABEL
92.7	88.9	1,534	1	Never
3.7	3.6	62	2	Once or twice a yr
1.1	1.0	18	3	Once every 2-3 mos
1.0	1.0	17	4	Once a mo
0.3	0.3	5	5	Once every 2-3 wks
0.4	0.4	7	6	Once a wk
0.4	0.4	7	7	2-3 times/wk
0.2	0.2	3	8	Once a day
0.1	0.1	2	9	2-3 times/day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 584-585

V293

Y2-284: CHEATED SCHL TESTS-FREQ

How many times in the LAST YEAR have you:

cheated on school tests

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	28.0	483	0	
14.4	7.8	135	1	
12.8	7.0	120	2	
5.6	3.1	53	3	
2.0	1.1	19	4	
4.0	2.2	38	5	
0.6	0.3	6	6	
0.9	0.5	8	7	
0.7	0.4	7	8	
0.2	0.1	2	9	
2.4	1.3	23	10	
1.4	0.8	13	12	
0.1	0.1	1	13	
0.6	0.3	6	15	
0.1	0.1	1	18	
0.9	0.5	8	20	
0.3	0.2	3	22	
0.1	0.1	1	24	
0.4	0.2	4	25	
0.2	0.1	2	30	
0.1	0.1	1	32	
0.1	0.1	1	36	
0.1	0.1	1	50	
0.2	0.1	2	83	
0.1	0.1	1	144	
0.1	0.1	1	180	
	45.5	785	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 586-588

V294

Y2-285: CHEATED SCHL TESTS-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V293) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

cheated on school tests

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	28.0	483	1	Never
32.8	17.9	308	2	Once or twice a yr
6.7	3.7	63	3	Once every 2-3 mos
5.1	2.8	48	4	Once a mo
2.2	1.2	21	5	Once every 2-3 wks
1.2	0.6	11	6	Once a wk
0.5	0.3	5	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	45.5	785	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 589-590

V295

Y2-286: HITCHHIKED ILLEG -FREQ

How many times in the LAST YEAR have you:

hitchhiked where it was illegal to do so

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	50.3	868	0	
2.7	1.5	26	1	
1.6	0.9	15	2	
0.5	0.3	5	3	
0.4	0.2	4	4	
0.5	0.3	5	5	
0.3	0.2	3	6	
0.2	0.1	2	7	
0.2	0.1	2	8	
0.1	0.1	1	9	
0.3	0.2	3	10	
0.4	0.2	4	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.1	0.1	1	50	
0.1	0.1	1	52	
0.1	0.1	1	65	
0.1	0.1	1	100	
0.1	0.1	1	200	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 591-593

V296

Y2-287: HITCHHIKED ILLEG -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V295) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hitchhiked where it was illegal to do so

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	50.3	868	1	Never
4.9	2.7	46	2	Once or twice a yr
1.3	0.7	12	3	Once every 2-3 mos
1.3	0.7	12	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.5	0.3	5	6	Once a wk
0.2	0.1	2	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 594-595

V297

Y2-288: HELPED SOMEONE HURT-FREQ

How many times in the LAST YEAR have you:

helped out someone who was badly hurt such as someone who was beaten up, in an accident or very sick.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
52.9	29.0	501	0	
19.3	10.6	183	1	
14.4	7.9	136	2	
4.1	2.3	39	3	
2.2	1.2	21	4	
2.4	1.3	23	5	
1.1	0.6	10	6	
0.5	0.3	5	7	
0.3	0.2	3	8	
0.5	0.3	5	10	
1.0	0.5	9	12	
0.2	0.1	2	15	
0.1	0.1	1	16	
0.3	0.2	3	20	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.1	0.1	1	35	
0.1	0.1	1	50	
0.1	0.1	1	88	
0.1	0.1	1	100	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 596-598



V298

Y2-289: HELPED SOMEONE HURT-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V297) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

helped out someone who was badly hurt such as someone who was beaten up, in an accident or very sick.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	29.0	501	1	Never
37.8	20.8	358	2	Once or twice a yr
5.7	3.1	54	3	Once every 2-3 mos
2.3	1.3	22	4	Once a mo
0.4	0.2	4	5	Once every 2-3 wks
0.3	0.2	3	6	Once a wk
0.4	0.2	4	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 599-600

V299

Y2-290: STOLEN MONEY FAMILY-FREQ

How many times in the LAST YEAR have you:

stolen money or other things from YOUR PARENTS or OTHER MEMBERS OF  
YOUR FAMILY.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
89.9	49.3	851	0	
5.2	2.8	49	1	
2.0	1.1	19	2	
1.3	0.7	12	3	
0.4	0.2	4	4	
0.4	0.2	4	5	
0.2	0.1	2	6	
0.3	0.2	3	12	
0.1	0.1	1	20	
0.1	0.1	1	24	
0.1	0.1	1	365	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 601-603

V300

Y2-291: STOLEN MONEY FAMILY-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V299) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen money or other things from YOUR PARENTS or OTHER MEMBERS OF YOUR FAMILY.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	49.3	851	1	Never
8.4	4.6	80	2	Once/twice yr
1.1	0.6	10	3	Once every 2-3 mos
0.4	0.2	4	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 604-605

V301

Y2-292: HIT TEACHER -FREQUENCY

How many times in the LAST YEAR have you:

hit (or threatened to hit) one or your teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	89.2	1,539	0	
3.4	3.2	56	1	
1.7	1.6	28	2	
0.2	0.2	4	3	
0.3	0.3	5	4	
0.2	0.2	4	5	
0.1	0.1	1	6	
0.1	0.1	1	7	
0.1	0.1	1	9	
0.1	0.1	2	10	
0.1	0.1	2	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	91	
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 606-607

**V302****Y2-293: HIT TEACHER -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V301) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hit (or threatened to hit) one or your teachers

PCT VALID	PCT ALL	N	VALUE	LABEL
93.5	89.2	1,539	1	Never
5.3	5.1	88	2	Once/twice yr
0.6	0.6	10	3	Once every 2-3 mos
0.4	0.3	6	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 608-609

**V303****Y2-294: HIT PARENT -FREQUENCY**

How many times in the LAST YEAR have you:

hit (or threatened to hit) one or your parents

PCT VALID	PCT ALL	N	VALUE	LABEL
95.4	91.5	1,579	0	
2.7	2.6	45	1	
1.1	1.1	19	2	
0.2	0.2	3	3	
0.1	0.1	1	4	
0.2	0.2	3	5	
0.1	0.1	2	6	
0.1	0.1	1	8	
0.1	0.1	1	12	
0.1	0.1	1	20	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 610-611

V304

Y2-295: HIT PARENT -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V303) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hit (or threatened to hit) one or your parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	91.5	1,579	1	Never
4.0	3.9	67	2	Once/twice yr
0.4	0.3	6	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 612-613

V305

Y2-296: HIT OTHER STUDENTS -FREQ

How many times in the LAST YEAR have you:

hit (or threatened to hit) other students

PCT VALID	PCT ALL	N	VALUE	LABEL
58.6	55.9	965	0	
12.3	11.7	202	1	
10.6	10.1	175	2	
4.6	4.4	76	3	
2.0	1.9	33	4	
3.3	3.2	55	5	
1.3	1.3	22	6	
0.6	0.6	10	7	
0.2	0.2	3	8	
0.2	0.2	4	9	
1.9	1.9	32	10	
1.1	1.0	18	12	
0.1	0.1	1	13	
0.4	0.4	7	15	
0.1	0.1	1	18	
0.5	0.5	9	20	
0.1	0.1	1	24	
0.3	0.3	5	25	
0.2	0.2	4	30	
0.1	0.1	1	40	
0.1	0.1	1	44	
0.5	0.5	9	50	
0.2	0.2	3	52	
0.1	0.1	1	83	
0.1	0.1	1	96	
0.2	0.2	4	100	
0.1	0.1	1	150	
0.1	0.1	1	180	
0.1	0.1	1	194	
0.1	0.1	1	210	
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 614-616

V306

Y2-297: HIT OTHER STUDENTS -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V305) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hit (or threatened to hit) other students

PCT VALID	PCT ALL	N	VALUE	LABEL
58.6	55.9	965	1	Never
27.5	26.3	453	2	Once/twice yr
6.7	6.4	110	3	Once every 2-3 mos
3.5	3.4	58	4	Once a mo
1.5	1.4	24	5	Once every 2-3 wks
0.8	0.8	13	6	Once a wk
0.9	0.9	15	7	2-3 times wk
0.4	0.3	6	8	Once a day
0.2	0.2	3	9	2-3 times day
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 617-618



V307

Y2-298: BEEN LOUD, ROWDY -FREQ

How many times in the LAST YEAR have you:

been loud, rowdy, or unruly in a public place (disorderly conduct)

PCT VALID	PCT ALL	N	VALUE	LABEL
68.5	65.7	1,133	0	
8.5	8.2	141	1	
7.4	7.1	123	2	
2.7	2.6	44	3	
1.5	1.4	24	4	
2.3	2.2	38	5	
0.5	0.5	8	6	
0.5	0.5	8	7	
0.7	0.6	11	8	
1.8	1.7	30	10	
0.1	0.1	1	11	
1.4	1.3	23	12	
0.1	0.1	1	13	
0.1	0.1	1	14	
0.9	0.9	15	15	
0.1	0.1	1	16	
0.1	0.1	1	18	
0.4	0.4	7	20	
0.1	0.1	1	24	
0.2	0.2	4	25	
0.1	0.1	1	26	
0.1	0.1	2	30	
0.1	0.1	1	32	
0.1	0.1	2	35	
0.5	0.5	9	50	
0.5	0.5	9	52	
0.1	0.1	1	75	
0.1	0.1	1	83	
0.1	0.1	1	94	
0.2	0.2	4	100	
0.1	0.1	1	150	
0.1	0.1	2	194	
0.1	0.1	2	200	
0.1	0.1	1	350	
0.1	0.1	2	365	
0.1	0.1	1	667	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 619-621

**V308****Y2-299: BEEN LOUD, ROWDY -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V307) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been loud, rowdy, or unruly in a public place (disorderly conduct)

PCT VALID	PCT ALL	N	VALUE	LABEL
68.5	65.7	1,133	1	Never
18.6	17.9	308	2	Once/twice yr
4.2	4.1	70	3	Once every 2-3 mos
4.4	4.2	73	4	Once a mo
1.3	1.2	21	5	Once every 2-3 wks
1.8	1.7	29	6	Once a wk
0.8	0.8	13	7	2-3 times wk
0.4	0.3	6	8	Once a day
0.1	0.1	2	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 622-623

**V309****Y2-300: SOLD HARD DRUGS -FREQ**

How many times in the LAST YEAR have you:

sold hard drugs such as heroin, cocaine, and LSD

PCT VALID	PCT ALL	N	VALUE	LABEL
99.2	95.1	1,640	0	
0.1	0.1	2	1	
0.2	0.2	3	2	
0.1	0.1	2	3	
0.1	0.1	1	8	
0.1	0.1	1	9	
0.1	0.1	2	12	
0.1	0.1	1	55	
0.1	0.1	1	70	
0.1	0.1	1	100	
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 624-626

V310

Y2-301: SOLD HARD DRUGS -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V309) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

sold hard drugs such as heroin, cocaine, and LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	95.1	1,640	1	Never
0.4	0.4	7	2	Once/twice yr
0.0	0.0	0	3	Once every 2-3 mos
0.2	0.2	4	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.2	0.2	3	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 627-628

V311

## Y2-302: TAKEN VEHICLE -FREQUENCY

How many times in the LAST YEAR have you:

taken a vehicle for a ride (drive) without the owner's permission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	91.6	1,580	0	
2.6	2.5	43	1	
1.0	0.9	16	2	
0.1	0.1	1	3	
0.3	0.3	5	4	
0.2	0.2	3	5	
0.1	0.1	2	6	
0.1	0.1	1	8	
0.1	0.1	1	9	
0.1	0.1	1	15	
0.1	0.1	1	25	
0.1	0.1	1	50	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 629-630

V312

Y2-303: TAKEN VEHICLE -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V311) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

taken a vehicle for a ride (drive) without the owner's permission

PCT VALID	PCT ALL	N	VALUE	LABEL
95.5	91.6	1,580	1	Never
3.6	3.5	60	2	Once/twice yr
0.6	0.6	10	3	Once every 2-3 mos
0.2	0.2	3	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 631-632

V313

Y2-304: BOUGHT LIQUOR -FREQUENCY

How many times in the LAST YEAR have you:

bought or provided liquor for a minor.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	49.6	856	0	
2.1	1.2	20	1	
2.4	1.3	23	2	
0.4	0.2	4	3	
0.5	0.3	5	4	
0.7	0.4	7	5	
0.2	0.1	2	6	
0.2	0.1	2	7	
0.1	0.1	1	8	
0.5	0.3	5	10	
1.1	0.6	10	12	
0.2	0.1	2	15	
0.1	0.1	1	30	
0.1	0.1	1	35	
0.1	0.1	1	36	
0.1	0.1	1	50	
0.1	0.1	1	80	
0.2	0.1	2	100	
	45.3	781	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 633-635

V314

Y2-305: BOUGHT LIQUOR -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V313) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

bought or provided liquor for a minor.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	49.6	856	1	Never
5.0	2.7	47	2	Once/twice yr
1.5	0.8	14	3	Once every 2-3 mos
1.7	0.9	16	4	Once a mo
0.3	0.2	3	5	Once every 2-3 wks
0.6	0.3	6	6	Once a wk
0.2	0.1	2	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.3	781	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 636-637

V315

Y2-306: GIVEN MONEY, FOOD, -FREQ

How many times in the LAST YEAR have you:

given money, food or clothing to someone or some group who needed them very much.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
37.3	20.5	353	0	
20.0	11.0	189	1	
17.7	9.7	168	2	
9.1	5.0	86	3	
3.3	1.8	31	4	
5.1	2.8	48	5	
1.5	0.8	14	6	
0.7	0.4	7	7	
0.1	0.1	1	8	
0.3	0.2	3	9	
1.5	0.8	14	10	
1.5	0.8	14	12	
0.2	0.1	2	13	
0.1	0.1	1	14	
0.3	0.2	3	15	
0.1	0.1	1	20	
0.1	0.1	1	24	
0.1	0.1	1	25	
0.1	0.1	1	45	
0.1	0.1	1	50	
0.5	0.3	5	52	
0.1	0.1	1	60	
0.1	0.1	1	80	
0.1	0.1	1	83	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 638-639



**V316****Y2-307: GIVEN MONEY, FOOD, -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V315) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

given money, food or clothing to someone or some group who needed them very much.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	20.5	353	1	Never
46.8	25.7	443	2	Once/twice yr
9.8	5.4	93	3	Once every 2-3 mos
4.0	2.2	38	4	Once a mo
1.1	0.6	10	5	Once every 2-3 wks
0.8	0.5	8	6	Once a wk
0.2	0.1	2	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 640-641

**V317****Y2-308: SEXUAL ASSAULT-FREQUENCY**

How many times in the LAST YEAR have you:

had (or tried to have) sexual relations with someone against their will

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	94.8	1,635	0	
0.5	0.5	8	1	
0.3	0.3	5	2	
0.1	0.1	1	3	
0.1	0.1	1	5	
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 642-643

V318

Y2-309: SEXUAL ASSAULT -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V317) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

had (or tried to have) sexual relations with someone against their will

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	94.8	1,635	1	Never
0.8	0.8	14	2	Once/twice yr
0.1	0.1	1	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 644-645

V319

Y2-310: USED FORCE STUDENTS-FREQ

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from other students

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	92.8	1,600	0	
1.3	1.2	21	1	
0.6	0.6	10	2	
0.2	0.2	4	3	
0.1	0.1	1	4	
0.3	0.3	5	5	
0.1	0.1	1	6	
0.1	0.1	1	12	
0.1	0.1	1	15	
0.1	0.1	1	33	
0.1	0.1	1	91	
0.1	0.1	1	100	
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 646-648

**V320****Y2-311: USED FORCE STUDENTS-RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V319) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from other students

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	92.8	1,600	1	Never
2.1	2.0	35	2	Once/twice yr
0.4	0.4	7	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.5	78	-1	

-----  
100.0 100.0 1,725 cases

Data type: numeric  
Missing-data code: -1  
Columns: 649-650

**V321****Y2-312: USED FORCE ON TCHR -FREQ**

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from a teacher or other adult at school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	95.1	1,641	0	
0.1	0.1	2	1	
0.1	0.1	1	4	
0.1	0.1	1	12	
	4.6	80	-1	

-----  
100.0 100.0 1,725 cases

Data type: numeric  
Missing-data code: -1  
Columns: 651-652

V322

Y2-313: USED FORCE ON TCHR -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V321) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from a teacher or other adult at school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	95.1	1,641	1	Never
0.1	0.1	2	2	Once/twice yr
0.1	0.1	1	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.6	80	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 653-654

V323

Y2-314: REFSO TO HELP CHEAT-FREQ

How many times in the LAST YEAR have you:

refused to participate when another student asked you to help him or her cheat on an exam.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
62.5	34.0	586	0	
9.3	5.0	87	1	
9.5	5.2	89	2	
5.3	2.9	50	3	
2.1	1.2	20	4	
4.1	2.2	38	5	
0.6	0.3	6	6	
0.3	0.2	3	7	
0.4	0.2	4	8	
1.5	0.8	14	10	
1.5	0.8	14	12	
0.1	0.1	1	13	
0.1	0.1	1	14	
0.4	0.2	4	15	
0.7	0.4	7	20	
0.1	0.1	1	23	
0.2	0.1	2	25	
0.2	0.1	2	30	
0.1	0.1	1	40	
0.1	0.1	1	50	
0.1	0.1	1	70	
0.1	0.1	1	72	
0.2	0.1	2	75	
0.2	0.1	2	83	
0.1	0.1	1	365	
	45.6	787	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 655-657

V324

Y2-315: REFSO TO HELP CHEAT-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V323) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

refused to participate when another student asked you to help him or her cheat on an exam.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	34.0	586	1	Never
24.1	13.1	226	2	Once/twice yr
6.8	3.7	64	3	Once every 2-3 mos
3.1	1.7	29	4	Once a mo
1.4	0.8	13	5	Once every 2-3 wks
1.1	0.6	10	6	Once a wk
0.7	0.4	7	7	2-3 times wk
0.3	0.2	3	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.6	787	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 658-659

V325

Y2-316: USED FORCE ON OTH -FREQ

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from other people (not students or teachers)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	94.2	1,625	0	
0.4	0.4	7	1	
0.6	0.6	10	2	
0.3	0.3	5	3	
0.2	0.2	4	4	
0.1	0.1	1	5	
0.1	0.1	1	7	
0.1	0.1	1	15	
0.1	0.1	1	364	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 660-662



V326

Y2-317: USED FORCE ON OTH -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V325) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from other people (not students or teachers)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	94.2	1,625	1	Never
1.3	1.3	22	2	Once/twice yr
0.3	0.3	5	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 663-664

V327

Y2-318: AVOIDED PAYING-FREQUENCY

How many times in the LAST YEAR have you:

avoided paying for such things as movies, bus or subway rides,  
and food.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
83.3	45.7	788	0	
4.8	2.6	45	1	
3.4	1.9	32	2	
2.4	1.3	23	3	
0.6	0.3	6	4	
2.0	1.1	19	5	
0.8	0.5	8	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.1	0.1	1	10	
0.6	0.3	6	12	
0.1	0.1	1	14	
0.1	0.1	1	15	
0.3	0.2	3	20	
0.1	0.1	1	25	
0.2	0.1	2	30	
0.1	0.1	1	36	
0.2	0.1	2	50	
0.1	0.1	1	83	
0.1	0.1	1	150	
0.1	0.1	1	200	
0.1	0.1	1	500	
0.1	0.1	1	720	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 665-667

V328

Y2-319: AVOIDED PAYING -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V327) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

avoided paying for such things as movies, bus or subway rides,  
and food.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	45.7	788	1	Never
10.6	5.8	100	2	Once/twice yr
3.5	1.9	33	3	Once every 2-3 mos
1.0	0.5	9	4	Once a mo
0.7	0.4	7	5	Once every 2-3 wks
0.4	0.2	4	6	Once a wk
0.2	0.1	2	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.3	0.2	3	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 668-669

V329

Y2-320: BEEN DRUNK -FREQUENCY

How many times in the LAST YEAR have you:

been drunk in a public place.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.1	44.0	759	0	
3.2	1.7	30	1	
5.4	3.0	51	2	
1.5	0.8	14	3	
1.3	0.7	12	4	
1.5	0.8	14	5	
0.8	0.5	8	6	
0.3	0.2	3	7	
0.3	0.2	3	8	
0.3	0.2	3	9	
1.1	0.6	10	10	
1.2	0.6	11	12	
0.7	0.4	7	15	
0.1	0.1	1	17	
0.1	0.1	1	18	
0.4	0.2	4	20	
0.1	0.1	1	25	
0.1	0.1	1	26	
0.2	0.1	2	30	
0.1	0.1	1	35	
0.4	0.2	4	50	
0.2	0.1	2	52	
0.1	0.1	1	62	
0.1	0.1	1	70	
0.1	0.1	1	83	
0.1	0.1	1	100	
0.1	0.1	1	102	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 670-672

V330

Y2-321: BEEN DRUNK -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V329) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been drunk in a public place.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.1	44.0	759	1	Never
10.0	5.5	95	2	Once/twice yr
3.6	2.0	34	3	Once every 2-3 mos
3.3	1.8	31	4	Once a mo
1.7	0.9	16	5	Once every 2-3 wks
0.8	0.5	8	6	Once a wk
0.4	0.2	4	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 673-674

V331

Y2-322: STOLEN THINGS(\$5-50)-FREQ

How many times in the LAST YEAR have you:

stolen (or tried to steal) things worth between \$5 and \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	90.4	1,559	0	
2.8	2.7	46	1	
1.0	1.0	17	2	
0.5	0.5	9	3	
0.2	0.2	3	4	
0.2	0.2	4	5	
0.3	0.3	5	10	
0.3	0.3	5	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	23	
0.1	0.1	1	36	
0.1	0.1	1	52	
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 675-676

V332

Y2-323: STOLEN THNGS(\$5-50)-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V331) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) things worth between \$5 and \$50

PCT VALID	PCT ALL	N	VALUE	LABEL
94.3	90.4	1,559	1	Never
4.4	4.2	72	2	Once/twice yr
0.4	0.4	7	3	Once every 2-3 mos
0.6	0.6	10	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 677-678

V333

Y2-324: STOLEN THINGS @ SCHL-FREQ

How many times in the LAST YEAR have you:

stolen (or tried to steal) something at school, such as someone's coat from a classroom, locker, or cafeteria, or a book from the library

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	89.4	1,542	0	
3.1	3.0	51	1	
1.8	1.7	30	2	
0.5	0.5	8	3	
0.2	0.2	3	4	
0.4	0.4	7	5	
0.1	0.1	1	10	
0.1	0.1	2	12	
0.1	0.1	1	16	
0.1	0.1	1	52	
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 679-680



V334

Y2-325: STOLEN THNGS @ SCHL-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V333) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) something at school, such as someone's coat from a classroom, locker, or cafeteria, or a book from the library

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	89.4	1,542	1	Never
5.4	5.2	89	2	Once/twice yr
0.6	0.6	10	3	Once every 2-3 mos
0.2	0.2	3	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 681-682

V335

Y2-326: BROKEN INTO BLDG -FREQ

How many times in the LAST YEAR have you:

broken into a building or vehicle (or tried to break in) to steal something or just to look around

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.2	1,590	0	
2.7	2.6	45	1	
0.4	0.4	7	2	
0.1	0.1	2	3	
0.1	0.1	1	6	
0.1	0.1	1	7	
0.1	0.1	1	9	
0.1	0.1	1	10	
0.1	0.1	2	12	
0.1	0.1	1	25	
0.1	0.1	1	36	
0.1	0.1	2	52	
0.1	0.1	1	194	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 683-685

**V336****Y2-327: BROKEN INTO BLDG -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V335) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

broken into a building or vehicle (or tried to break in) to steal something or just to look around

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.2	1,590	1	Never
3.3	3.1	54	2	Once/twice yr
0.1	0.1	1	3	Once every 2-3 mos
0.3	0.3	5	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 686-687

**V337****Y2-328: BEGGED FOR MONEY -FREQ**

How many times in the LAST YEAR have you:

begged for money or things from strangers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	94.2	1,625	0	
0.8	0.8	13	1	
0.7	0.6	11	2	
0.1	0.1	2	3	
0.1	0.1	1	4	
0.1	0.1	1	5	
0.1	0.1	1	25	
0.1	0.1	1	100	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 688-690

V338

Y2-329: BEGGED FOR MONEY -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V337) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

begged for money or things from strangers

PCT VALID	PCT ALL	N	VALUE	LABEL
98.2	94.2	1,625	1	Never
1.6	1.5	26	2	Once/twice yr
0.1	0.1	2	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 691-692

V339

Y2-330: SKIPPED CLASSES -FREQ

How many times in the LAST YEAR have you:

skipped classes without an excuse

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
62.8	34.1	588	0	
6.0	3.2	56	1	
7.5	4.1	70	2	
3.8	2.1	36	3	
1.2	0.6	11	4	
4.3	2.3	40	5	
2.5	1.3	23	6	
0.3	0.2	3	7	
0.7	0.4	7	8	
0.2	0.1	2	9	
2.2	1.2	21	10	
0.2	0.1	2	11	
1.1	0.6	10	12	
0.2	0.1	2	14	
1.0	0.5	9	15	
0.1	0.1	1	16	
0.1	0.1	1	18	
1.2	0.6	11	20	
0.1	0.1	1	22	
0.1	0.1	1	23	
0.5	0.3	5	25	
0.1	0.1	1	26	
0.7	0.4	7	30	
0.4	0.2	4	35	
0.1	0.1	1	36	
0.1	0.1	1	38	
0.1	0.1	1	40	
0.4	0.2	4	50	
0.3	0.2	3	52	
0.1	0.1	1	75	
0.2	0.1	2	83	
0.1	0.1	1	90	
0.5	0.3	5	100	
0.2	0.1	2	194	
0.2	0.1	2	200	
0.1	0.1	1	295	
0.1	0.1	1	365	
	45.7	788	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 693-695

V340

Y2-331: SKIPPED CLASSES -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V339) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

skipped classes without an excuse

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	34.1	588	1	Never
17.3	9.4	162	2	Once/twice yr
7.9	4.3	74	3	Once every 2-3 mos
3.8	2.1	36	4	Once a mo
2.6	1.4	24	5	Once every 2-3 wks
2.7	1.4	25	6	Once a wk
1.7	0.9	16	7	2-3 times wk
0.6	0.3	6	8	Once a day
0.6	0.3	6	9	2-3 times day
	45.7	788	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 696-697

V341

Y2-332: FAILED RETRN CHNGE -FREQ

How many times in the LAST YEAR have you:

failed to return extra change that a cashier gave you by mistake

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	40.5	698	0	
10.9	6.0	103	1	
8.8	4.8	83	2	
2.4	1.3	23	3	
0.8	0.5	8	4	
1.0	0.5	9	5	
0.2	0.1	2	6	
0.7	0.4	7	7	
0.4	0.2	4	10	
0.5	0.3	5	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	22	
0.1	0.1	1	25	
0.1	0.1	1	50	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 698-699

V342

Y2-333: FAILED RETRN CHNGE -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V341) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

failed to return extra change that a cashier gave you by mistake

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	40.5	698	1	Never
22.1	12.1	209	2	Once/twice yr
2.0	1.1	19	3	Once every 2-3 mos
1.6	0.9	15	4	Once a mo
0.5	0.3	5	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 700-701



V343

Y2-334: TLK FRNDS FRM ILLG -FREQ

How many times in the LAST YEAR have you:

tried to talk your friends out of doing something that was against  
the law

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
56.8	31.1	537	0	
11.0	6.0	104	1	
12.1	6.6	114	2	
6.6	3.6	62	3	
3.5	1.9	33	4	
3.2	1.7	30	5	
1.1	0.6	10	6	
0.5	0.3	5	7	
0.4	0.2	4	8	
0.2	0.1	2	9	
2.0	1.1	19	10	
1.1	0.6	10	12	
0.2	0.1	2	15	
0.1	0.1	1	17	
0.1	0.1	1	18	
0.4	0.2	4	20	
0.3	0.2	3	50	
0.2	0.1	2	52	
0.1	0.1	1	300	
0.2	0.1	2	365	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 702-704

V344

Y2-335: TLK FRNDS FRM ILLG -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V343) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

tried to talk your friends out of doing something that was against the law

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	31.1	537	1	Never
29.6	16.2	280	2	Once/twice yr
7.7	4.2	73	3	Once every 2-3 mos
4.2	2.3	40	4	Once a mo
0.4	0.2	4	5	Once every 2-3 wks
0.7	0.4	7	6	Once a wk
0.2	0.1	2	7	2-3 times wk
0.3	0.2	3	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 705-706

V345

Y2-336: BEEN SUSPENDED-FREQUENCY

How many times in the LAST YEAR have you:

been suspended from school

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	48.3	833	0	
5.4	3.0	51	1	
2.3	1.3	22	2	
1.6	0.9	15	3	
1.0	0.5	9	4	
0.3	0.2	3	5	
0.1	0.1	1	9	
0.2	0.1	2	10	
0.1	0.1	1	22	
0.1	0.1	1	40	
	45.6	787	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 707-708

V346

Y2-337: BEEN SUSPENDE -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V345) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been suspended from school

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	48.3	833	1	Never
9.4	5.1	88	2	Once/twice yr
1.3	0.7	12	3	Once every 2-3 mos
0.2	0.1	2	4	Once a mo
0.2	0.1	2	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.6	787	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 709-710

V347

Y2-338: MADE OBSCENE CALLS -FREQ

How many times in the LAST YEAR have you:

made obscene telephone calls, such as calling someone and saying  
dirty things.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
92.2	50.6	873	0	
2.9	1.6	27	1	
1.5	0.8	14	2	
1.2	0.6	11	3	
0.2	0.1	2	4	
0.5	0.3	5	5	
0.4	0.2	4	6	
0.2	0.1	2	7	
0.4	0.2	4	10	
0.3	0.2	3	12	
0.1	0.1	1	25	
0.1	0.1	1	160	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 711-713

V348

Y2-339: MADE OBSCENE CALLS -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V347) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

made obscene telephone calls, such as calling someone and saying dirty things.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	50.6	873	1	Never
5.5	3.0	52	2	Once/twice yr
1.2	0.6	11	3	Once every 2-3 mos
0.8	0.5	8	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 714-715

## SUBSTANCE USE

## General Drugs

V349

Y2-340: ALCHOL:HOW OFTEN PAST YR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	23.1	398	1	Never
21.8	11.9	206	2	Once or twice
8.0	4.4	76	3	Once every 2-3 mos
7.7	4.2	73	4	Once a mo
7.2	3.9	68	5	Once every 2-3 wks
7.0	3.8	66	6	Once a wk
5.4	3.0	51	7	2-3 times a wk
0.5	0.3	5	8	Once a day
0.3	0.2	3	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 716-717

V350

Y2-341: COFFEE: EVER USED

Have you ever used Coffee?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	15.3	264	1	No
62.7	25.7	444	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 718-719

**V351****Y2-342: COFFEE: HOW OFTN/PAST YR**

IF YES to V350: In the last year, how often have you used Coffee?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.7	12	1	Never
30.4	7.8	135	2	Once or twice
8.8	2.3	39	3	Once every 2-3 mos
10.4	2.7	46	4	Once a mo
4.7	1.2	21	5	Once every 2-3 wks
9.0	2.3	40	6	Once a wk
13.1	3.4	58	7	2-3 times a wk
14.6	3.8	65	8	Once a day
6.3	1.6	28	9	2-3 times day
	74.3	1,281	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 720-721

**V352****Y2-343: TEA: EVER USED**

Have you ever used Tea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	9.0	155	1	No
78.0	32.0	552	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 722-723



**V353****Y2-344: TEA: HOW OFTEN/PAST YR**

IF YES to V352: In the last year, how often have you used Tea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	1	Never
14.6	4.7	81	2	Once or twice
7.6	2.4	42	3	Once every 2-3 mos
9.0	2.9	50	4	Once a mo
9.6	3.1	53	5	Once every 2-3 wks
10.5	3.4	58	6	Once a wk
17.9	5.7	99	7	2-3 times a wk
15.7	5.0	87	8	Once a day
14.6	4.7	81	9	2-3 times day
	67.9	1,172	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 724-725

**V354****Y2-345: NODOZE: EVER USED**

Have you ever used Nodoze or similar medicines designed to help you stay awake or alert?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	37.8	652	1	No
7.6	3.1	54	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 726-727

**V355****Y2-346: NODOZE: HOW OFTN/PAST YR**

IF YES to V354: In the last year, how often have you used Nodoe or similar medicines designed to help you stay awake or alert?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	1	1	Never
81.8	2.6	45	2	Once or twice
1.8	0.1	1	3	Once every 2-3 mos
7.3	0.2	4	4	Once a mo
1.8	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
3.6	0.1	2	7	2-3 times a wk
1.8	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	96.8	1,670	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 728-729

**V356****Y2-347: SLEEPEZE: EVER USED**

Have you ever used Sleepzeze, Sominex, Nytol or similar medicines designed to help you sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	36.8	634	1	No
10.0	4.1	71	2	Yes
0.4	0.2	3	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 730-731

**V357****Y2-348: SLEEPEZE:HOW OFN/PAST YR**

IF YES to V356: In the last year, how often have you used Sleepeze, Sominex, Nytol or similar medicines designed to help you sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	1	1	Never
64.9	2.8	48	2	Once or twice
10.8	0.5	8	3	Once every 2-3 mos
8.1	0.3	6	4	Once a mo
2.7	0.1	2	5	Once every 2-3 wks
5.4	0.2	4	6	Once a wk
2.7	0.1	2	7	2-3 times a wk
2.7	0.1	2	8	Once a day
1.4	0.1	1	9	2-3 times day
	95.7	1,651	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 732-733

**V358****Y2-349: NYQUIL, ETC.: EVER USED**

Have you ever used Non-prescription cough medicines such as Nyquil, Romilar or Robitussin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	20.0	345	1	No
41.9	17.2	297	2	Yes
9.3	3.8	66	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 734-735

**V359****Y2-350: NYQUIL,: HOW OFT/PAST YR**

IF YES to V358: In the last year, how often have you used Non-prescription cough medicines such as Nyquil, Romilar or Robitussin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	Never
52.1	11.0	189	2	Once or twice
20.7	4.3	75	3	Once every 2-3 mos
11.3	2.4	41	4	Once a mo
2.2	0.5	8	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
2.8	0.6	10	7	2-3 times a wk
3.0	0.6	11	8	Once a day
7.7	1.6	28	9	2-3 times day
	79.0	1,362	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 736-737

**V360****Y2-351: METHADONE,ETC.:EVER USED**

Have you ever used Methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	40.9	705	1	No
0.1	0.1	1	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 738-739

**V361****Y2-352: METHADONE:HOW OFT/PST YR**

IF YES to V360: In the last year, how often have you used Methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Never
100.0	0.1	1	2	Once or twice
0.0	0.0	0	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 740-741

**V362****Y2-353: MORPHINE: EVER USED**

Have you ever used Morphine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	40.6	701	1	No
0.3	0.1	2	2	Yes
0.3	0.1	2	3	Yes, episodic
	59.1	1,020	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 742-743

**V363****Y2-354: MORPHINE:HOW OFT/PAST YR**

IF YES to V362: In the last year, how often have you used Morphine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Never
75.0	0.2	3	2	Once or twice
0.0	0.0	0	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
25.0	0.1	1	9	2-3 times day
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 744-745

**V364****Y2-355: METHAQUAALUDES:EVER USED**

Have you ever used Methaquaaludes or quaaludes ("sophors")?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	40.2	693	1	No
1.8	0.8	13	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 746-747

**V365****Y2-356: METHAQUAALUDES:HOW OFTEN**

IF YES to V364: In the last year, how often have you used Methaquaaludes or quaaludes ("sophors")?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Never
84.6	0.6	11	2	Once or twice
7.7	0.1	1	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
7.7	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 748-749

**V366****Y2-357: DARVON, ETC.: EVER USED**

Have you ever used Prescription pain killers such as Darvon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	33.8	583	1	No
13.3	5.4	94	2	Yes
4.4	1.8	31	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 750-751

**V367****Y2-358: DARVON:HOW OFTN/PAST YR**

IF YES to V366: In the last year, how often have you used  
Prescription pain killers such as Darvon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.2	4	1	Never
60.8	4.4	76	2	Once or twice
8.8	0.6	11	3	Once every 2-3 mos
0.8	0.1	1	4	Once a mo
2.4	0.2	3	5	Once every 2-3 wks
0.8	0.1	1	6	Once a wk
1.6	0.1	2	7	2-3 times a wk
8.0	0.6	10	8	Once a day
13.6	1.0	17	9	2-3 times day
	92.8	1,600	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 752-753

**V368****Y2-359: PERCODAN,ETC.: EVER USED**

Have you ever used Synthetic opiates such as Percodan, Demerol,  
Peregoric, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	39.8	686	1	No
2.5	1.0	18	2	Yes
0.3	0.1	2	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 754-755



V369

Y2-360: PERCODAN:HOW OFT/PAST YR

IF YES to V368: In the last year, how often have you used Synthetic opiates such as Percodan, Demerol, Peregoric, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.1	1	1	Never
85.0	1.0	17	2	Once or twice
5.0	0.1	1	3	Once every 2-3 mos
5.0	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	98.8	1,705	-1	

-----

100.0 100.0 1,725 cases

Data type: numeric

Missing-data code: -1

Columns: 756-757

## Alcohol

**V370 Y2-361: EVER USED BEER**

Have you ever used Beer?

(IF NO, SKIP TO V419)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	12.9	222	1	No
68.5	28.1	484	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 758-759

**V371 Y2-362: WHEN FIRST USE BEER**

When did you first use Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.6	10	0	Don't know
68.2	19.2	331	1	More than 1 yr ago
18.1	5.1	88	2	Within last yr
9.5	2.7	46	3	Within last 6 mos
2.1	0.6	10	4	Within last mo
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 760-761

**V372****Y2-363: HOW OFTEN IN PAST YEAR**

During the last year, how often did you drink Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	14.8	256	1	Never
26.4	10.8	187	2	Once or twice
9.5	3.9	67	3	Once every 2-3 mos
7.5	3.1	53	4	Once a mo
7.2	3.0	51	5	Once every 2-3 wks
5.2	2.1	37	6	Once a wk
6.4	2.6	45	7	2-3 times wk
0.8	0.3	6	8	Once a day
0.7	0.3	5	9	2-3 times day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 762-763

**V373****Y2-364: HOW MUCH**

When drinking Beer how much do you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	6.0	104	0	Less than 1 can
30.5	8.6	148	1	1 can
15.5	4.3	75	2	2 cans
12.4	3.5	60	3	3 cans
8.9	2.5	43	4	4 or 5 cans
11.3	3.2	55	5	6 pack or more
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 764-765

**V374****Y2-365: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Beer?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	27.7	477	1	No
1.6	0.5	8	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 766-767

**V375****Y2-366: RELIEVE BOREDOM**

Which of the following are your reasons for using Beer?

To relieve feeling of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	25.9	447	1	No
7.8	2.2	38	2	Yes
0.0	0.0	0	3	Relieve tension
0.0	0.0	0	4	For pleasure
0.0	0.0	0	5	Be different
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 768-769

**V376****Y2-367: RELIEVE TENSION**

Which of the following are your reasons for using Beer?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	26.4	455	1	No
6.2	1.7	30	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 770-771

**V377****Y2-368: FOR PLEASURE, ETC.**

Which of the following are your reasons for using Beer?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	4.9	85	1	No
82.5	23.2	400	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 772-773

**V378****Y2-369: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Beer?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	27.5	475	1	No
2.1	0.6	10	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 774-775

**V379****Y2-370: TO BE ACCEPTED**

Which of the following are your reasons for using Beer?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	25.2	435	1	No
10.3	2.9	50	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 776-777

**V380****Y2-371: TO BE RELAXED**

Which of the following are your reasons for using Beer?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	24.6	424	1	No
12.6	3.5	61	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 778-779

**V381****Y2-372: APPEAR MORE GROWN UP**

Which of the following are your reasons for using Beer?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	26.9	464	1	No
4.3	1.2	21	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 780-781

**V382****Y2-373: TO GET THROUGH DAY**

Which of the following are your reasons for using Beer?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	27.9	482	1	No
0.6	0.2	3	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 782-783

**V383****Y2-374: CURIOSITY, EXPERIMENT**

Which of the following are your reasons for using Beer?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	27.0	466	1	No
3.9	1.1	19	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 784-785



**V384****Y2-375: SPECIAL OCCASIONS**

Which of the following are your reasons for using Beer?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	27.8	480	1	No
1.0	0.3	5	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 786-787

**V385****Y2-376: FAMILY ENCOURAGEMENT**

Which of the following are your reasons for using Beer?

For Family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	27.5	474	1	No
2.3	0.6	11	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 788-789

**V386****Y2-377: OTHER**

Which of the following are your reasons for using Beer?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	27.0	466	1	No
3.9	1.1	19	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 790-791

**V387****Y2-378: MOST IMP FUNCTION -BEER**

Which of the above is your major reason for using Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	1	Relieve pain
2.9	0.8	14	2	Relieve boredom
1.9	0.5	9	3	Relieve tension
76.1	21.4	369	4	For pleasure
0.6	0.2	3	5	Be different
4.5	1.3	22	6	Be accepted
4.1	1.2	20	7	Be relaxed
0.6	0.2	3	8	Appear grown up
0.0	0.0	0	10	Get thru day
3.3	0.9	16	11	Curiosity
0.8	0.2	4	12	Special occasions
1.0	0.3	5	13	Family encourage
3.7	1.0	18	14	Other
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 792-793

**V388****Y2-379: RELIEVE PHYSICAL PAIN**

Is Beer effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	Not effective
87.5	0.4	7	2	Effective
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 794-795

**V389****Y2-380: RELIEVE BOREDOM**

Is Beer effective for your purposes?

To relieve feeling of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.1	0.8	13	1	Not effective
64.9	1.4	24	2	Effective
	97.9	1,688	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 796-797

<b>V390</b>	<b>Y2-381: RELIEVE TENSION</b>
-------------	--------------------------------

Is Beer effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.7	12	1	Not effective
60.0	1.0	18	2	Effective
	98.3	1,695	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 798-799

<b>V391</b>	<b>Y2-382: FOR PLEASURE, ETC.</b>
-------------	-----------------------------------

Is Beer effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	6.3	108	1	Not effective
72.9	16.9	291	2	Effective
	76.9	1,326	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 800-801

<b>V392</b>	<b>Y2-383: TO BE DIFFERENT, ETC.</b>
-------------	--------------------------------------

Is Beer effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	4	1	Not effective
60.0	0.3	6	2	Effective
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 802-803

<b>V393</b>	<b>Y2-384: TO BE ACCEPTED</b>
-------------	-------------------------------

Is Beer effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	0.6	11	1	Not effective
78.0	2.3	39	2	Effective
	97.1	1,675	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 804-805

<b>V394</b>	<b>Y2-385: TO BE MORE RELAXED</b>
-------------	-----------------------------------

Is Beer effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	0.5	9	1	Not effective
85.2	3.0	52	2	Effective
	96.5	1,664	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 806-807

<b>V395</b>	<b>Y2-386: APPEAR MORE GROWN UP</b>
-------------	-------------------------------------

Is Beer effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	0.5	8	1	Not effective
61.9	0.8	13	2	Effective
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 808-809

<b>V396</b>	<b>Y2-387: TO GET THROUGH THE DAY</b>
-------------	---------------------------------------

Is Beer effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	Not effective
66.7	0.1	2	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 810-811

<b>V397</b>	<b>Y2-388: CURIOSITY, EXPERIMENT</b>
-------------	--------------------------------------

Is Beer effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	3	1	Not effective
83.3	0.9	15	2	Effective
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 812-813

**V398****Y2-389: SPECIAL OCCASIONS**

Is Beer effective for your purposes?

To celebrate special occasions

(QUESTION TEXT NOT AVAIABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	Not effective
66.7	0.1	2	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 814-815

**V399****Y2-390: FAMILY ENCOURAGEMENT**

Is Beer effective for your purposes?

For family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	Not effective
87.5	0.4	7	2	Effective
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 816-817



<b>V400</b>	<b>Y2-391: OTHER</b>
-------------	----------------------

Is Beer effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	0.3	5	1	Not effective
68.8	0.6	11	2	Effective
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 818-819

<b>V401</b>	<b>Y2-392: FOOD STORES</b>
-------------	----------------------------

Do you get your Beer from Food stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	24.3	420	1	No
13.4	3.8	65	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 820-821

<b>V402</b>	<b>Y2-393: LIQUOR STORES</b>
-------------	------------------------------

Do you get your Beer from Liquor stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	25.3	437	1	No
9.9	2.8	48	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 822-823

**V403****Y2-394: FAMILY**

Do you get your Beer from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	17.5	302	1	No
37.7	10.6	183	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 824-825

**V404****Y2-395: FRIENDS**

Do you get your Beer from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	15.0	258	1	No
46.8	13.2	227	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 826-827

**V405****Y2-396: RESTAURANT OR BAR**

Do you get your Beer from Restaurant or bar?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	26.3	453	1	No
6.6	1.9	32	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 828-829

<b>V406</b>	<b>Y2-397: OTHER</b>
-------------	----------------------

Do you get your Beer from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	27.4	473	1	No
2.5	0.7	12	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 830-831

<b>V407</b>	<b>Y2-398: EVER STOPPED USING BEER</b>
-------------	----------------------------------------

Have you stopped using Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	16.6	287	1	No
40.8	11.5	198	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 832-833

<b>V408</b>	<b>Y2-399: DISLIKED TASTE</b>
-------------	-------------------------------

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	4.8	83	1	No
58.1	6.7	115	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 834-835

<b>V409</b>	<b>Y2-400: BAD PHYSICAL EFFECTS</b>
-------------	-------------------------------------

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	9.5	164	1	No
17.2	2.0	34	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 836-837

<b>V410</b>	<b>Y2-401: BAD EMOTIONAL EFFECTS</b>
-------------	--------------------------------------

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	11.3	195	1	No
1.5	0.2	3	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 838-839

<b>V411</b>	<b>Y2-402: FELT IT WAS WRONG</b>
-------------	----------------------------------

IF YES to V407: Are any of the following reasons why you stopped using Beer:

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	7.9	136	1	No
31.3	3.6	62	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 840-841

<b>V412</b>	<b>Y2-403: FRIENDS PRESSURED</b>
-------------	----------------------------------

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	11.2	193	1	No
2.5	0.3	5	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 842-843

<b>V413</b>	<b>Y2-404: TROUBLE W/PARENTS</b>
-------------	----------------------------------

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	10.8	187	1	No
5.6	0.6	11	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 844-845

<b>V414</b>	<b>Y2-405: FEARFUL OF ADDICTION</b>
-------------	-------------------------------------

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	10.4	180	1	No
9.1	1.0	18	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 846-847

<b>V415</b>	<b>Y2-406: LOST ITS EFFECTS</b>
-------------	---------------------------------

IF YES to V407: Are any of the following reasons why you stopped using Beer:

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	10.9	188	1	No
5.1	0.6	10	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 848-849

<b>V416</b>	<b>Y2-407: DIDNT NEED IT</b>
-------------	------------------------------

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	8.3	144	1	No
27.3	3.1	54	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 850-851

**V417****Y2-408: OTHER**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	10.6	183	1	No
7.6	0.9	15	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 852-853

**V418****Y2-409: MAJOR REASN FOR STOPPING**

Which of the above is your major reason for stopping Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	5.3	92	1	Disliked taste
7.1	0.8	14	2	Bad phys effects
1.0	0.1	2	3	Bad emotion effects
18.7	2.1	37	4	Felt it was wrong
0.5	0.1	1	5	Friends pressure
2.0	0.2	4	6	Trouble w/parents
1.5	0.2	3	7	Fearful of addict
0.0	0.0	0	9	Lost effects
15.7	1.8	31	10	Didn't need it
7.1	0.8	14	11	Other
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 854-855



<b>V419</b>	<b>Y2-410: EVER USED WINE</b>
-------------	-------------------------------

Have you ever used Wine?

(IF NO, SKIP TO V468)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	20.4	352	1	No
50.1	20.5	354	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 856-857

<b>V420</b>	<b>Y2-411: WHEN FIRST USE WINE</b>
-------------	------------------------------------

When did you first use Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.3	5	0	Don't know
61.3	12.6	217	1	More than 1 yr ago
22.9	4.7	81	2	Within last yr
10.2	2.1	36	3	Within last 6 mos
4.2	0.9	15	4	Within last 6 mo
	79.5	1,371	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 858-859

<b>V421</b>	<b>Y2-412: HOW OFTEN IN PAST YEAR</b>
-------------	---------------------------------------

During the last year, how often did you drink Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	21.3	367	1	Never
26.5	10.8	187	2	Once or twice
10.2	4.2	72	3	Once every 2-3 mos
5.2	2.1	37	4	Once a mo
2.7	1.1	19	5	Once every 2-3 wks
2.0	0.8	14	6	Once a wk
1.3	0.5	9	7	2-3 times a wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 860-861

<b>V422</b>	<b>Y2-413: HOW MUCH</b>
-------------	-------------------------

When drinking Wine how much do you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	2.9	50	0	Less than a glass
51.1	10.5	181	1	1 glass
17.2	3.5	61	2	2 glasses
8.2	1.7	29	3	3 glasses
5.4	1.1	19	4	4 to 4 glasses
4.0	0.8	14	5	6 or more glasses
	79.5	1,371	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 862-863

**V423****Y2-414: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Wine?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	20.4	352	1	No
0.8	0.2	3	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 864-865

**V424****Y2-415: RELIEVE BOREDOM**

Which of the following are your reasons for using Wine?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	20.0	345	1	No
2.8	0.6	10	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 866-867

<b>V425</b>	<b>Y2-416: RELIEVE TENSION</b>
-------------	--------------------------------

Which of the following are your reasons for using Wine?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	19.7	339	1	No
4.5	0.9	16	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 868-869

<b>V426</b>	<b>Y2-417: FOR PLEASURE, ETC.</b>
-------------	-----------------------------------

Which of the following are your reasons for using Wine?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	5.4	94	1	No
73.5	15.1	261	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 870-871

**V427****Y2-418: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Wine?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	20.2	349	1	No
1.7	0.3	6	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 872-873

**V428****Y2-419: TO BE ACCEPTED**

Which of the following are your reasons for using Wine?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	19.6	338	1	No
4.8	1.0	17	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 874-875

<b>V429</b>	<b>Y2-420: TO BE RELAXED</b>
-------------	------------------------------

Which of the following are your reasons for using Wine?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	18.4	318	1	No
10.4	2.1	37	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 876-877

<b>V430</b>	<b>Y2-421: APPEAR MORE GROWN UP</b>
-------------	-------------------------------------

Which of the following are your reasons for using Wine?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	19.6	338	1	No
4.8	1.0	17	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 878-879

<b>V431</b>	<b>Y2-422: TO GET THROUGH DAY</b>
-------------	-----------------------------------

Which of the following are your reasons for using Wine?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	20.5	354	1	No
0.3	0.1	1	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 880-881

<b>V432</b>	<b>Y2-423: CURIOSITY, EXPERIMENT</b>
-------------	--------------------------------------

Which of the following are your reasons for using Wine?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	19.7	340	1	No
4.2	0.9	15	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 882-883

**V433****Y2-424: SPECIAL OCCASIONS**

Which of the following are your reasons for using Wine?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	18.0	311	1	No
12.4	2.6	44	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 884-885

**V434****Y2-425: FAMILY ENCOURAGEMENT**

Which of the following are your reasons for using Wine?

For family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	18.4	317	1	No
10.7	2.2	38	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 886-887



**V435****Y2-426: OTHER**

Which of the following are your reasons for using Wine?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	20.2	349	1	No
1.7	0.3	6	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 888-889

**V436****Y2-427: MOST IMP FUNCTION -WINE**

Which of the above is your major reason for using Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	2	1	Relieve phys pain
0.6	0.1	2	2	Relieve boredom
1.7	0.3	6	3	Relieve tension
67.5	13.9	239	4	For pleasure
0.6	0.1	2	5	Be different
2.0	0.4	7	6	To be accepted
3.4	0.7	12	7	To be relaxed
1.4	0.3	5	8	Appear grown up
0.0	0.0	0	10	Get thru day
3.7	0.8	13	11	Curiosity
10.5	2.1	37	12	Special occasion
7.3	1.5	26	13	Family encourage
0.8	0.2	3	14	Other
	79.5	1,371	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 890-891

**V437****Y2-428: RELIEVE PHYSICAL PAIN**

Is Wine effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.2	3	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 892-893

**V438****Y2-429: RELIEVE BOREDOM**

Is Wine effective for your purposes?

To relieve feeling of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	2	1	Not effective
80.0	0.5	8	2	Effective
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 894-895

<b>V439</b>	<b>Y2-430: RELIEVE TENSION</b>
-------------	--------------------------------

Is Wine effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	2	1	Not effective
87.5	0.8	14	2	Effective
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 896-897

<b>V440</b>	<b>Y2-431: FOR PLEASURE, ETC.</b>
-------------	-----------------------------------

Is Wine effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	4.1	71	1	Not effective
72.7	11.0	189	2	Effective
	84.9	1,465	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 898-899

<b>V441</b>	<b>Y2-432: TO BE DIFFERENT, ETC.</b>
-------------	--------------------------------------

Is Wine effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	2	1	Not effective
66.7	0.2	4	2	Effective
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 900-901

<b>V442</b>	<b>Y2-433: TO BE ACCEPTED</b>
-------------	-------------------------------

Is Wine effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.2	4	1	Not effective
75.0	0.7	12	2	Effective
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 902-903

<b>V443</b>	<b>Y2-434: TO BE RELAXED</b>
-------------	------------------------------

Is Wine effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	0.2	3	1	Not effective
91.9	2.0	34	2	Effective
	97.9	1,688	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 904-905

<b>V444</b>	<b>Y2-435: APPEAR MORE GROWN UP</b>
-------------	-------------------------------------

Is Wine effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	0.6	11	1	Not effective
35.3	0.3	6	2	Effective
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 906-907

<b>V445</b>	<b>Y2-436: TO GET THROUGH DAY</b>
-------------	-----------------------------------

Is Wine effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Not effective
0.0	0.0	0	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 908-909

<b>V446</b>	<b>Y2-437: CURIOSITY, EXPERIMENT</b>
-------------	--------------------------------------

Is Wine effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	4	1	Not effective
66.7	0.5	8	2	Effective
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 910-911

<b>V447</b>	<b>Y2-438: SPECIAL OCCASIONS</b>
-------------	----------------------------------

Is Wine effective for your purposes?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	0.2	4	1	Not effective
89.2	1.9	33	2	Effective
	97.9	1,688	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 912-913

<b>V448</b>	<b>Y2-439: FAMILY ENCOURAGEMENT</b>
-------------	-------------------------------------

Is Wine effective for your purposes?

For family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	0.2	4	1	Not effective
85.2	1.3	23	2	Effective
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 914-915

<b>V449</b>	<b>Y2-440: OTHER</b>
-------------	----------------------

Is Wine effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.3	6	2	Effective
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 916-917

<b>V450</b>	<b>Y2-441: FOOD STORES</b>
-------------	----------------------------

Do you get your Wine from Food stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	19.4	335	1	No
5.6	1.2	20	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 918-919

<b>V451</b>	<b>Y2-442: LIQUOR STORES</b>
-------------	------------------------------

Do you get your Wine from Liquor stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	18.8	324	1	No
8.7	1.8	31	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 920-921



**V452****Y2-443: FAMILY**

Do you get your Wine from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	7.9	137	1	No
61.4	12.6	218	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 922-923

**V453****Y2-444: FRIENDS**

Do you get your Wine from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	14.3	247	1	No
30.4	6.3	108	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 924-925

**V454****Y2-445: RESTAURANT OR BAR**

Do you get your Wine from Restaurant or bar?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	19.5	337	1	No
5.1	1.0	18	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 926-927

<b>V455</b>	<b>Y2-446: OTHER</b>
-------------	----------------------

Do you get your Wine from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	20.0	345	1	No
2.8	0.6	10	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 928-929

<b>V456</b>	<b>Y2-447: EVER STOPPED USING WINE</b>
-------------	----------------------------------------

Have you stopped using Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.4	13.0	225	1	No
36.6	7.5	130	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 930-931

<b>V457</b>	<b>Y2-448: DISLIKED TASTE</b>
-------------	-------------------------------

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	3.0	52	1	No
60.0	4.5	78	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 932-933

<b>V458</b>	<b>Y2-449: BAD PHYSICAL EFFECTS</b>
-------------	-------------------------------------

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	6.6	114	1	No
12.3	0.9	16	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 934-935

<b>V459</b>	<b>Y2-450: BAD EMOTIONAL EFFECTS</b>
-------------	--------------------------------------

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	7.5	129	1	No
0.8	0.1	1	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 936-937

**V460****Y2-451: FELT IT WAS WRONG**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	6.4	111	1	No
14.6	1.1	19	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 938-939

**V461****Y2-452: FRIENDS PRESSURED**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	7.4	128	1	No
1.5	0.1	2	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 940-941

**V462****Y2-453: TROUBLE W/PARENTS**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	130	1	No
0.0	0.0	0	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 942-943

**V463****Y2-454: FEARFUL OF ADDICTION**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	7.2	124	1	No
4.6	0.3	6	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 944-945

<b>V464</b>	<b>Y2-455: LOST ITS EFFECTS</b>
-------------	---------------------------------

IF YES to V456: Are any of the following reasons why you stopped using Wine:

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	7.4	128	1	No
1.5	0.1	2	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 946-947

<b>V465</b>	<b>Y2-456: DIDNT NEED IT</b>
-------------	------------------------------

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	6.1	106	1	No
18.5	1.4	24	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 948-949

**V466****Y2-457: OTHER**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	6.6	114	1	No
12.3	0.9	16	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 950-951

**V467****Y2-458: MAJ REASON FOR STOPPING**

Which of the above is your major reason for stopping Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	4.2	72	1	Disliked taste
10.0	0.8	13	2	Bad phys effect
0.8	0.1	1	3	Bad emotion effect
10.0	0.8	13	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
2.3	0.2	3	7	Fearful of addict
0.8	0.1	1	9	Lost effect
10.0	0.8	13	10	Didn't need it
10.8	0.8	14	11	Other
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 952-953

<b>V468</b>	<b>Y2-459: EVER USED HARD LIQUOR</b>
-------------	--------------------------------------

Have you ever used Hard Liquor?

(IF NO, SKIP TO V517)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	28.5	491	1	No
30.4	12.5	215	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 954-955

<b>V469</b>	<b>Y2-460: WHEN FIRST USE HARD LIQ</b>
-------------	----------------------------------------

When did you first use Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
57.4	7.2	124	1	More than 1 yr ago
27.3	3.4	59	2	Within last yr
12.5	1.6	27	3	Within last 6 mos
2.8	0.3	6	4	Within last mo
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 956-957



**V470****Y2-461: HOW OFTEN IN PAST YEAR**

During the last year how often did you drink Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	29.1	502	1	Never
12.3	5.0	87	2	Once or twice
4.2	1.7	30	3	Once every 2-3 mos
6.4	2.6	45	4	Once a mo
3.4	1.4	24	5	Once every 2-3 wks
2.4	1.0	17	6	Once a week
0.1	0.1	1	7	2-3 times/wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times/day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 958-959

**V471****Y2-462: HOW MUCH**

When drinking Hard Liquor how much do you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.8	13	0	Less than 1 drink
28.4	3.5	60	1	1 drink
22.3	2.7	47	2	2 drinks
19.9	2.4	42	3	3 drinks
13.7	1.7	29	4	4 or 5 drinks
9.5	1.2	20	5	6 or more drinks
	87.8	1,514	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 960-961

**V472****Y2-463: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Hard Liquor?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	12.3	213	1	No
1.4	0.2	3	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 962-963

**V473****Y2-464: RELIEVE BOREDOM**

Which of the following are your reasons for using Hard Liquor?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	12.0	207	1	No
4.2	0.5	9	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 964-965

**V474****Y2-465: RELIEVE TENSION**

Which of the following are your reasons for using Hard Liquor?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	11.7	201	1	No
6.9	0.9	15	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 966-967

**V475****Y2-466: FOR PLEASURE, ETC.**

Which of the following are your reasons for using Hard Liquor?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	2.6	44	1	No
79.6	10.0	172	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 968-969

**V476****Y2-467: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Hard Liquor?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	12.3	212	1	No
1.9	0.2	4	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 970-971

**V477****Y2-468: TO BE ACCEPTED**

Which of the following are your reasons for using Hard Liquor?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	11.1	192	1	No
11.1	1.4	24	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 972-973

<b>V478</b>	<b>Y2-469: TO BE RELAXED</b>
-------------	------------------------------

Which of the following are your reasons for using Hard Liquor?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.6	10.1	174	1	No
19.4	2.4	42	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 974-975

<b>V479</b>	<b>Y2-470: APPEAR MORE GROWN UP</b>
-------------	-------------------------------------

Which of the following are your reasons for using Hard Liquor?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	11.9	205	1	No
5.1	0.6	11	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 976-977

**V480****Y2-471: TO GET THROUGH DAY**

Which of the following are your reasons for using Hard Liquor?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	12.5	215	1	No
0.5	0.1	1	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 978-979

**V481****Y2-472: CURIOSITY, EXPERIMENT**

Which of the following are your reasons for using Hard Liquor?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	11.7	202	1	No
6.5	0.8	14	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 980-981

**V482****Y2-473: SPECIAL OCCASIONS**

Which of the following are your reasons for using Hard Liquor?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	12.2	211	1	No
2.3	0.3	5	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 982-983

**V483****Y2-474: FAMILY ENCOURAGEMENT**

Which of the following are your reasons for using Hard Liquor?

For family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	12.4	214	1	No
0.9	0.1	2	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 984-985

**V484****Y2-475: OTHER**

Which of the following are your reasons for using Hard Liquor?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	12.5	215	1	No
0.5	0.1	1	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 986-987

**V485****Y2-476: MOST IMP FUNCT -HARD LIQ**

Which of the above is your major reason for using Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	2	1	Relieve phys pain
0.9	0.1	2	2	Relieve boredom
2.8	0.3	6	3	Relieve tension
72.2	9.0	156	4	For pleasure
0.9	0.1	2	5	Be different
4.6	0.6	10	6	To be accepted
6.9	0.9	15	7	To be relaxed
1.4	0.2	3	8	Appear grown up
0.0	0.0	0	10	Get thru day
6.0	0.8	13	11	Curiosity
1.9	0.2	4	12	Special occasion
0.9	0.1	2	13	Family encourage
0.5	0.1	1	14	Other
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 988-989



**V486****Y2-477: RELIEVE PHYSICAL PAIN**

Is Hard Liquor effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.2	3	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 990-991

**V487****Y2-478: RELIEVE BOREDOM**

Is Hard Liquor effective for your purposes?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.5	9	2	Effective
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 992-993

**V488****Y2-479: RELIEVE TENSION**

Is Hard Liquor effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.1	2	1	Not effective
86.7	0.8	13	2	Effective
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 994-995

**V489****Y2-480: FOR PLEASURE, ETC.**

Is Hard Liquor effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	1.6	27	1	Not effective
84.3	8.4	145	2	Effective
	90.0	1,553	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 996-997

<b>V490</b>	<b>Y2-481: TO BE DIFFERENT, ETC.</b>
-------------	--------------------------------------

Is Hard Liquor effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	Not effective
75.0	0.2	3	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 998-999

<b>V491</b>	<b>Y2-482: TO BE ACCEPTED</b>
-------------	-------------------------------

Is Hard Liquor effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	0.3	5	1	Not effective
79.2	1.1	19	2	Effective
	98.6	1,701	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1000-1001

**V492****Y2-483: TO BE RELAXED**

Is Hard Liquor effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.1	2	1	Not effective
95.2	2.3	40	2	Effective
	97.6	1,683	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1002-1003

**V493****Y2-484: APPEAR MORE GROWN UP**

Is Hard Liquor effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.2	4	1	Not effective
63.6	0.4	7	2	Effective
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1004-1005

**V494****Y2-485: TO GET THROUGH DAY**

Is Hard Liquor effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1006-1007

**V495****Y2-486: CURIOSITY, EXPERIMENT**

Is Hard Liquor effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	2	1	Not effective
83.3	0.6	10	2	Effective
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1008-1009

**V496****Y2-487: SPECIAL OCCASIONS**

Is Hard Liquor effective for your purposes?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.2	4	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1010-1011

**V497****Y2-488: FAMILY ENCOURAGEMENT**

Is Hard Liquor effective for your purposes?

For family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Not effective
50.0	0.1	1	2	Effective
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1012-1013

**V498****Y2-489: OTHER**

Is Hard Liquor effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1014-1015

**V499****Y2-490: FOOD STORES**

Do you get your Hard Liquor from Food stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	12.4	214	1	No
0.9	0.1	2	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1016-1017

**V500****Y2-491: LIQUOR STORES**

Do you get your Hard Liquor from Liquor stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	9.7	168	1	No
22.2	2.8	48	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1018-1019

**V501****Y2-492: FAMILY**

Do you get your Hard Liquor from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	9.4	162	1	No
25.0	3.1	54	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1020-1021

**V502****Y2-493: FRIENDS**

Do you get your Hard Liquor from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	5.4	94	1	No
56.5	7.1	122	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1022-1023

**V503****Y2-494: RESTAURANT OR BAR**

Do you get your Hard Liquor from Restaurant or bar?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	10.7	184	1	No
14.8	1.9	32	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1024-1025



<b>V504</b>	<b>Y2-495: OTHER</b>
-------------	----------------------

Do you get your Hard Liquor from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	12.2	211	1	No
2.3	0.3	5	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1026-1027

<b>V505</b>	<b>Y2-496: STOPPED USING HARD LIQ</b>
-------------	---------------------------------------

Have you stopped using Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	8.2	141	1	No
34.7	4.3	75	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1028-1029

<b>V506</b>	<b>Y2-497: DISLIKED TASTE</b>
-------------	-------------------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	2.2	38	1	No
49.3	2.1	37	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1030-1031

**V507****Y2-498: BAD PHYSICAL EFFECTS**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	2.7	47	1	No
37.3	1.6	28	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1032-1033

**V508****Y2-499: BAD EMOTIONAL EFFECTS**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	4.0	69	1	No
8.0	0.3	6	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1034-1035

<b>V509</b>	<b>Y2-500: FELT IT WAS WRONG</b>
-------------	----------------------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	3.5	61	1	No
18.7	0.8	14	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1036-1037

<b>V510</b>	<b>Y2-501: FRIENDS PRESSURED</b>
-------------	----------------------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.3	75	1	No
0.0	0.0	0	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1038-1039

<b>V511</b>	<b>Y2-502: TROUBLE W/PARENTS</b>
-------------	----------------------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	4.3	74	1	No
1.3	0.1	1	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1040-1041

<b>V512</b>	<b>Y2-503: FEARFUL OF ADDICTION</b>
-------------	-------------------------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	3.9	68	1	No
9.3	0.4	7	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1042-1043

<b>V513</b>	<b>Y2-504: LOST ITS EFFECTS</b>
-------------	---------------------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	4.3	74	1	No
1.3	0.1	1	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1044-1045

<b>V514</b>	<b>Y2-505: DIDNT NEED IT</b>
-------------	------------------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	3.2	55	1	No
26.7	1.2	20	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1046-1047

<b>V515</b>	<b>Y2-506: OTHER</b>
-------------	----------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	3.9	68	1	No
9.3	0.4	7	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1048-1049

<b>V516</b>	<b>Y2-507: MAJ REASON FOR STOPPING</b>
-------------	----------------------------------------

Which of the above is your major reason for stopping Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	1.4	25	1	Disliked taste
24.0	1.0	18	2	Bad phys effect
2.7	0.1	2	3	Bad emotion effect
9.3	0.4	7	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
4.0	0.2	3	7	Fearful of addict
0.0	0.0	0	9	Lost effect
17.3	0.8	13	10	Didn't need it
9.3	0.4	7	11	Other
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1050-1051

<b>Tobacco</b>
----------------

<b>V517</b>	<b>Y2-508: EVER USED TOBACCO</b>
-------------	----------------------------------

Have you ever used Tobacco?

(IF NO, SKIP TO V564)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	27.4	472	1	No
32.7	13.4	231	2	Yes
0.6	0.2	4	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1052-1053

<b>V518</b>	<b>Y2-509: WHEN FIRST USE TOBACCO</b>
-------------	---------------------------------------

When did you first use Tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
74.0	10.1	174	1	More than 1 yr ago
18.7	2.6	44	2	Within last yr
5.5	0.8	13	3	Within last 6 mos
1.7	0.2	4	4	Within last mo
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1054-1055

**V519****Y2-510: HOW OFTEN PAST YEAR**

During the last year how often did you smoke?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	29.3	505	1	Never
4.0	1.6	28	2	Once or twice
1.7	0.7	12	3	Once every 2-3 mos
1.7	0.7	12	4	Once a mo
1.3	0.5	9	5	Once every 2-3 wks
0.8	0.3	6	6	Once a wk
2.1	0.9	15	7	2-3 times/wk
2.7	1.1	19	8	Once a day
14.3	5.9	101	9	2-3 times/day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1056-1057

**V520****Y2-511: NO. CIGS PER DAY**

How many cigarettes do you usually smoke a day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	90.4	1,559	0	
1.8	1.8	31	1	
2.1	2.1	37	2	
0.8	0.8	14	3	
0.3	0.3	6	4	
0.5	0.5	9	5	
0.5	0.5	8	6	
0.1	0.1	2	7	
0.2	0.2	3	8	
1.4	1.4	24	10	
0.2	0.2	4	12	
0.3	0.3	6	15	
1.2	1.2	20	20	
0.1	0.1	1	30	
0.1	0.1	1	40	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1058-1059



<b>V521</b>	<b>Y2-512: NO. CIGARS/PIPES PER DAY</b>
-------------	-----------------------------------------

How many cigars or pipes do you usually smoke a day?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	99.9	1,724	0	
0.1	0.1	1	1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Column: 1060

<b>V522</b>	<b>Y2-513: NO. CANS/MONTH (CHEWING)</b>
-------------	-----------------------------------------

How many cans of chewing tobacco do you usually use in a month?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	98.7	1,703	0	
0.6	0.6	11	1	
0.3	0.3	5	2	
0.2	0.2	4	3	
0.1	0.1	1	4	
0.1	0.1	1	10	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1061-1062

**V523****Y2-514: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Tobacco?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	13.4	231	1	No
1.7	0.2	4	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1063-1064

**V524****Y2-515: RELIEVE BOREDOM**

Which of the following are your reasons for using Tobacco?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	12.1	209	1	No
11.1	1.5	26	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1065-1066

V525	Y2-516: RELIEVE TENSION
------	-------------------------

Which of the following are your reasons for using Tobacco?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	11.1	191	1	No
18.7	2.6	44	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1067-1068

V526	Y2-517: FOR PLEASURE, ETC.
------	----------------------------

Which of the following are your reasons for using Tobacco?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	5.7	98	1	No
58.3	7.9	137	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1069-1070

**V527****Y2-518: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Tobacco?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	13.0	224	1	No
4.7	0.6	11	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1071-1072

**V528****Y2-519: TO BE ACCEPTED**

Which of the following are your reasons for using Tobacco?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	11.4	197	1	No
16.2	2.2	38	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1073-1074

**V529****Y2-520: TO BE RELAXED**

Which of the following are your reasons for using Tobacco?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	11.5	198	1	No
15.7	2.1	37	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1075-1076

**V530****Y2-521: APPEAR MORE GROWN UP**

Which of the following are your reasons for using Tobacco?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	12.6	217	1	No
7.7	1.0	18	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1077-1078

<b>V531</b>	<b>Y2-522: TO GET THROUGH DAY</b>
-------------	-----------------------------------

Which of the following are your reasons for using Tobacco?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	12.0	207	1	No
11.9	1.6	28	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1079-1080

<b>V532</b>	<b>Y2-523: CURIOSITY, EXPERIMENT</b>
-------------	--------------------------------------

Which of the following are your reasons for using Tobacco?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	13.0	224	1	No
4.7	0.6	11	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1081-1082

**V533****Y2-524: OTHER**

Which of the following are your reasons for using Tobacco?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	13.1	226	1	No
3.8	0.5	9	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1083-1084

**V534****Y2-525: MOST IMP FUNCT -TOBACCO**

Which of the above is your major reason for using Tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
4.7	0.6	11	2	Relieve boredom
8.9	1.2	21	3	Relieve tension
46.8	6.4	110	4	For pleasure
2.6	0.3	6	5	Be different
11.9	1.6	28	6	To be accepted
8.5	1.2	20	7	To be relaxed
2.6	0.3	6	8	Appear grown up
6.0	0.8	14	10	Get thru day
4.7	0.6	11	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
3.4	0.5	8	14	Other
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1085-1086

**V535****Y2-526: RELIEVE PHYSICAL PAIN**

Is Tobacco effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.2	4	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1087-1088

**V536****Y2-527: RELIEVE BOREDOM**

Is Tobacco effective for your purposes?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	0.5	9	1	Not effective
65.4	1.0	17	2	Effective
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1089-1090



<b>V537</b>	<b>Y2-528: RELIEVE TENSION</b>
-------------	--------------------------------

Is Tobacco effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	0.5	9	1	Not effective
79.5	2.0	35	2	Effective
	97.4	1,681	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1091-1092

<b>V538</b>	<b>Y2-529: FOR PLEASURE, ETC.</b>
-------------	-----------------------------------

Is Tobacco effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	1.9	32	1	Not effective
76.6	6.1	105	2	Effective
	92.1	1,588	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1093-1094

**V539****Y2-530: TO BE DIFFERENT, ETC.**

Is Tobacco effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	0.4	7	1	Not effective
36.4	0.2	4	2	Effective
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1095-1096

**V540****Y2-531: TO BE ACCEPTED**

Is Tobacco effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	0.9	16	1	Not effective
57.9	1.3	22	2	Effective
	97.8	1,687	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1097-1098

<b>V541</b>	<b>Y2-532: TO BE RELAXED</b>
-------------	------------------------------

Is Tobacco effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	0.4	7	1	Not effective
81.1	1.7	30	2	Effective
	97.9	1,688	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1099-1100

<b>V542</b>	<b>Y2-533: APPEAR MORE GROWN UP</b>
-------------	-------------------------------------

Is Tobacco effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.5	9	1	Not effective
50.0	0.5	9	2	Effective
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1101-1102

<b>V543</b>	<b>Y2-534: TO GET THROUGH DAY</b>
-------------	-----------------------------------

Is Tobacco effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.1	2	1	Not effective
92.9	1.5	26	2	Effective
	98.4	1,697	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1103-1104

<b>V544</b>	<b>Y2-535: CURIOSITY, EXPERIMENT</b>
-------------	--------------------------------------

Is Tobacco effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.1	2	1	Not effective
81.8	0.5	9	2	Effective
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1105-1106

<b>V545</b>	<b>Y2-536: OTHER</b>
-------------	----------------------

Is Tobacco effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	Not effective
87.5	0.4	7	2	Effective
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1107-1108

<b>V546</b>	<b>Y2-537: STORES OR GAS STATION</b>
-------------	--------------------------------------

Do you get your Tobacco from Stores or gas stations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	4.3	75	1	No
68.1	9.3	160	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1109-1110

<b>V547</b>	<b>Y2-538: CIGARETTE MACHINES</b>
-------------	-----------------------------------

Do you get your Tobacco from Cigarette machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	11.3	195	1	No
17.0	2.3	40	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1111-1112

**V548****Y2-539: FAMILY**

Do you get your Tobacco from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	11.8	203	1	No
13.6	1.9	32	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1113-1114

**V549****Y2-540: FRIENDS**

Do you get your Tobacco from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	9.9	171	1	No
27.2	3.7	64	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1115-1116

**V550****Y2-541: RESTAURANT OR BAR**

Do you get your Tobacco from Restaurant or bar?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	13.0	224	1	No
4.7	0.6	11	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1117-1118

<b>V551</b>	<b>Y2-542: OTHER</b>
-------------	----------------------

Do you get your Tobacco from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	13.6	234	1	No
0.4	0.1	1	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1119-1120

<b>V552</b>	<b>Y2-543: STOPPED USING TOBACCO</b>
-------------	--------------------------------------

Have you stopped using Tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	7.7	133	1	No
43.4	5.9	102	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1121-1122

<b>V553</b>	<b>Y2-544: DISLIKED TASTE</b>
-------------	-------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	3.5	60	1	No
41.2	2.4	42	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1123-1124

<b>V554</b>	<b>Y2-545: BAD PHYSICAL EFFECTS</b>
-------------	-------------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	4.1	71	1	No
30.4	1.8	31	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1125-1126

<b>V555</b>	<b>Y2-546: BAD EMOTIONAL EFFECTS</b>
-------------	--------------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	5.8	100	1	No
2.0	0.1	2	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1127-1128



<b>V556</b>	<b>Y2-547: FELT IT WAS WRONG</b>
-------------	----------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	3.5	60	1	No
41.2	2.4	42	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1129-1130

<b>V557</b>	<b>Y2-548: FRIENDS PRESSURED</b>
-------------	----------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	5.6	97	1	No
4.9	0.3	5	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1131-1132

<b>V558</b>	<b>Y2-549: TROUBLE W/PARENTS</b>
-------------	----------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	4.8	83	1	No
18.6	1.1	19	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1133-1134

<b>V559</b>	<b>Y2-550: FEARFUL OF ADDICTION</b>
-------------	-------------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	4.3	75	1	No
26.5	1.6	27	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1135-1136

<b>V560</b>	<b>Y2-551: LOST ITS EFFECTS</b>
-------------	---------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	5.2	89	1	No
12.7	0.8	13	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1137-1138

<b>V561</b>	<b>Y2-552: DIDNT NEED IT</b>
-------------	------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	4.5	77	1	No
24.5	1.4	25	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1139-1140

**V562****Y2-553: OTHER**

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	5.4	93	1	No
8.8	0.5	9	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1141-1142

**V563****Y2-554: MAJ REASON FOR STOPPING**

Which of the above is your major reason for stopping Tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	1.2	20	1	Disliked taste
16.7	1.0	17	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
23.5	1.4	24	4	Felt it was wrong
1.0	0.1	1	5	Friends pressured
11.8	0.7	12	6	Trouble w/parents
9.8	0.6	10	7	Fearful of addict
3.9	0.2	4	9	Lost effect
6.9	0.4	7	10	Didn't need it
6.9	0.4	7	11	Other
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1143-1144

<b>Marijuana</b>
------------------

<b>V564</b>	<b>Y2-555: EVER USED MARIJUANA</b>
-------------	------------------------------------

Have you ever used Marijuana (Hashish, Grass or Pot)?

(IF NO, SKIP TO V613)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	29.9	515	1	No
27.0	11.1	191	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1145-1146

<b>V565</b>	<b>Y2-556: WHEN FIRST USE MARIJUANA</b>
-------------	-----------------------------------------

When did you first use Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	0	Don't know
56.0	6.2	107	1	More than 1 yr ago
29.8	3.3	57	2	Within last yr
11.5	1.3	22	3	Within last 6 mos
2.1	0.2	4	4	Within last mo
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1147-1148

**V566****Y2-557: HOW OFTEN PAST YEAR**

During the last year, how often did you use Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	70.2	1,211	1	Never
8.5	8.5	146	2	Once or twice
2.3	2.3	39	3	Once every 2-3 mos
2.7	2.7	47	4	Once a mo
2.3	2.3	39	5	Once every 2-3 wks
2.5	2.5	43	6	Once a wk
4.5	4.5	77	7	2-3 times/wk
1.6	1.6	28	8	Once a day
5.5	5.5	95	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Column: 1149

**V567****Y2-558: HOW MUCH**

How much Marijuana (Hashish, Grass or Pot) do you usually use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	4.9	85	1	Share joint
18.5	2.0	35	2	1 joint
13.8	1.5	26	3	2 joints
22.8	2.5	43	4	More than 2 joints
	89.0	1,536	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1150-1151

**V568****Y2-559: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	10.7	185	1	No
3.1	0.3	6	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1152-1153

**V569****Y2-560: RELIEVE BOREDOM**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To relieve feeling of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	9.6	166	1	No
13.1	1.4	25	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1154-1155

**V570****Y2-561: RELIEVE TENSION**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	9.3	160	1	No
16.2	1.8	31	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1156-1157

**V571****Y2-562: FOR PLEASURE, ETC.**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	2.6	44	1	No
77.0	8.5	147	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1158-1159



**V572****Y2-563: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	10.7	184	1	No
3.7	0.4	7	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1160-1161

**V573****Y2-564: TO BE ACCEPTED**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	8.8	151	1	No
20.9	2.3	40	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1162-1163

<b>V574</b>	<b>Y2-565: TO BE RELAXED</b>
-------------	------------------------------

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	9.0	156	1	No
18.3	2.0	35	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1164-1165

<b>V575</b>	<b>Y2-566: APPEAR MORE GROWN UP</b>
-------------	-------------------------------------

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	10.8	187	1	No
2.1	0.2	4	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1166-1167

**V576****Y2-567: INCREASE SELF-AWARENESS**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To increase self-awareness, understanding or creativity

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	10.0	172	1	No
9.9	1.1	19	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1168-1169

**V577****Y2-568: TO GET THROUGH DAY**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	10.9	188	1	No
1.6	0.2	3	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1170-1171

**V578****Y2-569: CURIOSITY, EXPERIMENT**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	10.4	179	1	No
6.3	0.7	12	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1172-1173

**V579****Y2-570: OTHER**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	11.0	190	1	No
0.5	0.1	1	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1174-1175

**V580****Y2-571: MOST IMP FUNC -MARIJUANA**

Which of the above is your major reason for using Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	2	1	Relieve phys pain
3.7	0.4	7	2	Relieve boredom
4.7	0.5	9	3	Relieve tension
62.8	7.0	120	4	For pleasure
1.0	0.1	2	5	Be different
13.1	1.4	25	6	To be accepted
5.8	0.6	11	7	To be relaxed
0.5	0.1	1	8	Appear grown up
1.0	0.1	2	9	Increase awareness
0.0	0.0	0	10	Get thru day
5.8	0.6	11	11	Curiosity
0.5	0.1	1	14	Other
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1176-1177

**V581****Y2-572: RELIEVE PHYSICAL PAIN**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	1	Not effective
83.3	0.3	5	2	Effective
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1178-1179

**V582****Y2-573: RELIEVE BOREDOM**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	0.2	4	1	Not effective
84.0	1.2	21	2	Effective
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1180-1181

**V583****Y2-574: RELIEVE TENSION**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	0.3	5	1	Not effective
83.9	1.5	26	2	Effective
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1182-1183

**V584****Y2-575: FOR PLEASURE, ETC.**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	0.9	15	1	Not effective
89.8	7.7	132	2	Effective
	91.5	1,578	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1184-1185

**V585****Y2-576: TO BE DIFFERENT, ETC.**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.2	3	1	Not effective
57.1	0.2	4	2	Effective
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1186-1187

**V586****Y2-577: TO BE ACCEPTED**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.5	8	1	Not effective
80.0	1.9	32	2	Effective
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1188-1189

**V587****Y2-578: TO BE RELAXED**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	0.2	3	1	Not effective
91.4	1.9	32	2	Effective
	98.0	1,690	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1190-1191



**V588****Y2-579: APPEAR MORE GROWN UP**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	Not effective
75.0	0.2	3	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1192-1193

**V589****Y2-580: INCREASE SELF-AWARENESS**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To increase self-awareness, understanding or creativity

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	1.0	18	2	Effective
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1194-1195

**V590****Y2-581: TO GET THROUGH DAY**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	Not effective
33.3	0.1	1	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1196-1197

**V591****Y2-582: CURIOSITY, EXPERIMENT**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	4	1	Not effective
66.7	0.5	8	2	Effective
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1198-1199

<b>V592</b>	<b>Y2-583: OTHER</b>
-------------	----------------------

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1200-1201

<b>V593</b>	<b>Y2-586: FRIEND</b>
-------------	-----------------------

Do you get your Marijuana (Hashish, Grass or Pot) from Friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	1.3	22	1	No
88.5	9.8	169	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1202-1203

<b>V594</b>	<b>Y2-587: FAMILY</b>
-------------	-----------------------

Do you get your Marijuana (Hashish, Grass or Pot) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	10.1	174	1	No
8.9	1.0	17	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1204-1205

<b>V595</b>	<b>Y2-588: ANONYMOUS SELLER</b>
-------------	---------------------------------

Do you get your Marijuana (Hashish, Grass or Pot) from Anonymous seller/pusher?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	9.3	161	1	No
15.7	1.7	30	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1206-1207

<b>V596</b>	<b>Y2-589: GROW/PICK IT</b>
-------------	-----------------------------

Do you get your Marijuana (Hashish, Grass or Pot) from Grow/pick it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	10.4	179	1	No
6.3	0.7	12	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1208-1209

<b>V597</b>	<b>Y2-590: STEAL IT</b>
-------------	-------------------------

Do you get your Marijuana (Hashish, Grass or Pot) from Steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	11.0	190	1	No
0.5	0.1	1	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1210-1211

<b>V598</b>	<b>Y2-591: COST PER JOINT</b>
-------------	-------------------------------

IF MARIJUANA (Hashish, Grass or Pot) GOTTEN FROM FRIEND/ANONYMOUS SELLER/PUSHER, How much does a joint usually cost?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	2.5	43	1	Free
11.0	0.7	12	2	Less than \$1.00
49.5	3.1	54	3	\$1.00 or more
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1212-1213

<b>V599</b>	<b>Y2-592: COST PER OZ. OR LID</b>
-------------	------------------------------------

IF MARIJUANA (Hashish, Grass or Pot) GOTTEN FROM FRIEND/ANONYMOUS SELLER/PUSHER, How much does an oz. or lid usually cost?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	1.7	30	1	\$10 or less
11.8	0.5	8	2	\$11-\$25
41.2	1.6	28	3	\$26-\$50
2.9	0.1	2	4	\$51 or more
	96.1	1,657	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1214-1215

<b>V600</b>	<b>Y2-593: STOPPED USING MARIJUANA</b>
-------------	----------------------------------------

Have you stopped using Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	7.0	120	1	No
37.2	4.1	71	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1216-1217

<b>V601</b>	<b>Y2-594: DISLIKED TASTED</b>
-------------	--------------------------------

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	3.2	55	1	No
22.5	0.9	16	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1218-1219

<b>V602</b>	<b>Y2-595: BAD PHYSICAL EFFECTS</b>
-------------	-------------------------------------

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	2.9	50	1	No
29.6	1.2	21	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1220-1221

**V603****Y2-596: BAD EMOTIONAL EFFECTS**

IF YES to V600: Are any of the following reasons why you stopped using

Marijuana (Hashish, Grass or Pot):

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	3.8	65	1	No
8.5	0.3	6	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1222-1223

**V604****Y2-597: FELT IT WAS WRONG**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	1.9	32	1	No
54.9	2.3	39	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1224-1225

<b>V605</b>	<b>Y2-598: FRIENDS PRESSURED</b>
-------------	----------------------------------

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	3.9	67	1	No
5.6	0.2	4	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1226-1227

<b>V606</b>	<b>Y2-599: TROUBLE W/PARENTS</b>
-------------	----------------------------------

IF YES to V600: Are any of the following reasons why you stopped using

Marijuana (Hashish, Grass or Pot):

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	3.8	66	1	No
7.0	0.3	5	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1228-1229



<b>V607</b>	<b>Y2-600: FEARFUL OF ADDICTION</b>
-------------	-------------------------------------

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	3.1	54	1	No
23.9	1.0	17	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1230-1231

<b>V608</b>	<b>Y2-601: NOT AVAILABLE ANYMORE</b>
-------------	--------------------------------------

IF YES to V600, Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Not available anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	4.0	69	1	No
2.8	0.1	2	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1232-1233

**V609****Y2-602: LOST ITS EFFECTS**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	3.9	67	1	No
5.6	0.2	4	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1234-1235

**V610****Y2-603: DIDNT NEED IT**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.2	2.7	47	1	No
33.8	1.4	24	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1236-1237

<b>V611</b>	<b>Y2-604: OTHER</b>
-------------	----------------------

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	3.6	62	1	No
12.7	0.5	9	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1238-1239

<b>V612</b>	<b>Y2-605: MAJ REASON FOR STOPPING</b>
-------------	----------------------------------------

Which of the above is your major reason for stopping Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.2	3	1	Disliked taste
14.1	0.6	10	2	Bad phys effect
4.2	0.2	3	3	Bad emotion effect
33.8	1.4	24	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
2.8	0.1	2	6	Trouble w/parents
12.7	0.5	9	7	Fearful of addict
1.4	0.1	1	8	Not available
1.4	0.1	1	9	Lost effect
15.5	0.6	11	10	Didn't need it
9.9	0.4	7	11	Other
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1240-1241

<b>Hallucinogens</b>
----------------------

**V613****Y2-606: EVER USE PSYCHEDELICS**

Have you ever used Psychedelics (LSD, Acid, Peyote, Mescaline)?

(IF NO, SKIP TO V659)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	40.2	693	1	No
1.8	0.8	13	2	Yes
0.1	0.1	1	3	Yes, episodically
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1242-1243

**V614****Y2-607: WHEN 1ST USE PSYCHEDELIC**

When did you first use Psychedelics (LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
85.7	0.7	12	1	More than 1 yr ago
7.1	0.1	1	2	Within last yr
7.1	0.1	1	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1244-1245

<b>V615</b>	<b>Y2-608: HOW OFTEN PAST YEAR</b>
-------------	------------------------------------

During the last year, how often did you use Psychedelics (LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	93.3	1,609	1	Never
1.6	1.5	26	2	Once or twice
0.6	0.6	10	3	Once every 2-3 mos
0.3	0.3	5	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1246-1247

<b>V616</b>	<b>Y2-609: HOW MUCH</b>
-------------	-------------------------

When using Psychedelics (LSD, Acid, Peyote, Mescaline) how much do you usually take?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.6	10	1	1 dose
8.3	0.1	1	2	2 doses
8.3	0.1	1	3	3 doses
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1248-1249

**V617****Y2-610: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1250-1251

**V618****Y2-611: RELIEVE BOREDOM**

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1252-1253

<b>V619</b>	<b>Y2-612: RELIEVE TENSION</b>
-------------	--------------------------------

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1254-1255

<b>V620</b>	<b>Y2-613: FOR PLEASURE, ETC.</b>
-------------	-----------------------------------

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.2	4	1	No
71.4	0.6	10	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1256-1257

**V621****Y2-614: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1258-1259

**V622****Y2-615: TO BE ACCEPTED**

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.6	0.6	11	1	No
21.4	0.2	3	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1260-1261



<b>V623</b>	<b>Y2-616: TO BE RELAXED</b>
-------------	------------------------------

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1262-1263

<b>V624</b>	<b>Y2-617: APPEAR MORE GROWN UP</b>
-------------	-------------------------------------

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1264-1265

**V625****Y2-618: INCREASE SELF-AWARENESS**

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

To increase self awareness, understanding or creativity

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.7	12	1	No
14.3	0.1	2	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1266-1267

**V626****Y2-619: TO GET THROUGH DAY**

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1268-1269

**V627****Y2-620: CURIOSITY, EXPERIMENT**

Which of the following are your reasons for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1270-1271

**V628****Y2-621: MOST IMP FUNC-PSYCHDLCS**

Which of the above is your major reason for using Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
64.3	0.5	9	4	For pleasure
0.0	0.0	0	5	Be different
21.4	0.2	3	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
7.1	0.1	1	9	Increase awareness
0.0	0.0	0	10	Get thru day
7.1	0.1	1	11	Curiosity
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1272-1273

**V629****Y2-622: RELIEVE PHYSICAL PAIN**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1274-1275

**V630****Y2-623: RELIEVE BOREDOM**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1276-1277

<b>V631</b>	<b>Y2-624: RELIEVE TENSION</b>
-------------	--------------------------------

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1278-1279

<b>V632</b>	<b>Y2-625: FOR PLEASURE, ETC.</b>
-------------	-----------------------------------

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	1	1	Not effective
90.0	0.5	9	2	Effective
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1280-1281

**V633****Y2-626: TO BE DIFFERENT, ETC.**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1282-1283

**V634****Y2-627: TO BE ACCEPTED**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	Not effective
66.7	0.1	2	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1284-1285

<b>V635</b>	<b>Y2-628: TO BE RELAXED</b>
-------------	------------------------------

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1286-1287

<b>V636</b>	<b>Y2-629: APPEAR MORE GROWN UP</b>
-------------	-------------------------------------

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1288-1289

**V637****Y2-630: INCREASE SELF-AWARENESS**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To increase self awareness, understanding or creativity

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	2	2	Effective
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1290-1291

**V638****Y2-631: TO GET THROUGH DAY**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1292-1293



**V639****Y2-632: CURIOSITY, EXPERIMENT**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Not effective
0.0	0.0	0	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1294-1295

**V640****Y2-633: PHYSICIAN**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1296-1297

**V641****Y2-634: FAMILY**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1298-1299

**V642****Y2-635: FRIEND**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.3	6	1	No
57.1	0.5	8	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1300-1301

**V643****Y2-636: ANONYMOUS SELLER**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Anonymous Seller/Pusher?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	0.5	9	1	No
35.7	0.3	5	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1302-1303

**V644****Y2-637: STEAL IT**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1304-1305

**V645 Y2-638: OTHER**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1306-1307

**V646 Y2-639: STOPPED USING PSYCHEDLCS**

Have you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.3	5	1	No
64.3	0.5	9	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1308-1309

**V647 Y2-640: DISLIKED TASTE**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1310-1311

**V648****Y2-641: BAD PHYSICAL EFFECTS**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	0.4	7	1	No
22.2	0.1	2	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1312-1313

**V649****Y2-642: BAD EMOTIONAL EFFECTS**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1314-1315

**V650****Y2-643: FELT IT WAS WRONG**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.3	5	1	No
44.4	0.2	4	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1316-1317

**V651****Y2-644: FRIENDS PRESSURED**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1318-1319

**V652****Y2-645: TROUBLE W/PARENTS**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1320-1321

**V653****Y2-646: FEARFUL OF ADDICTION**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.3	6	1	No
33.3	0.2	3	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1322-1323

**V654****Y2-647: NOT AVAILABLE ANYMORE**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Not available anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	1	No
0.0	0.0	0	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1324-1325

**V655****Y2-648: LOST ITS EFFECTS**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1326-1327

**V656****Y2-649: DIDNT NEED IT**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Didn't need it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.3	5	1	No
44.4	0.2	4	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1328-1329

**V657****Y2-650: OTHER**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1330-1331



V658

Y2-651: MAJ RSN STOP-PSYCHDELICS

Which of the above is your major reason for stopping Psychedelics  
(LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	1	Disliked taste
22.2	0.1	2	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
11.1	0.1	1	6	Trouble w/parents
22.2	0.1	2	7	Fearful of addict
0.0	0.0	0	9	Lost effect
22.2	0.1	2	10	Didn't need it
11.1	0.1	1	11	Other
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1332-1333

<b>Tranquilizers</b>
----------------------

**V659****Y2-652: EVER USE TRANQUILIZERS**

Have you ever used Tranquilizers such as Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.?

(IF NO, SKIP TO V675)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	39.0	673	1	No
4.2	1.7	30	2	Yes
0.6	0.2	4	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1334-1335

**V660****Y2-653: WHEN 1ST USE TRANQUILZRS**

When did you first use Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
38.2	0.8	13	1	More than 1 yr ago
44.1	0.9	15	2	Within last yr
17.6	0.3	6	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1336-1337

**V661****Y2-654: HOW OFTEN PAST YEAR**

During the last year, how often did you use Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	39.1	674	1	Never
1.8	0.8	13	2	Once or twice
0.6	0.2	4	3	Once every 2-3 mos
0.6	0.2	4	4	Once a mo
0.3	0.1	2	5	Once every 2-3 wks
0.3	0.1	2	6	Once a wk
0.3	0.1	2	7	2-3 times/wk
0.3	0.1	2	8	Once a day
0.6	0.2	4	9	2-3 times/day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1338-1339

**V662****Y2-655: PRESCRIBED BY DOCTOR**

Was this (Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.)) prescribed by a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.8	14	1	Yes
58.8	1.2	20	2	No
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1340-1341

**V663****Y2-656: AMOUNT TAKEN IF PRESRBD**

IF TRANQUILIZERS (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) PRESCRIBED, Do you usually take the amount prescribed on the label?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	0.2	3	1	< prescribed
71.4	0.6	10	2	Amount prescribed
7.1	0.1	1	3	> than prescribed
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1342-1343

**V664****Y2-657: USUAL PURPOSE**

What is your usual purpose or reason in using Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.)? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	0.6	10	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
41.2	0.8	14	3	Relieve tension
23.5	0.5	8	4	For pleasure
2.9	0.1	1	5	Be different
0.0	0.0	0	6	Be accepted
2.9	0.1	1	7	Be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
0.0	0.0	0	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1344-1345

<b>V665</b>	<b>Y2-658: EFFECTIVENESS</b>
-------------	------------------------------

Is Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.1	1	1	Not effective
97.1	1.9	33	2	Effective
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1346-1347

<b>V666</b>	<b>Y2-659: PHARMACY</b>
-------------	-------------------------

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Pharmacy/Drugstore?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	1.4	24	1	No
29.4	0.6	10	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1348-1349

<b>V667</b>	<b>Y2-660: PHYSICIAN</b>
-------------	--------------------------

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	1.7	29	1	No
14.7	0.3	5	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1350-1351

**V668****Y2-661: FAMILY**

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	1.6	28	1	No
17.6	0.3	6	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1352-1353

**V669****Y2-662: FRIENDS**

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	1.3	22	1	No
35.3	0.7	12	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1354-1355

**V670****Y2-663: ANONYMOUS PUSHER**

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	1.7	29	1	No
14.7	0.3	5	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1356-1357

<b>V671</b>	<b>Y2-664: OTHER</b>
-------------	----------------------

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meprobamate, etc.) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	34	1	No
0.0	0.0	0	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1358-1359

<b>V672</b>	<b>Y2-665: COST OF TRANQUILIZERS</b>
-------------	--------------------------------------

IF TRANQUILIZERS (Librium, Valium, Thorazine, Miltown, Equanil, Meprobamate, etc.) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost per tablet or capsule?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.1	2	1	Free
26.7	0.2	4	2	< 50 cents/tablet
60.0	0.5	9	3	50 cents or > per tablet
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1360-1361

<b>V673</b>	<b>Y2-666: EVER STOP USING TRANQLZR</b>
-------------	-----------------------------------------

Have you stopped using Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meprobamate, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	0.9	15	1	No
55.9	1.1	19	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1362-1363

V674

Y2-667: MAJ REASON FOR STOPPING

IF YES to V673: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
10.5	0.1	2	2	Bad phys effect
15.8	0.2	3	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
5.3	0.1	1	7	Fearful of addict
5.3	0.1	1	9	Lost effect
63.2	0.7	12	10	Didn't need it
0.0	0.0	0	11	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1364-1365



<b>Amphetamines</b>
---------------------

**V675****Y2-668: EVER USED AMPHETAMINES**

Have you ever used Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)?

(IF NO, SKIP TO V691)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	38.7	667	1	No
5.7	2.3	40	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1366-1367

**V676****Y2-669: WHEN 1ST USE AMPHETAMINE**

When did you First Use Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
50.0	1.2	20	1	More than 1 yr ago
37.5	0.9	15	2	Within last yr
10.0	0.2	4	3	Within last 6 mos
2.5	0.1	1	4	Within last mo
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1368-1369

**V677****Y2-670: HOW OFTEN PAST YEAR**

During the last year, how often did you use Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	90.7	1,564	1	Never
2.7	2.6	45	2	Once or twice
1.0	1.0	17	3	Once every 2-3 mos
0.6	0.6	10	4	Once a mo
0.4	0.4	7	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.2	0.2	4	7	2-3 times/wk
0.2	0.2	4	8	Once a day
0.1	0.1	1	9	2-3 times/day
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1370-1371

**V678****Y2-671: PRESCRIBED BY DOCTOR**

Was this (Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)) prescribed by a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.2	4	1	Yes
90.0	2.1	36	2	No
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1372-1373

**V679****Y2-672: AMOUNT TAKEN IF PRESCRBD**

IF AMPHETAMINES (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) PRESCRIBED, Do you usually take the amount prescribed on the label?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	< prescribed
75.0	0.2	3	2	Amount prescribed
0.0	0.0	0	3	> prescribed
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1374-1375

**V680****Y2-673: USUAL PURPOSE**

What is your usual purpose or reason in using Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	0.6	11	1	Relieve phys pain
5.0	0.1	2	2	Relieve boredom
5.0	0.1	2	3	Relieve tension
50.0	1.2	20	4	For pleasure
0.0	0.0	0	5	To be different
5.0	0.1	2	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
2.5	0.1	1	9	Increase awareness
2.5	0.1	1	10	Get thru day
2.5	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1376-1377

<b>V681</b>	<b>Y2-674: EFFECTIVENESS</b>
-------------	------------------------------

Is Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	0.6	11	1	Not effective
72.5	1.7	29	2	Effective
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1378-1379

<b>V682</b>	<b>Y2-675: PHARMACY</b>
-------------	-------------------------

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Pharmacy/Drugstore?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	2.1	36	1	No
10.0	0.2	4	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1380-1381

<b>V683</b>	<b>Y2-676: PHYSICIAN</b>
-------------	--------------------------

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	2.2	38	1	No
5.0	0.1	2	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1382-1383

**V684****Y2-677: FAMILY**

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	2.1	37	1	No
7.5	0.2	3	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1384-1385

**V685****Y2-678: FRIENDS**

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	0.8	14	1	No
65.0	1.5	26	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1386-1387

**V686****Y2-679: ANONYMOUS PUSHER**

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	1.8	31	1	No
22.5	0.5	9	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1388-1389

**V687****Y2-680: OTHER**

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	40	1	No
0.0	0.0	0	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1390-1391

**V688****Y2-681: COST OF AMPHETAMINES**

IF AMPHETAMINES (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost per tablet or capsule?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	0.3	6	1	Free
7.7	0.1	2	2	< 50 cts/tablet
46.2	0.7	12	3	50 cts - \$1.50 tablet
23.1	0.3	6	4	Over \$1.50 per tablet
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1392-1393

<b>V689</b>	<b>Y2-682: STOPPED USING AMPHTMNS</b>
-------------	---------------------------------------

Have you stopped using Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.2	20	1	No
50.0	1.2	20	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1394-1395

<b>V690</b>	<b>Y2-683: MAJ REASON FOR STOPPING</b>
-------------	----------------------------------------

IF YES to V689: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
25.0	0.3	5	2	Bad phys effect
10.0	0.1	2	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
5.0	0.1	1	6	Trouble w/parents
5.0	0.1	1	7	Fearful of addict
0.0	0.0	0	8	Not available
10.0	0.1	2	9	Lost its effect
40.0	0.5	8	10	Didn't need it
5.0	0.1	1	11	Other
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1396-1397

<b>Sedatives/Barbituates</b>
------------------------------

**V691****Y2-684: EVER USE BARBITUATES**

Have you ever used Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

(IF NO, SKIP TO V707)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	39.8	687	1	No
2.7	1.1	19	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1398-1399

**V692****Y2-685: WHEN 1ST USE BARBITUATES**

When did you first use Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
50.0	0.6	10	1	More than 1 yr ago
40.0	0.5	8	2	Within last yr
5.0	0.1	1	3	Within last 6 mos
5.0	0.1	1	4	Within last mo
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1400-1401



**V693****Y2-686: HOW OFTEN PAST YEAR**

During the last year, how often did you use Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	93.1	1,606	1	Never
1.4	1.4	25	2	Once or twice
0.5	0.5	9	3	Once every 2-3 mos
0.3	0.3	6	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times/wk
0.0	0.0	0	8	Once a day
4.4	4.4	76	9	2-3 times/day

-----  
 100.0 100.0 1,725 cases

Data type: numeric  
 Column: 1402

**V694****Y2-687: PRESCRIBED BY DOCTOR**

Was this (Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)) prescribed by a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	0.2	3	1	Yes
80.0	0.9	16	2	No
5.0	0.1	1	3	Yes, someone else
	98.8	1,705	-1	

-----  
 100.0 100.0 1,725 cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1403-1404

**V695****Y2-688: AMOUNT TAKEN IF PRESCRBD**

IF BARBITURATES (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) PRESCRIBED, Do you usually take the amount prescribed on the label?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	< prescribed
100.0	0.2	3	2	Amount prescribed
0.0	0.0	0	3	> prescribed
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1405-1406

**V696****Y2-689: USUAL PURPOSE**

What is your usual purpose or reason in using Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.3	6	1	Relieve phys pain
5.0	0.1	1	2	Relieve boredom
15.0	0.2	3	3	Relieve tension
40.0	0.5	8	4	For pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
5.0	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
5.0	0.1	1	14	Other
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1407-1408

<b>V697</b>	<b>Y2-690: EFFECTIVENESS</b>
-------------	------------------------------

Is Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	1.2	20	2	Effective
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1409-1410

<b>V698</b>	<b>Y2-691: PHARMACY</b>
-------------	-------------------------

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Pharmacy/Drugstore?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	1.0	17	1	No
15.0	0.2	3	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1411-1412

<b>V699</b>	<b>Y2-692: PHYSICIAN</b>
-------------	--------------------------

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	20	1	No
0.0	0.0	0	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1413-1414

**V700****Y2-693: FAMILY**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.9	16	1	No
20.0	0.2	4	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1415-1416

**V701****Y2-694: FRIENDS**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	0.5	9	1	No
55.0	0.6	11	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1417-1418

**V702****Y2-695: ANONYMOUS PUSHER**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.9	15	1	No
25.0	0.3	5	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1419-1420

**V703****Y2-696: OTHER**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	20	1	No
0.0	0.0	0	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1421-1422

**V704****Y2-697: COST OF BARBITUATES**

IF BARBITURATES (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost per tablet or capsule?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	0.2	4	1	Free
7.7	0.1	1	2	< 50 cts/tablet
61.5	0.5	8	3	50 cts - \$1.50 tablet
0.0	0.0	0	4	Over \$1.50 tablet
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1423-1424

**V705****Y2-698: STPD TAKING BARBITUATES**

Have you stopped using Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.3	5	1	No
75.0	0.9	15	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1425-1426

**V706****Y2-699: MAJ REASON FOR STOPPING**

IF YES to V705: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
13.3	0.1	2	2	Bad phys effect
40.0	0.3	6	3	Bad emotion effect
6.7	0.1	1	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
13.3	0.1	2	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
20.0	0.2	3	10	Didn't need it
6.7	0.1	1	11	Other
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1427-1428

## Codeine

**V707                      Y2-700: EVER USED CODINE**

Have you ever used Codeine?

(IF NO, SKIP TO V722)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	39.1	674	1	No
3.7	1.5	26	2	Yes
0.8	0.3	6	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1429-1430

**V708                      Y2-701: WHEN FIRST USE CODEINE**

When did you first use Codeine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
46.9	0.9	15	1	More than 1 year ago
31.2	0.6	10	2	Within last year
18.8	0.3	6	3	Within last 6 months
3.1	0.1	1	4	Within last month
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1431-1432

**V709****Y2-702: HOW OFTEN PAST YEAR**

During the last year, how often did you use Codeine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	39.5	682	1	Never
0.8	0.8	13	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times/week
0.2	0.2	3	8	Once a day
59.4	59.4	1,024	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Column: 1433

**V710****Y2-703: PRESCRIBED BY DOCTOR**

Was this (Codeine) prescribed by a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	1.3	22	1	Yes
31.2	0.6	10	2	No
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 1434-1435



<b>V711</b>	<b>Y2-704: AMOUNT TAKEN IF PRESCRBD</b>
-------------	-----------------------------------------

IF CODEINE PRESCRIBED, Do you usually take the amount prescribed on the label?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	1	1	< prescribed
95.5	1.2	21	2	Amount prescribed
0.0	0.0	0	3	> prescribed
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1436-1437

<b>V712</b>	<b>Y2-705: USUAL PURPOSE</b>
-------------	------------------------------

What is your usual purpose or reason in using Codeine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	1.4	25	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
18.8	0.3	6	4	For pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
3.1	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1438-1439

<b>V713</b>	<b>Y2-706: EFFECTIVENESS</b>
-------------	------------------------------

Is Codeine effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	0.3	5	1	Not effective
84.4	1.6	27	2	Effective
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1440-1441

<b>V714</b>	<b>Y2-707: PHARMACY</b>
-------------	-------------------------

Do you get your Codeine from Pharmacy/Drugstore?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	0.6	11	1	No
65.6	1.2	21	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1442-1443

<b>V715</b>	<b>Y2-708: PHYSICIAN</b>
-------------	--------------------------

Do you get your Codeine from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	1.6	27	1	No
15.6	0.3	5	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1444-1445

**V716****Y2-709: FAMILY**

Do you get your Codeine from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	1.6	28	1	No
12.5	0.2	4	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1446-1447

**V717****Y2-710: FRIENDS**

Do you get your Codeine from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	1.6	28	1	No
12.5	0.2	4	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1448-1449

**V718****Y2-711: ANONYMOUS PUSHER**

Do you get your Codeine from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	32	1	No
0.0	0.0	0	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1450-1451

**V719****Y2-712: OTHER**

Do you get your Codeine from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	32	1	No
0.0	0.0	0	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1452-1453

**V720****Y2-713: STOPPED USING CODINE**

Have you stopped using Codeine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	0.3	6	1	No
81.2	1.5	26	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1454-1455

V721

Y2-714: MAJ REASON FOR STOPPING

IF YES to V720: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
11.5	0.2	3	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
88.5	1.3	23	10	Didn't need it
0.0	0.0	0	11	Other
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1456-1457

<b>Heroin</b>
---------------

<b>V722</b>	<b>Y2-715: EVER USE HEROIN</b>
-------------	--------------------------------

Have you ever used Heroin?

(IF NO, SKIP TO V733)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	40.9	706	1	No
0.1	0.1	1	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1458-1459

<b>V723</b>	<b>Y2-716: WHEN FIRST USE HEROIN</b>
-------------	--------------------------------------

When did you first use Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
0.0	0.0	0	1	More than 1 yr ago
100.0	0.1	1	2	Within last yr
0.0	0.0	0	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1460-1461

<b>V724</b>	<b>Y2-717: HOW OFTEN PAST YEAR</b>
-------------	------------------------------------

During the last year, how often did you use Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	95.5	1,647	1	Never
0.3	0.3	5	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times/wk
0.0	0.0	0	8	Once a day
4.2	4.2	72	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
Column: 1462

<b>V725</b>	<b>Y2-718: USUAL PURPOSE</b>
-------------	------------------------------

What is your usual purpose or reason in using Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
100.0	0.1	1	4	For pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
0.0	0.0	0	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
Missing-data code: -1  
Columns: 1463-1464

<b>V726</b>	<b>Y2-719: EFFECTIVENESS</b>
-------------	------------------------------

Is Heroin effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Not effective
0.0	0.0	0	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1465-1466

<b>V727</b>	<b>Y2-720: FAMILY</b>
-------------	-----------------------

Do you get your Heroin from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1467-1468

<b>V728</b>	<b>Y2-721: FRIEND</b>
-------------	-----------------------

Do you get your Heroin from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.1	1	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1469-1470



<b>V729</b>	<b>Y2-722: ANONYMOUS PUSHER</b>
-------------	---------------------------------

Do you get your Heroin from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1471-1472

<b>V730</b>	<b>Y2-723: OTHER</b>
-------------	----------------------

Do you get your Heroin from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1473-1474

<b>V731</b>	<b>Y2-724: STOPPED USING HEROIN</b>
-------------	-------------------------------------

Have you stopped using Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.1	1	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1475-1476

V732

Y2-725: MAJ REASON FOR STOPPING

IF YES to V731: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
100.0	0.1	1	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
0.0	0.0	0	10	Didn't need it
0.0	0.0	0	11	Other
	99.9	1,724	-1	

-----

100.0 100.0 1,725 cases

Data type: numeric

Missing-data code: -1

Columns: 1477-1478

## Cocaine

**V733                      Y2-726: EVER USED COCAINE**

Have you ever used Cocaine?

(IF NO, SKIP TO V747)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	40.1	691	1	No
2.3	0.9	16	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1479-1480

**V734                      Y2-727: WHEN FIRST USE COCAINE**

When did you first use Cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
50.0	0.5	8	1	More than 1 yr ago
18.8	0.2	3	2	Within last yr
31.2	0.3	5	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1481-1482

**V735****Y2-728: HOW OFTEN PAST YEAR**

During the last year, how often did you use Cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	93.3	1,609	1	Never
1.9	1.9	33	2	Once or twice
0.3	0.3	6	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times/week
0.1	0.1	1	8	Once a day
4.2	4.2	73	9	2-3 times/day

-----  
 100.0 100.0 1,725 cases

Data type: numeric  
 Column: 1483

**V736****Y2-729: HOW MUCH**

When taking cocaine, how much do you usually use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.1	2	0	< 1 line
61.5	0.5	8	1	1 line
23.1	0.2	3	2	2 lines
0.0	0.0	0	3	> 2 lines
	99.2	1,712	-1	

-----  
 100.0 100.0 1,725 cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1484-1485

**V737****Y2-730: USUAL PURPOSE**

What is your usual purpose or reason in using Cocaine? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
81.2	0.8	13	4	For pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
12.5	0.1	2	9	Increase awareness
0.0	0.0	0	10	Get thru day
6.2	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1486-1487

**V738****Y2-731: EFFECTIVENESS**

Is Cocaine effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	2	1	Not effective
87.5	0.8	14	2	Effective
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1488-1489

**V739****Y2-732: FAMILY**

Do you get your Cocaine from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	0.8	13	1	No
18.8	0.2	3	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1490-1491

**V740****Y2-733: FRIEND**

Do you get your Cocaine from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	0.3	5	1	No
68.8	0.6	11	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1492-1493

**V741****Y2-734: ANONYMOUS**

Do you get your Cocaine from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.7	12	1	No
25.0	0.2	4	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1494-1495

**V742****Y2-735: OTHER**

Do you get your Cocaine from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	16	1	No
0.0	0.0	0	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1496-1497

**V743****Y2-736: COST PER LINE -COCAINE**

IF COCAINE GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost per line?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.2	3	0	
27.3	0.2	3	5	
27.3	0.2	3	10	
18.2	0.1	2	30	
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1498-1499

<b>V744</b>	<b>Y2-737: BULK COST IN \$ -COCAINE</b>
-------------	-----------------------------------------

IF COCAINE GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost in bulk?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	30	
33.3	0.1	1	80	
33.3	0.1	1	90	
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1500-1501

<b>V745</b>	<b>Y2-738: STOPPED USING COCAINE</b>
-------------	--------------------------------------

Have you stopped using Cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.6	10	1	No
37.5	0.3	6	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1502-1503



V746

Y2-739: MAJ REASON FOR STOPPING

IF YES to V745: What is your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
16.7	0.1	1	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
16.7	0.1	1	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
16.7	0.1	1	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
50.0	0.2	3	10	Didn't need it
0.0	0.0	0	11	Other
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1504-1505

<b>Inhalants</b>
------------------

<b>V747</b>	<b>Y2-740: EVER USE GLUE, ETC.</b>
-------------	------------------------------------

Have you ever used Glue, paint thinner, nail polish, or other inhalants?

(IF NO, SKIP TO V758)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	39.5	682	1	No
3.5	1.4	25	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1506-1507

<b>V748</b>	<b>Y2-741: WHEN FIRST USE GLUE</b>
-------------	------------------------------------

When did you first use Glue, paint thinner, nail polish, or other inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.1	1	0	Don't know
32.0	0.5	8	1	More than 1 yr ago
44.0	0.6	11	2	Within last yr
20.0	0.3	5	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1508-1509

**V749****Y2-742: HOW OFTEN IN PAST YEAR**

During the last year, how often did you use Glue, paint thinner, nail polish, or other inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	39.8	686	1	Never
2.4	1.0	17	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.0	0.0	0	4	-Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1510-1511

**V750****Y2-743: USUAL PURPOSE**

What is your usual purpose or reason in using Glue, paint thinner, nail polish, or other inhalants? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
4.0	0.1	1	2	Relieve boredom
8.0	0.1	2	3	Relieve tension
40.0	0.6	10	4	For pleasure
0.0	0.0	0	5	To be different
4.0	0.1	1	6	To be accepted
4.0	0.1	1	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
4.0	0.1	1	10	Get thru day
28.0	0.4	7	11	Curiosity
0.0	0.0	0	12	Special occasion
4.0	0.1	1	13	Family encourage
4.0	0.1	1	14	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1512-1513

<b>V751</b>	<b>Y2-744: EFFECTIVENESS</b>
-------------	------------------------------

Is Glue, paint thinner, nail polish, or other inhalants effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	0.8	14	1	Not effective
44.0	0.6	11	2	Effective
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1514-1515

<b>V752</b>	<b>Y2-745: STORES</b>
-------------	-----------------------

Do you get your Glue, paint thinner, nail polish, or other inhalants from Stores (supermarkets, hardware, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	1.1	19	1	No
24.0	0.3	6	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1516-1517

<b>V753</b>	<b>Y2-746: FAMILY</b>
-------------	-----------------------

Do you get your Glue, paint thinner, nail polish, or other inhalants from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	1.2	20	1	No
20.0	0.3	5	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1518-1519

**V754 Y2-747: FRIENDS**

Do you get your Glue, paint thinner, nail polish, or other inhalants from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	0.7	12	1	No
52.0	0.8	13	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1520-1521

**V755 Y2-748: OTHER**

Do you get your Glue, paint thinner, nail polish, or other inhalants from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	1.3	22	1	No
12.0	0.2	3	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1522-1523

**V756 Y2-749: STOPPED USING GLUE**

Have you stopped using Glue, paint thinner, nail polish, or other inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	0.1	2	1	No
92.0	1.3	23	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1524-1525

V757

Y2-750: MAJ REASON FOR STOPPING

IF YES to V756: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.1	2	1	Disliked taste
30.4	0.4	7	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
21.7	0.3	5	4	Felt it was wrong
4.3	0.1	1	5	Friends pressured
8.7	0.1	2	6	Trouble w/parents
8.7	0.1	2	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
0.0	0.0	0	10	Didn't need it
17.4	0.2	4	11	Other
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1526-1527

## PCP

**V758 Y2-751: EVER USE ANGEL DUST**

Have you ever used Angel Dust (PCP)?

(IF NO, SKIP TO V772)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	39.1	675	1	No
4.4	1.8	31	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1528-1529

**V759 Y2-752: WHEN 1ST USE ANGEL DUST**

When did you first use Angel Dust (PCP)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	1	0	Don't know
41.9	0.8	13	1	More than 1 yr ago
48.4	0.9	15	2	Within last yr
6.5	0.1	2	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1530-1531

**V760****Y2-753: HOW OFTEN IN PAST YEAR**

During the last year, how often did you use Angel Dust (PCP)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	39.2	676	1	Never
1.1	1.1	19	2	Once or twice
0.5	0.5	8	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times/wk
0.0	0.0	0	8	Once a day
59.1	59.1	1,019	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Column: 1532

**V761****Y2-754: HOW MUCH/FORM OF USE**

When using Angel Dust, how much do you usually take?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	0.9	16	1	W/marijuana
37.0	0.6	10	2	Powder
3.7	0.1	1	3	Capsule
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 1533-1534



<b>V762</b>	<b>Y2-755: USUAL PURPOSE</b>
-------------	------------------------------

What is your usual purpose or reason in using Angel Dust (PCP)?  
(CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
3.2	0.1	1	3	Relieve tension
71.0	1.3	22	4	For pleasure
0.0	0.0	0	5	To be different
6.5	0.1	2	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
3.2	0.1	1	9	Increase awareness
0.0	0.0	0	10	Get thru day
9.7	0.2	3	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
6.5	0.1	2	14	Other
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1535-1536

<b>V763</b>	<b>Y2-756: EFFECTIVENESS</b>
-------------	------------------------------

Is Angel Dust (PCP) effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.3	5	1	Not effective
83.3	1.4	25	2	Effective
	98.3	1,695	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1537-1538

**V764****Y2-757: FAMILY**

Do you get your Angel Dust (PCP) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	31	1	No
0.0	0.0	0	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1539-1540

**V765****Y2-758: FRIEND**

Do you get your Angel Dust (PCP) from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	0.6	10	1	No
67.7	1.2	21	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1541-1542

**V766****Y2-759: ANONYMOUS PUSHER**

Do you get your Angel Dust (PCP) from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	1.2	21	1	No
32.3	0.6	10	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1543-1544

**V767****Y2-760: OTHER**

Do you get your Angel Dust (PCP) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	1.7	30	1	No
3.2	0.1	1	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1545-1546

**V768****Y2-761: COST PER DOSE**

IF ANGEL DUST (PCP) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it cost per dose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.4	7	1	Free
11.8	0.1	2	2	\$1.00 or less
35.3	0.3	6	3	\$1.01 to \$5.00
11.8	0.1	2	4	Over \$5.00
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1547-1548

**V769****Y2-762: BULK COST**

IF ANGEL DUST (PCP) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it cost in bulk?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.3	5	1	\$10.00 or less
25.0	0.1	2	2	\$10.01 - \$20.00
12.5	0.1	1	3	\$20.01 or more
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1549-1550

**V770****Y2-763: STOPPED USING ANGEL DUST**

Have you stopped using Angel Dust (PCP)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	0.9	15	1	No
51.6	0.9	16	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1551-1552

V771

Y2-764: MAJ REASON FOR STOPPING

IF YES to V770: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
18.8	0.2	3	2	Bad phys effect
12.5	0.1	2	3	Bad emotion effect
18.8	0.2	3	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
6.2	0.1	1	8	Not available
6.2	0.1	1	9	Lost its effect
0.0	0.0	0	10	Didn't need it
37.5	0.3	6	11	Other
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1553-1554

<b>Other Substances</b>
-------------------------

**V772****Y2-765: EVER OTHER SUBSTANCES**

Have you ever used Any other nonprescription drugs or intoxicants?

(IF NO, SKIP TO V785)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	40.8	703	1	No
0.6	0.2	4	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1555-1556

**V773****Y2-766: NAME OF SUBSTANCE**

Specify name of substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	THC
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1557-1558

**V774****Y2-767: WHEN FIRST USE SUBSTANCE**

When did you first use Any other nonprescription drugs or  
intoxicants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
50.0	0.1	2	1	More than 1 yr ago
50.0	0.1	2	2	Within last yr
0.0	0.0	0	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1559-1560

**V775****Y2-768: HOW OFTEN IN PAST YEAR**

During the last year, how often did you use Any other nonprescription  
drugs or intoxicants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	40.8	704	1	Never
0.1	0.1	1	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times/wk
0.0	0.0	0	8	Once a day
59.0	59.0	1,018	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Column: 1561

**V776****Y2-769: HOW MUCH**

When taking Any other nonprescription drugs or intoxicants how much do you usually take?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	0	< 1 tablet
25.0	0.1	1	1	1 tablet
50.0	0.1	2	2	2 tablets or more
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1562-1563

**V777****Y2-770: USUAL PURPOSE**

What is your usual reason in using Any other nonprescription drugs or intoxicants? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
50.0	0.1	2	4	For pleasure
0.0	0.0	0	5	To be different
50.0	0.1	2	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
0.0	0.0	0	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1564-1565



<b>V778</b>	<b>Y2-771: EFFECTIVENESS</b>
-------------	------------------------------

Is Any other nonprescription drugs or intoxicants effective for your purpose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	Not effective
75.0	0.2	3	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1566-1567

<b>V779</b>	<b>Y2-772: FAMILY</b>
-------------	-----------------------

Do you get your Any other nonprescription drugs or intoxicants from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	No
0.0	0.0	0	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1568-1569

<b>V780</b>	<b>Y2-773: FRIEND</b>
-------------	-----------------------

Do you get your Any other nonprescription drugs or intoxicants from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.2	4	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1570-1571

<b>V781</b>	<b>Y2-774: ANONYMOUS PUSHER</b>
-------------	---------------------------------

Do you get your Any other nonprescription drugs or intoxicants from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	No
0.0	0.0	0	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1572-1573

<b>V782</b>	<b>Y2-775: OTHER</b>
-------------	----------------------

Do you get your Any other nonprescription drugs or intoxicants from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	No
0.0	0.0	0	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1574-1575

<b>V783</b>	<b>Y2-776: STOPPED USING SUBSTANCE</b>
-------------	----------------------------------------

Have you stopped using Any other nonprescription drugs or intoxicants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	No
50.0	0.1	2	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1576-1577

V784

Y2-777: MAJ REASON FOR STOPPING

IF YES to V783: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
0.0	0.0	0	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
50.0	0.1	1	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
50.0	0.1	1	8	Not available
0.0	0.0	0	9	Lost its effect
0.0	0.0	0	10	Didn't need it
0.0	0.0	0	11	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1578-1579

<b>Future Use</b>
-------------------

**V785****Y2-778: TOBACCO**

Do you think that you might start using Tobacco in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	26.3	453	1	Not anticipate use
3.4	0.9	16	2	Anticipate use
	72.8	1,256	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1580-1581

**V786****Y2-779: BEER**

Do you think that you might start using Beer in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	12.1	208	1	Not anticipate use
5.9	0.8	13	2	Anticipate use
	87.2	1,504	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1582-1583

**V787****Y2-780: WINE**

Do you think that you might start using Wine in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	19.0	327	1	Not anticipate use
6.3	1.3	22	2	Anticipate use
	79.8	1,376	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1584-1585

**V788****Y2-781: HARD LIQUOR**

Do you think that you might start using Hard Liquor in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	27.8	479	1	Not anticipate use
2.2	0.6	11	2	Anticipate use
	71.6	1,235	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1586-1587

**V789****Y2-782: MARIJUANA**

Do you think that you might start using Marijuana in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	28.9	498	1	Not anticipate use
3.3	1.0	17	2	Anticipate use
	70.1	1,210	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1588-1589

**V790****Y2-783: PSYCHEDELICS**

Do you think that you might start using Psychedelics (LSD, etc.) in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	39.8	686	1	Not anticipate use
0.9	0.3	6	2	Anticipate use
	59.9	1,033	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1590-1591

<b>Problem Behavior Resulting from Use</b>
--------------------------------------------

**V791****Y2-784: TRBL W/BOY/GIRLFRND-ALC**

How many times in the last year have you gotten into trouble with your girlfriend/boyfriend because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	26.8	463	1	Never
9.1	2.8	48	2	Once or twice
2.1	0.6	11	3	3 or 4 times
0.2	0.1	1	4	5 or 6 times
0.6	0.2	3	5	More than 6 times
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1592-1593

**V792****Y2-785: TRBL W/BOY/GRLFRND-DRUGS**

How many times in the last year have you gotten into trouble with your girlfriend/boyfriend because of your use of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	11.1	191	1	Never
10.2	1.3	23	2	Once or twice
1.8	0.2	4	3	3 or 4 times
2.2	0.3	5	4	5 or 6 times
0.9	0.1	2	5	More than 6 times
	87.0	1,500	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1594-1595

**V793****Y2-786: PROBS W/FAMILY -ALCOHOL**

How many times in the last year have you had problems with your family because of drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.2	25.2	434	1	Never
12.9	3.9	68	2	Once or twice
2.7	0.8	14	3	3 or 4 times
0.4	0.1	2	4	5 or 6 times
1.9	0.6	10	5	More than 6 times
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1596-1597

**V794****Y2-787: PROBS W/FAMILY -DRUGS**

How many times in the last year have you had problems with your family because of drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	10.8	186	1	Never
11.1	1.4	25	2	Once or twice
3.5	0.5	8	3	3 or 4 times
0.4	0.1	1	4	5 or 6 times
2.7	0.3	6	5	More than 6 times
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1598-1599



**V795****Y2-788: TROUBLE W/FRNDS -ALCOHOL**

How many times in the last year have you gotten into trouble with your friends because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	27.9	482	1	Never
6.6	2.0	35	2	Once or twice
1.1	0.3	6	3	3 or 4 times
0.4	0.1	2	4	5 or 6 times
0.6	0.2	3	5	More than 6 times
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1600-1601

**V796****Y2-789: TROUBLE W/FRIENDS -DRUGS**

How many times in the last year have you gotten into trouble with your friends because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	12.2	211	1	Never
4.9	0.6	11	2	Once or twice
0.9	0.1	2	3	3 or 4 times
0.4	0.1	1	4	5 or 6 times
0.4	0.1	1	5	More than 6 times
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1602-1603

**V797****Y2-790: TRBL W/TEACHERS -ALCOHOL**

How many times in the last year have you gotten into trouble with your teachers or principal because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	29.2	504	1	Never
2.9	0.9	15	2	Once or twice
0.0	0.0	0	3	3 or 4 times
0.2	0.1	1	4	5 or 6 times
0.4	0.1	2	5	More than 6 times
	69.7	1,203	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1604-1605

**V798****Y2-791: TROUBLE W/TEACHERS-DRUGS**

How many times in the last year have you gotten into trouble with your teachers or principal because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	12.0	207	1	Never
5.0	0.6	11	2	Once or twice
0.0	0.0	0	3	3 or 4 times
0.0	0.0	0	4	5 or 6 times
0.9	0.1	2	5	More than 6 times
	87.2	1,505	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1606-1607

**V799****Y2-792: GOTTEN IN FIGHTS-ALCOHOL**

How many times in the last year have you gotten into physical fights because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	28.1	485	1	Never
6.6	2.0	35	2	Once or twice
0.6	0.2	3	3	3 or 4 times
0.2	0.1	1	4	5 or 6 times
0.8	0.2	4	5	More than 6 times
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1608-1609

**V800****Y2-793: GOTTEN INTO FIGHTS-DRUGS**

How many times in the last year have you gotten into physical fights because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	12.5	215	1	Never
4.0	0.5	9	2	Once or twice
0.4	0.1	1	3	3 or 4 times
0.0	0.0	0	4	5 or 6 times
0.4	0.1	1	5	More than 6 times
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1610-1611

<b>V801</b>	<b>Y2-794: PROBS W/HEALTH -ALCOHOL</b>
-------------	----------------------------------------

How often in the last year has your use of alcohol caused problems with your physical health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	28.2	487	1	Never
6.1	1.9	32	2	Once or twice
0.8	0.2	4	3	3 or 4 times
0.6	0.2	3	4	5 or 6 times
0.4	0.1	2	5	More than 6 times
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1612-1613

<b>V802</b>	<b>Y2-795: PROBLEMS W/HEALTH -DRUGS</b>
-------------	-----------------------------------------

How often in the last year has your use of drugs caused problems with your physical health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	12.1	209	1	Never
4.9	0.6	11	2	Once or twice
1.8	0.2	4	3	3 or 4 times
0.4	0.1	1	4	5 or 6 times
0.4	0.1	1	5	More than 6 times
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1614-1615

<b>V803</b>	<b>Y2-796: COULDN'T REMEMBER-ALCOHOL</b>
-------------	------------------------------------------

Have you ever found that you couldn't remember what had happened to you because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	25.7	443	1	No
16.1	4.9	85	2	Yes
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1616-1617

<b>V804</b>	<b>Y2-797: COULDN'T REMEMBER -DRUGS</b>
-------------	-----------------------------------------

Have you ever found that you couldn't remember what had happened to you because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	11.2	194	1	No
14.2	1.9	32	2	Yes
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1618-1619

<b>V805</b>	<b>Y2-798: STAYED DRUNK FOR DAYS</b>
-------------	--------------------------------------

Have you ever stayed drunk for more than a day at a time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	29.9	515	1	No
2.5	0.8	13	2	Yes
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1620-1621

<b>V806</b>	<b>Y2-799: STAYED HIGH FOR DAYS</b>
-------------	-------------------------------------

Have you ever stayed high on drugs for more than a day at a time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	11.6	200	1	No
11.5	1.5	26	2	Yes
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1622-1623

<b>V807</b>	<b>Y2-800: COULDNT STOP -ALCOHOL</b>
-------------	--------------------------------------

Have you ever wanted to stop drinking and found you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	29.9	516	1	No
2.3	0.7	12	2	Yes
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1624-1625

<b>V808</b>	<b>Y2-801: COULDNT STOP -DRUGS</b>
-------------	------------------------------------

Have you ever wanted to stop using drugs and found you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	12.8	221	1	No
2.2	0.3	5	2	Yes
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1626-1627

<b>V809</b>	<b>Y2-802: ARRESTS - ALCOHOL/DRUGS</b>
-------------	----------------------------------------

During the last year, have you been arrested for any alcohol or drug related offenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	30.5	526	1	No
2.4	0.8	13	2	Yes
	68.8	1,186	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1628-1629

<b>V810</b>	<b>Y2-803: # ARRESTS -INTOXICATION</b>
-------------	----------------------------------------

IF YES to V809: How many times for Intoxication?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	0.3	5	0	
38.5	0.3	5	1	
7.7	0.1	1	2	
7.7	0.1	1	3	
7.7	0.1	1	9	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1630-1631

<b>V811</b>	<b>Y2-804: # ARRESTS- DRUNK DRIVING</b>
-------------	-----------------------------------------

IF YES to V809: How many times for Driving under the influence of alcohol or drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	0.5	9	0	
30.8	0.2	4	1	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1632-1633

<b>V812</b>	<b>Y2-805: # ARRESTS POSS -ALCOHOL</b>
-------------	----------------------------------------

IF YES to V809: How many times for Possession of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	0.5	8	0	
15.4	0.1	2	1	
15.4	0.1	2	2	
7.7	0.1	1	9	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1634-1635

<b>V813</b>	<b>Y2-806: # ARRESTS POSSESS -DRUGS</b>
-------------	-----------------------------------------

IF YES to V809: How many times for Possession of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	0.5	9	0	
23.1	0.2	3	1	
7.7	0.1	1	2	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1636-1637

<b>V814</b>	<b>Y2-807: # ARRESTS SALE/DRUGS</b>
-------------	-------------------------------------

IF YES to V809: How many times for Sale (or possession for sale) of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	0.6	11	0	
7.7	0.1	1	1	
7.7	0.1	1	9	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1638-1639



**V815****Y2-808: # ARRESTS OTHER**

IF YES to V809: How many times for Other (Specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	13	0	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1640-1641

V816

Y2-809: # TIMES DRUNK LAST YEAR

How many times in the last year have you gotten drunk or pretty high on alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	15.7	270	0	
9.1	2.8	48	1	
9.7	3.0	51	2	
3.4	1.0	18	3	
4.2	1.3	22	4	
3.4	1.0	18	5	
3.2	1.0	17	6	
0.6	0.2	3	7	
0.2	0.1	1	8	
0.6	0.2	3	9	
2.1	0.6	11	10	
1.9	0.6	10	12	
0.4	0.1	2	13	
1.3	0.4	7	15	
1.9	0.6	10	20	
0.9	0.3	5	25	
0.4	0.1	2	30	
0.6	0.2	3	40	
1.9	0.6	10	50	
1.3	0.4	7	52	
0.2	0.1	1	55	
0.2	0.1	1	60	
0.2	0.1	1	70	
0.2	0.1	1	100	
0.6	0.2	3	150	
0.4	0.1	2	200	
0.2	0.1	1	300	
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1642-1644

V817

Y2-810: # TIMES HIGH LAST YEAR

How many times in the last year have you gotten high on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	3.9	68	0	
8.0	1.0	18	1	
11.1	1.4	25	2	
4.9	0.6	11	3	
2.2	0.3	5	4	
5.8	0.8	13	5	
2.7	0.3	6	6	
0.9	0.1	2	7	
0.9	0.1	2	8	
4.0	0.5	9	10	
2.2	0.3	5	12	
1.3	0.2	3	15	
3.5	0.5	8	20	
0.4	0.1	1	24	
0.9	0.1	2	25	
0.9	0.1	2	26	
0.9	0.1	2	30	
1.8	0.2	4	40	
0.4	0.1	1	45	
3.1	0.4	7	50	
1.3	0.2	3	52	
0.9	0.1	2	60	
1.3	0.2	3	75	
1.8	0.2	4	100	
0.4	0.1	1	125	
0.9	0.1	2	150	
2.2	0.3	5	200	
0.4	0.1	1	250	
0.9	0.1	2	300	
0.4	0.1	1	360	
3.5	0.5	8	365	
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1645-1647

VICTIMIZATION
---------------

V818

Y2-811: THINGS TAKEN FROM YOU

How many times in the Last Year:

has something been taken directly from you (or an attempt to do so)  
by force or by threatening to hurt you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	77.7	1,341	0	
8.9	8.5	147	1	
5.9	5.7	98	2	
1.5	1.4	24	3	
0.4	0.3	6	4	
0.8	0.8	14	5	
0.3	0.3	5	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.4	0.3	6	10	
0.1	0.1	2	12	
0.2	0.2	3	15	
0.2	0.2	3	20	
0.1	0.1	2	30	
0.1	0.1	1	99	
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1648-1649

**V819****Y2-812: BEATEN UP BY PARENT**

How many times in the Last Year:

have you been beaten by your mother or father?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	52.6	907	0	
2.3	1.3	22	1	
1.2	0.6	11	2	
0.1	0.1	1	3	
0.1	0.1	1	4	
0.2	0.1	2	5	
0.1	0.1	1	6	
0.1	0.1	1	7	
0.1	0.1	1	365	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1650-1652

**V820****Y2-813: MOTOR VEHICL/BIKE STOLEN**

How many times in the Last Year:

has your car, motorcycle or bicycle been stolen or an attempt to do so?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	47.9	826	0	
9.3	5.1	88	1	
2.3	1.3	22	2	
0.4	0.2	4	3	
0.1	0.1	1	4	
0.3	0.2	3	5	
0.2	0.1	2	6	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1653-1654

V821

Y2-814: THINGS TAKEN FROM CAR

How many times in the Last Year:

have things been taken from your car, motorcycle or bike such as  
hubcaps, books or packages, or bike locks

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	46.5	802	0	
9.5	5.2	90	1	
3.5	1.9	33	2	
1.3	0.7	12	3	
0.4	0.2	4	4	
0.2	0.1	2	5	
0.2	0.1	2	6	
0.1	0.1	1	25	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1655-1656

V822

Y2-815: THINGS DAMAGED

How many times in the Last Year:

have any of your things been damaged on purpose, such as car or bike tires slashed or books and clothing ripped up?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	42.6	735	0	
12.9	7.1	122	1	
6.0	3.3	57	2	
1.4	0.8	13	3	
1.0	0.5	9	4	
0.8	0.5	8	5	
0.1	0.1	1	6	
0.1	0.1	1	12	
0.1	0.1	1	20	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1657-1658

**V823****Y2-816: THINGS STOLEN FRM PUB PL**

How many times in the Last Year:

have some of your things, such as your jacket, notebooks, or sports equipment been stolen from a public place such as a school cafeteria, restaurant or bowling alley?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.5	37.0	639	0	
17.6	9.7	167	1	
9.2	5.0	87	2	
2.6	1.4	25	3	
0.6	0.3	6	4	
1.3	0.7	12	5	
0.2	0.1	2	6	
0.1	0.1	1	7	
0.3	0.2	3	8	
0.1	0.1	1	9	
0.1	0.1	1	10	
0.2	0.1	2	12	
0.1	0.1	1	20	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1659-1660

**V824****Y2-817: SEXUALLY ATTACKED**

How many times in the Last Year:

have you been sexually attacked, or raped (or an attempt to do so)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	95.0	1,639	0	
0.7	0.6	11	1	
0.1	0.1	1	2	
0.1	0.1	1	4	
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1661-1662



V825

Y2-818: ATTACKED W/WEAPON

How many times in the Last Year:

have you been attacked with a weapon, such as a gun, knife, bottle  
or chair by someone other than your mother or father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	87.5	1,510	0	
6.1	5.9	101	1	
1.1	1.1	19	2	
0.5	0.5	9	3	
0.2	0.2	3	4	
0.3	0.3	5	5	
0.1	0.1	2	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.1	0.1	1	10	
0.1	0.1	2	20	
0.1	0.1	1	30	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1663-1664

V826

Y2-819: BEATEN UP BY OTHERS

How many times in the Last Year:

have you been beaten up (or threatened with being beaten up) by  
someone other than your mother or father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	77.6	1,338	0	
9.1	8.8	151	1	
4.7	4.5	77	2	
2.1	2.0	35	3	
0.7	0.6	11	4	
0.8	0.8	14	5	
0.2	0.2	3	6	
0.1	0.1	2	7	
0.1	0.1	2	8	
0.5	0.5	9	10	
0.1	0.1	1	12	
0.1	0.1	2	15	
0.1	0.1	2	16	
0.1	0.1	1	18	
0.2	0.2	3	20	
0.1	0.1	2	35	
0.1	0.1	1	98	
0.1	0.1	1	200	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1665-1667

## HANDGUNS

V827

Y2-820: HOW TO OBTAIN HANDGUN

If you wanted a handgun, how would you try to get it? (CHECK ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	55.8	963	1	Buy from store
9.3	8.9	153	2	Buy from person
18.0	17.2	297	3	Borrow
1.1	1.0	18	4	Steal
3.2	3.1	53	5	Other
10.3	9.9	170	6	Don't know
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1668-1669

V828

Y2-821: HOW LONG TO OBTAIN

How long do you think it would take to get a handgun this (V827) way?  
 (CHECK ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	16.8	289	1	1 half day/less
14.9	14.0	242	2	About a day
13.1	12.3	213	3	2-7 days
10.1	9.5	164	4	1-2 wks
14.3	13.4	232	5	> 2 wks
29.8	28.0	483	6	Don't know
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1670-1671

<b>V829</b>	<b>Y2-822: EVER OWNED A HANDGUN</b>
-------------	-------------------------------------

Have you ever owned or had regular use of a handgun?

(IF NO, SKIP TO V839)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	86.5	1,492	1	No
9.8	9.4	162	2	Yes
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1672-1673

<b>V830</b>	<b>Y2-823: OBTAINED: AS A GIFT</b>
-------------	------------------------------------

Did you ever get a hand gun in any of the following ways?

As a gift or loan from a friend or relative

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	2.1	37	1	No
77.2	7.2	125	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1674-1675

<b>V831</b>	<b>Y2-824: OBTAINED: BY BUYING IT</b>
-------------	---------------------------------------

Did you ever get a hand gun in any of the following ways?

By buying it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	8.0	138	1	No
14.8	1.4	24	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1676-1677

<b>V832</b>	<b>Y2-825: OBTAINED:STOLE FRM HOUSE</b>
-------------	-----------------------------------------

Did you ever get a hand gun in any of the following ways?

By stealing it from a house

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	9.2	159	1	No
1.9	0.2	3	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1678-1679

**V833****Y2-826: OBTAINED:STOLE FRM STORE**

Did you ever get a hand gun in any of the following ways?

By stealing it from a store

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	9.3	160	1	No
1.2	0.1	2	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1680-1681

**V834****Y2-827: USED GUN: ROBBERY**

Have you ever used a gun while committing any of the following crimes?

Robbery

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	9.3	161	1	No
0.6	0.1	1	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1682-1683

<b>V835</b>	<b>Y2-828: USED GUN: SEXUAL ASSAULT</b>
-------------	-----------------------------------------

Have you ever used a gun while committing any of the following crimes?

Sexual assault

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	162	1	No
0.0	0.0	0	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1684-1685

<b>V836</b>	<b>Y2-829: USED GUN: BURGLARY</b>
-------------	-----------------------------------

Have you ever used a gun while committing any of the following crimes?

Burglary

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	162	1	No
0.0	0.0	0	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1686-1687

<b>V837</b>	<b>Y2-830: USED GUN: ASSAULT</b>
-------------	----------------------------------

Have you ever used a gun while committing any of the following crimes?

Assault (not sexual)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	9.2	158	1	No
2.5	0.2	4	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1688-1689

<b>V838</b>	<b>Y2-831: USED GUN: OTHER CRIMES</b>
-------------	---------------------------------------

Have you ever used a gun while committing any of the following crimes?

Other(please explain)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	9.2	159	1	No
1.9	0.2	3	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1690-1691



<b>RESPONDENT OBSERVATIONS</b>
--------------------------------

<b>V839</b>	<b>Y2-832: FURTHER EXPLAN OF ANSWRS</b>
-------------	-----------------------------------------

Would you like to explain any of your answers further?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	87.5	1,510	1	No
8.8	8.4	145	2	Yes
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1692-1693

<b>V840</b>	<b>Y2-833: DRUGS</b>
-------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.9	84	1	Drugs
	95.1	1,641	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1694-1695

<b>V841</b>	<b>Y2-834: SEX</b>
-------------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.1	88	1	Sex
	94.9	1,637	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1696-1697

<b>V842</b>	<b>Y2-835: SPECIFIC ITEM #</b>
-------------	--------------------------------

1,725 cases (Range of valid codes: 1-349)

Data type: numeric

Missing-data code: -1

Columns: 1698-1700

<b>V843</b>	<b>Y2-836: SPECIFIC ITEM #</b>
-------------	--------------------------------

PCT VALID	PCT ALL	N	VALUE	LABEL
3.7	0.1	1	11	
3.7	0.1	1	79	
3.7	0.1	1	112	
3.7	0.1	1	162	
3.7	0.1	1	165	
3.7	0.1	1	173	
3.7	0.1	1	174	
3.7	0.1	1	176	
3.7	0.1	1	208	
3.7	0.1	1	219	
3.7	0.1	1	221	
3.7	0.1	1	228	
7.4	0.1	2	235	
3.7	0.1	1	253	
3.7	0.1	1	259	
3.7	0.1	1	260	
3.7	0.1	1	261	
3.7	0.1	1	269	
3.7	0.1	1	282	
7.4	0.1	2	284	
3.7	0.1	1	321	
3.7	0.1	1	328	
3.7	0.1	1	330	
3.7	0.1	1	337	
3.7	0.1	1	349	
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1701-1703

<b>V844</b>	<b>Y2-837: SPECIFIC ITEM #</b>
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	1	14	
10.0	0.1	1	124	
10.0	0.1	1	174	
10.0	0.1	1	179	
10.0	0.1	1	210	
10.0	0.1	1	260	
30.0	0.2	3	284	
10.0	0.1	1	325	
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1704-1706

<b>V845</b>	<b>Y2-838: FRIENDS</b>
-------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	79	1	Friends
	95.4	1,646	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1707-1708

<b>V846</b>	<b>Y2-839: DRUGS/ALCOHOL</b>
-------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.7	132	1	Drugs/alcohol
	92.3	1,593	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1709-1710

<b>V847</b>	<b>Y2-840: FAMILY</b>
-------------	-----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	49	1	Family
	97.2	1,676	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1711-1712

<b>V848</b>	<b>Y2-841: ACTIVITIES</b>
-------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.1	140	1	Activities
	91.9	1,585	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1713-1714

<b>V849</b>	<b>Y2-842: SCHOOL</b>
-------------	-----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	56	1	School
	96.8	1,669	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1715-1716

<b>V850</b>	<b>Y2-843: OTHER</b>
-------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.5	268	1	Other
	84.5	1,457	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1717-1718

V851

Y2-844: UNDERSTANDING OF YOU

Do you think that we will have a good or poor understanding of your relationship with your family and friends from your answers to these questions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	91.6	1,580	1	Good understand
3.1	2.9	50	2	Poor understand
	5.5	95	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1719-1720

## INTERVIEWER OBSERVATIONS

V852

Y2-845: R ANXIETY BEFORE INTERVW

How anxious did the respondent seem to be about the study before the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	69.7	1,203	1	Not anxious
20.5	19.6	338	2	Somewhat anxious
6.7	6.4	110	3	Very anxious
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1721-1722

V853

Y2-846: WAS R HOSTILE

Was the respondent at all hostile either before or during the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	94.3	1,627	1	No
1.5	1.4	25	2	Yes
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1723-1724

**V854****Y2-847: RESPONDENT INTEREST**

How great was the respondent's interest in the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	24	1	Very low
7.3	7.0	121	2	Below average
56.6	54.1	934	3	Average
27.2	26.0	448	4	Above average
7.5	7.1	123	5	Very high
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1725-1726

**V855****Y2-848: DIFFICULTY W/LANGUAGE**

Did you encounter any problems or circumstances that might have affected the interview?

Difficulty with English language

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	11	1	Difficulty w/language
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1727-1728

**V856****Y2-849: DIFFICULTY W/QUESTIONS**

Did you encounter any problems or circumstances that might have affected the interview?

Lots of difficulty understanding questions

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	59	1	Difficulty w/questions
	96.6	1,666	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1729-1730

**V857****Y2-850: INTERRUPTIONS**

Did you encounter any problems or circumstances that might have affected the interview?

Many interruptions

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	40	1	Interruptions
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1731-1732



**V858****Y2-851: TEMPORARY BREAKOFF**

Did you encounter any problems or circumstances that might have affected the interview?

Temporary breakoff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	35	1	Temp breakoff
	98.0	1,690	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1733-1734

**V859****Y2-852: BREAKOFF**

Did you encounter any problems or circumstances that might have affected the interview?

Breakoff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Breakoff
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1735-1736

<b>V860</b>	<b>Y2-853: OTHER</b>
-------------	----------------------

Did you encounter any problems or circumstances that might have affected the interview?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	130	1	Other
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1737-1738

<b>V861</b>	<b>Y2-854: R ANXIETY AFTER INTERVW</b>
-------------	----------------------------------------

How did the respondent seem at the end of the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	90.3	1,558	1	Relaxed
3.7	3.5	61	2	Tense
2.0	1.9	33	3	Other
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1739-1740

<b>V862</b>	<b>Y2-855: ADDITIONAL COMMENTS</b>
-------------	------------------------------------

Any Additional Comments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	31.3	540	1	No
67.4	64.6	1,114	2	Yes
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1741-1742

## GEOGRAPHIC CODE

## V863 SMSA CODE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	34.2	590	0	Resp not in SMSA
64.3	61.6	1,063	1	Resp in SMSA
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1743-1744

## V864 PLACE CODE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	City of SMSA
0.0	0.0	0	2	City of urban area
33.9	32.4	559	3	City of SMSA/urban area
59.9	57.3	989	4	Other inc place
5.9	5.6	97	5	Not incorporated
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1745-1746

**V865****PLACE SIZE**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	18	0	Under 200
2.4	2.3	39	1	200-499
4.4	4.2	72	2	500-999
3.9	3.7	64	3	1,000-1,499
2.5	2.4	41	4	1,500-1,999
3.8	3.7	63	5	2,000-2,499
4.8	4.6	80	6	2,500-4,999
12.0	11.5	198	7	5,000-9,999
12.0	11.5	198	8	10,000-19,999
2.2	2.1	36	9	20,000-24,999
11.4	10.9	188	10	25,000-49,999
12.3	11.8	203	11	-50,000-99,999
9.1	8.8	151	12	100,000-249,999
6.7	6.4	110	13	250,000-499,999
6.5	6.2	107	14	500,000-999,999
5.1	4.9	85	15	1,000,000 or more
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1747-1748

**V866****NYS URB/SUBURB RURAL CD**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	24.5	422	1	Urban
44.1	42.3	729	2	Suburban
30.4	29.1	502	3	Rural
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1749-1750

APPENDIX A: ORIGINAL CODEBOOK

NATIONAL YOUTH SURVEY [UNITED STATES]: WAVE II, 1977

PLEASE NOTE: See Page 1 for the appropriate column locations for the data.

The original variable names have been changed to a sequential variable name (i.e., V1, V2,...VN) in the re-formatted codebook which begins on Page 1. The original variable names can be found in the variable labels of the re-formatted codebook.



## SECOND WAVE YOUTH DATA

CARD 1/17

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y2-1		From First Year Data	Sex 1=Male 2=Female
Y2-2		From First Year Data	Ethnicity 1=Anglo 2=Black 3=Chicano 4=American Indian 5=Asian 6=Other (all other non-classifiable)
Y2-3		From First Year Data + 1	Age 12-18
Y2-4		1	Grade in school 5-16=Number of grade 17=Not in school 18=Other
Y2-5		2	Grade point average 5=Mostly A's/Excellent 4=Mostly B's 3=Mostly C's/Satisfactory/Passing 2=Mostly D's 1=Mostly F's/Not satisfactory/ Failing
Y2-6		3	Particular group of friends? 1=No 2=Yes
Y2-7		4	How important is it to have friends? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-8		6	Afternoons/school week spent with friends: 0-5 (0=everything less than once a week)

Y2-9	7	Evenings/school week spent with friends: 0-5 (0=everything less than once a week)
Y2-10	8	Time spent with friends on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-11	9	Friends' influence: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-12	10	How important was it to have friends? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-13	11	Evenings/week spent on dating and social activities: 0-7 (0=everything less than once a week)
Y2-14	12	How important have social activities been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-15	13	Attended regular school program? 1=No 2=Yes
Y2-16	14	Afternoons/school week spent studying: 0-5 (0=everything less than once a week)



Y2-17	15	Evenings/school week spent studying: 0-5 (0=everything less than once a week)
Y2-18	16	Time spent studying on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-19	17	How important has schoolwork been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-20	18	Member of any athletic teams at school? 1=No 2=Yes
Y2-21	19	How important is it to be on an athletic team? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-22	20	Afternoons/school week spent on team activities: 0-5 (0=everything less than once a week)
Y2-23	21	Evenings/school week spent on team activities: 0-5 (0=everything less than once a week)
Y2-24	22	Time spent on team activities on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much

		1=Very little
Y2-25	23	How important are school athletics? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-26	24	Participant in school activities? 1=No 2=Yes
Y2-27	25	How important are school activities? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-28	26	Afternoons/school week spent on school activities: 0-5 (0=everything less than once a week)
Y2-29	27	Evenings/school week spent on school activities: 0-5 (0=everything less than once a week)
Y2-30	28	Time spent on school activities on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-31	29	How important are school activities? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-32	30	How do your classmates see you? 1=Athlete 2=Activities member 3=Social type

		4=Good student 5=Average student 6=None of the above 7=Other
Y2-33	31	Participant in community activities? 1=No 2=Yes
Y2-34	32	How important are community activities? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-35	33	Afternoons/school week spent on community activities: 0-5 (0=everything less than once a week)
Y2-36	34	Evenings/school week spent on community activities: 0-5 (0=everything less than once a week)
Y2-37	35	Time spent on community activities on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-38	36	How important have community activities been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-39	37	Any jobs in the past year? 1=No 2=Yes
Y2-40	38	How important to have a job? 5=Very important

		4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-41	39(1)	Job description: 1=Part-time 2=Full-time
Y2-42	39(2)	What kind of work? 1=Informal, irregular jobs 2=Unskilled & semi-skilled 3=Skilled manual 4=Clerical, technical, sales 5=Executive, professional, administrative
Y2-43	40	How important has job been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-44	41	Were you married? 1=Yes 2=No
Y2-45	42	Afternoons/school week spent with family: 0-5 (0=everything less than once a week)
Y2-46	43	Evenings/school week spent with family: 0-5 (0=everything less than once a week)
Y2-47	44	Time on weekends spent with family: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-48	45	Importance of family activities: 5=Very important 4=Pretty important 3=Somewhat important

2=Not too important  
1=Not important at all

Y2-49	46	Parents' influence:
		5=A great deal
		4=Quite a bit
		3=Some
		2=Not too much
		1=Very little

ASPIRATIONS/CURRENT SUCCESS - Questionnaire items 47 through 60 ask respondents about a variety of social, family, and educational goals. Each question consists of 2 parts. The first asks how important each goal is to the respondent; the second asks how well he is doing at that goal. For scaling, items are scored so that a higher score reflects greater importance and greater success.

Y2-50-77	47-53 54-60	(1) 5=Very important 3=Somewhat important 1=Not important at all  (2) 5=Very well 3=O.K. 1=Not well at all
Y2-50	47	Family that does things together.
Y2-51	47(1) 47(2)	How important? How are you doing?
Y2-52	48	Have other students think of you as a good student.
Y2-53	48(1) 48(2)	How important? How are you doing?
Y2-54	49	Have lots of dates.
Y2-55	49(1) 49(2)	How important? How are you doing?
Y2-56	50	Have parents you can talk to.
Y2-57	50(1) 50(2)	How important? How are you doing?
Y2-58	51	Do well in hard subjects.
Y2-59	51(1) 51(2)	How important? How are you doing?
Y2-60	52	Included in friends' activities
Y2-61	52(1) 52(2)	How important? How are you doing?

	53	Parents who comfort you when you're unhappy.
Y2-62	53 (1)	How important?
Y2-63	53 (2)	How are you doing?
		PSU Number
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household I.D. #
		Respondent I.D. # (01-09)
		Data Set (0141)
		Card Number (01)
CARD 2/17		
	54	Do your own schoolwork without help.
Y2-64	54 (1)	How important?
Y2-65	54 (2)	How are you doing?
	55	Have a special boyfriend/girlfriend.
Y2-66	55 (1)	How important?
Y2-67	55 (2)	How are you doing?
	56	Have your parents think you do things well.
Y2-68	56 (1)	How important?
Y2-69	56 (2)	How are you doing?
	57	Have teachers think of you as a good student.
Y2-70	57 (1)	How important?
Y2-71	57 (2)	How are you doing?
	58	Have friends ask to spend time and do things with you.
Y2-72	58 (1)	How important?
Y2-73	58 (2)	How are you doing?
	59	Have a high grade point average.
Y2-74	59 (1)	How important?
Y2-75	59 (2)	How are you doing?
	60	Get along well with your parents.
Y2-76	60 (1)	How important?

Y2-77                                      60(2)                                      How are you doing?

FUTURE ASPIRATIONS - Questionnaire items 61 through 64 ask respondents about the importance of each of a set of family, school, and work goals. Items are scored so that a higher score reflects a greater importance for these aspirations.

Y2-78-81                                      61-64                                      5=Very important  
3=Somewhat important  
1=Not important at all

IMPORTANCE OF:

Y2-78                                      61                                      Good job or career.  
Y2-79                                      62                                      Going to college.  
Y2-80                                      63                                      Getting married.  
Y2-81                                      64                                      Having children of your own.

EXPECTATION FOR FUTURE GOALS - Questionnaire items 65 and 66 ask respondents for their estimate of the chances that they will attain specific work and educational goals. Items are scored so that a higher score represents a greater expectation of success.

Y2-82-83                                      65-66                                      3=Good  
2=Fair  
1=Poor

CHANCES FOR:

Y2-82                                      65                                      Getting a job you'd like.  
Y2-83                                      66                                      Completing a college degree.

SOCIAL ISOLATION - Questionnaire items 67 through 81 ask for respondents' level of agreement with a series of statements reflecting the social isolation variant of alienation. Items are scored so that a higher score reflects a greater perceived level of social isolation.

Y2-84-98                                      67-81                                      5=Strongly agree  
4=Agree  
3=Neither agree nor disagree  
2=Disagree  
1=Strongly disagree

Y2-84	67	Don't fit well with friends.
Y2-85	68	Teachers don't call on me.
Y2-86	69	Outsider with family.
Y2-87	70	Nobody at school cares.
Y2-88	71	Friends don't take interest.
Y2-89	72	Family listens to problems.
Y2-90	73	Feel close to friends.
Y2-91	74	Feel lonely with family.
Y2-92	75	Don't belong at school.
Y2-93	76	Friends listen to problems.
Y2-94	77	Feel lonely at school.
Y2-95	78	Teachers don't ask me to work on projects.
Y2-96	79	Feel close to family.
Y2-97	80	Feel lonely with friends.
Y2-98	81	Family not interested in problems.

NORMLESSNESS - Questionnaire items 82 through 94 ask for respondents' level of agreement with a series of statements reflecting the normlessness variant of alienation. Items are scored so that a higher score reflects a greater perception of normlessness.

Y2-99-111	82-94	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-99	82	Important to be honest with parents.
Y2-100	83	To avoid trouble, lie to teachers.
Y2-101	84	With friends, good impression foremost.
Y2-102	85	Play dirty to win at school.
Y2-103	86	Lying okay if keeps friends out of trouble.
Y2-104	87	With parents, good impression foremost.
Y2-105	88	Beat up kids to gain respect of friends.
Y2-106	89	Can succeed in school without cheating.
Y2-107	90	To be popular, must break rules.
Y2-108	91	Lie to parents to keep trust.
Y2-109	92	Doing own work more important than being liked.
Y2-110	93	Break parents' rules to keep friends.
Y2-111	94	With teachers, good impression foremost.



LABELING BY PARENTS - Questionnaire items 95 through 106 ask respondents to indicate the extent to which their PARENTS would agree with each of a set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y2-112-123	95-106	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-112	95	Well-liked.
Y2-113	96	Need help.
Y2-114	97	Bad kid.
Y2-115	98	Often upset.
Y2-116	99	Good citizen.
Y2-117	100	Get along well with others.
Y2-118	101	Messed up.
Y2-119	102	Break rules.
Y2-120	103	Personal problems.
Y2-121	104	Get into trouble.
Y2-122	105	Likely to succeed.
Y2-123	106	Do things against the law.

Blank  
Class (from Wave 1)  
Funding Agency Designation  
1=NIMH  
2=LEAA  
Household I.D. #  
Respondent I.D. # (01-09)  
Data Set (0141)  
Card Number (02)

CARD 3/17

LABELING BY FRIENDS - Questionnaire items 107 through 117 ask respondents to indicate the extent to which their friends would agree with each of a set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y2-124-134	107-117	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-124	107	Well-liked.
Y2-125	108	Need help.

Y2-126	109	Bad kid.
Y2-127	110	Often upset.
Y2-128	111	Get along well with others.
Y2-129	112	Messed up.
Y2-130	113	Break rules.
Y2-131	114	Personal problems.
Y2-132	115	Get into trouble.
Y2-133	116	Likely to succeed.
Y2-134	117	Do things against the law.

LABELING BY TEACHERS - Questionnaire items 118 through 129 ask respondents to indicate the extent to which their teachers would agree with each of a set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y2-135-146	12-23	118-129	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-135		118	Well-liked.
Y2-136		119	Need help.
Y2-137		120	Bad kid.
Y2-138		121	Often upset.
Y2-139		122	Good citizen.
Y2-140		123	Get along well with others.
Y2-141		124	Messed up.
Y2-142		125	Break rules.
Y2-143		126	Personal problems.
Y2-144		127	Get into trouble.
Y2-145		128	Likely to succeed.
Y2-146		129	Do things against the law.

PERCEIVED DISAPPROVAL/PARENTS - Questionnaire items 130 through 143 ask respondents the extent to which their parents would disapprove of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval.

Y2-147-160	130-143	5=Strongly disapprove 4=Disapprove 3=Neither approve nor disapprove 2=Approve 1=Strongly approve
Y2=147	130	Kept promises.

Y2-148	131	Cheated.
Y2-149	132	Stole something worth less than \$5.
Y2-150	133	Were friendly with people of different race.
Y2-151	134	Sold hard drugs.
Y2-152	135	Returned money.
Y2-153	136	Used marijuana.
Y2-154	137	Stole something worth more than \$50.
Y2-155	138	Hit someone.
Y2-156	139	Gave to needy.
Y2-157	140	Used alcohol.
Y2-158	141	Did a favor.
Y2-159	142	Destroyed property.
Y2-160	143	Broke into vehicle.

PERCEIVED DISAPPROVAL/PEERS - Questionnaire items 144 through 157 ask respondents the extent to which their peers would disapprove of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval.

Y2-161-174	144-157	5=Strongly disapprove 4=Disapprove 3=Neither approve nor disapprove 2=Approve 1=Strongly approve
Y2-161	144	Kept promises.
Y2-162	145	Cheated.
Y2-163	146	Stole something worth less than \$5.
Y2-164	147	Were friendly with people of different race.
Y2-165	148	Sold hard drugs.
Y2-166	149	Returned money.
Y2-167	150	Used marijuana.
Y2-168	151	Stole something worth more than \$50.
Y2-169	152	Hit someone.
Y2-170	153	Gave to needy.
Y2-171	154	Used alcohol.
Y2-172	155	Did a favor.
Y2-173	156	Destroyed property.
Y2-174	157	Broke into vehicle.

COUNTERLABELING - Questionnaire items 158 through 161 ask respondents the extent to which their mother, father and friends would be supportive if the respondent got into different kinds of trouble. Items are scored so that higher score reflects greater counterlabeling.

Y2-175-186	52-63	158-161	4=Almost always 3=Often 2=Sometimes 1=Almost never
------------	-------	---------	-------------------------------------------------------------

## REACTION IF YOU WERE IN TROUBLE:

		158	At school.
Y2-175		158 (1)	Mother
Y2-176		158 (2)	Father
Y2-177		158 (3)	Friends

		159	With police.
Y2-178		159 (1)	Mother
Y2-179		159 (2)	Father
Y2-180		159 (3)	Friends

		160	In neighborhood.
Y2-181		160 (1)	Mother
Y2-182		160 (2)	Father
Y2-183		160 (3)	Friends

		161	With rumors.
Y2-184		161 (1)	Mother
Y2-185		161 (2)	Father
Y2-186		161 (3)	Friends

Blank  
Funding Agency Designation  
1=NIMH  
2=LEAA  
Household I.D. #  
Respondent I.D. # (01-09)  
Data Set (0141)  
Card Number (03)

CARD 4/17

ATTITUDES TOWARD DEVIANCE - Questionnaire items 162 through 173 ask respondents for their estimates of how wrong each of a set of deviant behaviors is for themselves or someone their age. Items are scored so that a higher score represents a greater perceived wrongness.

Y2-187-198	1-12	162-173	4=Very wrong 3=Wrong 2=A little bit wrong 1=Not wrong at all
------------	------	---------	-----------------------------------------------------------------------

HOW WRONG IS IT TO:

Y2-187	162	Cheat on school tests.
Y2-188	163	Destroy property.
Y2-189	164	Use marijuana.
Y2-190	165	Steal something worth less than \$5.
Y2-191	166	Hit someone.
Y2-192	167	Use alcohol.
Y2-193	168	Break into vehicle.
Y2-194	169	Sell hard drugs.
Y2-195	170	Steal something worth more than \$50.
Y2-196	171	Get drunk
Y2-197	172	Use prescription drugs
Y2-198	173	Give or sell alcohol

EXPOSURE TO DELINQUENT PEERS - Questionnaire items 174 through 186 ask respondents how many of their close friends have engaged in each of a set of deviant behaviors in the past year. Items are scored so that a higher score represents a higher proportion of friends committing each act.

Y2-199-211	174-186	5=All of them 4=Most of them 3=Some of them 2=Very few of them 1=None of them
------------	---------	-------------------------------------------------------------------------------------------

#### HOW MANY OF YOUR FRIENDS HAVE:

Y2-199	174	Cheated on school tests.
Y2-200	175	Destroyed property.
Y2-201	176	Used marijuana.
Y2-202	177	Stolen something worth less than \$5.
Y2-203	178	Hit someone.
Y2-204	179	Used alcohol.
Y2-205	180	Broken into vehicle.
Y2-206	181	Sold hard drugs.
Y2-207	182	Stolen something worth more than \$50.
Y2-208	183	Suggested you break law.
Y2-209	184	Gotten drunk.
Y2-210	185	Used prescription.
Y2-211	186	Sold or given alcohol.

COMMITMENT TO DELINQUENT PEERS - Questionnaire items 187 through 189 ask respondents how they would react if friends engaged in deviant behaviors. Items are scored so that a higher score indicates greater commitment to delinquent friends.

Y2-212-214	26-28	187-189	3=Yes 2=Don't know 1=No
------------	-------	---------	-------------------------------

Y2-212	187	Would you still run around with them?
Y2-213	188	Would you try to stop these activities?
Y2-214	189	Would you be willing to lie?

SEX ROLES - Questionnaire items 190 through 203 ask for respondents' level of agreement with each of a set of statements reflecting attitudes toward sex roles. Items are scored so that a higher score reflects greater traditionalism with respect to sex roles.

Y2-215-228	29-42	190-203	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-215		190	Women with children shouldn't work.
Y2-216		191	Fathers should have greater authority.
Y2-217		192	Women are able to do most jobs.
Y2-218		193	Women should ask for dates.
Y2-219		194	Husbands and wives should be equal partners.
Y2-220		195	Women are too emotional.
Y2-221		196	Women should be attractive.
Y2-222		197	Sons should be encouraged to go to college.
Y2-223		198	Woman's responsibility is to care for children.
Y2-224		199	OK for men to tell dirty stories.
Y2-225		200	Men can raise children.
Y2-226		201	Aggressive women are unattractive.
Y2-227		202	Women are physically weaker.
Y2-228		203	Women should have freedom.

INTERPERSONAL VIOLENCE - Questionnaire items 204 through 212 ask for respondents' level of agreement with each of a set of statements concerning violence. Items are scored so that a higher score reflects greater acceptance of violence.

Y2-229-237	43-51	204-212	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
------------	-------	---------	--------------------------------------------------------------------------------------------------

Y2-229	204	All right to beat someone up.
Y2-230	205	Women ask to be sexually assaulted.
Y2-231	206	Hitting another person is acceptable.
Y2-232	207	Few situations justify attacks.
Y2-233	208	Sexual assault is an act of force.
Y2-234	209	All right to beat up another person if he started it.
Y2-235	210	A woman can't be assaulted against her will.
Y2-236	211	It is sometimes necessary to fight.
Y2-237	212	Women are curious about sexual assault.

EXPOSURE TO SUBSTANCE ABUSE AMONG PEERS - Questionnaire items 213 through 218 ask respondents about the frequency with which they were exposed to certain drug and alcohol-related activities by their friends during the previous year. Items are scored so that a higher score represents greater exposure.

Y2-238-243	213-218 #	1=Never 2=Once or twice 3=Several times 4=Often
------------	-----------	----------------------------------------------------------

HOW OFTEN HAVE YOUR CLOSE FRIENDS:

Y2-238	213 #	Suggested you go drinking with them.
Y2-239	214 #	Put pressure on you to drink.
Y2-240	215 #	Suggested you have to get drunk.
Y2-241	216 #	Offered Marijuana to you.
Y2-242	217 #	Suggested you have to get high.
Y2-243	218 #	Put pressure on you to use drugs.

EXPOSURE TO SUBSTANCE ABUSE BY PARENTS - Questionnaire items 219 through 222 ask respondents about the frequency with which their parents engaged in certain drug and alcohol-related activities during the previous year. Items are scored so that a higher score represents greater exposure.

Y2-244-247	219-222 #	1=Never 2=Once or twice 3=Several times 4=Often
------------	-----------	----------------------------------------------------------

HOW OFTEN HAVE YOUR PARENTS:

Y2-244	219 #	Used alcohol.
--------	-------	---------------

Y2-245	220 #	Gotten drunk.
Y2-246	221 #	Used marijuana.
Y2-247	222 #	Used drugs such as tranquilizers.

Blank  
 Funding Agency Designation  
   1=NIMH  
   2=LEAA  
 Household I.D. #  
 Respondent I.D. #(01-09)  
 Data Set (0141)  
 Card Number (04)

CARD 5/17

SELF-REPORTED DELINQUENCY - Questionnaire items 223 through 268 ask respondents to report the frequency with which they engaged in each of a variety of behaviors (both deviant and positive social behaviors) during the previous year. Each question consists of 2 parts. The first asks for the absolute frequency of each behavior; the second asks for an estimate of the rate of occurrence of the behavior on a 6-point scale for initial responses indicating a frequency  $\geq 10$ . These rate or categorical responses have been recoded on the basis of reported frequencies of less than 10 as indicated. Items are scored so that a higher score reflects a greater frequency or rate of involvement in each behavior.

Y2-248-279	223-238	(1) 0-999=Number of times in last year (2) 1=Never
Y2-280-311	239-254	2=Once or twice a year 3=Once every 2-3 months.
Y2-312-339	255-268	4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-248	223 #	Damaged family property.
Y2-249	223 (1) #	Frequency
	223 (2) #	Rate
Y2-250	224 *	Damaged family property.
Y2-251	224 (1) *	Frequency
	224 (2) *	Rate
Y2-252	225 *	Damaged school property.
Y2-253	225 (1) *	Frequency
	225 (2) *	Rate



	226 *	Damaged other property.
Y2-254	226 (1) *	Frequency
Y2-255	226 (2) *	Rate
	227	Stolen motor vehicle.
Y2-256	227 (1)	Frequency
Y2-257	227 (2)	Rate
	228	Stolen something worth more than \$50.
Y2-258	228 (1)	Frequency
Y2-259	228 (2)	Rate
	229	Bought stolen goods.
Y2-260	229 (1)	Frequency
Y2-261	229 (2)	Rate
	230 *	Returned thing to owner.
Y2-262	230 (1) *	Frequency
Y2-263	230 (2) *	Rate
	231 *	Thrown objects.
Y2-264	231 (1) *	Frequency
Y2-265	231 (2) *	Rate
	232	Run away from home.
Y2-266	232 (1)	Frequency
Y2-267	232 (2)	Rate
	233 *	Lied about your age.
Y2-268	233 (1) *	Frequency
Y2-269	233 (2) *	Rate
	234	Carried a hidden weapon.
Y2-270	234 (1)	Frequency
Y2-271	234 (2)	Rate
	235	Stolen something worth less than \$5.
Y2-272	235 (1)	Frequency
Y2-273	235 (2)	Rate
	236	Attacked someone.
Y2-274	236 (1)	Frequency
Y2-275	236 (2)	Rate
	237	Been paid for sexual relations.
Y2-276	237 (1)	Frequency
Y2-277	237 (2)	Rate
	238	Sexual intercourse.

Y2-278	238 (1)	Frequency
Y2-279	238 (2)	Rate
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household I.D. #
		Respondent I.D. # (01-09)
		Data Set (0141)
		Card Number (05)
CARD 6/17		
	239	Been in gang fights.
Y2-280	239 (1)	Frequency
Y2-281	239 (2)	Rate
	240	Sold marijuana.
Y2-282	240 (1)	Frequency
Y2-283	240 (2)	Rate
	241 *	Cheated on school tests.
Y2-284	241 (1) *	Frequency
Y2-285	241 (2) *	Rate
	242 *	Hitchhiked where illegal.
Y2-286	242 (1) *	Frequency
Y2-287	242 (2) *	Rate
	243 *	Helped someone who was hurt.
Y2-288	243 (1) *	Frequency
Y2-289	243 (2) *	Rate
	244 *	Stolen money from family.
Y2-290	244 (1) *	Frequency
Y2-291	244 (2) *	Rate
	245	Hit teacher.
Y2-292	245 (1)	Frequency
Y2-293	245 (2)	Rate
	246	Hit parent.
Y2-294	246 (1)	Frequency
Y2-295	246 (2)	Rate
	247	Hit other students.
Y2-296	247 (1)	Frequency
Y2-297	247 (2)	Rate
	248	Been loud, rowdy.

Y2-298	248 (1)	Frequency
Y2-299	248 (2)	Rate
	249	Sold hard drugs.
Y2-300	249 (1)	Frequency
Y2-301	249 (2)	Rate
	250	Taken vehicle.
Y2-302	250 (1)	Frequency
Y2-303	250 (2)	Rate
	251 *	Bought liquor.
Y2-304	251 (1) *	Frequency
Y2-305	251 (2) *	Rate
	252 *	Given money, food, etc.
Y2-306	252 (1) *	Frequency
Y2-307	252 (2) *	Rate
	253	Sexual assault.
Y2-308	253 (1)	Frequency
Y2-309	253 (2)	Rate
	254	Used force on students.
Y2-310	254 (1)	Frequency
Y2-311	254 (2)	Rate
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household I.D. #
		Respondent I.D. # (01-09)
		Data Set (0141)
		Card Number (06)
CARD 7/17		
	255	Used force on teacher.
Y2-312	255 (1)	Frequency
Y2-313	255 (2)	Rate
	256 *	Refused to help cheat.
Y2-314	256 (1) *	Frequency
Y2-315	256 (2) *	Rate
	257	Used force on other.
Y2-316	257 (1)	Frequency
Y2-317	257 (2)	Rate
	258 *	Avoided paying for things.

Y2-318	258 (1) *	Frequency
Y2-319	258 (2) *	Rate
	259 *	Been drunk.
Y2-320	259 (1) *	Frequency
Y2-321	259 (2) *	Rate
	260	Stolen things (\$5-50).
Y2-322	260 (1)	Frequency
Y2-323	260 (1)	Rate
	261	Stolen things at school.
Y2-324	261 (1)	Frequency
Y2-325	261 (2)	Rate
	262	Broken into a building.
Y2-326	262 (1)	Frequency
Y2-327	262 (2)	Rate
	263	Begged for money.
Y2-328	263 (1)	Frequency
Y2-329	263 (2)	Rate
	264 *	Skipped classes.
Y2-330	264 (1) *	Frequency
Y2-331	264 (2) *	Rate
	265 *	Failed to return change.
Y2-332	265 (1) *	Frequency
Y2-333	265 (2) *	Rate
	266 *	Tried to talk friends out of illegal acts.
Y2-334	266 (1) *	Frequency
Y2-335	266 (2) *	Rate
	267 *	Been suspended.
Y2-336	267 (1) *	Frequency
Y2-337	267 (2) *	Rate
	268	Made obscene calls.
Y2-338	268 (1) *	Frequency
Y2-339	268 (2) *	Rate

DRUG AND ALCOHOL USE - PART 1: Questionnaire items 269 through 279 ask respondents about a series of substances they might have used. For each substance, the respondent is asked whether he has ever used it and, if so, how often in the past year. Items are a cored so that a higher score reflects a greater frequency of use.

Y2-340-348	269-273	(1) Ever used substance?
Y2-349-360	274-279	1=No
		2=Yes
		3=Yes, episodically
		(2) How often in past year?
		1=Never
		2=Once or twice
		3=Once every 2-3 months.
		4=Once a month
		5=Once every 2-3 weeks
		6=Once a week
		7=Two to three times/week
		8=Once a day
		9=Two to three times/day
Y2-340	269 *	Alcoholic beverages:
	269 (2) *	How often in the past year?
Y2-341	270 #	Coffee:
Y2-342	270 (1) #	Ever used?
	270 (2) #	How often in the past year?
Y2-343	271 #	Tea:
Y2-344	271 (1) #	Ever used?
	271 (2) #	How often in the past year?
Y2-345	272 #	Nodoze, etc.:
Y2-346	272 (1) #	Ever used?
	272 (2) #	How often in the past year?
Y2-347	273 #	Sleepeze, etc.:
Y2-348	273 (1) #	Ever used?
	273 (2) #	How often in the past year?
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household I.D. #
		Respondent I.D. # (01-09)
		Data Set (0141)
		Card Number (07)
CARD 8/17		
Y2-349	274 #	Nyquil, etc.:
Y2-350	274 (1) #	Ever used?
	274 (2) #	How often in the past year?
Y2-351	275 #	Methadone, etc.:
	275 (1) #	Ever used?

Y2-352	275(2)#	How often in the past year?
	276 #	Morphine:
Y2-353	276(1)#	Ever used?
Y2-354	276(2)#	How often in the past year?
	277 #	Methaquaaludes:
Y2-355	277(1)#	Ever used?
Y2-356	277(2)#	How often in the past year?
	278 #	Darvon, etc.:
Y2-357	278(1)#	Ever used?
Y2-358	278(2)#	How often in the past year?
	279 #	Percodan, etc.:
Y2-359	279(1)#	Ever used?
Y2-360	279(2)#	How often in the past year?

DRUG AND ALCOHOL USE - PART 2: Questionnaire items 280 through 294 ask respondents about a number of other substances they may have used. For each substance which has been used, the respondent is asked a series of other questions.

#### USE OF BEER

Y2-361	280 #	Have you ever used Beer? 1=No 2=Yes 3=Yes, episodically
Y2-362	#	When did you first use Beer? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-363	#	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-364	#	How much? 0=Less than one can

1=One can  
 2=Two cans  
 3=Three cans  
 4=Four or five cans  
 5=Six pack or more

FUNCTIONS OF BEER - each of the following functions is scored according to whether respondent reported that function.

1=No  
 2=Yes

Y2-365	#	(1) To relieve physical pain, etc.
Y2-366	#	(2) To relieve boredom
Y2-367	#	(3) To relieve tension
Y2-368	#	(4) For pleasure etc.
Y2-369	#	(5) To be different, etc.
Y2-370	#	(6) To be accepted
Y2-371	#	(7) To be relaxed
Y2-372	#	(8) To appear more grown up
--	--	(9) (Not used for this substance)
Y2-373	#	(10) To get through the day
Y2-374	#	(11) Curiosity, experimentation
Y2-375	#	(12) Special occasions
Y2-376	#	(13) Family encouragement
Y2-377	#	(14) Other
Most important function of Beer:		
Y2-378	#	01-14 according to list above

EFFECTIVENESS OF BEER FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective  
 2=Effective  
 Blank=Not a selected function

Y2-379	#	(1) To relieve physical pain, etc.
Y2-380	#	(2) To relieve boredom
Y2-381	#	(3) To relieve tension
Y2-382	#	(4) For pleasure, etc.
Y2-383	#	(5) To be different, etc.
Y2-384	#	(6) To be accepted
Y2-385	#	(7) To be relaxed
Y2-386	#	(8) To appear more grown up
Y2-387	#	(10) To get through the day
Y2-388	#	(11) Curiosity, experimentation
Y2-389	#	(12) Special occasions
Y2-390	#	(13) Family encouragement

Y2-391 # (14) Other

SOURCE OF BEER - each source scored according to respondent's report.

1=No  
2=Yes

Y2=392	#	(1) Food stores
Y2-393	#	(2) Liquor stores
Y2-394	#	(3) Family
Y2-395	#	(4) Friends
Y2-396	#	(5) Restaurant or bar
Y2-397	#	(6) Other
Y2-398	#	Have you stopped using Beer?
		1=No
		2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No  
2=Yes

Y2-399	#	(1) Disliked taste
Y2-400	#	(2) Bad physical effects
Y2-401	#	(3) Bad emotional effects
Y2-402	#	(4) Felt it was wrong
Y2-403	#	(5) Friends pressured
Y2-404	#	(6) Trouble with parents, etc.
Y2-405	#	(7) Fearful of addiction
--	--	(8) (Not used for this substance)
Y2-406	#	(9) Lost its effects
Y2-407	#	(10) Didn't need it
Y2-408	#	(11) Other

Y2-409	#	Major reason for stopping: 01-11 according to list above
--------	---	-------------------------------------------------------------

Blank  
Funding Agency Designation  
1=NIMH  
2=LEAA  
Household I.D. #  
Respondent I.D. # (01-09)  
Data Set (0141)  
Card Number (08)



## USE OF WINE

Y2-410	281 #	Have you ever used Wine? 1=No 2=Yes 3=Yes, episodically
Y2-411	#	When did you first use Wine? 0=Don't Know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-412	#	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-413	#	How much? 0=Less than a glass 1=One glass 2=Two glasses 3=Three glasses 4=Four or five glasses 5=Six or more glasses

FUNCTIONS OF WINE - each of the following functions is scored according to whether respondent reported that function.

1=No  
2=Yes

Y2-414	#	(1) To relieve physical pain, etc.
Y2-415	#	(2) To relieve boredom
Y2-416	#	(3) To relieve tension
Y2-417	#	(4) For pleasure, etc.
Y2-418	#	(5) To be different, etc.
Y2-419	#	(6) To be accepted
Y2-420	#	(7) To be relaxed
Y2-421	#	(8) To appear more grown up
--	--	(9) (Not used for this substance)
Y2-422	#	(10) To get through the day
Y2-423	#	(11) Curiosity, experimentation
Y2-424	#	(12) Special occasions

Y2-425	#	(13) Family encouragement
Y2-426	#	(14) Other
Y2-427	#	Most important function of Wine: 01-14 according to list above

EFFECTIVENESS OF WINE FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective

2=Effective

Blank=Not a selected function

Y2-428	#	(1) To relieve physical pain, etc.
Y2-429	#	(2) To relieve boredom
Y2-430	#	(3) To relieve tension
Y2-431	#	(4) For pleasure, etc.
Y2-432	#	(5) To be different, etc.
Y2-433	#	(6) To be accepted
Y2-434	#	(7) To be relaxed
Y2-435	#	(8) To appear more grown up
Y2-436	#	(10) To get through the day
Y2-437	#	(11) Curiosity, experimentation
Y2-438	#	(12) Special occasions
Y2-439	#	(13) Family encouragement
Y2-440	#	(14) Other

SOURCE OF WINE - each source scored according to respondent's report.

1=No

2=Yes

Y2-441	#	(1) Food stores
Y2-442	#	(2) Liquor stores
Y2-443	#	(3) Family
Y2-444	#	(4) Friends
Y2-445	#	(5) Restaurant or bar
Y2-446	#	(6) Other
Y2-447	#	Have you stopped using Wine? 1=No 2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No

2=Yes

Y2-448	#	(1) Disliked taste
Y2-449	#	(2) Bad physical effects

Y2-450	#	(3) Bad emotional effects
Y2-451	#	(4) Felt it was wrong
Y2-452	#	(5) Friends pressured
Y2-453	#	(6) Trouble with parents, etc.
Y2-454	#	(7) Fearful of addiction
--	--	(8) (Not used for this substance)
Y2-455	#	(9) Lost its effects
Y2-456	#	(10) Didn't need it
Y2-457	#	(11) Other
Y2-458	#	Major reason for stopping: 01-11 according to list above
USE OF HARD LIQUOR		
Y2-459	282 #	Have you ever used Hard Liquor? 1=No 2=Yes 3=Yes, episodically
Y2-460	#	When did you first use Hard Liquor? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-461	#	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-462	#	How much? 0=Less than one drink 1=One drink 2=Two drinks 3=Three drinks 4=Four or five drinks 5=Six or more drinks
Blank		
Funding Agency Designation		
1=NIMH		
2=LEAA		
Household I.D. #		

Respondent I.D. #(01-09)  
 Data Set (0141)  
 Card Number (09)

CARD 10/17

FUNCTIONS OF HARD LIQUOR - each of the following functions is scored according to whether respondent reported that function.

1=No

2=Yes

Y2-463	#	(1) To relieve physical pain, etc.
Y2-464	#	(2) To relieve boredom
Y2-465	#	(3) To relieve tension
Y2-466	#	(4) For pleasure, etc.
Y2-467	#	(5) To be different, etc.
Y2-468	#	(6) To be accepted
Y2-469	#	(7) To be relaxed
Y2-470	#	(8) To appear more grown up
--	--	(9) (Not used for this substance)
Y2-471	#	(10) To get through the day
Y2-472	#	(11) Curiosity, experimentation
Y2-473	#	(12) Special occasions
Y2-474	#	(13) Family encouragement
Y2-475	#	(14) Other

Most important function of Hard Liquor:

Y2-476	#	01-14 according to list above
--------	---	-------------------------------

EFFECTIVENESS OF HARD LIQUOR FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective

2=Effective

Blank=Not a selected function

Y2-477	#	(1) To relieve physical pain, etc.
Y2-478	#	(2) To relieve boredom
Y2-479	#	(3) To relieve tension
Y2-480	#	(4) For pleasure, etc.
Y2-481	#	(5) To be different, etc.
Y2-482	#	(6) To be accepted
Y2-483	#	(7) To be relaxed
Y2-484	#	(8) To appear more grown up
Y2-485	#	(10) To get through the day
Y2-486	#	(11) Curiosity, experimentation
Y2-487	#	(12) Special occasions
Y2-488	#	(13) Family encouragement
Y2-489	#	(14) Other

SOURCE OF HARD LIQUOR - each source scored according to respondent's report.

1=No  
2=Yes

Y2-490	#	(1) Food stores
Y2-491	#	(2) Liquor stores
Y2-492	#	(3) Family
Y2-493	#	(4) Friends
Y2-494	#	(5) Restaurant or bar
Y2-495	#	(6) Other
Y2-496	#	Have you stopped using Hard Liquor? 1=No 2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No  
2=Yes

Y2-497	#	(1) Disliked taste
Y2-498	#	(2) Bad physical effects
Y2-499	#	(3) Bad emotional effects
Y2-500	#	(4) Felt it was wrong
Y2-501	#	(5) Friends pressured
Y2-502	#	(6) Trouble with parents, etc.
Y2-503	#	(7) Fearful of addiction
--	--	(8) (Not used for this substance)
Y2-504	#	(9) Lost its effects
Y2-505	#	(10) Didn't need it
Y2-506	#	(11) Other

Major reason for stopping:  
01-11 according to list above

#### USE OF TOBACCO

Y2-508	283 #	Have you ever used Tobacco? 1=No 2=Yes 3=Yes, episodically
Y2-509	#	When did you first use Tobacco? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month

Y2-510	#	How often in past year?
		1=Never
		2=Once or twice
		3=Once every 2-3 months.
		4=Once a month
		5=Once every 2-3 weeks
		6=Once a week
		7=Two to three times/week
		8=Once a day
		9=Two to three times/day
		How much:
Y2-511	#	No. of cigarettes/day
Y2-512	#	No. of cigars/pipes per day
Y2-513	#	No. of cans/month (chewing, etc.)

FUNCTIONS OF TOBACCO - each of the following functions is scored according to whether respondent reported that function.

1=No  
2=Yes

Y2-514	#	(1) To relieve physical pain, etc.
Y2-515	#	(2) To relieve boredom
Y2-516	#	(3) To relieve tension
Y2-517	#	(4) For pleasure, etc.
Y2-518	#	(5) To be different, etc.
Y2-519	#	(6) To be accepted
Y2-520	#	(7) To be relaxed
Y2-521	#	(8) To appear more grown up
--	--	(9) (Not used for this substance)
Y2-522	#	(10) To get through the day
Y2-523	#	(11) Curiosity, experimentation
--	--	(12) (Not used for this substance)
--	--	(13) (Not used for this substance)
Y2-524	#	(14) Other

Funding Agency Designation  
1=NIMH  
2=LEAA  
Household I.D. #  
Respondent I.D. #(01-09)  
Data Set (0141)  
Card Number (10)

CARD 11/17

Most important function of  
Tobacco:

Y2-525 # 01-14 according to list above

EFFECTIVENESS OF TOBACCO FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective  
2=Effective  
Blank=Not a selected function

Y2-526	#	(1) To relieve physical pain, etc.
Y2-527	#	(2) To relieve boredom
Y2-528	#	(3) To relieve tension
Y2-529	#	(4) For pleasure, etc.
Y2-530	#	(5) To be different, etc.
Y2-531	#	(6) To be accepted
Y2-532	#	(7) To be relaxed
Y2-533	#	(8) To appear more grown up
Y2-534	#	(10) To get through the day
Y2-535	#	(11) Curiosity, experimentation
Y2-536	#	(14) Other

SOURCE OF TOBACCO - each source scored according to respondent's report.

1=No  
2=Yes

Y2-537	#	(1) Stores or gas stations
Y2-538	#	(2) Cigarette machines
Y2-539	#	(3) Family
Y2-540	#	(4) Friends
Y2-541	#	(5) Restaurant or bar
Y2-542	#	(6) Other
Y2-543	#	Have you stopped using Tobacco?
		1=No
		2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No  
2=Yes

Y2-544	#	(1) Disliked taste
Y2-545	#	(2) Bad physical effects
Y2-546	#	(3) Bad emotional effects
Y2-547	#	(4) Felt it was wrong
Y2-548	#	(5) Friends pressured
Y2-549	#	(6) Trouble with parents, etc.
Y2-550	#	(7) Fearful of addiction

--	--	(8) (Not used for this substance)
Y2-551	#	(9) Lost its effects
Y2-552	#	(10) Didn't need it
Y2-553	#	(11) Other

Y2-554	#	Major reason for stopping: 01-11 according to list above
--------	---	-------------------------------------------------------------

## USE OF MARIJUANA

Y2-555	284 #	Have you ever used Marijuana? 1=No 2=Yes 3=Yes, episodically
--------	-------	-----------------------------------------------------------------------

Y2-556	#	When did you first use Marijuana? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
--------	---	----------------------------------------------------------------------------------------------------------------------------------------------------

Y2-557	(Both LEAA and NIMH)	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
--------	-------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Y2-558	#	How much? 1=Share a joint 2=One joint 3=Two joints 4=More than two joints
--------	---	---------------------------------------------------------------------------------------

FUNCTIONS OF MARIJUANA - each of the following functions is scored according to whether respondent reported that function.

		1=No 2=Yes
Y2-559	#	(1) To relieve physical pain, etc.
Y2-560	#	(2) To relieve boredom
Y2-561	#	(3) To relieve tension
Y2-562	#	(4) For pleasure etc.
Y2-563	#	(5) To be different, etc.
Y2-564	#	(6) To be accepted



Y2-565	#	(7) To be relaxed
Y2-566	#	(8) To appear more grown up
Y2-567	#	(9) To increase self-awareness
Y2-568	#	(10) To get through the day
Y2-569	#	(11) Curiosity, experimentation
--	--	(12) (Not used for this substance)
--	--	(13) (Not used for this substance)
Y2-570	#	(14) Other

Most important function of  
Marijuana:

Y2-571	#	01-14 according to list above
--------	---	-------------------------------

EFFECTIVENESS OF MARIJUANA FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective  
2=Effective  
Blank=Not a selected function

Y2-572	#	(1) To relieve physical pain, etc.
Y2-573	#	(2) To relieve boredom
Y2-574	#	(3) To relieve tension
Y2-575	#	(4) For pleasure, etc.
Y2-576	#	(5) To be different, etc.
Y2-577	#	(6) To be accepted
Y2-578	#	(7) To be relaxed
Y2-579	#	(8) To appear more grown up
Y2-580	#	(9) To increase self-awareness
Y2-581	#	(10) To get through the day
Y2-582	#	(11) Curiosity, experimentation
Y2-583	#	(14) Other
Y2-584		Blank
Y2-585		Blank

Blank  
Funding Agency Designation  
1=NIMH  
2=LEAA  
Household I.D. #  
Respondent I.D. #(01-09)  
Data Set (0141)  
Card Number (11)

CARD 12/17

SOURCE OF MARIJUANA - each source scored according to respondent's report.

			1=No 2=Yes
Y2-586	#	(1) Friend	
Y2-587	#	(2) Family	
Y2-588	#	(3) Anonymous seller	
Y2-589	#	(4) Grow/pick it	
Y2-590	#	(5) Steal it	
COST OF MARIJUANA:			
		Cost per joint:	
Y2-591	#	1=Free	
		2=Less than \$1.00	
		3=\$1.00 or more	
Cost per oz. or lid:			
Y2-592	#	1=\$10 or less	
		2=\$11-\$25	
		3=\$26-\$50	
		4=\$51 or more	
Y2-593	8	#	Have you stopped using Marijuana?
			1=No
			2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

		1=No 2=Yes
Y2-594	#	(1) Disliked taste
Y2-595	#	(2) Bad physical effects
Y2-596	#	(3) Bad emotional effects
Y2-597	#	(4) Felt it was wrong
Y2-598	#	(5) Friends pressured
Y2-599	#	(6) Trouble with parents, etc.
Y2-600	#	(7) Fearful of addiction
Y2-601	#	(8) Not available anymore
Y2-602	#	(9) Lost its effects
Y2-603	#	(10) Didn't need it
Y2-604	#	(11) Other

Y2-605	#	Major reason for stopping: 01-11 according to list above
--------	---	-------------------------------------------------------------

#### USE OF PSYCHEDELICS

Y2-606	285	#	Have you ever used Psychedelics?
			1=No

			2=Yes 3=Yes, episodically
Y2-607		#	When did you first use Psychedelics? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-608	(Both LEAA and NIMH)		How often in past Year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-609	25	#	How much? 1=1 dose (hit) 2=2 doses (hits) 3=3 doses (hits)

Functions of Psychedelics - each of the following functions is scored according to whether respondent reported that function.

1=No  
2=Yes

Y2-610	#	(1) To relieve physical pain, etc.
Y2-611	#	(2) To relieve boredom
Y2-612	#	(3) To relieve tension
Y2-613	#	(4) For pleasure, etc.
Y2-614	#	(5) To be different, etc.
Y2-615	#	(6) To be accepted
Y2-616	#	(7) To be relaxed
Y2-617	#	(8) To appear more grown up
Y2-618	#	(9) To increase self-awareness
Y2-619	#	(10) To get through the day
Y2-620	#	(11) Curiosity, experimentation
--	--	(12) (Not used for this substance)
--	--	(13) (Not used for this substance)
--	--	(14) (Not used for this substance)

Most important function of  
Psychedelics:

Y2-621 # 01-11 according to list above

EFFECTIVENESS OF PSYCHEDELICS FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective  
2=Effective  
Blank=Not a selected function

Y2-622	#	(1) To relieve physical pain, etc.
Y2-623	#	(2) To relieve boredom
Y2-624	#	(3) To relieve tension
Y2-625	#	(4) For pleasure, etc.
Y2-626	#	(5) To be different, etc.
Y2-627	#	(6) To be accepted
Y2-628	#	(7) To be relaxed
Y2-629	#	(8) To appear more grown up
Y2-630	#	(9) To increase self-awareness
Y2-631	#	(10) To get through the day
Y2-632	#	(11) Curiosity, experimentation

SOURCE OF PSYCHEDELICS - each source scored according to respondent's report.

1=No  
2=Yes

Y2-633	#	(1) Physician
Y2-634	#	(2) Family
Y2-635	#	(3) Friend
Y2-636	#	(4) Anonymous seller
Y2-637	#	(5) Steal it
Y2-638	#	(6) Other
Y2-639	#	Have you stopped using Psychedelics?
		1=No
		2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No  
2=Yes

Y2-640	#	(1) Disliked taste
Y2-641	#	(2) Bad physical effects
Y2-642	#	(3) Bad emotional effects
Y2-643	#	(4) Felt it was wrong
Y2-644	#	(5) Friends pressured

Y2-645	#	(6) Trouble with parents, etc.
Y2-646	#	(7) Fearful of addiction
Y2-647	#	(8) Not available anymore
Y2-648	#	(9) Lost its effects
Y2-649	#	(10) Didn't need it
Y2-650	#	(11) Other

Funding Agency Designation  
1=NIMH  
2=LEAA  
Household I.D. #  
Respondent I.D. #(01-09)  
Data Set (0141)  
Card Number (12)

CARD 13/17

Y2-651	#	Major reason for stopping: 01-11 according to list above
--------	---	-------------------------------------------------------------

USE OF TRANQUILIZERS

Y2-652	286 #	Have you ever used Tranquilizers? 1=No 2=Yes 3=Yes, episodically
Y2-653	#	When did you first use Tranquilizers? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-654	#	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-655	#	Prescribed by a doctor? 1=Yes 2=No
Y2-656	#	Amount taken if prescribed? 1=Less than prescribed

2=Amount prescribed  
3=More than prescribed

Y2-657		#	Usual purpose?
			1=To relieve physical pain, etc.
			2=To relieve boredom
			3=To relieve tension
			4=For pleasure, etc.
			5=To be different, etc.
			6=To be accepted
			7=To be relaxed
			8=To appear more grown up
			9=To increase self-awareness
			10=To get through the day
			11=Curiosity, experimentation
			12=Special occasions
			13=Family encouragement
			14=Other

Y2-658	10	#	Effectiveness for usual purpose?
			1=Not effective
			2=Effective

SOURCE OF TRANQUILIZERS - each source scored according to respondent's report.

1=No  
2=Yes

Y2-659		#	(1) Pharmacy
Y2-660		#	(2) Physician
Y2-661		#	(3) Family
Y2-662		#	(4) Friends
Y2-663		#	(5) Anonymous pusher
Y2-664		#	(6) Other
Y2-665		#	Cost of Tranquilizers:
			1=Free
			2=Less than 50 cents/tablet
			3=50 cents or more per tablet
Y2-666		#	Have you stopped using Tranquilizers?
			1=No
			2=Yes
Y2-667		#	Major reason for stopping:
			1=Disliked taste
			2=Bad physical effects
			3=Bad emotional effects
			4=Felt it was wrong

5=Friends pressured  
 6=Trouble with parents, etc.  
 7=Fearful of addiction  
 8=Not available anymore  
 9=Lost its effects  
 10=Didn't need it  
 11=Other

## USE OF AMPHETAMINES

Y2-668	287 #	Have you ever used Amphetamines? 1=No 2=Yes 3=Yes, episodically
Y2-669	#	When did you first use Amphetamines? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-670	(Both LEAA and NIMH)	How often in past year? 1=Never 2=Once or twice 3=once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-671	#	Prescribed by a doctor? 1=Yes 2=No
Y2-672	#	Amount taken if prescribed? 1=Less than prescribed 2=Amount prescribed 3=More than prescribed
Y2-673	#	Usual purpose? 1=To relieve physical pain, weight control, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted

7=To be relaxed  
 8=To appear more grown up  
 9=To increase self-awareness  
 10=To get through the day  
 11=Curiosity, experimentation  
 12=Special occasions  
 13=Family encouragement  
 14=Other

Y2-674 # Effectiveness for usual purpose?  
 1=Not effective  
 2=Effective

SOURCE OF AMPHETAMINES - each source scored according to  
 respondent's report.

1=No  
 2=Yes

Y2-675 # (1) Pharmacy  
 Y2-676 # (2) Physician  
 Y2-677 # (3) Family  
 Y2-678 # (4) Friends  
 Y2-679 # (5) Anonymous pusher  
 Y2-680 # (6) Other

Y2-681 # Cost of Amphetamines:  
 1=Free  
 2=Less than 50 cents/tablet  
 3=50 cents to \$1.50 per tablet  
 4=Over \$1.50 per tablet

Y2-682 # Have you stopped using Amphetamines?  
 1=No  
 2=Yes

Y2-683 # Major reason for stopping:  
 1=Disliked taste  
 2=Bad physical effects  
 3=Bad emotional effects  
 4=Felt it was wrong  
 5=Friends pressured  
 6=Trouble with parents, etc.  
 7=Fearful of addiction  
 8=Not available anymore  
 9=Lost its effects  
 10=Didn't need it  
 11=Other

USE OF BARBITURATES



Y2-684	288 #	Have you ever used Barbiturates? 1=No 2=Yes 3=Yes, episodically
Y2-685	#	When did you first use Barbiturates? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-686	(Both LEAA and NIMH)	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-687	#	Prescribed by a doctor? 1=Yes 2=No 3=Yes, for someone else
Y2-688	#	Amount taken if prescribed? 1=Less than prescribed 2=Amount prescribed 3=More than prescribed
Y2-689	#	Usual purpose? 1=To relieve physical pain, help sleep, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation 12=Special occasions 13=Family encouragement 14=Other
Y2-690	#	Effectiveness for usual purpose?

1=Not effective  
2=Effective

SOURCE OF BARBITURATES - each source scored according to respondent's report.

1=No  
2=Yes

Y2-691	#	(1) Pharmacy
Y2-692	#	(2) Physician
Y2-693	#	(3) Family
Y2-694	#	(4) Friends
Y2-695	#	(5) Anonymous pusher
Y2-696	#	(6) Other
Y2-697	#	Cost of Barbiturates: 1=Free 2=Less than 50 cents/tablet 3=50 cents to \$1.50 per tablet 4=Over \$1.50 per tablet
Y2-698	#	Have you stopped using Barbiturates? 1=No 2=Yes
Y2-699	#	Major reason for stopping: 1=Disliked taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends pressured 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available anymore 9=Lost its effects 10=Didn't need it 11=Other

#### USE OF CODEINE

Y2-700	289 #	Have you ever used Codeine? 1=No 2=Yes 3=Yes, episodically
Y2-701	#	When did you first use Codeine? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months

4=Within last month

Y2-702 # How often in past year?  
 1=Never  
 2=Once or twice  
 3=Once every 2-3 months.  
 4=Once a month  
 5=Once every 2-3 weeks  
 6=Once a week  
 7=Two to three times/week  
 8=Once a day  
 9=Two to three times/day

Y2-703 # Prescribed by a doctor?  
 1=Yes  
 2=No

Y2-704 # Amount taken if prescribed?  
 1=Less than prescribed  
 2=Amount prescribed  
 3=More than prescribed

Y2-705 # Usual purpose?  
 1=To relieve physical pain, etc.  
 2=To relieve boredom  
 3=To relieve tension  
 4=For pleasure, etc.  
 5=To be different, etc.  
 6=To be accepted  
 7=To be relaxed  
 8=To appear more grown up  
 9=To increase self-awareness  
 10=To get through the day  
 11=Curiosity, experimentation  
 12=Special occasions  
 13=Family encouragement  
 14=Other

Y2-706 # Effectiveness for usual purpose?  
 1=Not effective  
 2=Effective

Blank  
 Funding Agency Designation  
 1=NIMH  
 2=LEAA  
 Household I.D. #  
 Respondent I.D. #(01-09)  
 Data Set (0141)  
 Card Number (13)

CARD 14/17

SOURCE OF CODEINE - each source scored according to respondent's report.

1=No  
2=Yes

Y2-707	#	(1) Pharmacy
Y2-708	#	(2) Physician
Y2-709	#	(3) Family
Y2-710	#	(4) Friends
Y2-711	#	(5) Anonymous pusher
Y2-712	#	(6) Other
Y2-713	#	Have you stopped using Codeine? 1=No 2=Yes
Y2-714	#	Major reason for stopping: 1=Disliked taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends pressured 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available anymore 9=Lost its effects 10=Didn't need it 11=Other

## USE OF HEROIN

Y2-715	290 #	Have you ever used Heroin? 1=No 2=Yes 3=Yes, episodically
Y2-716	#	When did you first use Heroin? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-717	(Both LEAA and NIMH)	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks

6=Once a week  
 7=Two to three times/week  
 8=Once a day  
 9=Two to three times/day

Y2-718	#	Usual purpose? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation 12=Special occasions 13=Family encouragement 14=Other
--------	---	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Y2-719	#	Effectiveness for usual purpose? 1=Not effective 2=Effective
--------	---	--------------------------------------------------------------------

SOURCE OF HEROIN - each source scored according to respondent's report.

1=No  
 2=Yes

Y2-720	#	(1) Family
Y2-721	#	(2) Friend
Y2-722	#	(3) Anonymous pusher
Y2-723	#	(4) Other
Y2-724	#	Have you stopped using Heroin? 1=No 2=Yes
Y2-725	#	Major reason for stopping: 1=Disliked taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends pressured 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available anymore 9=Lost its effects 10=Didn't need it

11=Other

## USE OF COCAINE

Y2-726	291 #	Have you ever used Cocaine? 1=No 2=Yes 3=Yes, episodically
Y2-727	#	When did you first use Cocaine? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-728	(Both LEAA and NIMH)	How often in past year? 1=Never 2=Once or twice 3=once every 2-3 months. 4=Once a month 5=once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-729	#	How much? 0=Less than 1 line 1=One line 2=Two lines 3=More than 2 lines
Y2-730	#	Usual purpose? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation 12=Special occasions 13=Family encouragement 14=Other
Y2-731	#	Effectiveness for usual purpose? 1=Not effective

2=Effective

SOURCE OF COCAINE - each source scored according to respondent's report.

1=No

2=Yes

Y2-732	#	(1) Family
Y2-733	#	(2) Friends
Y2-734	#	(3) Anonymous
Y2-735	#	(4) Other

Cost of Cocaine:

Y2-736	#	Cost per line in dollars
--------	---	--------------------------

Y2-737	#	Bulk cost in dollars
--------	---	----------------------

Y2-738	#	Have you stopped using Cocaine?
--------	---	---------------------------------

1=No

2=Yes

Y2-739	#	Major reason for stopping:
--------	---	----------------------------

1=Disliked taste  
2=Bad physical effects  
3=Bad emotional effects  
4=Felt it was wrong  
5=Friends pressured  
6=Trouble with parents, etc.  
7=Fearful of addiction  
8=Not available anymore  
9=Lost its effects  
10=Didn't need it  
11=Other

USE OF GLUE AND OTHER INHALANTS

Y2-740	292 #	Have you ever used Glue, etc.
--------	-------	-------------------------------

1=No

2=Yes

3=Yes, episodically

Y2-741	#	When did you first use Glue, etc.?
--------	---	------------------------------------

0=Don't know

1=More than 1 year ago

2=Within last year

3=Within last 6 months

4=Within last month

Y2-742	#	How often in past year?
--------	---	-------------------------

1=Never

2=Once or twice

3=Once every 2-3 months.

- 4=Once a month  
5=Once every 2-3 weeks  
6=Once a week  
7=Two to three times/week  
8=Once a day  
9=Two to three times/day

Y2-743	#	Usual purpose?
		1=To relieve physical pain, etc.
		2=To relieve boredom
		3=To relieve tension
		4=For pleasure, etc.
		5=To be different, etc.
		6=To be accepted
		7=To be relaxed
		8=To appear more grown up
		9=To increase self-awareness
		10=To get through the day
		11=Curiosity, experimentation
		12=Special occasions
		13=Family encouragement
		14=Other

Y2-744 # Effectiveness for usual purpose?  
1=Not effective  
2=Effective

SOURCE OF GLUE, ETC. - each source scored according to respondent's report.

- 1=No  
2=Yes

Y2-745	#	(1) Stores
Y2-746	#	(2) Family
Y2-747	#	(3) Friends
Y2-748	#	(4) Other

Y2-749 # Have you stopped using Glue, etc.?  
1=No  
2=Yes

Y2-750	#	Major reason for stopping:
		1=Disliked taste
		2=Bad physical effects
		3=Bad emotional effects
		4=Felt it was wrong
		5=Friends pressured
		6=Trouble with parents, etc.
		7=Fearful of addiction
		8=Not available anymore



9=Lost its effects  
 10=Didn't need it  
 11=Other

## USE OF ANGEL DUST

Y2-751	293 #	Have you ever used Angel Dust? 1=No 2=Yes 3=Yes, episodically
Y2-752	#	When did you first use Angel Dust? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-753	#	How often in past year? 1=Never 2=once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-754	#	How much (coded as form of use)? 1=With marijuana 2=Powder 3=Capsule
Y2-755	#	Usual purpose? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation 12=Special occasions 13=Family encouragement 14=other
Y2-756	#	Effectiveness for usual purpose?

1=Not effective  
2=Effective

SOURCE OF ANGEL DUST - each source scored according to respondent's report.

1=No  
2=Yes

Y2-757	#	(1) Family
Y2-758	#	(2) Friend
Y2-759	#	(3) Anonymous pusher
Y2-760	#	(4) Other
Y2-761	#	Cost per dose: 1=Free 2=\$1.00 or less 3=\$1.01 to \$5.00 4=Over \$5.00
Y2-762	#	Bulk cost: 1=\$10.00 or less 2=\$10.01 to \$20.00 3=\$20.01 or more
Y2-763	#	Have you stopped using Angel Dust? 1=No 2=Yes
		Funding Agency Designation 1=NIMH 2=LEAA
		Household I.D. #
		Respondent I.D. #(01-09)
		Data Set (0141)
		Card Number (14)
CARD 15/17		
Y2-764	#	Major reason for stopping: 1=Disliked taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends pressured 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available anymore 9=Lost its effects 10=Didn't need it 11=Other

## USE OF OTHER SUBSTANCES

Y2-765	294 #	Have you ever used any other substances? 1=No 2=Yes 3=Yes, episodically
Y2-766	#	Name of substance 1=THC
Y2-767	#	When did you first use this substance? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-768	#	How often in past Year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-769	#	How much? 0=Less than one tablet 1=One tablet 2=Two tablets or more
Y2-770	#	Usual purpose? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation 12=Special occasions 13=Family encouragement 14=Other

Y2-771 # Effectiveness for usual purpose?  
 1=Not effective  
 2=Effective

SOURCE OF OTHER SUBSTANCE - each source scored according to respondent's report.

1=No  
 2=Yes

Y2-772 # (1) Family  
 Y2-773 # (2) Friend  
 Y2-774 # (3) Anonymous pusher  
 Y2-775 # (4) Other

Y2-776 # Have you stopped using this substance?  
 1=No  
 2=Yes

Y2-777 # Major reason for stopping:  
 1=Disliked taste  
 2=Bad physical effects  
 3=Bad emotional effects  
 4=Felt it was wrong  
 5=Friends pressured  
 6=Trouble with parents, etc.  
 7=Fearful of addiction  
 8=Not available anymore  
 9=Lost its effects  
 10=Didn't need it  
 11=Other

ANTICIPATED USE OF DRUGS OR ALCOHOL - each substance scored according to respondent's expectation of use in the next year.

1=Not anticipating use  
 2=Anticipating use  
 Blank = Already using

Y2-778 295 # Tobacco  
 Y2-779 296 # Beer  
 Y2-780 297 # Wine  
 Y2-781 298 # Hard liquor  
 Y2-782 299 # Marijuana  
 Y2-783 300 # Psychedelics

PROBLEM BEHAVIOR RESULTING FROM DRUG OR ALCOHOL USE - Items 301 through 312 ask respondents to report the number of times they have

experienced various problems as a result of drug or alcohol use.

1=Never  
2=Once or twice  
3=Three or four times  
4=Five or six times  
5=More than six times  
Blank=No reported use

Y2-784	301 #	Trouble with girlfriend/boyfriend:
Y2-785	302 #	Alcohol
		Drugs
Y2-786	303 #	Problems with family:
Y2-787	304 #	Alcohol
		Drugs
Y2-788	305 #	Trouble with friends:
Y2-789	306 #	Alcohol
		Drugs
Y2-790	307 #	Trouble with teachers:
Y2-791	308 #	Alcohol
		Drugs
Y2-792	309 #	Gotten into fights:
Y2-793	310 #	Alcohol
		Drugs
Y2-794	311 #	Problems with health:
Y2-795	312 #	Alcohol
		Drugs

ADDITIONAL PROBLEM BEHAVIOR - Items 313 through 318 ask respondents whether various results have occurred due to drug or alcohol use.

1=No  
2=Yes  
Blank=No reported use

Y2-796	313 #	Couldn't remember what happened:
Y2-797	314 #	Alcohol
		Drugs
Y2-798	315 #	Stayed drunk or high for days:
Y2-799	316 #	Alcohol
		Drugs
Y2-800	317 #	Couldn't stop use:
Y2-801	318 #	Alcohol
		Drugs

		Arrests in past year for alcohol or drug related offenses:
Y2-802	319 #	1=No 2=Yes
		If yes, number of arrests for:
Y2-803	#	Intoxication (0-9)
Y2-804	#	Driving under the influence (0-9)
Y2-805	#	Possession/alcohol (0-9)
Y2-806	#	Possession/drugs (0-9)
Y2-807	#	Sale/drugs (0-9)
Y2-808	#	Other (0-9)
Y2-809	320 #	Number of times drunk in last year: (0-999)
Y2-810	321 #	Number of times high on drugs in last year: (0-999)

VICTIMIZATION - Items 322 through 330 ask respondents to report how often in the past year they have been the victim of various acts. The exact number of times is recorded in each case (0-999).

Y2-811-814	55-66 (Card 15)	322-325	(0-999)
Y2-815-819	1-15 (Card 16)	326-330	
Y2-811	322	Things taken directly from you.	
Y2-812	323 *	Beaten up by parent.	
Y2-813	324 *	Motor vehicle or bike stolen.	
Y2-814	325 *	Things taken from car.	
		Blank	
		Funding Agency Designation	
		1=NIMH	
		2=LEAA	
		Household I.D. #	
		Respondent I.D. # (01-09)	
		Data Set (0141)	
		Card Number (15)	

CARD 16/17

Y2-815	326 *	Things damaged.
Y2-816	327 *	Things stolen from public place.
Y2-817	328	Sexually attacked.
Y2-818	329	Attacked with weapon.
Y2-819	330	Beaten up by others.

## QUESTIONNAIRE ITEMS 331-335 CONCERN HANDGUNS:

Y2-820	331	How to obtain handgun? 1=Buy from store 2=Buy from person 3=Borrow 4=Steal 5=Other 6=Don't know
Y2-821	332	How long to obtain handgun? 1=One half day or less 2=About a day 3=Two to seven days 4=One to two weeks 5=More-than two weeks 6=Don't know
Y2-822	333	Ever owned a handgun? 1=No 2=Yes
Y2-823	334	EVER OBTAIN A HANDGUN: As a gift? 1=No 2=Yes
Y2-824		By buying it? 1=No 2=Yes
Y2-825		By stealing from house? 1=No 2=Yes
Y2-826		By stealing from store? 1=No 2=Yes
Y2-827	335	EVER USED GUN DURING: Robbery? 1=No 2=Yes
Y2-828		Sexual assault? 1=No 2=Yes
Y2-829		Burglary? 1=No 2=Yes

Y2-830		Assault? 1=No 2=Yes
Y2-831		Other crimes? 1=No 2=Yes  BLANK  RESPONDENT OBSERVATIONS
Y2-832	364	Further explanation of answers? 1=No (blanks coded as no) 2=Yes
	365	Uncomfortable questions?
Y2-833	365 (1)	1=Drugs
Y2-834	365 (2)	1=Sex
Y2-835	365 (3)	Specific item #
Y2-836	365 (4)	Specific item #
Y2-837	365 (5)	Specific item #
	366	Questions to learn about youth:
Y2-838	366 (1)	1=Friends
Y2-839	366 (2)	1=Drugs/alcohol
Y2-840	366 (3)	1=Family
Y2-841	366 (4)	1=Activities
Y2-842	366 (5)	1=School
Y2-843	366 (6)	1=Other (all other non-classifiable)
Y2-844	367	Understanding of you? 1=Good understanding 2=Poor understanding  INTERVIEWER OBSERVATIONS
Y2-845	1	Respondent's anxiety before interview: 1=Not at all anxious 2=Somewhat anxious 3=Very anxious
Y2-846	2	Was respondent hostile? 1=No 2=Yes
Y2-847	3	Respondent's interest? 1=Very low 2=Below average



		3=Average 4=Above average 5=Very high
	4	Problems encountered:
Y2-848	4 (1)	1=Difficulty with language
Y2-849	4 (2)	1=Difficulty with questions
Y2-850	4 (3)	1=Interruptions
Y2-851	4 (4)	1=Temporary breakoff
Y2-852	4 (5)	1=Breakoff
Y2-853	4 (6)	1=Other (all other non-classifiable)
Y2-854	5	Respondent's anxiety after interview 1=Relaxed 2=Tense 3=Other
Y2-855	6	Additional comments 1=No 2=Yes

## Funding Agency Designation

1=NIMH

2=LEAA

Household I.D. #

Respondent I.D. #(01-09)

Data Set (0141)

Card Number (16)

CARD 17/17

## Unuseable code

## SMSA code

0=Respondent does not live  
in an SMSA1=Respondent does live in  
an SMSA

## Place Code

1=Central city of SMSA

2=Central city of urbanized  
area3=Central city of SMSA and  
urban area

4=Other incorporated place

5=Not incorporated

## Place Size

00=Under 200

01=200-499

02=500-999  
03=1,000-1,499  
04=1,500-1,999  
05=2,000-2,499  
06=2,500-4,999  
07=5,000-9,999  
08=10,000-19,999  
09=20,000-24,999  
10=25,000-49,999  
11=50,000-99,999  
12=100,000-249,999  
13=250,000-499,999  
14=500,000-999,999  
15=1,000,000 or more

Unuseable code

NYS Urban Suburban Rural Code

1=Urban:

Central city of SMSA or  
urban area with population  
>= 100,000

2=Suburban:

Central city of SMSA or  
urban area with population  
< 100,000  
Any part of SMSA not classified  
as urban  
Any other community with  
population >= 25,000

3=Rural:

Not part of SMSA or urban area  
and population < 25,000

Blank

Funding Agency Designation

1=NIMH

2=LEAA

Household I.D. #

Respondent I.D. #(01-09)

Data Set (0141)

Card Number (17)

---

Field Coordinator

APPENDIX B: ORIGINAL INSTRUMENT

YOUTH INTERVIEW SCHEDULE

NATIONAL SURVEY OF YOUTH

Behavioral Research Institute  
2305 Canyon Boulevard  
Boulder, Colorado 80302  
(303) 444-1682



RESPONDENT ID \_\_\_\_\_

INTERVIEWER'S NAME \_\_\_\_\_  
DATE OF INTERVIEW \_\_\_\_\_

Hello, my name is \_\_\_\_\_ and I'm part of the research group which interviewed you last year as part of our National Survey of Youth. At that time we said that we would be back this winter to re-interview you. We want to interview you again to learn how and why your feelings, values and activities have changed since last year. The interview will take about an hour and you will be paid \$5 for your participation. I'd like to set up the second interview with you now.

## LOG OF CALLS

TIME	DATE	COMMENTS
1.		
2.		
3.		
4.		



## RESPONDENT RECEIPT FORM

I have received \$5 in payment for my completion of the Youth Interview Schedule in the National Survey of Youth.

With the exception of your signature, PLEASE PRINT the following information.

\_\_\_\_\_  
Respondent Name

\_\_\_\_\_  
Respondent Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
\*Address

\_\_\_\_\_  
\*City, State and Zip Code

\_\_\_\_\_  
\*Phone Number

\*If different from the address and phone number printed above.

Name, address and phone number of a relative not living in your household who would always know the whereabouts of the respondent:

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City, State and Zip Code: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Name, address and phone number of a friend who would always know the whereabouts of the respondent:

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City, State and Zip Code: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Signed copies of this form will be kept in locked files at the Behavioral Research Institute offices in Boulder, Colorado.

REFUSAL FORM

TIME: \_\_\_\_\_

DATE: \_\_\_\_\_

SEX, AGE, AND RACE: \_\_\_\_\_

COMMENTS:



This study is about the attitudes, beliefs, and behavior of American youth. In order for our study to be of value, you must be open and honest in your answers. Your answers will be kept confidential, and no one outside our research staff will ever see your responses. Alright, let's begin.

1. What grade are you in at school? (CIRCLE ONE)

Grade School      High School  
5   6   7   8   9   10   11   12

College                      Not In School  
13   14   15   16   17

Other \_\_\_\_\_  
(specify; for example, if subject is in trade or business school)

2. What is your grade point average? (AFTER RESPONDENT HAS ANSWERED, ASK THE FOLLOWING QUESTION)

Is that:

Mostly A's	Mostly B's	Mostly C's	Mostly D's	Mostly F's
5	4	3	2	1

(IF ANSWER CANNOT BE TRANSLATED INTO THE ABOVE SCALE, DESCRIBE THE GRADING SYSTEM AND THE RESPONDENT'S SCORE WITHIN IT.)

---

---

---

---

---

Your answers to the next set of questions cover things which have happened during the last year. Whenever I say the last year, I mean the time from Christmas a year ago (1976) to the Christmas just past (1977).

First let's talk about your friends.

Between Christmas a year ago and the Christmas just past . . .

3. Was there a particular group of friends that you ran around with?

- 1 = No (IF NO, GO TO QUESITON 2)  
 2 = Yes (IF YES, SKIP TO QUESTION 5)

4. How important is it to you to have a group of friends and be included in their activities?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

SKIP TO QUESTION 11

5. Could you please give me their first names or their initials so you can keep them in mind as you answer the next set of questions.

_____	_____
_____	_____
_____	_____

6. On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent with your friends?

0      1      2      3      4      5

7. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent with your friends?

0      1      2      3      4      5

8. On the weekends, how much time have you generally spent with your friends?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

9. How much have your friends influenced what you've thought and done?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

10. How important has it been to you to have a group of friends and be included in their activities?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

11. How many evenings in an average week, including weekends, have you gone on dates, to parties, or to other social activities?

0      1      2      3      4      5      6      7

12. How important has it been to you to have dates and go to parties and other social activities?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

13. Now let's talk about school. Did you attend a regular school program such as grade school, junior high, or high school between Christmas a year ago and the Christmas just past?

1 = No (IF NO, SKIP TO QUESTION 31)  
2 = Yes (IF YES, GO TO QUESTION 14)

14. On the average, how many afternoons during the school week, from the end of school to dinner, have you spent studying?

0      1      2      3      4      5

15. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent studying?

0      1      2      3      4      5

16. On the weekends, how much time have you generally spent studying?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

17. How important has your school work been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

18. Have you been a member of any athletic teams at school?

1 = No (IF NO, GO TO QUESTION 19)  
2 = Yes (IF YES, GO TO QUESTION 20)

19. How important is it to you to be on an athletic team at school?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

SKIP TO QUESTION 24

20. On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on team activities?

0      1      2      3      4      5

21. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on team activities?

0      1      2      3      4      5

22. On the weekends, how much time have you generally spent on team activities?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

23. How important have school athletics been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
-------------------	---------------------	-----------------------	----------------------	-------------------------

Between Christmas a year ago and the Christmas just past . . .

24. Have you taken part in any activities at school, for example, service clubs, recreational or hobby clubs, student government, newspaper and/or yearbook (not counting athletic teams and honor societies)?

1 = No (IF NO, GO TO QUESTION 25)  
2 = Yes (IF YES, GO TO QUESTION 26)

25. How important is it to you to be involved in these school activities?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

SKIP TO QUESTION 30

26. On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on these activities?

0      1      2      3      4      5

27. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these activities?

0      1      2      3      4      5

28. On the weekends, how much time have you generally spent on these school activities?

A Great Deal      Quite a Bit      Some      Not too Much      Very Little  
5                      4                      3                      2                      1

29. How important have school activities been to you?

Very      Pretty      Somewhat      Not too      Not Important  
Important      Important      Important      Important      at All  
5                      4                      3                      2                      1

30. Which of the following descriptions best describes how your classmates see you? (CIRCLE ONLY ONE)

	Activities	Social	Good	Average	None of	Other
Athlete	Member	Type	Student	Student	the Above	(specify)
1	2	3	4	5	6	_____

Between Christmas a year ago and the Christmas just past . . .

31. Have you been'a member of any groups in the community such as service clubs, religious groups, recreational or hobby clubs, and athletic teams?

1 = No (IF NO, GO TO QUESTION 32)  
2 = Yes (IF YES, GO TO QUESTION 33)

32. How important is it to you to be involved in any of these community activities?

Very      Pretty      Somewhat      Not too      Not Important  
Important      Important      Important      Important      at All  
5                      4                      3                      2                      1

SKIP TO QUESTION 37

33. On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent on these community activities?

0      1      2      3      4      5

34. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these community activities?

0      1      2      3      4      5

35. On the weekends, how much time have you generally spent on these community activities?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

36. How important have these community activities been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

37. Have you had a job or jobs in the community such as working at a store, a service station, or babysitting for pay?

1 = No (IF NO, GOE TO QUESTION 38)  
2 = Yes (IF YES, GO TO QUESTION 39)

38. How important is it to you to have a job?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

SKIP TO QUESTION 41

39. Did your job involve full-time (40 hour week or more) or part-time work (less than 40 hour week)? ( IF RESPONDENT HAS HAD MORE THAN ONE JOB IN THE LAST YEAR, ASK HIM OR HER TO RESPOND TO THESE QUESTIOINS IN TERMS OF THE MOST RECENT JOB.)

1 = Part-time work  
2 = Full-time work

What kind of work did you do? \_\_\_\_\_

40. How important has your job been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

41. Were you married?

1 = Yes  
2 = No

42. On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent, talking, working, or playing with your family?

0      1      2      3      4      5

43. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent talking, working, or playing with your family?

0      1      2      3      4      5

44. On the weekends, how much time have you generally spent talking, working, or playing with your family?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

45. How important have the things you've done with your family been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

46. How much have your parents influenced what you've thought and done?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

Now I'd like to ask you how important certain things are to you and how well you are doing at these things. Use the left side of the blue card to pick your answer for how important each goal is to you (HAND RESPONDENT BLUE CARD) and the right side of the blue card for your answer for how you are doing at that goal.

How important is it to you...

	VERY IMPORTANT	SOMEWHAT IMPORTANT	NOT IMPORTANT AT ALL
47. to have a family that does lots of things together.	5	3	1
48. to have other students think of you as a good student.	5	3	1
49. to have lots of dates.	5	3	1
50. to have parents you can talk to about almost everything.	5	3	1
51. to do well even in hard subjects.	5	3	1
52. to be asked to take part in things your friends do, such as going to parties and games.	5	3	1
53. to have parents who comfort you when you're unhappy about something.	5	3	1
54. to do your own school work without help from anybody.	5	3	1
55. to have a special boyfriend/girlfriend.	5	3	1
56. to have your parents think you do things well.	5	3	1
57. to have teachers			



think of you as a good student.	5	3	1	
58. to have friends ask to spend time and do things with you.	5	3	1	
59. to have a high grade point average.	5	3	1	
60. to get along well with your parents. together.	5	3	1	
How are you doing at this?				
	VERY WELL	O.K.	NOT WELL AT ALL	DON'T KNOW
47. to have a family that does lots of things together	5	3	1	_____
48. to have other students think of you as a good student.	5	3	1	_____
49. to have lots of dates.	5	3	1	_____
50. to have parents you can talk to about almost everything.	5	3	1	_____
51. to do well even in hard subjects.	5	3	1	_____
52. to be asked to take part in things your friends do, such as going to parties and games.	5	3	1	_____
53. to have parents who comfort you when you're unhappy about something.	5	3	1	_____
54. to do your own school work without help from anybody.	5	3	1	_____

55. to have a special boyfriend/girlfriend.	5	3	1	_____
56. to have your parents think you do things well.	5	3	1	_____
57. to have teachers think of you as a good student.	5	3	1	_____
58. to have friends ask to spend time and do things with you.	5	3	1	_____
59. to have a high grade point average.	5	3	1	_____
60. to get along well with your parents.	5	3	1	_____

Next, I'd like to ask you a few questions about your future goals, using the same responses (POINT TO BLUE CARD) you used in the last set of questions.

	VERY IMPORTANT	SOMEWHAT IMPORTANT	NOT IMPORTANT AT ALL	DON'T KNOW
How important is it to you . . .				
61. to have a good job/career after you've finished with school?	5	3	1	_____
62. to go to college?	5	3	1	_____
63. to get married?	5	3	1	_____
64. to have children of your own?	5	3	1	_____

	GOOD	FAIR	POOR	DON'T KNOW
What do you think your chances are for . . . (READ RESPONSE CATEGORIES TO RESPONDENT)				

65. getting the kind of job you would like to have after finishing school? 3 2 1 \_\_\_\_\_

66. completing a college degree? 3 2 1 \_\_\_\_\_

In the next set of questions, I'd like to ask about some of your feelings and beliefs. Please tell me how much you agree or disagree with these statements about you. Choose your answers from this card (HAND GOLD CARD TO RESPONDENT).

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	DON'T KNOW
67. I don't feel that I fit in very well with my friends.	5	4	3	2	1	_____
68. Teachers don't call on me in class, even when I raise my hand.	5	4	3	2	1	_____
69. I feel like an outsider with my family.	5	4	3	2	1	_____
70. I often feel like nobody at school cares about me.	5	4	3	2	1	_____
71. My friends don't take much interest in my problems.	5	4	3	2	1	_____
72. My family is willing to listen if I have a problem.	5	4	3	2	1	_____
73. I feel close to my friends.	5	4	3	2	1	_____
74. Sometimes I feel lonely when I'm with	5	4	3	2	1	_____

my family.						
75. I don't feel as if I really belong at school.	5	4	3	2	1	_____
76. My friends are willing to listen if I have a problem.	5	4	3	2	1	_____
77. Even though there are lots of kids around, I often feel lonely at school.	5	4	3	2	1	_____
78. Teachers don't ask me to work on special class- room projects.	5	4	3	2	1	_____
79. I feel close to my family.	5	4	3	2	1	_____
80. Sometimes I feel lonely when I'm with my friends.	5	4	3	2	1	_____
81. My family doesn't take much interest in my problems.	5	4	3	2	1	_____
82. It's important to be honest with your parents, even if they become upset or you get punished.	5	4	3	2	1	_____
83. To stay out of trouble, it is sometimes neces- sary to lie to teachers.	5	4	3	2	1	_____
84. Making a good impression is more important than telling	5	4	3	2	1	_____

	the truth to friends.					
85.	At school it is sometimes neces- 5 sary to play dirty in order to win.	4	3	2	1	_____
86.	It's okay to lie if it 5 keeps your friends out of trouble.	4	3	2	1	_____
87.	Making a good impression 5 is more important than telling the truth to parents.	4	3	2	1	_____
88.	In order to gain the respect of 5 your friends, it's sometimes necessary to beat up on other kids.	4	3	2	1	_____
89.	You can make it in school without having to cheat 5 on exams/tests.	4	3	2	1	_____
90.	You have to be willing to break some rules if you 5 want to be popular with your friends.	4	3	2	1	_____
91.	Sometimes it's necessary to lie to your 5 parents in order to keep their trust.	4	3	2	1	_____
92.	It is important to do your own work at school 5 even if it means	4	3	2	1	_____

some kids won't  
like you.

93. It may be necessary to break  
some of your parent's rules  
in order to keep some of your  
friends.

5	4	3	2	1	_____
---	---	---	---	---	-------

94. Making a good  
impression is more important  
than telling the truth to teachers.

5	4	3	2	1	_____
---	---	---	---	---	-------

I'd like to know how your parents, friends, and teachers would describe you. I'll read a list of words or phrases and for each, will ask you to tell me how much you think your parents would agree with that description of you. I'll repeat the list twice more, to learn how your friends and your teachers would describe you. Please use the gold card again to pick your responses.

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	DON'T KNOW
How much would your parents agree that you . . .						
95. are well-liked	5	4	3	2	1	_____
96. need help	5	4	3	2	1	_____
97. are a bad kid	5	4	3	2	1	_____
98. are often upset	5	4	3	2	1	_____
99. are a good citizen	5	4	3	2	1	_____
100. get along well with other people	5	4	3	2	1	_____
101. are messed up	5	4	3	2	1	_____
102. break rules	5	4	3	2	1	_____
103. have a lot of						

personal problems	5	4	3	2	1	_____
104. get into trouble	5	4	3	2	1	_____
105. are likely to succeed	5	4	3	2	1	_____
106. do things that are against the law	5	4	3	2	1	_____
How much would your friends agree that you . . .						
107. are well-liked	5	4	3	2	1	_____
108. need help	5	4	3	2	1	_____
109. are a bad kid	5	4	3	2	1	_____
110. are often upset	5	4	3	2	1	_____
111. get along well with other people	5	4	3	2	1	_____
112. are messed up	5	4	3	2	1	_____
113. break rules	5	4	3	2	1	_____
114. have a lot of personal problems	5	4	3	2	1	_____
115. get into trouble	5	4	3	2	1	_____
116. are likely to succeed	5	4	3	2	1	_____
117. do things that are against the law	5	4	3	2	1	_____
How much would your teachers agree that you . . .						
118. are well-liked	5	4	3	2	1	_____
119. need help	5	4	3	2	1	_____
120. are a bad kid	5	4	3	2	1	_____

121. are often upset	5	4	3	2	1	_____
122. are a good citizen	5	4	3	2	1	_____
123. get along well with other people	5	4	3	2	1	_____
124. are messed up	5	4	3	2	1	_____
125. break rules	5	4	3	2	1	_____
126. have a lot of personal problems	5	4	3	2	1	_____
127. get into trouble	5	4	3	2	1	_____
128. are likely to succeed	5	4	3	2	1	_____
129. do things that are against the law	5	4	3	2	1	_____

I'm going to read a list of behaviors to you, and then ask you how others would react if you behaved in these ways. I'll repeat the list of behaviors twice to learn how your parents and close friends would react if you did each thing. Use this card (HAND RESPONDENT GREEN CARD) to select your answers.

	STRONGLY		NEITHER			
	DIS-	DIS-	APPROVE			
	APPROVE	APPROVE	NOR DIS-	APPROVE	STRONGLY	DON'T
			APPROVE		APPROVE	KNOW

How would your parents react if you ...

130. kept promises you made to others	5	4	3	2	1	_____
131. cheated on school tests	5	4	3	2	1	_____
132. stole something worth less than \$5	5	4	3	2	1	_____



133.	were friendly with people who are of a different race, religion, or color than you	5	4	3	2	1	_____
134.	sold hard drugs such as heroin, cocaine, and LSD	5	4	3	2	1	_____
135.	returned money you found or any extra change a cashier gave you	5	4	3	2	1	_____
136.	used marijuana or hashish	5	4	3	2	1	_____
137.	stole something worth more than \$50	5	4	3	2	1	_____
138.	hit or threatened to hit someone without any reason	5	4	3	2	1	_____
139.	gave some of your time to someone or some group who was in need	5	4	3	2	1	_____
140.	used alcohol	5	4	3	2	1	_____
141.	did a favor for someone without being asked	5	4	3	2	1	_____
142.	purposely damaged or destroyed property that did not belong to you	5	4	3	2	1	_____
143.	broke into a vehicle or building to steal something	5	4	3	2	1	_____

How would your close friends react if you . . .

144. kept promises you made to others	5	4	3	2	1	_____
145. cheated on school tests	5	4	3	2	1	_____
146. stole something worth less than \$5	5	4	3	2	1	_____
147. were friendly with people who are of a different race, religion, or color than you	5	4	3	2	1	_____
148. sold hard drugs such as heroin, cocaine, and LSD	5	4	3	2	1	_____
149. returned money you found or any extra change a cashier gave you	5	4	3	2	1	_____
150. used marijuana or hashish	5	4	3	2	1	_____
151. stole something worth more than \$50	5	4	3	2	1	_____
152. hit or threatened to hit someone without any reason	5	4	3	2	1	_____
153. gave some of your time to someone or some group who was in need	5	4	3	2	1	_____
154. used alcohol	5	4	3	2	1	_____
155. did a favor for someone without being asked	5	4	3	2	1	_____
156. purposely damaged or destroyed	5	4	3	2	1	_____

property that did  
not belong to you

157. broke into a  
vehicle or 5 4 3 2 1 \_\_\_\_\_  
building to steal  
something

Now I'd like to ask you some questions about how your mother, your father, and your close friends would act if you were to get into trouble at school, with the police, or in your neighborhood. Select your answers from the response categories listed on the ivory card (HAND RESPONDENT IVORY CARD).

158. If you got into trouble at school how often would each of the following people defend you or stick up for you?

How often would:	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	DON'T KNOW
a. Your mother (or mother figure)	4	3	2	1	_____
b. Your father (or father figure)	4	3	2	1	_____
c. Your close friends	4	3	2	1	_____

159. If you got in trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not worry?

How often would:	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	DON'T KNOW
a. Your mother (or mother figure)	4	3	2	1	_____
b. Your father (or father figure)	4	3	2	1	_____
c. Your close friends	4	3	2	1	_____

160. If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they believed in you and still trusted you?

How often would:	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	DON'T KNOW
a. Your mother (or mother figure)	4	3	2	1	_____
b. Your father (or father figure)	4	3	2	1	_____

c. Your close friends	4	3	2	1	_____
-----------------------	---	---	---	---	-------

161. If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

How often would:	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	DON'T KNOW
a. Your mother (or mother figure)	4	3	2	1	_____
b. Your father (or father figure)	4	3	2	1	_____
c. Your close friends	4	3	2	1	_____

For this next set of questions, please tell me how wrong you think each of the following things is for you or someone your age. Use the pink card to select your answers (HAND PINK CARD TO RESPONDENT).

	VERY WRONG	WRONG	A LITTLE BIT WRONG	NOT WRONG AT ALL	DON'T KNOW
How wrong is it for someone your age to . . .					
162. cheat on school tests	4	3	2	1	_____
163. purposely damage or destroy property that does not belong to him or her	4	3	2	1	_____
164. use marijuana or hashish	4	3	2	1	_____
165. steal something worth less than \$5	4	3	2	1	_____
166. hit or threaten to hit someone without any reason	4	3	2	1	_____
167. use alcohol	4	3	2	1	_____
168. break into a vehicle or building to steal something	4	3	2	1	_____
169. sell hard drugs such as heroin, cocaine, and LSD	4	3	2	1	_____

170. steal something worth more than \$50	4	3	2	1	_____
171. get drunk once in awhile	4	3	2	1	_____
172. use prescription drugs such as amphetamines or barbiturates when there is no medical need for them	4	3	2	1	_____
173. give or sell alcohol to kids under 18	4	3	2	1	_____

Now let's talk about your friends' behavior during the period between Christmas a year ago to the Christmas just past. I'd like to ask you how many of your close friends have done each thing I will read to you. Please use the yellow card (HAND YELLOW CARD TO RESPONDENT) to choose your responses.

Think of the people you listed as your close friends. During the last year how many of them have: (IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO QUESTION 190, PAGE 21)

	ALL OF THEM	MOST OF THEM	SOME OF THEM	VERY FEW OF THEM	NONE OF THEM	DON'T KNOW
174. cheated on school tests	5	4	3	2	1	_____
175. purposely damaged or destroyed property that did not belong to them	5	4	3	2	1	_____
176. used marijuana or hashish	5	4	3	2	1	_____
177. stolen something worth less than \$5	5	4	3	2	1	_____
178. hit or threatened to hit someone without any reason	5	4	3	2	1	_____
179. used alcohol	5	4	3	2	1	_____
180. broken into a vehicle or building to steal something	5	4	3	2	1	_____

181. sold hard drugs such as heroin, cocaine, and LSD	5	4	3	2	1	_____
182. stolen something worth more than \$50	5	4	3	2	1	_____
183. suggested you do something that was against the law	5	4	3	2	1	_____
184. gotten drunk once in awhile	5	4	3	2	1	_____
185. used prescription drugs such as amphetamines or barbiturates when there was no medical need for them	5	4	3	2	1	_____
186. sold or given alcohol to kids under 18	5	4	3	2	1	_____

Now I'd like to ask what you think about your friends' behavior.

	YES	DON'T KNOW	NO
187. If you found that your group of friends was leading you into trouble, would you still run around with them?	3	2	1
188. If you found that your group of friends was leading you into trouble, would you try to stop these activities?	3	2	1
189. If your friends got into trouble with the police, would you be willing to lie to protect them?	3	2	1

Now I'd like to ask you your views on the roles of men and women in American society. The statements below describe attitudes different people have about these roles. Please tell me how much you agree or disagree with these statements. Choose your answers from this card (HAND GOLD CARD TO RESPONDENT).

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	DON'T KNOW
190. Women with						

	children should not work outside the home unless there is no one else to support the family.	5	4	3	2	1	_____
191.	In general, the father should have greater authority than the mother in the bringing up of the children.	5	4	3	2	1	_____
192.	Women are able to do most jobs as well as men.	5	4	3	2	1	_____
193.	There is no reason why women should not ask men for dates if they want to.	5	4	3	2	1	_____
194.	Husbands and wives should be equal partners in planning the family budget.	5	4	3	2	1	_____
195.	Women are too emotional to solve problems well.	5	4	3	2	1	_____
196.	It is more important for a woman to be attractive than intelligent.	5	4	3	2	1	_____
197.	Sons in a family should be given more encouragement to go to college than daughters.	5	4	3	2	1	_____
198.	In a marriage, it is the woman's responsibility to care for any children and to take care	5	4	3	2	1	_____

of the home.

- |                                                                                                                          |   |   |   |   |   |       |
|--------------------------------------------------------------------------------------------------------------------------|---|---|---|---|---|-------|
| 199. It is OK for men<br>to tell dirty<br>stories, but it<br>is embarrassing<br>when women do.                           | 5 | 4 | 3 | 2 | 1 | _____ |
| 200. Men can raise<br>and care for<br>children as well<br>as women.                                                      | 5 | 4 | 3 | 2 | 1 | _____ |
| 201. Women who are<br>aggressive and<br>competitive are<br>unattractive.                                                 | 5 | 4 | 3 | 2 | 1 | _____ |
| 202. Women are physically<br>and emotionally<br>weaker than men<br>and therefore need<br>male protection and<br>support. | 5 | 4 | 3 | 2 | 1 | _____ |
| 203. Women should have<br>the same freedom as<br>men to go out and<br>have dates.                                        | 5 | 4 | 3 | 2 | 1 | _____ |

The next set of items is related to your opinions about violence between people. Please tell me how much you agree or disagree with each of the following statements. Choose your answer from the gold card again.

- |                                                                                                           | STRONGLY<br>AGREE | AGREE | NEITHER<br>AGREE NOR<br>DISAGREE | DISAGREE | STRONGLY<br>DISAGREE | DON'T<br>KNOW |
|-----------------------------------------------------------------------------------------------------------|-------------------|-------|----------------------------------|----------|----------------------|---------------|
| 204. It is alright<br>to physically<br>beat up another<br>person if he/she<br>called you a<br>dirty name. | 5                 | 4     | 3                                | 2        | 1                    | _____         |
| 205. Women who are<br>sexually assaulted<br>have generally<br>asked for it by<br>the way they             | 5                 | 4     | 3                                | 2        | 1                    | _____         |



	dress and act.					
206.	Hitting another person is an acceptable way to get him/her to do what you want.	5	4	3	2	1
207.	Other than self-defense there are few situations which justify physically attacking another person	5	4	3	2	1
208.	Sexual assault has little to do with sexual desires; it is an act of force and violence	5	4	3	2	1
209.	It is alright to beat up another person if he/she started the fight	5	4	3	2	1
210.	A woman cannot really be sexually assaulted against her will unless a weapon is used or more than one attacker is involved	5	4	3	2	1
211.	It is sometimes necessary to get into a fight to uphold your honor or "put someone in his/her place"	5	4	3	2	1
212.	While women appear to be afraid of being sexually assaulted, they have a curiosity and excitement	5	4	3	2	1

about sexual assault.

The next set of questions deals with your friends' behavior during the past year. Choose your answers from the burnt orange card.

During the past year, how often have your close friends done any of the following: (IF NO CLOSE FRIENDS, SKIP TO QUESTION 219)

	NEVER	ONCE OR TWICE	SEVERAL TIMES	OFTEN	DON'T KNOW
213. Suggested that you should go drinking with them	1	2	3	4	_____
214. Put pressure on you to drink	1	2	3	4	_____
215. Suggested or claimed that you have to get drunk to have a good time	1	2	3	4	_____
216. Offered marijuana to you	1	2	3	4	_____
217. Suggested or claimed that you have to get high on drugs to have a good time	1	2	3	4	_____
218. Put pressure on you to use drugs	1	2	3	4	_____

Now let's talk about your parents' behavior during the past year. Use the same card to choose your answer (burnt orange).

	NEVER	ONCE OR TWICE	SEVERAL TIMES	OFTEN	DON'T KNOW
219. Used alcohol	1	2	3	4	_____
220. Gotten drunk	1	2	3	4	_____
221. Used marijuana or hashish	1	2	3	4	_____
222. Used drugs such as tranquilizers, sleeping pills or diet pills	1	2	3	4	_____

(FROM THIS POINT ON SELECTED ITEMS WILL BE OMITTED FORM THIS SCHEDULE)

This section deals with your own behavior. I'd like to remind you that all your answers are confidential. I'll read a series of behaviors to you. Please give me your best estimate of the EXACT NUMBER of times you've engaged in each behavior during the last year. (FOR ANY BEHAVIOR THAT THE RESPONDENT HAS ENGAGED IN 10 OR MORE TIMES IN THE LAST YEAR, RECORD RESPONSES TO THE SECOND COLUMN SAYING "Please look at the responses on the orange card and select the one which best describes how often you are involved in this behavior.")

		ONCE A MONTH	ONCE EVERY 2-3 WEEKS	ONCE A WEEK	2-3 TIMES A WEEK	ONCE A DAY	2-3 TIMES A DAY
	LAST						
	How Many time in the YEAR have you:						
223.	purposely damaged or destroyed property that did not belong to you	_____ 1	2	3	4	5	6
227.	stolen (or tried to steal) a motor vehicle, such as a car or motorcycle	_____ 1	2	3	4	5	6
228.	stolen (or tried to steal) something worth more than \$50	_____ 1	2	3	4	5	6
229.	knowingly bought, sold or held stolen goods (or tried to do any or these things)	_____ 1	2	3	4	5	6
232.	run away from home	_____ 1	2	3	4	5	6
234.	carried a hidden weapon other than a plain pocket knife	_____ 1	2	3	4	5	6
235.	stolen (or tried to steal) things worth \$5 or less	_____ 1	2	3	4	5	6
236.	attacked someone						

	with the idea of seriously hurting or killing him/her	_____	1	2	3	4	5	6
237.	been paid for having sexual relations with someone	_____	1	2	3	4	5	6
238.	had sexual inter- course with a person of the opp- osite sex (IF MARRIED, ADD other than wife/ husband)	_____	1	2	3	4	5	6
239.	been involved in gang fights	_____	1	2	3	4	5	6
240.	sold marijuana or hashish ("pot", "grass", "hash")	_____	1	2	3	4	5	6
245.	hit (or threat- ened to hit) other students	_____	1	2	3	4	5	6
246.	hit (or threat- ened to hit) one or your parents	_____	1	2	3	4	5	6
247.	hit (or threat- ened to hit) other students	_____	1	2	3	4	5	6
248.	been loud, rowdy, or unruly in a public place (disorderly conduct)	_____	1	2	3	4	5	6
249.	sold hard drugs such as heroin, cocaine, and LSD	_____	1	2	3	4	5	6
250.	taken a vehicle for a ride (drive) without the owner's permission	_____	1	2	3	4	5	6
253.	had (or tried to							

have) sexual relations with someone against their will	_____	1	2	3	4	5	6
254. used force (strong-arm methods) to get money or things from other students	_____	1	2	3	4	5	6
255. used force (strong-arm methods) to get money or things from a teacher or other adult at school	_____	1	2	3	4	5	6
257. used force (strong-arm methods) to get money or things from other people (not students or teachers)	_____	1	2	3	4	5	6
260. stolen (or tried to steal) things worth between \$5 and \$50	_____	1	2	3	4	5	6
261. stolen (or tried to steal) something at school, such as someone's coat from a classroom, locker, or cafeteria, or a book from the library	_____	1	2	3	4	5	6
262. broken into a building or vehicle (or tried to break in) to steal something or just to look around	_____	1	2	3	4	5	6
263. begged for money or things from strangers	_____	1	2	3	4	5	6

In the next set of questions, I'd like to ask you about some drugs and other substances you may have used. For each substance name, I'll ask you whether or not you have ever used it and, if so, how often you have used it in the last year. I'd just like to remind you again that your answers will be kept strictly confidential and that last year refers to the period from Christmas a year ago to the Christmas just past. Please use the grey card to select your responses of "how often". Okay, let's begin.

	Have you ever used _____?		IF YES: In the last year, how often have you used _____?
	NO	YES	
270. Coffee	1	2	_____ 1) Never _____ 2) Once or Twice _____ 3) Once every 2-3 months _____ 4) Once a-month _____ 5) Once every 2-3 weeks _____ 6) Once a week _____ 7) 2-3 times a week _____ 8) Once a day _____ 9) 2-3 times a day
271. Tea	1	2	_____ 1) Never _____ 2) Once or Twice _____ 3) Once every 2-3 months _____ 4) Once a month _____ 5) Once every 2-3 weeks _____ 6) Once a week _____ 7) 2-3 times a week _____ 8) Once a day _____ 9) 2-3 times a day
272. Nodose or similar medicines designed to help you stay awake or alert	1	2	_____ 1) Never _____ 2) Once or Twice _____ 3) Once every 2-3 months _____ 4) Once a month _____ 5) Once every 2-3 weeks _____ 6) Once a week _____ 7) 2-3 times a week

			<input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
273. Sleepeze, Sominex, Nytol or similar medicines designed to help you sleep	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
274. Non-prescription cough medicines such as Nyquil, Romilar or Robitussin	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
275. Methadone	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
276. Morphine	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day

277. Methaquaaludes or  
quaaludes 1 2  
("sophors")
- \_\_\_\_\_ 1) Never  
\_\_\_\_\_ 2) Once or twice  
\_\_\_\_\_ 3) Once every 2-3  
months  
\_\_\_\_\_ 4) Once a month  
\_\_\_\_\_ 5) Once every 2-3  
weeks  
\_\_\_\_\_ 6) Once a week  
\_\_\_\_\_ 7) 2-3 times a week  
\_\_\_\_\_ 8) Once a day  
\_\_\_\_\_ 9) 2-3 times a day
278. Prescription pain 1 2  
killers such as  
Darvon
- \_\_\_\_\_ 1) Never  
\_\_\_\_\_ 2) Once or twice  
\_\_\_\_\_ 3) Once every 2-3  
months  
\_\_\_\_\_ 4) Once a month  
\_\_\_\_\_ 5) Once every 2-3  
weeks  
\_\_\_\_\_ 6) Once a week  
\_\_\_\_\_ 7) 2-3 times a week  
\_\_\_\_\_ 8) Once a day  
\_\_\_\_\_ 9) 2-3 times a day
279. Synthetic opiates 1 2  
such as Percodan,  
Demerol, Peregoric,  
etc.
- \_\_\_\_\_ 1) Never  
\_\_\_\_\_ 2) Once or twice  
\_\_\_\_\_ 3) Once every 2-3  
months  
\_\_\_\_\_ 4) Once a month  
\_\_\_\_\_ 5) Once every 2-3  
weeks  
\_\_\_\_\_ 6) Once a week  
\_\_\_\_\_ 7) 2-3 times a week  
\_\_\_\_\_ 8) Once a day  
\_\_\_\_\_ 9) 2-3 times a day

The next series of questions also deals with some drugs and other substances you may have used. I will ask whether you have used each one and, if you have, I will ask some other questions about it. (FOR THE QUESTION WHICH ASKS "HOW OFTEN" A SUBSTANCE HAS BEEN USED, INSTRUCT THE RESPONDENT TO USE THE GREY CARD AGAIN)

280. Beer

TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

1 = No (GO TO 281)

2 = Yes (GO ON)



## FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

## FREQUENCY

During the last year, how often did you drink \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

When drinking \_\_\_\_\_ how much do you usually drink?

- 1 = Once can
- 2 = Two cans
- 3 = Three cans
- 4 = 4-5 cans
- 5 = 6 pack or more
- 6 = Other (specify)

## FUNCTION

Which of the following are your reasons for using \_\_\_\_\_?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = Need it to get through the day
- 10 = Other (specify)

Which of the above is your major reason for using \_\_\_\_\_?

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

READ SELECTED REASONS

1 = No not effective

2 = Yes, to relieve physical pain/weight control/to have more energy

1 = No not effective

2 = Yes, to relieve feeling of boredom or loneliness

1 = No not effective

2 = Yes, to relieve feelings of tension or anxiety

1 = No not effective

2 = Yes, for pleasure, fun, recreation, or taste

1 = No not effective

2 = Yes, to be different, rebellious, or special

1 = No not effective

2 = Yes, to be accepted or popular with friends

1 = No not effective

2 = Yes, to be relaxed and confident in social situations

1 = No not effective

2 = Yes, to appear more grown up

1 = No not effective

2 = Yes, need it to get through the day

1 = No not effective

2 = Yes, other (specify)

SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

1 = Food stores

2 = Liquor stores

3 = Family

4 = Friends

5 = Restaurant or bar

6 = Other (specify) \_\_\_\_\_

TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER(S) SELECTED

1 = No

2 = Yes IF YES: Are any of the following reasons: READ

- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) \_\_\_\_\_

Which of the above is your major reason for stopping

281. Wine

TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

- 1 = No (GO TO 282)
- 2 = Yes (GO ON)

FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you drink \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When drinking \_\_\_\_\_ how much do you usually drink?

- 1 = Once glass
- 2 = Two glasses
- 3 = Three glasses
- 4 = 4 or 5 glasses

- 5 = 6 or more glasses
- 6 = Other (specify)

## FUNCTION

Which of the following are your reasons for using \_\_\_\_\_?

## READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = Need it to get through the day
- 10 = Other (specify)

Which of the above is your major reason for using \_\_\_\_\_?

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

## READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy
- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness
- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special
- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends
- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations
- 1 = No not effective
- 2 = Yes, to appear more grown up
- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

- 1 = Food stores
- 2 = Liquor stores
- 3 = Family
- 4 = Friends
- 5 = Restaurant or bar
- 6 = Other (specify) \_\_\_\_\_

## TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) \_\_\_\_\_

Which of the above is your major reason for stopping

282. Hard Liquor

## TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

- 1 = No (GO TO 283)
- 2 = Yes (GO ON)

## FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

## FREQUENCY

During the last year how often did you drink/smoke?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

When drinking \_\_\_\_\_ how much do you usually drink?

- 1 = One drink
- 2 = Two drinks
- 3 = Three drinks
- 4 = 4 or 5 drinks
- 5 = 6 or more drinks
- 6 = Other (specify)

## FUNCTION

Which of the following are your reasons for using \_\_\_\_\_?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = Need it to get through the day
- 10 = Other (specify)

Which of the above is your major reason for using \_\_\_\_\_?

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy
- 1 = No not effective
- 2 = Yes, to relieve feelings of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special
- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends
- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations
- 1 = No not effective
- 2 = Yes, to appear more grown up
- 1 = No not effective
- 2 = Yes, need it to get through the day
- 1 = No not effective
- 2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

- 1 = Food stores
- 2 = Liquor stores
- 3 = Family
- 4 = Friends
- 5 = Restaurant or bar
- 6 = Other (specify) \_\_\_\_\_

## TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore

10 = Other (specify) \_\_\_\_\_

Which of the above is your major reason for stopping

283. Tobacco

TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

1 = No (GO TO 284)

2 = Yes (GO ON)

FIRST USE

When did you first use \_\_\_\_\_?

1 = More than 1 year ago

2 = Within last year

3 = Within last 6 months

4 = Within last month

5 = Don't know

FREQUENCY

During the last year how often did you drink/smoke?

1 = Never

2 = Once or twice

3 = Once every 2-3 months

4 = Once a month

5 = Once every 2-3 weeks

6 = Once a week

7 = 2-3 times a week

8 = Once a day

9 = 2-3 times a day

VOLUME

How many cigarettes do you usually smoke a day? \_\_\_\_\_

FUNCTION

Which of the following are your reasons for using \_\_\_\_\_?

READ LIST-CIRCLE NUMBER(S) SELECTED

1 = To relieve physical pain/weight control/to have more energy

2 = To relieve feelings of boredom or loneliness

3 = To relieve feelings of tension or anxiety

4 = For pleasure, fun, recreation, or taste

5 = To be different, rebellious, or special

6 = To be accepted or popular with friends

7 = To be relaxed and confident in social situations

8 = To appear more grown up



- 9 = Need it to get through the day  
10 = Other (specify)

Which of the above is your major reason for using \_\_\_\_\_?

EFFECT

Is \_\_\_\_\_ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective  
2 = Yes, to relieve physical pain/weight control/to have more energy
- 1 = No not effective  
2 = Yes, to relieve feelings of boredom or loneliness
- 1 = No not effective  
2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective  
2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective  
2 = Yes, to be different, rebellious, or special
- 1 = No not effective  
2 = Yes, to be accepted or popular with friends
- 1 = No not effective  
2 = Yes, to be relaxed and confident in social situations
- 1 = No not effective  
2 = Yes, to appear more grown up
- 1 = No not effective  
2 = Yes, need it to get through the day
- 1 = No not effective  
2 = Yes, other (specify)

SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

- 1 = Stores or gas stations  
2 = Cigarette machines  
3 = Family  
4 = Friends  
5 = Restaurant or bar  
6 = Other (specify) \_\_\_\_\_

TERMINATION

Have you stopped using \_\_\_\_\_?  
CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ
  - 1 = Disliked the taste
  - 2 = Bad physical effects, headaches, upset stomach
  - 3 = Bad emotional effects, depression, bad trips
  - 4 = I felt it was wrong to use this substance
  - 5 = Friends pressured me to stop using it
  - 6 = Trouble with parents, police or teachers
  - 7 = Fearful of becoming dependent or addicted
  - 8 = It lost its effect
  - 9 = Didn't need it anymore
  - 10 = Other (specify) \_\_\_\_\_

Which of the above is your major reason for stopping

284. Marijuana (Hashish, Grass or Pot)

TYPE

Have you ever used \_\_\_\_\_?  
CIRCLE NUMBER

- 1 = No (GO TO 285)
- 2 = Yes (GO ON)

FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use it?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

How much do you usually use?

- 1 = Share a joint
- 2 = One joint
- 3 = Two joints
- 4 = More than two joints
- 5 = Other (Describe )

FUNCTION

Which of the following are your reasons for using \_\_\_\_\_?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

Which of the above is your major reason for using \_\_\_\_\_?

EFFECT

Is \_\_\_\_\_ effective for your purposes?

READ SELECTED RESPONSES

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy
- 1 = No not effective
- 2 = Yes, to relieve feelings of boredom or loneliness
- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special
- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends
- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self-awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

- 1 = Friend
- 2 = Family
- 3 = Anonymous seller/pusher
- 4 = Grow/pick it
- 5 = Steal it
- 6 = Other (specify)

IF FRIEND/ANONYMOUS SELLER/PUSHER

How much does it usually cost?

- \_\_\_\_\_/joint
- \_\_\_\_\_/oz. or lid
- \_\_\_\_\_/Kilo

## TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ

- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = Not available anymore
- 9 = It lost its effect
- 10 = Didn't need it anymore
- 11 = Other (specify) \_\_\_\_\_

Which of the above is your major reason for stopping?

## 285. Psychedelics (LSD, Acid, Peyote, Mescaline)

## TYPE

Have you ever used \_\_\_\_\_?

## CIRCLE NUMBER

- 1 = No (GO TO 286)
- 2 = Yes (GO ON)

## FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

## FREQUENCY

During the last year, how often did you use \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

When using how much do you usually take? \_\_\_\_\_

## FUNCTION

Which of the following are your reasons for using \_\_\_\_\_?

## READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

Which of the above is your major reason for using \_\_\_\_\_?

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

READ SELECTED REASONS

1 = No not effective

2 = Yes, to relieve physical pain/weight control/to have more energy

1 = No not effective

2 = Yes, to relieve feelings of boredom or loneliness

1 = No not effective

2 = Yes, to relieve feelings of tension or anxiety

1 = No not effective

2 = Yes, for pleasure, fun, recreation, or taste

1 = No not effective

2 = Yes, to be different, rebellious, or special

1 = No not effective

2 = Yes, to be accepted or popular with friends

1 = No not effective

2 = Yes, to be relaxed and confident in social situations

1 = No not effective

2 = Yes, to appear more grown up

1 = No not effective

2 = Yes, to increase self awareness, understanding or creativity

1 = No not effective

2 = Yes, need it to get through the day

1 = No not effective

2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

1 = Physician

2 = Family

3 = Friend

4 = Anonymous Seller/Pusher

5 = Steal it

6 = Other (specify) \_\_\_\_\_

## TERMINATION

Have you stopped using \_\_\_\_\_?  
CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ
  - 1 = Disliked the taste
  - 2 = Bad physical effects, headaches, upset stomach
  - 3 = Bad emotional effects, depression, bad trips
  - 4 = I felt it was wrong to use this substance
  - 5 = Friends pressured me to stop using it
  - 6 = Trouble with parents, police or teachers
  - 7 = Fearful of becoming dependent or addicted
  - 8 = Not available anymore
  - 9 = It lost its effect
  - 10 = Didn't need it anymore
  - 11 = Other (specify) \_\_\_\_\_

Which of the above is your major reason for stopping?

286. Tranquilizers such as Librium, Valium, Thorazine, Miltown,  
Equanil, Meproboamate, etc.

TYPE  
Have you ever used \_\_\_\_\_?  
CIRCLE NUMBER

- 1 = No (GO TO 287)
- 2 = Yes (GO ON)

FIRST USE  
When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY  
During the last year, how often did you use \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

Was this prescribed by a doctor?

- 1 = Yes
- 2 = No

IF YES: Do you usually take the amount prescribed on the label?

- 1 = Less than
- 2 = Amount prescribed
- 3 = More than
- 4 = Don't Know

## FUNCTION

What is your usual purpose or reason in using \_\_\_\_\_?

## CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

## READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends



- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations
- 1 = No not effective
- 2 = Yes, to appear more grown up
- 1 = No not effective
- 2 = Yes, to increase self-awareness, understanding or creativity
- 1 = No not effective
- 2 = Yes, need it to get through the day
- 1 = No not effective
- 2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

- 1 = Pharmacy/Drugstore
- 2 = Physician
- 3 = Family
- 4 = Friends
- 5 = Anonymous pusher or seller
- 6 = Other (specify) \_\_\_\_\_

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

\_\_\_\_\_/tablet or capsule

## TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER SELECTED

- 1 = No
  - 2 = Yes (IF YES: What was your major reason? CIRCLE ONE)
  - 1 = Disliked the taste
  - 2 = Bad physical effects, headaches, upset stomach
  - 3 = Bad emotional effects, depression, bad trips
  - 4 = I felt it was wrong to use this substance
  - 5 = Friends pressured me to stop using it
  - 6 = Trouble with parents, police or teachers
  - 7 = Fearful of becoming dependent or addicted
  - 8 = It lost its effect
  - 9 = Didn't need it anymore
  - 10 = Other (specify) \_\_\_\_\_
287. Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)

## TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

- 1 = No (GO TO 288)
- 2 = Yes (GO ON)

## FIRST USE

When did you First Use. . . ?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

## FREQUENCY

During the last year, how often did you use \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

Was this prescribed by a doctor?

- 1 = Yes
- 2 = No

IF YES: Do you usually take the amount prescribed on the label?

- 1 = Less than
- 2 = Amount prescribed
- 3 = More than
- 4 = Don't Know

## FUNCTION

What is your usual purpose or reason in using \_\_\_\_\_?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/ energy/stay awake
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste

- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

## READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/energy/sty awake
- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness
- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special
- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends
- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations
- 1 = No not effective
- 2 = Yes, to appear more grown up
- 1 = No not effective
- 2 = Yes, to increase self-awareness, understanding or creativity
- 1 = No not effective
- 2 = Yes, need it to get through the day
- 1 = No not effective
- 2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

## CIRCLE ALL THAT APPLY

- 1 = Pharmacy/Drugstore
- 2 = Physician

- 3 = Family
- 4 = Friends
- 5 = Anonymous pusher or seller
- 6 = Other (specify) \_\_\_\_\_

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

\_\_\_\_\_/tablet or capsule

#### TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER SELECTED

- 1 = No
- 2 = Yes IF YES: What was your major reason? CIRCLE ONE
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) \_\_\_\_\_

288. Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)

#### TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

- 1 = No (GO TO 289)
- 2 = Yes (GO ON)

#### FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

#### FREQUENCY

During the last year, how often did you use \_\_\_\_\_?

- 1 = Never

- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

Was this prescribed by a doctor?

- 1 = Yes
- 2 = No

IF YES: Do you usually take the amount prescribed on the label?

- 1 = Less than
- 2 = Amount prescribed
- 3 = More than
- 4 = Don't Know

## FUNCTION

What is your usual purpose or reason in using \_\_\_\_\_?

## CIRCLE ONE

- 1 = To relieve physical pain/weight control/to help sleep
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

## READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to help sleep
- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness
- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

1 = No not effective  
2 = Yes, for pleasure, fun, recreation, or taste

1 = No not effective  
2 = Yes, to be different, rebellious, or special

1 = No not effective  
2 = Yes, to be accepted or popular with friends

1 = No not effective  
2 = Yes, to be relaxed and confident in social situations

1 = No not effective  
2 = Yes, to appear more grown up

1 = No not effective  
2 = Yes, to increase self awareness, understanding or creativity

1 = No not effective  
2 = Yes, need it to get through the day

1 = No not effective  
2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

1 = Pharmacy/Drugstore  
2 = Physician  
3 = Family  
4 = Friends  
5 = Anonymous pusher or seller  
6 = Other (specify) \_\_\_\_\_

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

\_\_\_\_\_/tablet or capsule

## TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER SELECTED

1 = No  
2 = Yes IF YES: What was your major reason? CIRCLE ONE

1 = Disliked the taste  
2 = Bad physical effects, headaches, upset stomach  
3 = Bad emotional effects, depression, bad trips  
4 = I felt it was wrong to use this substance  
5 = Friends pressured me to stop using it

- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) \_\_\_\_\_

## 289. Codeine

## TYPE

Have you ever used \_\_\_\_\_?

## CIRCLE NUMBER

- 1 = No (GO TO 290)
- 2 = Yes (GO ON)

## FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

## FREQUENCY

During the last year, how often did you use \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

Was this prescribed by a doctor?

- 1 = Yes
- 2 = No

IF YES: Do you usually take the amount prescribed on the label?

- 1 = Less than
- 2 = Amount prescribed
- 3 = More than
- 4 = Don't Know

## FUNCTION

What is your usual purpose or reason in using \_\_\_\_\_?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/to help sleep
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

EFFECT

Is \_\_\_\_\_ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to help sleep
- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness
- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special
- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends
- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations
- 1 = No not effective
- 2 = Yes, to appear more grown up
- 1 = No not effective
- 2 = Yes, to increase self-awareness, understanding or creativity
- 1 = No not effective
- 2 = Yes, need it to get through the day
- 1 = No not effective



2 = Yes, other (specify)

SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

- 1 = Pharmacy/Drugstore
- 2 = Physician
- 3 = Family
- 4 = Friends
- 5 = Anonymous pusher or seller
- 6 = Other (specify) \_\_\_\_\_

TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: What was your major reason CIRCLE ONE
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) \_\_\_\_\_

290. Heroin

TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

- 1 = No (GO TO 291)
- 2 = Yes (GO ON)

FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

When taking heroin, how much do you usually use?

---

## FUNCTION

What is your usual purpose or reason in using \_\_\_\_\_?

## CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify) \_\_\_\_\_

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

## READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy
- 1 = No not effective
- 2 = Yes, to relieve feelings of boredom or loneliness
- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

- 1 = Family
- 2 = Friends
- 3 = Anonymous pusher or seller
- 4 = Other (specify) \_\_\_\_\_

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

\_\_\_\_\_ (SPECIFY UNIT)

## TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER SELECTED

- 1 = No
  - 2 = Yes IF YES: What was your major reason? CIRCLE ONE
- 
- 1 = Disliked the taste
  - 2 = Bad physical effects, headaches, upset stomach
  - 3 = Bad emotional effects, depression, bad trips
  - 4 = I felt it was wrong to use this substance
  - 5 = Friends pressured me to stop using it
  - 6 = Trouble with parents, police or teachers
  - 7 = Fearful of becoming dependent or addicted
  - 8 = It lost its effect
  - 9 = Didn't need it anymore
  - 10 = Other (specify) \_\_\_\_\_

291. Cocaine

## TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

- 1 = No (GO TO 292)
- 2 = Yes (GO ON)

## FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

## FREQUENCY

During the last year, how often did you use \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

When taking cocaine, how much do you usually use?

---

## FUNCTION

What is your usual purpose or reason in using \_\_\_\_\_?

## READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify) \_\_\_\_\_

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

READ SELECTED REASONS

1 = No not effective

2 = Yes, to relieve physical pain/weight control/to have more energy

1 = No not effective

2 = Yes, to relieve feeling of boredom or loneliness

1 = No not effective

2 = Yes, to relieve feelings of tension or anxiety

1 = No not effective

2 = Yes, for pleasure, fun, recreation, or taste

1 = No not effective

2 = Yes, to be different, rebellious, or special

1 = No not effective

2 = Yes, to be accepted or popular with friends

1 = No not effective

2 = Yes, to be relaxed and confident in social situations

1 = No not effective

2 = Yes, to appear more grown up

1 = No not effective

2 = Yes, To increase self awareness, understanding or creativity

1 = No not effective

2 = Yes, need it to get through the day

1 = No not effective

2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

1 = Family

2 = Friends

3 = Anonymous pusher or seller

4 = Other (specify) \_\_\_\_\_

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

\_\_\_\_\_ (SPECIFY UNIT)

## TERMINATION

Have you stopped using \_\_\_\_\_?  
CIRCLE NUMBER SELECTED

- 1 = No
- 2 = Yes IF YES: What is your major reason? CIRCLE ONE
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) \_\_\_\_\_

292. Glue, paint thinner, nail polis, or other inhalants

TYPE

Have you ever used \_\_\_\_\_?  
CIRCLE NUMBER

- 1 = No (GO TO 293)
- 2 = Yes (GO ON)

FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 2-3 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When using \_\_\_\_\_, how much do you ususally take?

---

FUNCTION

What is your usual purpose or reason in using \_\_\_\_\_?

## CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify) \_\_\_\_\_

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

## READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy
- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness
- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special
- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends
- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations
- 1 = No not effective
- 2 = Yes, to appear more grown up
- 1 = No not effective
- 2 = Yes, to increase self awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

- 1 = Stores (supermarkets, hardware, etc.)
- 2 = Family
- 3 = Friends
- 4 = Other (specify) \_\_\_\_\_

## TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER SELECTED

- 1 = No
  - 2 = Yes IF YES: What was your major reason? CIRCLE ONE
- 
- 1 = Disliked the taste
  - 2 = Bad physical effects, headaches, upset stomach
  - 3 = Bad emotional effects, depression, bad trips
  - 4 = I felt it was wrong to use this substance
  - 5 = Friends pressured me to stop using it
  - 6 = Trouble with parents, police or teachers
  - 7 = Fearful of becoming dependent or addicted
  - 8 = It lost its effect
  - 9 = Didn't need it anymore
  - 10 = Other (specify) \_\_\_\_\_

293. Angel Dust (PCP)

## TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

- 1 = No (GO TO 294)
- 2 = Yes (GO ON)

## FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 2-3 months
- 4 = Within last month
- 5 = Don't know



## FREQUENCY

During the last year, how often did you use \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

When using Angel Dust, how much do you usually take?

---

## FUNCTION

What is your usual purpose or reason in using \_\_\_\_\_?

## CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

## EFFECT

Is \_\_\_\_\_ effective for your purposes?

## READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy
- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness
- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective

2 = Yes, to be different, rebellious, or special

1 = No not effective

2 = Yes, to be accepted or popular with friends

1 = No not effective

2 = Yes, to be relaxed and confident in social situations

1 = No not effective

2 = Yes, to appear more grown up

1 = No not effective

2 = Yes, to increase self-awareness, understanding or creativity

1 = No not effective

2 = Yes, need it to get through the day

1 = No not effective

2 = Yes, other (specify)

#### SOURCE

Where do you get your \_\_\_\_\_?

CIRCLE ALL THAT APPLY

1 = Family

2 = Friends

3 = Anonymous pusher or seller

4 = Other (specify) \_\_\_\_\_

IF FRIEND OR ANONYMOUS PUSHER: How much does it cost?

\_\_\_\_\_ (Specify unit)

#### TERMINATION

Have you stopped using \_\_\_\_\_?

CIRCLE NUMBER SELECTED

1 = No

2 = Yes IF YES: What was your major reason? CIRCLE ONE

1 = Disliked the taste

2 = Bad physical effects, headaches, upset stomach

3 = Bad emotional effects, depression, bad trips

4 = I felt it was wrong to use this substance

5 = Friends pressured me to stop using it

6 = Trouble with parents, police or teachers

7 = Fearful of becoming dependent or addicted

8 = It lost its effect

9 = Didn't need it anymore

10 = Other (specify) \_\_\_\_\_

294. Any other nonprescription drugs or intoxicants  
specify \_\_\_\_\_

## TYPE

Have you ever used \_\_\_\_\_?

CIRCLE NUMBER

- 1 = No (GO TO 295)
- 2 = Yes (GO ON)

## FIRST USE

When did you first use \_\_\_\_\_?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

## FREQUENCY

During the last year, how often did you use \_\_\_\_\_?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

## VOLUME

When taking \_\_\_\_\_ how much do you usually take?

---

---

## FUNCTION

What is your usual reason in using \_\_\_\_\_?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends

- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

## EFFECT

Is \_\_\_\_\_ effective for your purpose?

## READ SELECTED REASON

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy
- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness
- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety
- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste
- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special
- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends
- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations
- 1 = No not effective
- 2 = Yes, to appear more grown up
- 1 = No not effective
- 2 = Yes, to increase self awareness, understanding or creativity
- 1 = No not effective
- 2 = Yes, need it to get through the day
- 1 = No not effective
- 2 = Yes, other (specify)

## SOURCE

Where do you get your \_\_\_\_\_?

---

---

## TERMINATION

Have you stopped using \_\_\_\_\_?  
CIRCLE NUMBER SELECTED

- 1 = No  
2 = Yes IF YES: Are any of the following reasons: CIRCLE ONE
- 1 = Disliked the taste  
2 = Bad physical effects, headaches, upset stomach  
3 = Bad emotional effects, depression, bad trips  
4 = I felt it was wrong to use this substance  
5 = Friends pressured me to stop using it  
6 = Trouble with parents, police or teachers  
7 = Fearful of becoming dependent or addicted  
8 = It lost its effect  
9 = Didn't need it anymore  
10 = Other (specify) \_\_\_\_\_

Do you think that you might start using any of the following  
substances in the next 12 months? IF SUBJECT IS ALREADY USING A  
PARTICULAR SUBSTANCE CHECK N/A

	YES	NO	N/A
295. Tobacco	2	1	_____
296. Beer	2	1	_____
297. Wine	2	1	_____
298. Hard Liquor	2	1	_____
299. Marijuana	2	1	_____
300. Psychedelics (LSD, etc.)	2	1	_____

IF RESPONDENT HAS PREVIOUSLY INDICATED THAT HE/SHE DOES NOT USE ALCOHOL OR DRUGS, SKIP TO QUESTION 322. ASK QUESTIONS ONLY WITH RESPECT TO SUBSTANCE(S) USED.

Now I am going to ask you some questions about your use of alcohol and drugs and the effects it may have on your relations with your family and friends. Remember that your answers will be held strictly confidential and will not be revealed to anyone. Look at the response on the tan card and select the one which best describes how often you have been involved in each behavior.

	NEVER	ONCE OR TWICE	THREE OR FOUR TIMES	FIVE OR SIX TIMES	MORE THAN SIX TIMES
How many times in the last year have you gotten into trouble with your girlfriend/boyfriend because of your drinking/use of drugs?					
301. Drinking:	1	2	3	4	5
302. Use of Drugs:	1	2	3	4	5
How many times in the last year have you had problems with your family because of drinking/drug use?					
303. Drinking:	1	2	3	4	5
304. Use of Drugs:	1	2	3	4	5
How many times in the last year have you gotten into trouble with your friends because of your drinking/drug use?					
305. Drinking:	1	2	3	4	5
306. Use of Drugs:	1	2	3	4	5
How many times in the last year have you gotten into trouble with your teachers or principal because of your drinking/drug use?					
307. Drinking:	1	2	3	4	5
308. Use of Drugs:	1	2	3	4	5
How many times in the last year have you					

gotten into physical fights because of your drinking/drug use?

309. Drinking:	1	2	3	4	5
310. Use of Drugs:	1	2	3	4	5

How often in the last year has your use of alcohol/drugs caused problems with your physical health?

311. Alcohol:	1	2	3	4	5
312. Drugs:	1	2	3	4	5

Now I have just a few other questions about your use of alcohol and drugs.

Have you ever found that you couldn't remember what had happened to you because of your drinking/drug use?

	Yes	No
313. Drinking:	2	1
314. Drugs:	2	1

Have you ever stayed drunk or high on drugs for more than a day at a time?

	Yes	No
315. Drunk	2	1
316. Drugs:	2	1

Have you ever wanted to stop drinking/using drugs and found you couldn't?

	Yes	No
317. Alcohol:	2	1
318. Drugs:	2	1

319. During the last year, have you been arrested for any alcohol or drug related offenses?

Yes	No
2	1

If Yes: How many times for (READ LIST):

Intoxication \_\_\_\_\_  
 Driving under the influence of alcohol or drugs \_\_\_\_\_  
 Possession of alcohol \_\_\_\_\_  
 Possession of drugs \_\_\_\_\_  
 Sale (or possession for sale) of drugs \_\_\_\_\_

Other (Specify) \_\_\_\_\_

320. How many times in the last year have you gotten drunk or pretty high on alcohol? \_\_\_\_\_

321. How many times in the last year have you gotten high on drugs? \_\_\_\_\_

Now I'd like to know how many times each of the following things have happened to you in the last year, from the Christmas a year ago to the Christmas just past.

How many times in  
the Last Year:

322. has something been taken directly from you  
(or an attempt to do so) by force or by  
threatening to hurt you? \_\_\_\_\_

328. have you been sexually attacked, or raped  
(or an attempt to do so)? \_\_\_\_\_

329. have you been attacked with a  
weapon, such as a gun, knife,  
bottle or chair by someone other  
than your mother or father? \_\_\_\_\_

330. have you been beaten up (or  
threatened with being beaten up)  
by someone other than your mother or  
father? \_\_\_\_\_



For the next set of questions, I'd like to ask you a few questions about handguns.

331. If you wanted a handgun, how would you try to get it? (READ RESPONSES - CHECK ONE)

- \_\_\_\_\_ (1) Buy it from a store (local dealer)
- \_\_\_\_\_ (2) Buy it from a private person
- \_\_\_\_\_ (3) Borrow it from a friend or relative
- \_\_\_\_\_ (4) Steal it
- \_\_\_\_\_ (5) Other (Specify) \_\_\_\_\_
- \_\_\_\_\_ (6) Don't know

332. How long do you think it would take to get a handgun this (above) way? (READ RESPONSES - CHECK ONE)

- \_\_\_\_\_ (1) half day or less
- \_\_\_\_\_ (2) about a day
- \_\_\_\_\_ (3) 2 to 7 days
- \_\_\_\_\_ (4) 1 to 2 weeks
- \_\_\_\_\_ (5) more than 2 weeks
- \_\_\_\_\_ (6) Don't know

333. Have you ever owned or had regular use of a handgun?

- 1 = No (IF NO, SKIP TO QUESTION 336)
- 2 = Yes (IF YES, GO TO QUESTION 334)

334. Did you ever get a hand gun in any of the following ways? (READ LIST CHECK AS MANY AS APPLY)

	Yes	No
As a gift or loan from a friend or relative	2	1
By buying it	2	1
By stealing it from a house	2	1
By stealing it from a store	2	1

335. Have you ever used a gun while committing any of the following crimes? (READ LIST)

	Yes	No
(1) robbery	2	1
(2) sexual assault	2	1
(3) burglary	2	1
(4) assault (not sexual)	2	1
(5) Other (please explain)	2	1

336. IF RESPONDENT HAS COMMITTED A SEXUAL ASSAULT (Question 253) OR BEEN ASSAULTED (Question 328), ASK THE APPROPRIATE SET OF QUESTIONS: 1) Sexual Assault offender, questions 337-348; 2)

Sexual Assault victim, questions 349-363. IF MORE THAN ONE ASSAULT WAS REPORTED, ASK QUESTIONS ABOUT THE MOST RECENT EVENT. IF THESE QUESTIONS ARE INAPPROPRIATE, SKIP TO QUESTION 364, PAGE 47 AND CONCLUDE THE INTERVIEW.

SEXUAL ASSAULT OFFENDER

The following set of questions are related to the experience you reported earlier in the interview of having "had or tried to have sexual relations with someone against their will. "Please remember that all your answers are confidential.

337. When did the event take place?

- ☐ (1) January - March, 1977
- ☐ (2) April- June, 1977
- ☐ (3) July - September, 1977
- ☐ (4) October - December, 1977

338. Where did the event take place? \_\_\_\_\_

339. How many men or boys were involved in the event besides yourself?

- ☐ (1) None
- ☐ (2) One
- ☐ (3) Two
- ☐ (4) Three
- ☐ (5) More than three

340. Did you know the person with whom you had or tried to have sexual relations?

- 1 = No (IF NO, SKIP TO QUESTION 342)
- 2 = Yes (IF YES, GO TO QUESTION 341)

341. What was your relationship to this person?

- ☐ (1) Friend
- ☐ (2) Date
- ☐ (3) Brother
- ☐ (4) Other (Explain) \_\_\_\_\_

342. Was the event planned or did it just happen?

- ☐ (1) Planned (IF PLANNED, SKIP TO QUESTION 344)
- ☐ (2) Spontaneous

343. If spontaneous, did the person (victim) do or say anything

special that caused the incident?

---

---

---

SKIP TO QUESTION 345

344. If planned, can you describe how it was planned, i.e., what did you do to arrange it?

---

---

---

345. Had you been drinking or taking drugs prior to the event?

- 1 = No (IF NO, SKIP TO QUESTION 347)
- 2 = Yes (IF YES, GO TO 346)

346. Would you say you were drunk or high during the event?

- 1 = No
- 2 = Yes

347. Did you tell anyone about the incident?

- 1 = No (IF NO, SKIP TO QUESTION 364)
- 2 = Yes (IF YES GO TO QUESTION 348)

348. If yes, who did you tell and why did you tell them? \_\_\_\_\_

---

---

---

SKIP TO QUESTION 364

#### SEXUAL ASSAULT VICTIM

The following set of questions are related to the sexual assault experience you reported earlier in the interview. Please remember that all your answers are confidential

349. When did the assault take place?

- \_\_\_\_\_ (1) January - March, 1977
- \_\_\_\_\_ (2) April - June, 1977
- \_\_\_\_\_ (3) July - September, 1977
- \_\_\_\_\_ (4) October - December, 1977

350. Where did the assault take place? \_\_\_\_\_

\_\_\_\_\_

351. How many people assaulted you?

- \_\_\_\_\_ (1) One
- \_\_\_\_\_ (2) Two
- \_\_\_\_\_ (3) Three
- \_\_\_\_\_ (4) More than three

352. Did you know your attacker(s)?

- 1 = No (IF NO, SKIP TO QUESTION 354)
- 2 = Yes (IF YES, GO TO QUESTION 353)

353. What was your relationship to your attacker(s)?

- \_\_\_\_\_ (1) Friend
- \_\_\_\_\_ (2) Date
- \_\_\_\_\_ (3) Sister
- \_\_\_\_\_ (4) Daughter
- \_\_\_\_\_ (5) Other (Explain) \_\_\_\_\_

354. Did you report the attack to the police or other legal authorities?

- 1 = No (IF NO, SKIP TO QUESTION 356)
- 2 = Yes (IF YES GO TO QUESTION 355)

355. How did the police/legal authorities respond to your report?

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

SKIP TO QUESTION 357

356. Could you explain your reasons for not reporting the attack to the police?

\_\_\_\_\_

\_\_\_\_\_

---

357. Did you tell your parents about the assault?

1 = No (IF NO, SKIP TO QUESTION 359)

2 = Yes (IF YES, GO TO QUESTION 358)

358. How would you describe your parents' reaction to the situation?

---

---

---

SKIP TO QUESTION 360

359. Could you explain your reasons for not telling your parents about the attack?

---

---

---

360. If your parents know about the attack, do you feel your relationship with them changed because of this experience?

1 = No (IF NO, SKIP TO QUESTION 362)

2 = Yes (IF YES, GO TO QUESTION 361)

361. How would you describe the changes in your relationship with your parents?

---

---

---

---

362. Which of the following statements, if any, describe your feelings within a week of the sexual assault? (CIRCLE THE APPROPRIATE RESPONSES)

	YES	NO
(1) Fearful that the attacker would return	2	1

(2) Fearful of other men	2	1
(3) Fearful of being alone	2	1
(4) Felt guilty about the attack	2	1
(5) Felt embarrassed about the attack	2	1
(6) Felt depressed about the attack	2	1
(7) Felt angry about the attack	2	1
(8) Felt that I was of less worth as a consequence of the attack	2	1

363. Which of the following statements, if any, describe your present feelings about the sexual assault? (CIRCLE THE APPROPRIATE RESPONSES)

	YES	NO
(1) Fearful that the attacker will return	2	1
(2) Fearful of other men	2	1
(3) Fearful of being alone	2	1
(4) Feel guilty about the attack	2	1
(5) Feel embarrassed about the attack	2	1
(6) Feel depressed about the attack	2	1
(7) Feel angry about the attack	2	1
(8) Feel that I am of less worth as a consequence of the attack	2	1

We've now completed the formal part of the interview, but I'd like to give you a chance to add comments to the information you've already given me.

364. Would you like to explain any of your answers further? \_\_\_\_\_

---



---



---

365. Were there any specific questions I asked that made you feel particularly uncomfortable?

IF YES, WHICH ONES? \_\_\_\_\_

---



---

366. What questions would you ask if you really wanted to learn about people your age?

---



---

---

367. Do you think that we will have a good or poor understanding of your relationship with your family and friends from your answers to these questions?

Good Understanding  
1

Poor Understanding  
2

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Thank you very much for your participation in this study.

## INTERVIEWER OBSERVATIONS

PLEASE FILL OUT THE FOLLOWING QUESTIONS FROM YOUR OWN OBSERVATIONS BEFORE AND DURING THE INTERVIEW.

1. How anxious did the respondent seem to be about the study before the interview?

Not at All Anxious	Somewhat Anxious	Very Anxious
1	2	3

2. Was the respondent at all hostile either before or during the interview?

Yes	No
2	1

3. How great was the respondent's interest in the interview?

Very Low	Below Average	Average	Above Average	Very High
1	2	3	4	5

4. Did you encounter any problems or circumstances that might have affected the interview? (CHECK ALL APPROPRIATE CATEGORIES)

☐ (1) Difficulty with English language  
☐ (2) Lots of difficulty understanding questions  
☐ (3) Many interruptions  
☐ (4) Temporary breakoff  
☐ (5) Breakoff  
☐ (6) Other (specify) \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

5. How did the respondent seem at the end of the interview?

Relaxed	Tense	Other (specify)
1	2	_____
		_____

6. Additional Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



---

---