ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 6542

National Youth Survey [United States]: Wave VII, 1987

Delbert Elliott
University of Colorado. Institute of Behavioral Science

Codebook

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/6542.xml

ICPSR Processor Note
NYS WAVE 7 1987
National Youth Survey
(ICPSR 6542)

Processor Notes on Version 3

1. All HHLD#, RESP#, & SSMPL# variables where # was larger than 1 were dropped as these variables are obsolete given that data is no longer stored on cards
2. Variable Y7_1196 was dropped for this release as all records in study were set to missing for this variable in the original data set.
3. Variables Y7_1589 – Y7_1729 were dropped to reduce disclosure risk.
4. Codebook section "UPDATED COLUMN LOCATIONS" was dropped for the 3rd ICPSR version as such information can now be found in the ICPSR produced "FREQUENCIES" section. Users are advised to use column locations from this section instead of those given in the body of the original codebook because these are no longer consistent with the data file.

Processor Notes on Version 2

1. For the second version of this data collection, the data were converted from card image format to logical record length (LRECL)format
2. Sixty variables related to the old card image format were dropped from the data file, including all variable names beginning with BLANK, BLNK, and CARD.
3. The SPSS and SAS data definition statements were also updated to reflect the LRECL data format.
4. Stata data definition statements were added to the collection.
5. Column location specifications in the body of the codebook reflect the 1st ICPSR version and are no longer consistent with the data file due to the format change. The new column locations are documented under "UPDATED COLUMN LOCATIONS".

TABEL OF CONTENTS

Sections   Page

CODEBOOK

Sections   Page

FREQUENCIES continued

IDENTIFICATION

CASEID   **CASE IDENTIFICATION NUMBER**

1,725 cases (Range of valid codes: 1-1725)

Data type: numeric
Missing-data code: -1
Columns: 1-8

DTSET1   **DATA SET NAME**

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
100.0  100.0  1,725    183
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 9-12

SSMPL1   **SSMPL**

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 57.1   57.1    985      1
 42.9   42.9    740      2
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 13-14

HHLD1   **HOUSEHOLD ID**

1,725 cases (Range of valid codes: 3-9895)

Data type: numeric
Missing-data code: -1
Columns: 15-18

```
┌─────────────────────────────────────────────────────────────────────────┐
│ RESP1                  RESPONDENT ID                                      │
└─────────────────────────────────────────────────────────────────────────┘
```

```
      PCT     PCT      N   VALUE   LABEL
    VALID    ALL
    60.5    60.5   1,043       2
    27.2    27.2     469       3
     9.3     9.3     160       4
     2.4     2.4      41       5
     0.6     0.6      10       6
     0.1     0.1       2       7
    -----   -----   -----
    100.0   100.0   1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 19-20
```

RESPONDENT CHARACTERISTICS

Y7_1   **ADMINISTRATION CODE**

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  47.1   43.7     753      1  Face to Face Interview
  10.6    9.9     170      2  Telephone Interview
  40.4   37.4     646      3  Telephone Interview
   1.9    1.7      30      4  Face to Face Interview
          7.3     126     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 21-22

Y7_2   **SEX**

(CIRCLE THE SEX OF THE RESPONDENT)

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  53.2   53.2     918      1  Male
  46.8   46.8     807      2  Female
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 23-24

```
Y7_3                      ETHNICITY
```

(ASK THIS QUESTION ONLY IF YOU CANNOT VISUALLY DETERMINE)

Which one of these groups best describes you?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 78.9   78.9  1,361      1  Anglo
 15.1   15.1    260      2  Black
  4.4    4.4     76      3  Hispanic
  0.5    0.5      8      4  American Indian
  1.0    1.0     17      5  Asian
  0.2    0.2      3      6  Other
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 25-26

```
Y7_7                      AGE
```

That makes you how old now?

```
Min    = 21                   Mean     = 23.874
Max    = 27                   Std Dev  =  1.945
Median = 24                   Variance =  3.782
```

(Based on 1,725 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 27-28

```
Y7_8                      MILITARY IN 1984
```

Were you in the military (including the coastguard) during 1984?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 94.7   76.0  1,311      1  No
  5.3    4.2     73      2  Yes
        19.8    341     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 29-30

```
Y7_9                    MILITARY IN 1985
```

Were you in the military (including the coastguard) during 1985?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
  95.0    76.2  1,315       1  No
   5.0     4.0     69       2  Yes
          19.8    341      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 31-32

```
Y7_10                   MILITARY IN 1986
```

Were you in the military (including the coastguard) during 1986?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
  95.3    76.5  1,319       1  No
   4.7     3.8     65       2  Yes
          19.8    341      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 33-34

```
Y7_11                     BRANCH OF MILITARY
```

What branch of the military?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.0	1.7	29	1	Army
14.8	0.8	13	2	Navy
18.2	0.9	16	3	Air Force
13.6	0.7	12	4	Marines
1.1	0.1	1	5	Coast Guard
19.3	1.0	17	6	Inactive
	94.9	1,637	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 35-36

```
Y7_12                     MARITAL STATUS
```

What is your present marital status?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.3	40.3	696	1	Single
43.3	34.7	599	2	Married
3.5	2.8	49	3	Divorced
2.8	2.3	39	4	Separated
0.1	0.1	1	5	Widowed
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 37-38

Y7_13	IF SINGLE: Ever Married?

(IF SINGLE)

Have you ever been married?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 99.3   40.0    690      1  No
  0.7    0.3      5      2  Yes
        59.7  1,030     -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 39-40

LIFE EVENTS

Y7_14 **MARRIED IN 1984**

(IF YES TO Y7_13)

Were you married at any time in 1984?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 80.0   0.2     4     1  No
 20.0   0.1     1     2  Yes
        99.7 1,720    -1
 -----  ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 41-42

Y7_15 **MARRIED IN 1985**

(IF YES TO Y7_13)

Were you married at any time in 1985?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 75.0   0.2     3     1  No
 25.0   0.1     1     2  Yes
        99.8 1,721    -1
 -----  ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 43-44

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_16                    MARRIED IN 1986                                  │
└─────────────────────────────────────────────────────────────────────────┘
```

    (IF YES TO Y7_13)

    Were you married at any time in 1986?

```
   PCT     PCT        N  VALUE  LABEL
  VALID    ALL
  75.0     0.2        3      1  No
  25.0     0.1        1      2  Yes
          99.8    1,721     -1
  -----   -----    -----
 100.0   100.0    1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 45-46

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_17                    SPOUSE SERIOUS ACCIDENT                          │
└─────────────────────────────────────────────────────────────────────────┘
```

    (IF MARRIED DURING 1984, 1985 or 1986)

    Did your spouse have a serious accident?

```
   PCT     PCT        N  VALUE  LABEL
  VALID    ALL
  93.5    33.6      580      1  No
   6.5     2.3       40      2  Yes
          64.1    1,105     -1
  -----   -----    -----
 100.0   100.0    1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 47-48

Y7_18	SPOUSE SERIOUS ACCIDENT-MONTH

(IF YES TO Y7_17)

When? (Month)

```
  PCT      PCT       N   VALUE   LABEL
 VALID     ALL
 10.0      0.2       4       1   Jan
  7.5      0.2       3       2   Feb
  5.0      0.1       2       3   Mar
  5.0      0.1       2       4   Apr
  7.5      0.2       3       5   May
 10.0      0.2       4       6   Jun
 10.0      0.2       4       7   Jul
  5.0      0.1       2       8   Aug
 10.0      0.2       4       9   Sept
  7.5      0.2       3      10   Oct
  7.5      0.2       3      11   Nov
 10.0      0.2       4      12   Dec
  5.0      0.1       2      99
           97.7  1,685      -1
 -----    -----   -----
100.0    100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 49-50

```
Y7_19                    SPOUSE SERIOUS ACCIDENT-YEAR
```

(IF YES TO Y7_17)

When? (Year)

```
   PCT     PCT       N   VALUE   LABEL
 VALID    ALL
   0.0     0.0       0      13   Winter
   0.0     0.0       0      14   Spring
   0.0     0.0       0      15   Summer
   0.0     0.0       0      16   Fall
   0.0     0.0       0      17   All Year
  30.0     0.7      12      84   1984
  22.5     0.5       9      85   1985
  45.0     1.0      18      86   1986
   2.5     0.1       1      99   Dont Know
          97.7   1,685      -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 51-52

```
Y7_20                    SPOUSE SERIOUS ILLNESS
```

(IF MARRIED DURING 1984, 1985 or 1986)

Did your spouse have a serious illness?

```
   PCT     PCT       N   VALUE   LABEL
 VALID    ALL
  94.7    34.0     587       1   No
   5.3     1.9      33       2   Yes
          64.1   1,105      -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 53-54

Y7_21	SPOUSE SERIOUS ILLNESS-MONTH

(IF YES TO Y7_20)

When? (Month)

PCT VALID	PCT ALL	N	VALUE	LABEL
6.1	0.1	2	1	Jan
6.1	0.1	2	2	Feb
3.0	0.1	1	3	Mar
3.0	0.1	1	4	Apr
15.2	0.3	5	5	May
6.1	0.1	2	6	Jun
12.1	0.2	4	7	Jul
3.0	0.1	1	8	Aug
3.0	0.1	1	9	Sept
0.0	0.0	0	10	Oct
9.1	0.2	3	11	Nov
6.1	0.1	2	12	Dec
3.0	0.1	1	16	
18.2	0.3	6	17	
6.1	0.1	2	99	
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 55-56

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_22                    SPOUSE SERIOUS ILLNESS-YEAR                       │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_20)

When? (Year)

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
   0.0    0.0      0     13  Winter
   0.0    0.0      0     14  Spring
   0.0    0.0      0     15  Summer
   0.0    0.0      0     16  Fall
   0.0    0.0      0     17  All Year
  21.2    0.4      7     84  1984
  30.3    0.6     10     85  1985
  48.5    0.9     16     86  1986
   0.0    0.0      0     99  Dont Know
         98.1  1,692     -1
  -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 57-58

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_23                    SPOUSE UNEMPLOYED                                 │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF MARRIED DURING 1984, 1985 or 1986)

Was your spouse unemployed for two months or longer?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  64.6   23.1    399      1  No
  35.4   12.7    219      2  Yes
         64.2  1,107     -1
  -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 59-60

Y7_24	SPOUSE UNEMPLOYED 1984-MOS

(IF YES TO Y7_23)

How many months in 1984?

PCT VALID	PCT ALL	N	VALUE	LABEL
43.1	4.3	75	0	
0.6	0.1	1	1	Jan84
4.0	0.4	7	2	Feb84
5.2	0.5	9	3	Mar84
4.6	0.5	8	4	Apr84
0.6	0.1	1	5	May84
9.2	0.9	16	6	Jun84
0.6	0.1	1	7	Jul84
0.0	0.0	0	8	Aug84
1.1	0.1	2	9	Sept84
0.0	0.0	0	10	Oct84
0.6	0.1	1	11	Nov84
29.9	3.0	52	12	Dec84
0.6	0.1	1	99	
	89.9	1,551	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 61-62

```
Y7_25                    SPOUSE UNEMPLOYED 1985-MOS
```

    (IF YES TO Y7_23)

    How many months in 1985?

```
   PCT     PCT      N  VALUE   LABEL
  VALID    ALL
   33.3    3.8     66      0
    1.5    0.2      3      1   Jan85
    9.1    1.0     18      2   Feb85
    6.6    0.8     13      3   Mar85
    6.6    0.8     13      4   Apr85
    1.5    0.2      3      5   May85
    8.1    0.9     16      6   Jun85
    0.5    0.1      1      7   Jul85
    1.5    0.2      3      8   Aug85
    1.5    0.2      3      9   Sept85
    1.0    0.1      2     10   Oct85
    0.0    0.0      0     11   Nov85
   28.8    3.3     57     12   Dec85
           88.5  1,527     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 63-64

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_26                    SPOUSE UNEMPLOYED 1986-MOS                        │
└─────────────────────────────────────────────────────────────────────────┘
```

     (IF YES TO Y7_23)

     How many months in 1986?

        PCT   PCT   N   VALUE   LABEL
       VALID   ALL
        27.6   3.4   58   0
         0.5   0.1   1   1   Jan86
         9.5   1.2   20   2   Feb86
         7.1   0.9   15   3   Mar86
         5.7   0.7   12   4   Apr86
         1.9   0.2   4   5   May86
         9.5   1.2   20   6   Jun86
         3.3   0.4   7   7   Jul86
         5.2   0.6   11   8   Aug86
         1.4   0.2   3   9   Sept86
         1.9   0.2   4   10   Oct86
         2.4   0.3   5   11   Nov86
        23.8   2.9   50   12   Dec86
                87.8 1,515   -1
       -----   ----- -----
       100.0   100.0 1,725 cases

       Data type: numeric
       Missing-data code: -1
       Columns: 65-66

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_27                    RESPONDENT SERIOUS ACCIDENT                       │
└─────────────────────────────────────────────────────────────────────────┘
```

     Did you have a serious accident?

        PCT   PCT   N   VALUE   LABEL
       VALID   ALL
        91.5   73.3 1,265   1   No
         8.5   6.8   118   2   Yes
                19.8   342   -1
       -----   ----- -----
       100.0   100.0 1,725 cases

       Data type: numeric
       Missing-data code: -1
       Columns: 67-68

Y7_28   **RESPONDENT SERIOUS ACCIDENT-MOS**

    (IF YES TO Y7_27)

    When? (Month)

PCT VALID	PCT ALL	N	VALUE	LABEL
11.9	0.8	14	1	Jan
7.6	0.5	9	2	Feb
3.4	0.2	4	3	Mar
5.9	0.4	7	4	Apr
11.0	0.8	13	5	May
9.3	0.6	11	6	Jun
5.9	0.4	7	7	Jul
8.5	0.6	10	8	Aug
4.2	0.3	5	9	Sept
11.9	0.8	14	10	Oct
5.9	0.4	7	11	Nov
9.3	0.6	11	12	Dec
5.1	0.3	6	99	
	93.2	1,607	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

    Data type: numeric
    Missing-data code: -1
    Columns: 69-70

Y7_29   **RESP SERIOUS ACCID-1984,1985,1986**

    (IF YES TO Y7_27)

    When? (Year)

PCT VALID	PCT ALL	N	VALUE	LABEL
30.5	2.1	36	84	1984
23.7	1.6	28	85	1985
44.1	3.0	52	86	1986
1.7	0.1	2	99	
	93.2	1,607	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

    Data type: numeric
    Missing-data code: -1
    Columns: 71-72

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_30                    RESPONDENT SERIOUS ILLNESS                        │
└─────────────────────────────────────────────────────────────────────────┘
```

Did you have a serious illness?

```
   PCT     PCT       N   VALUE   LABEL
  VALID    ALL
  94.4    75.8   1,307       1   No
   5.6     4.5      77       2   Yes
          19.8     341      -1
  -----   -----   -----
  100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 73-74

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_31                    RESPONDENT SERIOUS ILLNESS-MOS                    │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_30)

When? (Month)

```
   PCT     PCT       N   VALUE   LABEL
  VALID    ALL
   3.9     0.2       3       1   Jan
   6.6     0.3       5       2   Feb
   6.6     0.3       5       3   Mar
   3.9     0.2       3       4   Apr
   7.9     0.3       6       5   May
  10.5     0.5       8       6   Jun
   2.6     0.1       2       7   Jul
   1.3     0.1       1       8   Aug
   9.2     0.4       7       9   Sept
  10.5     0.5       8      10   Oct
  10.5     0.5       8      11   Nov
  17.1     0.8      13      12   Dec
   5.3     0.2       4      17
   3.9     0.2       3      99
          95.6   1,649      -1
  -----   -----   -----
  100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 75-76

Y7_32	RESP SERIOUS ILLNESS-1984,85,86

(IF YES TO Y7_30)

When? (Year)

PCT VALID	PCT ALL	N	VALUE	LABEL
23.7	1.0	18	84	1984
30.3	1.3	23	85	1985
46.1	2.0	35	86	1986
	95.6	1,649	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 77-78

DISTRUPTIVE EVENTS FOR PARENTS

Y7_33	PARENTS DIVORCE-1984

In 1984, have any of the following events happened to your parents . . .

Divorce?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	79.2	1,366	1	No
0.9	0.8	13	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 79-80

Y7_34	PARENTS DIVORCE-1985

In 1985, have any of the following events happened to your parents . . .

Divorce?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.9	79.1	1,364	1	No
1.1	0.9	15	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 81-82

Y7_35   **PARENTS DIVORCE-1986**

 In 1986, have any of the following events happened to your
 parents . . .

 Divorce?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 98.8   79.0  1,362      1  No
  1.2    1.0     17      2  Yes
        20.1    346     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

 Data type: numeric
 Missing-data code: -1
 Columns: 83-84

Y7_36   **PARENTS SEPARATION-1984**

 In 1984, have any of the following events happened to your
 parents . . .

 Separation?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 98.0   78.3  1,351      1  No
  2.0    1.6     28      2  Yes
        20.1    346     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

 Data type: numeric
 Missing-data code: -1
 Columns: 85-86

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_37                    PARENTS SEPARATION-1985                   │
└─────────────────────────────────────────────────────────────────┘
```

In 1985, have any of the following events happened to your
parents . . .

Separation?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 98.0    78.4  1,352      1  No
  2.0     1.6     27      2  Yes
         20.1    346     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 87-88

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_38                    PARENTS SEPARATION-1986                   │
└─────────────────────────────────────────────────────────────────┘
```

In 1986, have any of the following events happened to your
parents . . .

Separation?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 97.7    78.1  1,347      1  No
  2.3     1.9     32      2  Yes
         20.1    346     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 89-90

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_39                    PARENTS REMARRIAGE-1984                       │
└──────────────────────────────────────────────────────────────────────┘
```

In 1984, have any of the following events happened to your
parents . . .

Remarriage?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 98.3   78.3  1,350      1  No
  1.7    1.4     24      2  Yes
        20.3    351     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 91-92

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_40                    PARENTS REMARRIAGE-1985                       │
└──────────────────────────────────────────────────────────────────────┘
```

In 1985, have any of the following events happened to your
parents . . .

Remarriage?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 99.1   78.9  1,361      1  No
  0.9    0.8     13      2  Yes
        20.3    351     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 93-94

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_41                  PARENTS REMARRIAGE-1986                         │
└─────────────────────────────────────────────────────────────────────┘
```

In 1986, have any of the following events happened to your
parents . . .

Remarriage?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 98.0    78.1  1,347       1  No
  2.0     1.6     27       2  Yes
         20.3    351      -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 95-96

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_42                  PARENTS DEATH-1984                              │
└─────────────────────────────────────────────────────────────────────┘
```

In 1984, have any of the following events happened to your
parents . . .

Death?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 98.9    79.1  1,365       1  No
  1.1     0.9     15       2  Yes
         20.0    345      -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 97-98

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_43                    PARENTS DEATH-1985                               │
└─────────────────────────────────────────────────────────────────────────┘
```

In 1985, have any of the following events happened to your
parents . . .

Death?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 99.1   79.2  1,367      1  No
  0.9    0.8     13      2  Yes
        20.0    345     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 99-100

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_44                    PARENTS DEATH-1986                               │
└─────────────────────────────────────────────────────────────────────────┘
```

In 1986, have any of the following events happened to your
parents . . .

Death?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 98.2   78.6  1,355      1  No
  1.8    1.4     25      2  Yes
        20.0    345     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 101-102

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_45                    PARENTS SERIOUS ACCIDENT-1984                │
└─────────────────────────────────────────────────────────────────────┘
```

In 1984, have any of the following events happened to your
parents . . .

Serious Accident?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 99.0    79.1   1,365      1  No
  1.0     0.8      14      2  Yes
         20.1     346     -1
 -----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 103-104

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_46                    PARENTS SERIOUS ACCIDENT-1985                │
└─────────────────────────────────────────────────────────────────────┘
```

In 1985, have any of the following events happened to your
parents . . .

Serious Accident?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 99.1    79.2   1,367      1  No
  0.9     0.7      12      2  Yes
         20.1     346     -1
 -----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 105-106

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_47                    PARENTS SERIOUS ACCIDENT-1986                      │
└──────────────────────────────────────────────────────────────────────────┘
```

   In 1986, have any of the following events happened to your
   parents . . .

   Serious Accident?

     PCT   PCT   N VALUE LABEL
   VALID   ALL
    98.3   78.6 1,355   1 No
     1.7   1.4   24   2 Yes
            20.1   346   -1
    -----   ----- -----
   100.0   100.0 1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 107-108

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_48                    PARENTS SERIOUS ILLNESS-1984                       │
└──────────────────────────────────────────────────────────────────────────┘
```

   In 1984, have any of the following events happened to your
   parents . . .

   Serious Illness?

     PCT   PCT   N VALUE LABEL
   VALID   ALL
    94.4   75.4 1,300   1 No
     5.6   4.5   77   2 Yes
            20.2   348   -1
    -----   ----- -----
   100.0   100.0 1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 109-110

```
Y7_49                    PARENTS SERIOUS ILLNESS-1985
```

In 1985, have any of the following events happened to your
parents . . .

Serious Illness?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 95.6    76.3  1,316      1  No
  4.4     3.5     61      2  Yes
         20.2    348     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 111-112

```
Y7_50                    PARENTS SERIOUS ILLNESS-1986
```

In 1986, have any of the following events happened to your
parents . . .

Serious Illness?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 92.8    74.1  1,278      1  No
  7.2     5.7     99      2  Yes
         20.2    348     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 113-114

Y7_51　　　　　　　　**FATHER LOST JOB-1984**

In 1984, have any of the following events happened to your
parents . . .

Did your father (FATHER FIGURE) lose his job for a period of two
months or longer?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.8	73.0	1,260	1	No
4.2	3.2	55	2	Yes
	23.8	410	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 115-116

Y7_52　　　　　　　　**FATHER LOST JOB-1985**

In 1985, have any of the following events happened to your
parents . . .

Did your father (FATHER FIGURE) lose his job for a period of two
months or longer?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.7	73.0	1,259	1	No
4.3	3.2	56	2	Yes
	23.8	410	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 117-118

```
Y7_53                    FATHER LOST JOB-1986
```

In 1986, have any of the following events happened to your
parents . . .

Did your father (FATHER FIGURE) lose his job for a period of two
months or longer?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  94.1   71.7  1,237      1  No
   5.9    4.5     78      2  Yes
         23.8    410     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 119-120

```
Y7_54                    MOTHER LOST JOB-1984
```

In 1984, have any of the following events happened to your
parents . . .

Did your Mother (MOTHER FIGURE) lose her job for a period of two
months or longer?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  98.2   78.0  1,346      1  No
   1.8    1.4     24      2  Yes
         20.6    355     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 121-122

Y7_55   **MOTHER LOST JOB-1985**

In 1985, have any of the following events happened to your
parents . . .

Did your Mother (MOTHER FIGURE) lose her job for a period of two
months or longer?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.1	77.1	1,330	1	No
2.9	2.3	40	2	Yes
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 123-124

Y7_56   **MOTHER LOST JOB-1986**

In 1986, have any of the following events happened to your
parents . . .

Did your Mother (MOTHER FIGURE) lose her job for a period of two
months or longer?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.8	76.9	1,326	1	No
3.2	2.6	44	2	Yes
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 125-126

Y7_57	LIVED WITH LONGEST

Who did you live with during 1986?

(CHECK AS MANY CATEGORIES AS APPLY)

(IF MORE THAN ONE ASK, Who did you live with the longest?)

PCT VALID	PCT ALL	N	VALUE	LABEL
15.1	12.1	209	1	Mother and Father
6.4	5.2	89	2	Mother only
1.2	1.0	17	3	Father only
1.1	0.9	15	4	Mother/Stepfather
0.2	0.2	3	5	Father/Stepmother
38.7	31.0	535	6	Spouse
12.3	9.9	170	7	Roommate
7.3	5.9	101	8	Bfriend/gfriend
11.2	9.0	155	9	Alone
1.2	0.9	16	10	Military
0.3	0.2	4	11	Other
0.3	0.2	4	12	Mother/other (reltd or not)
0.0	0.0	0	13	Father/other (reltd or not)
0.0	0.0	0	14	Mother/father/other
2.3	1.9	32	15	Relatives (not parents)
0.0	0.0	0	16	In-laws
0.6	0.5	8	17	Spouse and in-laws
0.3	0.2	4	18	Prison
0.6	0.5	8	19	Spouse and parents
0.1	0.1	2	20	Boyfr/girlfr/parents
0.0	0.0	0	21	Boyfr/girlfr/in-laws
0.2	0.2	3	22	Boyfr/girlfr
0.7	0.5	9	23	Alone w/own children
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 127-128

Y7_58   **LIVED WITH 2ND LONGEST**

PCT VALID	PCT ALL	N	VALUE	LABEL
76.3	61.2	1,056	0	
4.6	3.7	64	1	Mother and Father
1.7	1.3	23	2	Mother only
0.1	0.1	2	3	Father only
0.6	0.5	8	4	Mother/Stepfather
0.4	0.3	5	5	Father/Stepmother
2.5	2.0	34	6	Spouse
4.2	3.4	58	7	Roommate
1.9	1.5	26	8	Bfriend/gfriend
4.3	3.4	59	9	Alone
1.0	0.8	14	10	Military
0.0	0.0	0	11	Other
0.0	0.0	0	12	Mother/other (reltd or not)
0.1	0.1	1	13	Father/other (reltd or not)
0.1	0.1	1	14	Mother/father/other
1.4	1.1	19	15	Relatives (not parents)
0.1	0.1	1	16	In-laws
0.4	0.3	5	17	Spouse and in-laws
0.1	0.1	2	18	Prison
0.1	0.1	2	19	Spouse and parents
0.0	0.0	0	20	Boyfr/girlfr/parents
0.1	0.1	1	21	Boyfr/girlfr/in-laws
0.0	0.0	0	22	Boyfr/girlfr
0.2	0.2	3	23	Alone w/own children
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 129-130

Y7_59	LIVED WITH 3RD LONGEST

```
     PCT    PCT      N  VALUE  LABEL
    VALID    ALL
     97.0   77.8  1,342      0
      0.9    0.8     13      1  Mother and Father
      0.2    0.2      3      2  Mother only
      0.0    0.0      0      3  Father only
      0.0    0.0      0      4  Mother/Stepfather
      0.0    0.0      0      5  Father/Stepmother
      0.1    0.1      2      6  Spouse
      0.6    0.5      8      7  Roommate
      0.1    0.1      2      8  Bfriend/gfriend
      0.4    0.3      5      9  Alone
      0.1    0.1      2     10  Military
      0.0    0.0      0     11  Other
      0.0    0.0      0     12  Mother/other (reltd or not)
      0.0    0.0      0     13  Father/other (reltd or not)
      0.0    0.0      0     14  Mother/father/other
      0.4    0.3      5     15  Relatives (not parents)
      0.0    0.0      0     16  In-laws
      0.1    0.1      1     17  Spouse and in-laws
      0.0    0.0      0     18  Prison
      0.0    0.0      0     19  Spouse and parents
      0.0    0.0      0     20  Boyfr/girlfr/parents
      0.1    0.1      1     21  Boyfr/girlfr/in-laws
      0.0    0.0      0     22  Boyfr/girlfr
      0.0    0.0      0     23  Alone w/own children
             19.8    341     -1
    -----  -----  -----
    100.0  100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 131-132
```

NEIGHBORHOOD PROBLEMS

Y7_60   **NEIGH PROB-HIGH UNEMPLOYMENT**

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

High unemployment

PCT VALID	PCT ALL	N	VALUE	LABEL
56.0	44.8	773	1	Not a problem
31.2	25.0	431	2	Somewhat of a problem
12.8	10.2	176	3	Big problem
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 133-134

Y7_61   **NEIGH PROB-RACIAL CONFLICT**

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

Different racial or cultural groups who do not get along with each
other

PCT VALID	PCT ALL	N	VALUE	LABEL
77.6	62.2	1,073	1	Not a problem
18.6	14.9	257	2	Somewhat of a problem
3.8	3.0	52	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 135-136

Y7_62   **NEIGH PROB-VANDALISM**

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

 Vandalism, buildings and personal belongings broken and torn up

PCT VALID	PCT ALL	N	VALUE	LABEL
58.5	46.8	808	1	Not a problem
32.6	26.1	450	2	Somewhat of a problem
9.0	7.2	124	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 137-138

Y7_63   **NEIGH PROB-LAWLESSNESS**

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

 Little respect for rules, laws and authority

PCT VALID	PCT ALL	N	VALUE	LABEL
63.0	50.5	871	1	Not a problem
29.4	23.5	406	2	Somewhat of a problem
7.6	6.1	105	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 139-140

Y7_64   **NEIGH PROB-WINOS AND JUNKIES**

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

Winos and junkies

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 79.6   63.7  1,099      1  Not a problem
 13.8   11.1    191      2  Somewhat of a problem
  6.5    5.2     90      3  Big problem
        20.0    345     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 141-142

Y7_65   **NEIGH PROB-PROSTITUTION**

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

Prostitution

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 90.3   72.3  1,248      1  Not a problem
  6.5    5.2     90      2  Somewhat of a problem
  3.2    2.6     44      3  Big problem
        19.9    343     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 143-144

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_66                    NEIGH PROB-TRAFFIC                                │
└─────────────────────────────────────────────────────────────────────────┘
```

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

 Heavy vehicle traffic

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 51.3   41.1    709      1  Not a problem
 36.4   29.2    503      2  Somewhat of a problem
 12.3    9.9    170      3  Big problem
        19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 145-146

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_67                    NEIGH PROB-ABANDONED HOUSES                       │
└─────────────────────────────────────────────────────────────────────────┘
```

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

 Abandoned houses

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 86.3   69.1  1,192      1  Not a problem
 10.8    8.6    149      2  Somewhat of a problem
  3.0    2.4     41      3  Big problem
        19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 147-148

```
Y7_68                    NEIGH PROB-SEX ASSAULTS/RAPES
```

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Sexual assaults or rapes

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 81.5   65.3  1,126      1  Not a problem
 15.7   12.6    217      2  Somewhat of a problem
  2.8    2.3     39      3  Big problem
        19.9    343     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 149-150

```
Y7_69                    NEIGH PROB-BURGLARIES/THEFTS
```

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Burglaries and thefts

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 55.4   44.3    765      1  Not a problem
 36.5   29.2    504      2  Somewhat of a problem
  8.2    6.6    113      3  Big problem
        19.9    343     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 151-152

```
Y7_70                    NEIGH PROB-GAMBLING
```

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

 Gambling

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 87.8   70.3  1,213      1  Not a problem
  9.4    7.5    130      2  Somewhat of a problem
  2.8    2.2     38      3  Big problem
        19.9    344     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 153-154

```
Y7_71                    NEIGH PROB-RUN DOWN BUILDINGS
```

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

 Run down and poorly kept buildings and yards

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 73.4   58.8  1,014      1  Not a problem
 21.2   17.0    293      2  Somewhat of a problem
  5.4    4.3     75      3  Big problem
        19.9    343     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 155-156

```
Y7_72                  NEIGH PROB-ORGANIZED CRIME
```

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

 Syndicate, mafia, or organized crime

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  93.8   74.9  1,292      1  Not a problem
   4.7    3.8     65      2  Somewhat of a problem
   1.5    1.2     21      3  Big problem
          20.1    347     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 157-158

```
Y7_73                  NEIGH PROB-ASSAULTS/MUGGINGS
```

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

 Assaults and muggings

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  82.3   65.9  1,137      1  Not a problem
  14.2   11.4    196      2  Somewhat of a problem
   3.5    2.8     48      3  Big problem
          19.9    344     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 159-160

Y7_74	NEIGH PROB-DELINQUENT GANGS

Please tell me whether you think each was a problem in your
neighborhood or area where you lived for most of last year (1986).

Delinquent gangs

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 86.0   68.9  1,188      1  Not a problem
 10.6    8.5    146      2  Somewhat of a problem
  3.4    2.7     47      3  Big problem
        19.9    344     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 161-162

SOCIAL INTEGRATION

Friends

Y7_75	PARTICULAR GROUP OF FRIENDS

Between Christmas a year ago and the Christmas just past . . .

 Was there a particular group of friends that you ran around with

 (IF MARRIED OR LIVING WITH BOYFRIEND/GIRLFRIEND ADD, not including your spouse or boyfriend/girlfriend you are/were living with)?

 (STANDARD PROBE: that you spent most of your time with)

 (IF YES, SKIP TO Y7_79)

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 28.6   23.0    396      1  No
 71.4   57.3    988      2  Yes
        19.8    341     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 163-164

Y7_76   **ANY CLOSE FRIENDS**

(IF NO TO Y7_75)

Did you have any close friends?

(IF YES, SKIP TO Y7_79)

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 31.3    7.2    124      1  No
 68.7   15.8    272      2  Yes
        77.0  1,329     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 165-166

Y7_77   **HOW IMPORTANT TO HAVE FRIENDS**

(IF NO TO Y7_76)

How important is it to you to have a group of friends and be included in their activities?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 16.3    1.9     33      1  Not important at all
 31.5    3.7     64      2  Not too important
 32.0    3.8     65      3  Somewhat important
 11.3    1.3     23      4  Pretty important
  8.9    1.0     18      5  Very important
        88.2  1,522     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 167-168

Y7_78   **STRESS FROM NOT HAVING FRIENDS**

Do you feel any stress or pressure as a result of not having a group
of friends?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 49.7     5.7      99      1  Very little
 33.7     3.9      67      2  Not too much
 11.1     1.3      22      3  Some
  4.0     0.5       8      4  Quite a bit
  1.5     0.2       3      5  A great deal
          88.5  1,526     -1
-----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 169-170

Y7_79   **AFT/WKD SPENT W/FRIENDS**

On the average, how many weekday afternoons, Monday through Friday,
from 5:00 p.m. or the end of work to dinner, have you spent with your
friends?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 17.9    12.2     211      0  > than once aftn/weekday
 23.9    16.3     282      1  one aftn/weekday
 20.2    13.8     238      2  two aftn/weekday
 16.6    11.3     195      3  three aftn/weekday
  9.3     6.3     109      4  four aftn/weekday
 12.1     8.3     143      5  five aftn/weekday
          31.7     547     -1
-----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 171-172

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_80                    EVEN/WKD SPENT W/FRIENDS                          │
└─────────────────────────────────────────────────────────────────────────┘
```

On the average, how many weekday evenings, Monday through Friday,
from dinnertime to bedtime, have you spent with your friends?

```
   PCT    PCT     N  VALUE   LABEL
 VALID    ALL
  12.1    8.3    143      0  > than once even/weekday
  26.5   18.1    312      1  1 evenings/weekday
  21.7   14.8    256      2  2 evenings/weekday
  18.3   12.5    216      3  three evenings/weekday
  11.4    7.8    134      4  four evenings/weekday
  10.0    6.8    118      5  five evenings/weekday
         31.7    546     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 173-174

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_81                    TIME SPENT W/FRIENDS ON WKENDS                    │
└─────────────────────────────────────────────────────────────────────────┘
```

On the weekends, how much time have you generally spent with your
friends?

```
   PCT    PCT     N  VALUE   LABEL
 VALID    ALL
   7.5    5.1     88      1  Very little
  13.1    9.0    155      2  Not too much
  31.5   21.6    372      3  Some
  32.0   21.9    378      4  Quite a bit
  15.8   10.8    187      5  A great deal
         31.6    545     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 175-176

```
┌────────────────────────────────────────────────────────────────────────┐
│ Y7_82                    HRS PER WK SPENT W/FRIENDS                       │
└────────────────────────────────────────────────────────────────────────┘
```

On the average, how many hours per week have you spent with your friends?

```
Min    =  0                  Mean     =  17.294
Max    = 99                  Std Dev  =  16.753
Median = 12                  Variance = 280.657
```

(Based on 1,177 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 177-178

```
┌────────────────────────────────────────────────────────────────────────┐
│ Y7_83                    FRIENDS' INFLUENCE                               │
└────────────────────────────────────────────────────────────────────────┘
```

How much have your friends influenced what you've thought and done?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.8	5.3	92	1	Very little
21.6	14.8	255	2	Not too much
42.5	29.0	501	3	Some
21.4	14.7	253	4	Quite a bit
6.7	4.6	79	5	A great deal
	31.6	545	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 179-180

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_84                   WANT TO BE LIKE CLOSEST FRIENDS                        │
└─────────────────────────────────────────────────────────────────────────────┘
```

Would you like to be the kind of person your closest friends are?

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
   8.6     5.9     102      1  Not at all
  24.4    16.7     288      2  In a few ways
  50.4    34.5     595      3  In some ways
  14.7    10.1     174      4  In most ways
   1.8     1.2      21      5  In all ways
          31.6     545     -1
  -----   -----   -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 181-182

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_85                   HOW IMP WAS IT TO HAVE FRIENDS                         │
└─────────────────────────────────────────────────────────────────────────────┘
```

How important has it been to you to have a group of friends and be
included in their activities?

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
   0.9     0.6      11      1  Not important at all
   7.5     5.1      88      2  Not too important
  31.1    21.3     367      3  Somewhat important
  34.2    23.4     404      4  Pretty important
  26.3    18.0     310      5  Very important
          31.6     545     -1
  -----   -----   -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 183-184

```
Y7_86                    HOW SATISFIED W/GROUP OF FRIENDS
```

All things considered, how satisfied have you been with your group of
friends?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.2    0.1      2      1  very dissatisfied
  2.0    1.4     24      2  Somewhat dissatisfied
  5.8    4.0     69      3  Neither
 33.0   22.6    389      4  Somewhat satisfied
 59.0   40.3    696      5  Very satisfied
        31.6    545     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 185-186

```
Y7_87                    INTEREST/ACTIVITY SHARED W/FRIEND
```

To what extent have you and your friends shared the same interests
and activities?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.2    0.1      2      1  None
  6.4    4.4     76      2  A few
 35.5   24.3    419      3  Some
 54.9   37.6    648      4  Most
  3.0    2.0     35      5  All
        31.6    545     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 187-188

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_88                     STRESS/PRESSURE W/FRIENDS                    │
└─────────────────────────────────────────────────────────────────────┘
```

How much stress or pressure has there been in your relationships with your friends?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.9	19.1	329	1	Very little
48.5	33.2	572	2	Not too much
17.4	11.9	205	3	Some
4.5	3.1	53	4	Quite a bit
1.7	1.2	20	5	A great deal
	31.7	546	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 189-190

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_89                    WARMTH/AFFECTION FROM FRIENDS                 │
└─────────────────────────────────────────────────────────────────────┘
```

How much warmth and affection have you received from your friends?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.6	1.8	31	1	Very little
3.9	2.7	46	2	Not too much
25.6	17.5	302	3	Some
47.3	32.3	558	4	Quite a bit
20.5	14.0	242	5	A great deal
	31.7	546	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 191-192

Y7_90	SUPPORT/ENCOURAGE FROM FRIENDS

How much support and encouragement have you received from your friends?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.2	0.8	14	1	Very little
2.5	1.7	30	2	Not too much
17.8	12.2	210	3	Some
48.1	32.9	567	4	Quite a bit
30.4	20.8	358	5	A great deal
	31.7	546	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 193-194

Y7_91	LOYALTY FOR ONE

How much loyalty have you and your friends had for one another?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.6	0.4	7	1	Very little
1.4	0.9	16	2	Not too much
10.8	7.4	127	3	Some
44.7	30.6	527	4	Quite a bit
42.6	29.1	502	5	A great deal
	31.7	546	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 195-196

Education

Y7_92	RESPONDENT IN EDUCATION EXPER

Were you in high school, college, or university degree program, a business/vocational school program or some other educational program at any time during 1986?

(IF RESPONSE IS ACADEMIC PROGRAM, SKIP TO Y7_98)

PCT VALID	PCT ALL	N	VALUE	LABEL
22.3	17.9	309	1	Academic Program
4.3	3.5	60	2	Business/Vocational School
3.5	2.8	49	3	Other
69.8	55.9	965	4	No
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 197-198

```
Y7_93                    HIGHEST GRADE COMPLETED
```

What is the highest grade you've completed?

```
   PCT     PCT      N   VALUE   LABEL
  VALID    ALL
   0.0     0.0      0       5   5th grade
   0.4     0.2      4       6   6th grade
   0.4     0.2      4       7   7th grade
   0.8     0.5      9       8   8th grade
   3.6     2.3     39       9   9th grade
   6.2     3.9     67      10   10th grade
   5.3     3.3     57      11   11th grade
  48.0    29.9    515      12   12th grade
   8.2     5.1     88      13   1st college
  10.8     6.7    116      14   2nd college
   3.4     2.1     36      15   3rd college
  11.2     7.0    120      16   4th college
   1.7     1.0     18      17   1st grad sch
          37.8    652      -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 199-200

```
Y7_94                    LAST YEAR IN SCHOOL
```

What was the last year during which you were in school?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.1	2	73	
0.1	0.1	1	74	1974
0.3	0.2	3	75	1975
1.7	1.0	18	76	1976
4.7	2.9	50	77	1977
8.1	5.0	86	78	1978
8.6	5.3	92	79	1979
9.8	6.1	105	80	1980
14.2	8.8	151	81	1981
13.6	8.4	145	82	1982
15.7	9.7	167	83	1983
11.8	7.3	126	84	1984
11.2	6.9	119	85	1985
0.2	0.1	2	99	Dont Remember
	38.1	658	-1	

```
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 201-202

```
Y7_95                    SATISFIED W/EDUCATION EXPERIENCE
```

All things considered, how satisfied are you with your educational experience?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.9	3.7	63	1	Very dissatisfied
16.6	10.3	178	2	Somewhat dissatisfied
10.2	6.3	109	3	Neither
44.6	27.7	478	4	Somewhat satisfied
22.8	14.1	244	5	Very satisfied
	37.9	653	-1	

```
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 203-204

Y7_96	IMP PAST EDUCATION EXPERIENCE

How important is your past educational experience to you?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.5	0.3	5	1	Not important at all
4.4	2.7	47	2	Not too important
17.5	10.8	187	3	Somewhat important
32.1	19.9	344	4	Pretty important
45.6	28.3	488	5	Very important
	37.9	654	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 205-206

Y7_97	STRESS/PRESSURE FROM SIG OTHERS

Do you feel any personal stress or pressure from persons who are important to you as a result of your not going further in school?

(AFTER RESPONSE, SKIP TO Y7_107)

PCT VALID	PCT ALL	N	VALUE	LABEL
40.2	24.9	430	1	Very little
28.7	17.8	307	2	Not too much
19.3	12.0	207	3	Some
9.1	5.6	97	4	Quite a bit
2.7	1.7	29	5	A great deal
	38.0	655	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 207-208

```
Y7_98                 SCHOOL 1986, HIGHEST GRADE COMPL
```

What was the highest grade you completed in 1986?

```
   PCT    PCT      N   VALUE  LABEL
 VALID    ALL
   0.0    0.0      0       5  5th grade
   0.0    0.0      0       6  6th grade
   0.0    0.0      0       7  7th grade
   0.0    0.0      0       8  8th grade
   0.6    0.1      2       9  9th grade
   0.0    0.0      0      10  10th grade
   0.0    0.0      0      11  11th grade
   7.4    1.3     23      12  12th grade
  12.9    2.3     40      13  1st college
  17.2    3.1     53      14  2nd college
  28.2    5.0     87      15  3rd college
  23.3    4.2     72      16  4th college
  10.4    1.9     32      17  Graduate School
          82.1  1,416      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 209-210

```
Y7_99                 GRADE POINT AVERAGE
```

Which of the following best describes the grades you were getting at
school?

```
   PCT    PCT      N   VALUE  LABEL
 VALID    ALL
   1.0    0.2      3       1  Fs Mostly
   0.7    0.1      2       2  Ds Mostly
  18.2    3.2     56       3  Cs Mostly
  49.8    8.9    153       4  Bs Mostly
  30.3    5.4     93       5  As Mostly
          82.2  1,418      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 211-212

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_100              AFT/SCHOOL WK SPENT STUDYING                          │
└─────────────────────────────────────────────────────────────────────────┘
```

During the period you were in school . . .

On the average, how many weekday afternoons Monday through Friday,
from the end of school or work to dinner, did you spend studying?

```
   PCT     PCT      N  VALUE   LABEL
 VALID     ALL
  13.3     2.4      41      0  > than once aftn/weekday
  12.3     2.2      38      1  one aftn/weekday
  18.1     3.2      56      2  two aftn/weekday
  17.8     3.2      55      3  three aftn/weekday
  14.9     2.7      46      4  four aftn/weekday
  23.6     4.2      73      5  five aftn/weekday
          82.1  1,416     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 213-214

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_101              EVE/SCHOOL WK SPENT STUDYING                          │
└─────────────────────────────────────────────────────────────────────────┘
```

During the period you were in school . . .

On the average, how many weekday evenings Monday through Friday,
from dinnertime to bedtime, did you spend studying?

```
   PCT     PCT      N  VALUE   LABEL
 VALID     ALL
   4.9     0.9      15      0  > than once even/weekday
  10.7     1.9      33      1  1 evenings/weekday
  17.2     3.1      53      2  2 evenings/weekday
  25.9     4.6      80      3  three evenings/weekday
  20.7     3.7      64      4  four evenings/weekday
  20.7     3.7      64      5  five evenings/weekday
          82.1  1,416     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 215-216

Y7_102	TIME SPENT STUDYING ON WKENDS

During the period you were in school . . .

On the weekends, how much time did you generally spend studying?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.4	1.9	32	1	Very little
22.7	4.1	70	2	Not too much
39.8	7.1	123	3	Some
23.0	4.1	71	4	Quite a bit
4.2	0.8	13	5	A great deal
	82.1	1,416	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 217-218

Y7_103	HRS PER WK SPENT STUDYING

During the period you were in school . . .

On the average, how many hours per week did you spend studying?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.6	0.1	2	0	
0.3	0.1	1	1	
2.3	0.4	7	2	
0.3	0.1	1	3	
4.5	0.8	14	4	
4.2	0.8	13	5	
6.8	1.2	21	6	
1.0	0.2	3	7	
5.8	1.0	18	8	
1.9	0.3	6	9	
13.3	2.4	41	10	
6.8	1.2	21	12	
1.0	0.2	3	14	
8.1	1.4	25	15	
1.6	0.3	5	16	
0.3	0.1	1	17	
1.3	0.2	4	18	
11.7	2.1	36	20	
0.3	0.1	1	23	
0.3	0.1	1	24	
6.2	1.1	19	25	
0.3	0.1	1	26	
0.3	0.1	1	27	
1.0	0.2	3	28	
7.8	1.4	24	30	
1.6	0.3	5	35	
0.3	0.1	1	36	
3.2	0.6	10	40	
0.6	0.1	2	45	
0.6	0.1	2	48	
0.3	0.1	1	49	
2.3	0.4	7	50	
1.3	0.2	4	60	
1.0	0.2	3	72	
0.3	0.1	1	80	
0.0	0.0	0	99	99 hours or more
	82.1	1,417	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 219-220

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_104               HOW IMP SCHOOL/COLLEGE WORK                          │
└─────────────────────────────────────────────────────────────────────────┘
```

How important has your school/college work been to you?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
   0.0    0.0      0      1  Not important at all
   1.6    0.3      5      2  Not too important
   9.7    1.7     30      3  Somewhat important
  33.7    6.0    104      4  Pretty important
  55.0    9.9    170      5  Very important
         82.1  1,416     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 221-222

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_105               SATISFIED W/EDUCATION EXPERIENCE                     │
└─────────────────────────────────────────────────────────────────────────┘
```

All things considered, how satisfied are you with your educational
experience?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
   0.3    0.1      1      1  Very dissatisfied
   6.5    1.2     20      2  Somewhat dissatisfied
   6.1    1.1     19      3  Neither
  44.3    7.9    137      4  Somewhat satisfied
  42.7    7.7    132      5  Very satisfied
         82.1  1,416     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 223-224

| Y7_106 | STRESS/PRESSURE IN SCHOOL/COLLEGE |

How much pressure or stress was associated with your being in school/college?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.2	0.8	13	1	Very little
12.0	2.1	37	2	Not too much
31.4	5.6	97	3	Some
30.1	5.4	93	4	Quite a bit
22.3	4.0	69	5	A great deal
	82.1	1,416	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 225-226

Employment

Y7_107   **ANY JOBS IN THE PAST YEAR**

Between Christmas a year ago and the Christmas just past . . .

 Have you had a job or jobs? (INCLUDE ANY JOB FOR PAY
 INCLUDING MILITARY BUT NOT "ALLOWANCE")

(IF YES, SKIP TO Y7_124)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   9.7    7.8    134      1  No
  90.3   72.4  1,249      2  Yes
         19.8    342     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 227-228

Y7_108   **LOOKED COULDN'T FIND JOB IN 1986**

(IF NO TO Y7_107)

Between Christmas a year ago and the Christmas just past . . .

 Was there ever a time last year when you looked hard for
 a job but couldn't find one?

(IF NO, SKIP TO Y7_121)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  72.9    5.6     97      1  No
  27.1    2.1     36      2  Yes
         92.3  1,592     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 229-230

Y7_109   **LACKED NECESSARY SKILLS**

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a
job . . .

 Lacked the skills necessary for the job?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 52.8   1.1    19      1  No
 47.2   1.0    17      2  Yes
        97.9  1,689   -1
 -----  ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 231-232

Y7_110   **LACKED EXPERIENCE**

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a
job . . .

 Lacked the experience required for the job?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 47.2   1.0    17      1  No
 52.8   1.1    19      2  Yes
        97.9  1,689   -1
 -----  ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 233-234

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_111               LACKED EDUCATIONAL REQUIREMENTS                  │
└─────────────────────────────────────────────────────────────────────┘
```

    (IF YES TO Y7_108)

    Were any of the following things involved in your failure to get a
    job . . .

     Lacked the educational requirements for the job?

       PCT   PCT   N VALUE LABEL
      VALID   ALL
      69.4   1.4   25   1 No
      30.6   0.6   11   2 Yes
              97.9 1,689   -1
      ----- ----- -----
      100.0 100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 235-236

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_112               RACIAL DISCRIMINATION                            │
└─────────────────────────────────────────────────────────────────────┘
```

    (IF YES TO Y7_108)

    Were any of the following things involved in your failure to get a
    job . . .

     Racial discrimination by the employer?

       PCT   PCT   N VALUE LABEL
      VALID   ALL
      94.4   2.0   34   1 No
       5.6   0.1   2   2 Yes
              97.9 1,689   -1
      ----- ----- -----
      100.0 100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 237-238
```

---

**Y7_113**　　　　　　　　**SEXUAL DISCRIMINATION**

---

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a
job . . .

 Sexual discrimination by the employer?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 94.4   2.0     34      1  No
  5.6   0.1      2      2  Yes
        97.9  1,689     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 239-240

Y7_114　　　　　　　　**JOB DIDN'T PAY ENOUGH**

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a
job . . .

 Job didn't pay enough?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 80.6   1.7     29      1  No
 19.4   0.4      7      2  Yes
        97.9  1,689     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 241-242

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_115              NO JOBS AVAILABLE                                     │
└─────────────────────────────────────────────────────────────────────────┘


     PCT    PCT      N  VALUE  LABEL
    VALID   ALL
    88.9    1.9     32      1  No
    11.1    0.2      4      2  Yes
            97.9  1,689     -1
    -----  -----  -----
   100.0  100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 243-244
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_116              PRISON RECORD                                         │
└─────────────────────────────────────────────────────────────────────────┘


     PCT    PCT      N  VALUE  LABEL
    VALID   ALL
    97.2    2.0     35      1  No
     2.8    0.1      1      2  Yes
            97.9  1,689     -1
    -----  -----  -----
   100.0  100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 245-246
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_117              TRANSPORTATION PROBLEMS                               │
└─────────────────────────────────────────────────────────────────────────┘


     PCT    PCT      N  VALUE  LABEL
    VALID   ALL
    97.2    2.0     35      1  No
     2.8    0.1      1      2  Yes
            97.9  1,689     -1
    -----  -----  -----
   100.0  100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 247-248
```

```
Y7_118              TOO YOUNG
```

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  100.0   2.1    36      1  No
    0.0   0.0     0      2  Yes
          97.9 1,689     -1
  -----  ----- -----
  100.0  100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 249-250

```
Y7_119              TIMING PROBLEMS
```

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  100.0   2.1    36      1  No
    0.0   0.0     0      2  Yes
          97.9 1,689     -1
  -----  ----- -----
  100.0  100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 251-252

```
Y7_120              OTHER
```

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a
job . . .

 Other (DESCRIBE)?

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
   80.6   1.7    29      1
   19.4   0.4     7      2
          97.9 1,689     -1
  -----  ----- -----
  100.0  100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 253-254

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_121                    RECEIVE WELFARE/PUBLIC ASSISTANCE                │
└─────────────────────────────────────────────────────────────────────────┘
```

Were you receiving any welfare or public assistance during the year
such as Aid to Families with Dependent Children, Food Stamps or
Medicaid?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  62.9    4.8     83      1  No
  37.1    2.8     49      2  Yes
         92.3  1,593     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 255-256

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_122                    HOW IMPORTANT TO HAVE A JOB                      │
└─────────────────────────────────────────────────────────────────────────┘
```

How important is it to you to have a job?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   6.9    0.5      9      1  Not important at all
  16.0    1.2     21      2  Not too important
  19.8    1.5     26      3  Somewhat important
  22.9    1.7     30      4  Pretty important
  34.4    2.6     45      5  Very important
         92.4  1,594     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 257-258

Y7_123   **HOW MUCH STRESS/PRESSURE SIG OTH**

Do you feel any personal stress or pressure from persons who are important to you to get a job?

(AFTER RESPONSE, SKIP TO Y7_186)

PCT VALID	PCT ALL	N	VALUE	LABEL
40.5	3.1	53	1	Very little
23.7	1.8	31	2	Not too much
16.8	1.3	22	3	Some
9.9	0.8	13	4	Quite a bit
9.2	0.7	12	5	A great deal
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 259-260

Y7_124   **TOTAL NO. JOBS REPORTED FOR 1986**

PCT VALID	PCT ALL	N	VALUE	LABEL
63.8	46.2	797	1	1 job
24.5	17.7	306	2	2 jobs
9.4	6.8	117	3	3 jobs
1.8	1.3	22	4	4 jobs
0.4	0.3	5	5	5 jobs
0.2	0.1	2	6	6 jobs
0.0	0.0	0	7	7 jobs
0.0	0.0	0	8	8 jobs
0.0	0.0	0	9	9 jobs
0.0	0.0	0	10	10 jobs
	27.6	476	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 261-262

Y7_125 DUNCAN SOCIOECONOMIC INDEX 1986

1,725 cases (Range of valid codes: 2-92)

Data type: numeric
Missing-data code: -1
Columns: 263-264

Y7_126 HOLLINGSHEAD CODE MAJOR JOB 1986

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	1.7	29	1	
9.1	6.6	114	2	
7.8	5.6	97	3	
33.9	24.6	424	4	
12.2	8.8	152	5	
25.8	18.7	322	6	
8.9	6.4	111	7	
	27.6	476	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 265-266

Y7_127 WEEKS WORKED-1986

Weeks worked last year?

Min   = 1   Mean   = 39.520
Max   = 52   Std Dev = 15.210
Median = 50   Variance = 231.341

(Based on 1,249 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 267-268

Y7_128   HOURS PER WEEK-1986

Hours/week worked last year?

```
Min    =  2              Mean     =  40.520
Max    = 99              Std Dev  =  12.657
Median = 40              Variance = 160.192
```

(Based on 1,249 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 269-270

Y7_129   HIGHEST HOURLY WAGE IN 1986

What was your pay?

```
Min    =  0              Mean     =  7.041
Max    = 67              Std Dev  =  4.109
Median =  6              Variance = 16.880
```

(Based on 1,245 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 271-272

Y7_130   DUNCAN SOCIOECONOMIC INDEX 1986

1,725 cases (Range of valid codes: 2-84)

Data type: numeric
Missing-data code: -1
Columns: 273-274

Y7_131   WEEKS WORKED-1986

Weeks worked last year?

```
Min    =  1              Mean     =  17.618
Max    = 52              Std Dev  =  13.050
Median = 14              Variance = 170.312
```

(Based on 453 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 275-276

```
Y7_132               HOURS PER WEEK-1986
```

Hours/week worked last year?

```
Min    =  1                    Mean     =  31.353
Max    = 84                    Std Dev  =  15.379
Median = 35                    Variance = 236.521
```

(Based on 453 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 277-278

```
Y7_133               HIGHEST HOURLY WAGE IN 1986
```

What was your pay?

```
Min    =  0                    Mean     =  7.199
Max    = 99                    Std Dev  =  7.999
Median =  5                    Variance = 63.990
```

(Based on 448 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 279-280

```
Y7_134               DUNCAN SOCIOECONOMIC INDEX 1986
```

1,725 cases (Range of valid codes: 5-78)

Data type: numeric
Missing-data code: -1
Columns: 281-282

```
Y7_135               WEEKS WORKED-1986
```

Weeks worked last year?

```
Min    =  1                    Mean     = 10.605
Max    = 52                    Std Dev  =  8.945
Median =  8                    Variance = 80.008
```

(Based on 147 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 283-284

Y7_136   **HOURS PER WEEK-1986**

Hours/week worked last year?

```
Min    = 1                      Mean    =  26.828
Max    = 65                     Std Dev =  14.742
Median = 24                     Variance = 217.324
```

(Based on 145 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 285-286

Y7_137   **HIGHEST HOURLY WAGE IN 1986**

What was your pay?

```
Min    = 1                      Mean    =  6.021
Max    = 44                     Std Dev =  4.496
Median = 5                      Variance = 20.216
```

(Based on 144 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 287-288

Y7_138   DUNCAN SOCIOECONOMIC INDEX 1986

PCT VALID	PCT ALL	N	VALUE	LABEL
3.4	0.1	1	7	
13.8	0.2	4	11	
3.4	0.1	1	15	
6.9	0.1	2	16	
3.4	0.1	1	18	
3.4	0.1	1	27	
3.4	0.1	1	31	
10.3	0.2	3	39	
17.2	0.3	5	44	
10.3	0.2	3	50	
3.4	0.1	1	58	
3.4	0.1	1	61	
3.4	0.1	1	64	
6.9	0.1	2	65	
6.9	0.1	2	67	
	98.3	1,696	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 289-290

Y7_139   WEEKS WORKED-1986

Weeks worked last year?

```
Min    = 1                    Mean     =  7.690
Max    = 30                   Std Dev  =  6.825
Median = 5                    Variance = 46.579
```

(Based on 29 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 291-292

```
Y7_140              HOURS PER WEEK-1986
```

Hours/week worked last year?

```
Min    =  2                  Mean     =  21.429
Max    = 55                  Std Dev  =  14.831
Median = 15                  Variance = 219.958
```

(Based on 28 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 293-294

```
Y7_141              HIGHEST HOURLY WAGE IN 1986
```

What was your pay?

```
Min    =  3                  Mean     =  5.345
Max    = 22                  Std Dev  =  3.687
Median =  4                  Variance = 13.591
```

(Based on 29 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 295-296

```
Y7_142              DUNCAN SOCIOECONOMIC INDEX 1986
```

```
   PCT    PCT      N   VALUE  LABEL
 VALID    ALL
 14.3    0.1      1       6
 14.3    0.1      1      11
 14.3    0.1      1      15
 28.6    0.1      2      39
 14.3    0.1      1      65
 14.3    0.1      1      72
         99.6  1,718     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 297-298
```

```
Y7_143              WEEKS WORKED-1986
```

Weeks worked last year?

```
Min    = 1                    Mean     = 6.286
Max    = 20                   Std Dev  = 6.849
Median = 2                    Variance = 46.905
```

(Based on 7 valid cases)

```
Data type: numeric
Missing-data code: -1
Columns: 299-300
```

```
Y7_144              HOURS PER WEEK-1986
```

Hours/week worked last year?

```
Min    = 2                    Mean     = 17.857
Max    = 40                   Std Dev  = 12.655
Median = 20                   Variance = 160.143
```

(Based on 7 valid cases)

```
Data type: numeric
Missing-data code: -1
Columns: 301-302
```

Y7_145   **HIGHEST HOURLY WAGE IN 1986**

What was your pay?

Min	= 4	Mean	= 5.333
Max	= 10	Std Dev	= 2.338
Median	= 4.5	Variance	= 5.467

(Based on 6 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 303-304

Y7_146   **TOTAL WKS WORKED OTHER JOBS-1986**

Min	= 1	Mean	= 2.500
Max	= 4	Std Dev	= 2.121
Median	= 2.5	Variance	= 4.500

(Based on 2 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 305-306

Y7_147   **MEAN NO HRS/WK OTHER JOBS-1986**

Min	= 16	Mean	= 18.000
Max	= 20	Std Dev	= 2.828
Median	= 18	Variance	= 8.000

(Based on 2 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 307-308

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_148                    AVG HRLY WAGE ALL OTHER JOBS-1986                 │
└──────────────────────────────────────────────────────────────────────────┘
```

```
     Min    = 4                        Mean      = 4.500
     Max    = 5                        Std Dev   =  .707
     Median = 4.5                      Variance  =  .500

     (Based on 2 valid cases)

     Data type: numeric
     Missing-data code: -1
     Columns: 309-310
```

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_149                    HOW IMPORTANT WAS MAJOR JOB                       │
└──────────────────────────────────────────────────────────────────────────┘
```

How important has this job, (NAME OF JOB), been to you?

```
     PCT     PCT      N  VALUE  LABEL
   VALID     ALL
     0.8     0.6     10      1  Not important at all
     5.7     4.1     71      2  Not too important
    15.5    11.1    192      3  Somewhat important
    27.4    19.7    340      4  Pretty important
    50.6    36.5    629      5  Very important
            28.0    483     -1
   -----   -----   -----
   100.0   100.0   1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 311-312
```

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_150                    HOW SATISFIED WITH MAJOR JOB                      │
└──────────────────────────────────────────────────────────────────────────┘
```

All things considered, how satisfied have you been with this job?

```
     PCT     PCT      N  VALUE  LABEL
   VALID     ALL
     3.4     2.4     42      1  Very dissatisfied
     7.9     5.7     98      2  Somewhat dissatisfied
     9.5     6.8    118      3  Neither
    46.4    33.4    576      4  Somewhat satisfied
    32.8    23.6    407      5  Very satisfied
            28.1    484     -1
   -----   -----   -----
   100.0   100.0   1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 313-314
```

```
Y7_151               HOW MUCH PRESSURE/STRESS AT WORK
```

How much pressure or stress have you been under at work?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  14.7   10.6    182       1  Very little
  21.4   15.4    266       2  Not too much
  27.7   19.9    344       3  Some
  23.3   16.8    289       4  Quite a bit
  13.0    9.3    161       5  A great deal
         28.0    483      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 315-316

```
Y7_152               LOOKED COULDN'T FIND JOB IN 1986
```

Was there ever a time last year when you looked hard for a job but couldn't find one?

(IF NO, SKIP TO Y7_165)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  80.5   58.3  1,005       1  No
  19.5   14.1    244       2  Yes
         27.6    476      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 317-318

Y7_153	LACKED NECESSARY SKILLS

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a
job . . .

 Lacked the skills necessary for the job?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 65.2   9.2    159      1  No
 34.8   4.9     85      2  Yes
        85.9  1,481     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 319-320

Y7_154	LACKED EXPERIENCE

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a
job . . .

 Lacked the experience required for the job?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 43.9   6.2    107      1  No
 56.1   7.9    137      2  Yes
        85.9  1,481     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 321-322

```
Y7_155                    LACKED EDUCATIONAL REQUIREMENTS
```

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a
job . . .

 Lacked the educational requirements for the job?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  72.1   10.2    176       1  No
  27.9    3.9     68       2  Yes
         85.9  1,481      -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 323-324

```
Y7_156                    RACIAL DISCRIMINATION
```

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a
job . . .

 Racial discrimination by the employer?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  93.9   13.3    229       1  No
   6.1    0.9     15       2  Yes
         85.9  1,481      -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 325-326

Y7_157   **SEXUAL DISCRIMINATION**

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a
job . . .

 Sexual discrimination by the employer?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 95.9  13.6    234      1  No
  4.1   0.6     10      2  Yes
        85.9  1,481     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 327-328

Y7_158   **JOB DIDN'T PAY ENOUGH**

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a
job . . .

 Job didn't pay enough?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 58.6   8.3    143      1  No
 41.4   5.9    101      2  Yes
        85.9  1,481     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 329-330

Y7_159   NO JOBS AVAILABLE

```
     PCT    PCT      N  VALUE  LABEL
   VALID   ALL
   87.7   12.4    214      1  No
   12.3    1.7     30      2  Yes
          85.9  1,481     -1
   -----  -----  -----
   100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 331-332

Y7_160   PRISON RECORD

```
     PCT    PCT      N  VALUE  LABEL
   VALID   ALL
   99.6   14.1    243      1  No
    0.4    0.1      1      2  Yes
          85.9  1,481     -1
   -----  -----  -----
   100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 333-334

Y7_161   TRANSPORTATION PROBLEMS

```
     PCT    PCT      N  VALUE  LABEL
   VALID   ALL
   99.2   14.0    242      1  No
    0.8    0.1      2      2  Yes
          85.9  1,481     -1
   -----  -----  -----
   100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 335-336

| Y7_162 | | TOO YOUNG |

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  99.6   14.1    243      1  No
   0.4    0.1      1      2  Yes
         85.9  1,481     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 337-338

| Y7_163 | | TIMING PROBLEMS |

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  96.7   13.7    236      1  No
   3.3    0.5      8      2  Yes
         85.9  1,481     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 339-340

| Y7_164 | | OTHER |

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a job . . .

 Other (DESCRIBE)?

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  79.9   11.3    195      1
  20.1    2.8     49      2
         85.9  1,481     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 341-342

```
Y7_165                    WELFARE/PUBLIC ASSISTANCE
```

Were you receiving any welfare or public assistance during the year
such as Aid to Families with Dependent Children, Food Stamps or
Medicaid?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
  94.2    68.2  1,177      1  No
   5.8     4.2     72      2  Yes
          27.6    476     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 343-344

```
Y7_166                    BEEN FIRED/LAID OFF PAST YEAR
```

Have you been fired or laid off from a job during the past year?

(IF NO, SKIP TO Y7_179)

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
  89.5    64.8  1,118      1  No
  10.5     7.6    131      2  Yes
          27.6    476     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 345-346

Y7_167	REDUCTION IN FORCE

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Reduction in force?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 52.3    3.9     68      1  No
 47.7    3.6     62      2  Yes
        92.5  1,595     -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 347-348

Y7_168	LOW SENIORITY

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Low seniority?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 74.0    5.6     97      1  No
 26.0    2.0     34      2  Yes
        92.4  1,594     -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 349-350

Y7_169   **FOR VIOLATION OF COMPANY RULES**

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Your violation of company rules or policies?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 84.7   6.4    111      1  No
 15.3   1.2     20      2  Yes
        92.4  1,594     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 351-352

Y7_170   **RACIAL DISCRIMINATION**

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Racial discrimination by the employer?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 96.2   7.3    126      1  No
  3.8   0.3      5      2  Yes
        92.4  1,594     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 353-354

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_171                    SEXUAL DISCRIMINATION                               │
└─────────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Sexual discrimination by the employer?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  96.9    7.4     127       1  No
   3.1    0.2       4       2  Yes
          92.4  1,594      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 355-356

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_172                    LACK OF SKILLS FOR THE JOB                          │
└─────────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Lacked the necessary skills to do the job?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  93.9    7.1     123       1  No
   6.1    0.5       8       2  Yes
          92.4  1,594      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 357-358

```
Y7_173                  PERSONALITY CONFLICT
```

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Personality conflict with the boss/supervisor?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 76.3    5.8    100       1  No
 23.7    1.8     31       2  Yes
        92.4  1,594      -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 359-360

```
Y7_174              USING ALCOHOL/DRUGS ON THE JOB
```

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Your use of alcohol or drugs on the job?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
100.0    7.6    131       1  No
  0.0    0.0      0       2  Yes
        92.4  1,594      -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 361-362

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_175                  USING ALCOHOL/DRUGS OFF THE JOB                    │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Your use of alcohol or drugs off the job?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
  96.9    7.4     127       1  No
   3.1    0.2       4       2  Yes
          92.4  1,594      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 363-364

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_176                  THEFT OF COMPANY CASH/PROPERTY                     │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Theft of company cash or property?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 100.0    7.6     131       1  No
   0.0    0.0       0       2  Yes
          92.4  1,594      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 365-366

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_177               SEXUAL HARRASSMENT                                   │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

 Sexual harassment by another employee/supervisor?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 98.5   7.5    129      1  No
  1.5   0.1      2      2  Yes
        92.4  1,594     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 367-368

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_178               WAS TERMINATION JUSTIFIED                            │
└─────────────────────────────────────────────────────────────────────────┘
```

Do you feel this termination was justified?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 45.0   3.4     59      1  No
 55.0   4.2     72      2  Yes
        92.4  1,594     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 369-370

```
Y7_179              INTERPERSONAL SKILLS
```

Do you believe your chances for promotion or advancement at work have
been seriously limited by any of the following things . . .

 Your interpersonal skills?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 95.2   68.5  1,182      1  No
  4.8    3.5     60      2  Yes
         28.0    483     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 371-372

```
Y7_180              JOB SKILLS
```

Do you believe your chances for promotion or advancement at work have
been seriously limited by any of the following things . . .

 Your job skills?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 93.3   67.2  1,159      1  No
  6.7    4.8     83      2  Yes
         28.0    483     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 373-374

```
┌────────────────────────────────────────────────────────────────────────┐
│ Y7_181                    LEVEL OF EDUCATIONAL ACHIEVEMENT               │
└────────────────────────────────────────────────────────────────────────┘
```

Do you believe your chances for promotion or advancement at work have
been seriously limited by any of the following things . . .

 Your level of educational achievement or degree?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  84.0   60.4  1,042      1  No
  16.0   11.5    199      2  Yes
         28.1    484     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 375-376

```
┌────────────────────────────────────────────────────────────────────────┐
│ Y7_182                    AMOUNT OF JOB EXPERIENCE                       │
└────────────────────────────────────────────────────────────────────────┘
```

Do you believe your chances for promotion or advancement at work have
been seriously limited by any of the following things . . .

 Your amount of experience on the job?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  81.4   58.6  1,011      1  No
  18.6   13.4    231      2  Yes
         28.0    483     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 377-378

```
Y7_183                  SEXUAL DISCRIMINATION
```

Do you believe your chances for promotion or advancement at work have
been seriously limited by any of the following things . . .

 Sexual discrimination?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 96.5   69.4  1,198      1  No
  3.5    2.5     43      2  Yes
        28.1    484     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 379-380

```
Y7_184                  RACIAL DISCRIMINATION
```

Do you believe your chances for promotion or advancement at work have
been seriously limited by any of the following things . . .

 Racial discrimination?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 97.9   70.4  1,215      1  No
  2.1    1.5     26      2  Yes
        28.1    484     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 381-382

Y7_185 **APPEARANCE**

Do you believe your chances for promotion or advancement at work have been seriously limited by any of the following things . . .

 Your appearance (clothes, grooming, complexion weight, etc.)?

```
  PCT     PCT      N  VALUE  LABEL
 VALID   ALL
 97.5   70.2  1,211       1  No
  2.5    1.8     31       2  Yes
         28.0    483      -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 383-384

Y7_186 **AMOUNT INCOME OTHER THAN JOB EARN**

Excluding money earned on a job, what was the total amount of money you received from interest, dividends, gifts from parent(s), unemployment, alimony, public assistance etc. during 1986?

```
Min   =       0            Mean     =       1,443.440
Max   = 36,000             Std Dev  =       3,278.945
Median =    300            Variance = 10,751,479.541
```

(Based on 1,362 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 385-389

Y7_187   **EMPLOYED DURING 1985**

Did you have a job during 1985?

(IF NO, SKIP TO Y7_210)

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 12.9   10.3    178      1  No
 87.1   69.9  1,205      2  Yes
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 390-391

Y7_188   **NUMBER OF JOBS IN 1985**


```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 70.0   48.9    844      1  1 job
 23.8   16.6    287      2  2 jobs
  5.0    3.5     60      3  3 jobs
  0.9    0.6     11      4  4 jobs
  0.2    0.1      2      5  5 jobs
  0.0    0.0      0      6  6 jobs
  0.1    0.1      1      7  7 jobs
  0.0    0.0      0      8  8 jobs
  0.0    0.0      0      9  9 jobs
  0.0    0.0      0     10  10 jobs
        30.1    520     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 392-393

Y7_189   **DUNCAN SOCIOECONOMIC INDEX 1985**

1,725 cases (Range of valid codes: 2-92)

Data type: numeric
Missing-data code: -1
Columns: 394-395

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_190                     HOLLINGSHEAD CODE MAJOR JOB 1985                │
└─────────────────────────────────────────────────────────────────────────┘
```

```
    PCT     PCT      N   VALUE   LABEL
   VALID    ALL
    2.3     1.6      28      1
    7.8     5.4      94      2
    7.0     4.9      84      3
   31.6    22.1     381      4
   10.3     7.2     124      5
   30.0    20.9     361      6
   11.0     7.7     133      7
           30.1     520     -1
   -----   -----   -----
   100.0   100.0  1,725 cases


   Data type: numeric
   Missing-data code: -1
   Columns: 396-397
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_191              WEEKS WORKED-1985                                      │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   Weeks worked during 1985?

   Min    = 1                   Mean     =  39.635
   Max    = 52                  Std Dev  =  14.844
   Median = 50                  Variance = 220.357


   (Based on 1,205 valid cases)

   Data type: numeric
   Missing-data code: -1
   Columns: 398-399
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_192              HOURS PER WEEK-1985                                    │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   Hours/week worked during 1985?

   Min    = 3                   Mean     =  39.894
   Max    = 99                  Std Dev  =  12.738
   Median = 40                  Variance = 162.246


   (Based on 1,204 valid cases)

   Data type: numeric
   Missing-data code: -1
   Columns: 400-401
```

Y7_193   **HIGHEST HOURLY WAGE IN 1985**

What was your pay?

```
Min    =  0                  Mean     =  6.499
Max    = 67                  Std Dev  =  3.816
Median =  6                  Variance = 14.560
```

(Based on 1,200 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 402-403

Y7_194   **DUNCAN SOCIOECONOMIC INDEX 1985**

1,725 cases (Range of valid codes: 6-85)

Data type: numeric
Missing-data code: -1
Columns: 404-405

Y7_195   **WEEKS WORKED-1985**

Weeks worked during 1985?

```
Min    =  2                  Mean     =  17.983
Max    = 52                  Std Dev  =  12.991
Median = 14                  Variance = 168.754
```

(Based on 359 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 406-407

Y7_196   **HOURS PER WEEK-1985**

Hours/week worked during 1985?

```
Min    =  1                  Mean     =  31.492
Max    = 80                  Std Dev  =  14.985
Median = 35                  Variance = 224.542
```

(Based on 358 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 408-409

Y7_197   **HIGHEST HOURLY WAGE IN 1985**

What was your pay?

Min   =   0   Mean   =   6.421
Max   = 94   Std Dev =   6.820
Median =   5   Variance = 46.515

(Based on 356 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 410-411

```
Y7_198                  DUNCAN SOCIOECONOMIC INDEX 1985
```

PCT VALID	PCT ALL	N	VALUE	LABEL
4.1	0.2	3	6	
1.4	0.1	1	7	
1.4	0.1	1	9	
14.9	0.6	11	11	
2.7	0.1	2	12	
1.4	0.1	1	13	
4.1	0.2	3	15	
2.7	0.1	2	16	
2.7	0.1	2	17	
2.7	0.1	2	18	
2.7	0.1	2	19	
1.4	0.1	1	27	
1.4	0.1	1	34	
1.4	0.1	1	36	
16.2	0.7	12	39	
16.2	0.7	12	44	
1.4	0.1	1	46	
1.4	0.1	1	47	
1.4	0.1	1	48	
1.4	0.1	1	49	
2.7	0.1	2	50	
1.4	0.1	1	51	
1.4	0.1	1	52	
1.4	0.1	1	59	
4.1	0.2	3	64	
1.4	0.1	1	65	
1.4	0.1	1	67	
1.4	0.1	1	72	
1.4	0.1	1	78	
1.4	0.1	1	87	
	95.7	1,651	-1	

```
    -----  -----  -----
    100.0  100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 412-413
```

```
Y7_199              WEEKS WORKED-1985
```

Weeks worked during 1985?

```
Min    =  1                  Mean     = 12.068
Max    = 52                  Std Dev  =  9.549
Median = 10                  Variance = 91.176
```

(Based on 73 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 414-415

```
Y7_200              HOURS PER WEEK-1985
```

Hours/week worked during 1985?

```
Min    =  1                  Mean     =  27.351
Max    = 84                  Std Dev  =  16.459
Median = 25                  Variance = 270.889
```

(Based on 74 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 416-417

```
Y7_201              HIGHEST HOURLY WAGE IN 1985
```

What was your pay?

```
Min    =  1                  Mean     =  5.676
Max    = 40                  Std Dev  =  4.974
Median =  5                  Variance = 24.743
```

(Based on 74 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 418-419

```
Y7_202                  DUNCAN SOCIOECONOMIC INDEX 1985
```

```
   PCT    PCT      N   VALUE  LABEL
 VALID    ALL
 42.9    0.3      6     11
  7.1    0.1      1     12
  7.1    0.1      1     16
  7.1    0.1      1     17
  7.1    0.1      1     24
  7.1    0.1      1     39
 14.3    0.1      2     44
  7.1    0.1      1     64
         99.2  1,711    -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 420-421

```
Y7_203              WEEKS WORKED-1985
```

Weeks worked during 1985?

```
Min    =  1                 Mean     =  7.000
Max    = 20                 Std Dev  =  5.277
Median =  5.5               Variance = 27.846
```

(Based on 14 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 422-423

```
Y7_204              HOURS PER WEEK-1985
```

Hours/week worked during 1985?

```
Min    =  6                 Mean     =  24.286
Max    = 50                 Std Dev  =  14.117
Median = 18                 Variance = 199.297
```

(Based on 14 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 424-425

```
Y7_205                   HOURLY WAGE IN 1985
```

What was your pay?

What was your pay?

```
Min    = 2                      Mean     =  6.500
Max    = 25                     Std Dev  =  5.761
Median = 5                      Variance = 33.192
```

(Based on 14 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 426-427

```
Y7_206                   DUNCAN SOCIOECONOMIC INDEX 1985
```

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	0.1	2	11	
33.3	0.1	1	65	
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 428-429

```
Y7_207                   WEEKS WORKED-1985
```

Weeks worked during 1985?

```
Min    = 2                      Mean     =  9.333
Max    = 20                     Std Dev  =  9.452
Median = 6                      Variance = 89.333
```

(Based on 3 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 430-431

Y7_208   **HOURS PER WEEK-1985**

Hours/week worked during 1985?

```
Min    = 16                Mean    =  32.000
Max    = 40                Std Dev =  13.856
Median = 40                Variance = 192.000
```

(Based on 3 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 432-433

Y7_209   **HIGHEST HOURLY WAGE IN 1985**

What was your pay?

```
Min    = 3                 Mean    = 4.000
Max    = 5                 Std Dev = 1.000
Median = 4                 Variance = 1.000
```

(Based on 3 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 434-435

Y7_210   **EMPLOYED DURING 1984**

Did you have a job during 1984?

(IF NO, SKIP TO Y7_233)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 15.9   12.8    220      1  No
 84.1   67.4  1,163      2  Yes
        19.8    342     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 436-437

Y7_211	NUMBER OF JOBS IN 1984

PCT VALID	PCT ALL	N	VALUE	LABEL
77.0	51.9	895	1	1 job
18.9	12.8	220	2	2 jobs
3.4	2.3	40	3	3 jobs
0.7	0.5	8	4	4 jobs
0.0	0.0	0	5	5 jobs
0.0	0.0	0	6	6 jobs
0.0	0.0	0	7	7 jobs
0.0	0.0	0	8	8 jobs
0.0	0.0	0	9	9 jobs
0.0	0.0	0	10	10 jobs
	32.6	562	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 438-439

Y7_212	DUNCAN SOCIOECONOMIC INDEX 1984

1,725 cases (Range of valid codes: 2-92)

Data type: numeric
Missing-data code: -1
Columns: 440-441

Y7_213	HOLLINGSHEAD CODE MAJOR JOB 1984

PCT VALID	PCT ALL	N	VALUE	LABEL
1.7	1.2	20	1	
6.4	4.3	74	2	
5.8	3.9	68	3	
31.1	21.0	362	4	
9.5	6.4	110	5	
32.6	22.0	379	6	
12.9	8.7	150	7	
	32.6	562	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 442-443

Y7_214 **WEEKS WORKED-1984**

Weeks worked during 1984?

```
Min    =  2              Mean     =  39.033
Max    = 52              Std Dev  =  15.035
Median = 48              Variance = 226.052
```

(Based on 1,162 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 444-445

Y7_215 **HOURS PER WEEK-1984**

Hours/week worked during 1984?

```
Min    =  3              Mean     =  39.120
Max    = 99              Std Dev  =  13.737
Median = 40              Variance = 188.701
```

(Based on 1,160 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 446-447

Y7_216 **HIGHEST HOURLY WAGE IN 1984**

What was your pay?

```
Min    =  1              Mean     =  5.890
Max    = 45              Std Dev  =  3.173
Median =  5              Variance = 10.067
```

(Based on 1,156 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 448-449

Y7_217 **DUNCAN SOCIOECONOMIC INDEX 1984**

1,725 cases (Range of valid codes: 5-87)

Data type: numeric
Missing-data code: -1
Columns: 450-451

```
Y7_218              WEEKS WORKED-1984
```

Weeks worked during 1984?

```
Min    = 1                 Mean     =  16.895
Max    = 52                Std Dev  =  12.169
Median = 14                Variance = 148.087
```

(Based on 267 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 452-453

```
Y7_219              HOURS PER WEEK-1984
```

Hours/week worked during 1984?

```
Min    = 2                 Mean     =  30.839
Max    = 75                Std Dev  =  13.782
Median = 35                Variance = 189.940
```

(Based on 267 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 454-455

```
Y7_220              HIGHEST HOURLY WAGE IN 1984
```

What was your pay?

```
Min    = 0                 Mean     =  5.734
Max    = 42                Std Dev  =  3.937
Median = 5                 Variance = 15.497
```

(Based on 267 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 456-457

Y7_221   **DUNCAN SOCIOECONOMIC INDEX 1984**

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	0.1	1	6	
20.8	0.6	10	11	
2.1	0.1	1	12	
2.1	0.1	1	13	
2.1	0.1	1	15	
4.2	0.1	2	16	
4.2	0.1	2	17	
4.2	0.1	2	18	
2.1	0.1	1	26	
2.1	0.1	1	28	
2.1	0.1	1	33	
2.1	0.1	1	37	
8.3	0.2	4	39	
2.1	0.1	1	43	
18.8	0.5	9	44	
2.1	0.1	1	49	
4.2	0.1	2	50	
2.1	0.1	1	52	
2.1	0.1	1	60	
4.2	0.1	2	61	
2.1	0.1	1	64	
2.1	0.1	1	65	
2.1	0.1	1	67	
	97.2	1,677	-1	

```
    -----  -----  -----
    100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 458-459

Y7_222   **WEEKS WORKED-1984**

Weeks worked during 1984?

Min	= 1	Mean	= 13.646
Max	= 52	Std Dev	= 9.094
Median	= 12	Variance	= 82.702

(Based on 48 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 460-461

```
Y7_223              HOURS PER WEEK-1984
```

Hours/week worked during 1984?

```
Min    = 1                  Mean     = 24.239
Max    = 60                 Std Dev  = 14.813
Median = 20                 Variance = 219.430
```

(Based on 46 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 462-463

```
Y7_224              HIGHEST HOURLY WAGE IN 1984
```

What was your pay?

```
Min    = 2                  Mean     = 5.087
Max    = 20                 Std Dev  = 3.203
Median = 4                  Variance = 10.259
```

(Based on 46 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 464-465

```
Y7_225              DUNCAN SOCIOECONOMIC INDEX 1984
```

PCT VALID	PCT ALL	N	VALUE	LABEL
12.5	0.1	1	7	
12.5	0.1	1	11	
25.0	0.1	2	15	
12.5	0.1	1	16	
12.5	0.1	1	18	
12.5	0.1	1	32	
12.5	0.1	1	50	
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 466-467

```
Y7_226               WEEKS WORKED-1984
```

Weeks worked during 1984?

```
Min    =  2                 Mean     =  8.375
Max    = 26                 Std Dev  =  8.070
Median =  5                 Variance = 65.125
```

(Based on 8 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 468-469

```
Y7_227               HOURS PER WEEK-1984
```

Hours/week worked during 1984?

```
Min    =  8                 Mean     =  35.125
Max    = 75                 Std Dev  =  21.243
Median = 35                 Variance = 451.268
```

(Based on 8 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 470-471

```
Y7_228               HIGHEST HOURLY WAGE IN 1984
```

What was your pay?

```
Min    =  2                 Mean     = 6.000
Max    = 11                 Std Dev  = 2.976
Median =  5.5               Variance = 8.857
```

(Based on 8 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 472-473

Y7_229   **DUNCAN SOCIOECONOMIC INDEX 1984**

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
        100.0  1,725     -1
 -----  -----  -----
 100.0  100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 474-475
```

Y7_230   **WEEKS WORKED-1984**

Weeks worked during 1984?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
        100.0  1,725     -1
 -----  -----  -----
 100.0  100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 476-477
```

Y7_231   **HOURS PER WEEK-1984**

Hours/week worked during 1984?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
        100.0  1,725     -1
 -----  -----  -----
 100.0  100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 478-479
```

Y7_232   **HIGHEST HOURLY WAGE IN 1984**

What was your pay?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
       100.0  1,725     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 480-481

Partner

| Y7_233 | DURING 1986 MOST RECENT PARTNER |

(IF LIVING WITH BOTH SPOUSE AND BOYFRIEND/GIRLFRIEND)

Was the person you were living with most recently your spouse or a girlfriend/boyfriend?

(IF NOT LIVING WITH SPOUSE OR BOYFRIEND/GIRLFRIEND IN 1986, SKIP TO Y7_278)

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 60.0     0.2      3      1  Spouse
 40.0     0.1      2      2  Girlfr/boyfr (opposite sex)
  0.0     0.0      0      3  Girlfr/boyfr (same sex)
          99.7  1,720     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 482-483

Y7_234   **MONTHS LIVED WITH PARTNER**

(ASK QUESTIONS FOR THE MOST RECENT RELATIONSHIP)

Between Christmas a year ago and the Christmas just past . . .

 How many months did you live with your
 (spouse/girlfriend/boyfriend)?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	1	0	
0.3	0.1	2	1	(>1 month
1.7	0.7	12	2	2 months
2.2	0.9	16	3	3 months
1.8	0.8	13	4	4 months
3.8	1.6	27	5	5 months
2.7	1.1	19	6	6 months
2.7	1.1	19	7	7 months
3.2	1.3	23	8	8 months
2.7	1.1	19	9	9 months
1.7	0.7	12	10	10 months
1.4	0.6	10	11	11 months
75.8	31.5	543	12	12 months
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 484-485

```
Y7_235                    HOW IMPORTANT ACTIVIT W/PARTNER
```

      (ASK QUESTIONS FOR THE MOST RECENT RELATIONSHIP)

      How important have the things you've done with your
      (spouse/girlfriend/boyfriend) been to you?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.4    0.2      3      1  Not important at all
  1.3    0.5      9      2  Not too important
  8.1    3.4     58      3  Somewhat important
 13.0    5.4     93      4  Pretty important
 77.2   32.1    553      5  Very important
        58.5  1,009     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

      Data type: numeric
      Missing-data code: -1
      Columns: 486-487

```
Y7_236                    PARTNER'S INFLUENCE
```

      (ASK FOR THE MOST RECENT RELATIONSHIP)

      How much has your (spouse/girlfriend/boyfriend) influenced what
      you've thought and done?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  2.7    1.1     19      1  Very little
  4.1    1.7     29      2  Not too much
 18.6    7.7    133      3  Some
 39.8   16.5    285      4  Quite a bit
 34.9   14.5    250      5  A great deal
        58.5  1,009     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

      Data type: numeric
      Missing-data code: -1
      Columns: 488-489

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_237                  WANT TO BE LIKE PARTNER                           │
└─────────────────────────────────────────────────────────────────────────┘
```

   (ASK FOR THE MOST RECENT RELATIONSHIP)

   Would you like to be the kind of person your
   (spouse/boyfriend/girlfriend)is?

      PCT   PCT   N VALUE LABEL
    VALID   ALL
      9.5   3.9   68   1 Not at all
     17.7   7.4   127   2 In a few ways
     46.2   19.2   331   3 In some ways
     23.0   9.6   165   4 In most ways
      3.5   1.4   25   5 In all ways
            58.5 1,009   -1
    ----- ----- -----
    100.0 100.0 1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 490-491

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_238                  SATISFIED W/RELATION W/PARTNER                    │
└─────────────────────────────────────────────────────────────────────────┘
```

   (ASK FOR THE MOST RECENT RELATIONSHIP)

   All things considered, how satisfied have you been with your
   relationship with your (spouse/boyfriend/girlfriend)?

      PCT   PCT   N VALUE LABEL
    VALID   ALL
      3.5   1.4   25   1 very dissatisfied
      6.0   2.5   43   2 Somewhat dissatisfied
      2.9   1.2   21   3 Neither
     22.7   9.4   162   4 Somewhat satisfied
     64.9   26.9   464   5 Very satisfied
            58.6 1,010   -1
    ----- ----- -----
    100.0 100.0 1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 492-493

Y7_239   **INTEREST/ACTIVIT SHARED W/PARTN**

(ASK FOR THE MOST RECENT RELATIONSHIP)

To what extent have you and your (spouse/boyfriend/girlfriend) shared
the same interests and activities?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.1	0.5	8	1	None
8.1	3.4	58	2	A few
28.1	11.7	201	3	Some
54.7	22.7	392	4	Most
8.0	3.3	57	5	All
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 494-495

Y7_240   **HOW MUCH WARMTH/AFF FROM PARTNER**

(ASK FOR THE MOST RECENT RELATIONSHIP)

How much warmth and affection have you received from your
(spouse/boyfriend/girlfriend)?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.2	0.9	16	1	Very little
2.2	0.9	16	2	Not too much
8.8	3.7	63	3	Some
26.7	11.1	191	4	Quite a bit
60.1	24.9	430	5	A great deal
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 496-497

```
Y7_241                    HOW SATISFIED W/SEXUAL RELATIONS
```

(ASK FOR THE MOST RECENT RELATIONSHIP)

How satisfied have you been with the quality of your sexual
relations?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  2.1    0.9     15      1  very dissatisfied
  3.8    1.6     27      2  Somewhat dissatisfied
  3.5    1.4     25      3  Neither
 30.4   12.6    217      4  Somewhat satisfied
 60.2   24.9    429      5  Very satisfied
        58.7  1,012     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 498-499

```
Y7_242                    HOW MUCH SUPP/ENCOURAGE F/PARTNER
```

(ASK FOR THE MOST RECENT RELATIONSHIP)

How much support and encouragement have you received from your
(spouse/boyfriend/girlfriend)?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  2.5    1.0     18      1  Very little
  3.9    1.6     28      2  Not too much
 10.6    4.4     76      3  Some
 29.3   12.2    210      4  Quite a bit
 53.6   22.3    384      5  A great deal
        58.5  1,009     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 500-501

```
┌──────────────────────────────────────────────────────────────────┐
│ Y7_243              HOW MUCH LOYALTY BETWN YOU/PART                │
└──────────────────────────────────────────────────────────────────┘
```

(ASK FOR THE MOST RECENT RELATIONSHIP)

How much loyalty have you and your (spouse/boyfriend/girlfriend) had
for one another?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   1.5     0.6      11      1  Very little
   2.4     1.0      17      2  Not too much
   6.0     2.5      43      3  Some
  18.7     7.8     134      4  Quite a bit
  71.3    29.6     510      5  A great deal
          58.6   1,010     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 502-503

```
┌──────────────────────────────────────────────────────────────────┐
│ Y7_244              HOW MUCH STRESS/PRESS IN RELATION              │
└──────────────────────────────────────────────────────────────────┘
```

(ASK FOR THE MOST RECENT RELATIONSHIP)

How much stress or pressure has there been in this relationship?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  13.7     5.7      98      1  Very little
  25.4    10.6     182      2  Not too much
  30.6    12.7     219      3  Some
  19.4     8.1     139      4  Quite a bit
  10.9     4.5      78      5  A great deal
          58.5   1,009     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 504-505

Y7_245 **PARTNER TRY INFLUENCE YOU WRONG**

(ASK FOR THE MOST RECENT RELATIONSHIP)

Has your (spouse/boyfriend/girlfriend) ever tried to influence you to do something most people would think of as wrong?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.4	39.6	683	0	No
1.0	0.4	7	1	Once
1.8	0.8	13	2	Two or three times
1.8	0.8	13	3	Four or more times
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 506-507

Y7_246 **PARTNER EMPLOYED DURING 1986**

(ASK FOR THE MOST RECENT RELATIONSHIP)

Was your (spouse/boyfriend/girlfriend) employed at any time during 1986?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.5	4.8	82	1	No
88.5	36.8	634	2	Yes
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 508-509

Y7_249   **HOLLINGSHEAD CODE FOR MAJOR JOB**

PCT VALID	PCT ALL	N	VALUE	LABEL
2.5	0.9	16	1	
9.8	3.6	62	2	
7.7	2.8	49	3	
30.2	11.1	191	4	
14.5	5.3	92	5	
25.8	9.4	163	6	
9.5	3.5	60	7	
	63.3	1,092	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 514-515

Y7_250   **WEEKS WORKED AT PRIMARY JOB**

How many weeks did s/he work at this job?

Min	= 1		Mean	= 43.326
Max	= 52		Std Dev	= 14.161
Median	= 52		Variance	= 200.535

(Based on 631 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 516-517

Y7_251   **HRS PER WKS WORKED AT PRIMARY JOB**

On the average, how many hours per week did s/he work at this job?

Min	= 5		Mean	= 41.174
Max	= 99		Std Dev	= 11.390
Median	= 40		Variance	= 129.729

(Based on 627 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 518-519

Y7_252	DUNCAN SOCIOECONOMIC INDEX

PCT VALID	PCT ALL	N	VALUE	LABEL
1.1	0.1	1	4	
4.4	0.2	4	6	
7.8	0.4	7	7	
1.1	0.1	1	8	
8.9	0.5	8	9	
11.1	0.6	10	11	
1.1	0.1	1	13	
3.3	0.2	3	15	
5.6	0.3	5	16	
4.4	0.2	4	18	
5.6	0.3	5	19	
1.1	0.1	1	23	
2.2	0.1	2	24	
1.1	0.1	1	29	
3.3	0.2	3	32	
1.1	0.1	1	33	
1.1	0.1	1	38	
13.3	0.7	12	39	
6.7	0.3	6	44	
1.1	0.1	1	45	
1.1	0.1	1	47	
1.1	0.1	1	48	
1.1	0.1	1	49	
2.2	0.1	2	50	
1.1	0.1	1	62	
1.1	0.1	1	64	
2.2	0.1	2	65	
1.1	0.1	1	66	
2.2	0.1	2	67	
1.1	0.1	1	73	
	94.8	1,635	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 520-521

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_253              WEEKS WORKED AT 2ND JOB                                │
└─────────────────────────────────────────────────────────────────────────┘
```

How many weeks did s/he work at this job?

Min   = 2   Mean   = 18.876
Max   = 52   Std Dev = 14.196
Median = 16   Variance = 201.519

(Based on 89 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 522-523

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_254              HRS PER WKS WORKED AT 2ND JOB                          │
└─────────────────────────────────────────────────────────────────────────┘
```

On the average, how many hours per week did s/he work at this job?

Min   = 3   Mean   = 30.205
Max   = 70   Std Dev = 14.431
Median = 37.5   Variance = 208.257

(Based on 88 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 524-525

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_255              DUNCAN SOCIOECONOMIC INDEX                             │
└─────────────────────────────────────────────────────────────────────────┘
```

PCT VALID	PCT ALL	N	VALUE	LABEL
22.2	0.1	2	7	
11.1	0.1	1	8	
11.1	0.1	1	15	
11.1	0.1	1	16	
11.1	0.1	1	19	
11.1	0.1	1	52	
11.1	0.1	1	65	
11.1	0.1	1	72	
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 526-527

```
Y7_256                 WEEKS WORKED AT 3RD JOB
```

How many weeks did s/he work at this job?

```
Min    =  3               Mean     = 10.333
Max    = 18               Std Dev  =  5.050
Median = 12               Variance = 25.500
```

(Based on 9 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 528-529

```
Y7_257                 HRS PER WKS WORKED AT 3RD JOB
```

On the average, how many hours per week did s/he work at this job?

```
Min    = 15               Mean     =  32.778
Max    = 50               Std Dev  =  12.019
Median = 40               Variance = 144.444
```

(Based on 9 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 530-531

```
Y7_258                 DUNCAN SOCIOECONOMIC INDEX
```

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
        100.0  1,725     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 532-533

```
Y7_259                  WEEKS WORKED AT 4TH JOB
```

How many weeks did s/he work at this job?

```
   PCT    PCT      N  VALUE  LABEL
VALID    ALL
        100.0  1,725      -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 534-535

```
Y7_260                  HRS PER WKS WORKED AT 4TH JOB
```

On the average, how many hours per week did s/he work at this job?

```
   PCT    PCT      N  VALUE  LABEL
VALID    ALL
        100.0  1,725      -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 536-537

```
Y7_261                  HIGHEST GRADE PARTNER COMPLETED
```

How far has your (spouse/boyfriend/girlfriend) gone in school?
(HIGHEST ACADEMIC GRADE COMPLETED OR DEGREE ATTAINED)

```
  PCT     PCT      N  VALUE   LABEL
VALID     ALL
  0.0     0.0      0      6  6th grade
  0.0     0.0      0      7  7th grade
  0.8     0.3      6      8  8th grade
  2.8     1.2     20      9  9th grade
  3.8     1.6     27     10  10th grade
  5.9     2.4     42     11  11th grade
 48.0    19.9    344     12  12th grade
  7.5     3.1     54     13  1st college
 11.3     4.7     81     14  2nd college
  3.5     1.4     25     15  3rd college
 12.6     5.2     90     16  Bachelors degree
  3.4     1.4     24     17  Graduate degrees
  0.4     0.2      3     99  Dont Know
         58.5  1,009     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 538-539

```
Y7_262                  PARTNER'S TOTAL INCOME IN 1986
```

Approximately what was your (spouse's/boyfriend's/girlfriend's) total
income during 1986?

```
Min    =       0          Mean    =      14,775.293
Max    = 99,999           Std Dev =      11,614.177
Median = 13,000           Variance = 134,889,096.526
```

(Based on 679 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 540-544

```
Y7_263              ACCURACY OF AMT GIVEN AS ANSWER
```

```
   PCT     PCT       N  VALUE  LABEL
  VALID    ALL
  100.0    3.4      59      1  Amount given is only a guess
           96.6  1,666     -1
  -----   -----   -----
  100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 545-546

Family

Y7_264	FREQ PARTICIPATION FAM ACTIVITY

Between Christmas a year ago and the Christmas just past . . .

How often have you taken part in family activities such as birthday parties, holiday dinners, and traditional times?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   5.7    2.4     41      1  Never
  17.2    7.1    123      2  Once or twice
  26.4   11.0    189      3  3 or 4 times
  35.2   14.6    252      4  Monthly
  15.5    6.4    111      5  Weekly (or more often)
         58.5  1,009     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 547-548

Y7_265	NO. MOS LIVED W/FAMILY

Between Christmas a year ago and the Christmas just past . . .

 How many months did you live with your family, meaning
 your parents, brothers and sisters?

(IF 12 MONTHS, SKIP TO Y7_267)

PCT VALID	PCT ALL	N	VALUE	LABEL
83.7	34.7	599	0	>1 month
2.8	1.2	20	1	1 month
1.1	0.5	8	2	2 months
1.7	0.7	12	3	3 months
1.4	0.6	10	4	4 months
1.3	0.5	9	5	5 months
1.1	0.5	8	6	6 months
1.4	0.6	10	7	7 months
1.0	0.4	7	8	8 months
1.0	0.4	7	9	9 months
0.6	0.2	4	10	10 months
0.4	0.2	3	11	11 months
2.7	1.1	19	12	12 months
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 549-550

```
Y7_266                    FREQ CONTACT W/FAMILY
```

Between Christmas a year ago and the Christmas just past . . .

 During the months you were not living with your family in
 the pastyear, how often have you been in touch with your
 family through phone calls, letters, or visits?

```
   PCT     PCT     N   VALUE   LABEL
  VALID    ALL
   0.0     0.0     0      1   Never
   1.3     0.5     9      2   Once or twice
   4.0     1.6    28      3   3 or 4 times
  18.2     7.3   126      4   Monthly
  76.5    30.7   530      5   Weekly (or more often)
          59.8 1,032     -1
  -----   ----- -----
  100.0   100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 551-552

```
Y7_267                    PARENTS' INFLUENCE
```

Between Christmas a year ago and the Christmas just past . . .

 How much have your parents influenced what you've thought
 and done?

```
   PCT     PCT     N   VALUE   LABEL
  VALID    ALL
   5.3     2.2    38      1   Very little
  10.2     4.2    73      2   Not too much
  27.3    11.3   195      3   Some
  32.0    13.3   229      4   Quite a bit
  25.2    10.4   180      5   A great deal
          58.6 1,010     -1
  -----   ----- -----
  100.0   100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 553-554

```
Y7_268                    IMPORTANCE FAMILY ACTIVITIES
```

Between Christmas a year ago and the Christmas just past . . .

 How important have the things you've done with your family
 been to you?

```
  PCT     PCT       N   VALUE  LABEL
 VALID   ALL
  0.3     0.1      2       1  Not important at all
  3.4     1.4     24       2  Not too important
 16.5     6.8    118       3  Somewhat important
 30.7    12.8    220       4  Pretty important
 49.2    20.4    352       5  Very important
         58.5  1,009      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 555-556

```
Y7_269                    HOW SATISFIED W/REL W/PARENTS
```

Between Christmas a year ago and the Christmas just past . . .

 Overall, how satisfied have you been with your
 relationship with your parents?

```
  PCT     PCT       N   VALUE  LABEL
 VALID   ALL
  1.3     0.5      9       1  very dissatisfied
  3.9     1.6     28       2  Somewhat dissatisfied
  5.6     2.3     40       3  Neither
 37.3    15.5    267       4  Somewhat satisfied
 51.9    21.5    371       5  Very satisfied
         58.6  1,010      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 557-558

Y7_270   **HOW MUCH STRESS/PRESS REL PARENTS**

Between Christmas a year ago and the Christmas just past . . .

Think of your relationship with your parents. How much stress or
pressure has there been in this area of your life?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  23.9     9.9     171      1  Very little
  32.6    13.5     233      2  Not too much
  29.1    12.1     208      3  Some
  10.3     4.3      74      4  Quite a bit
   4.1     1.7      29      5  A great deal
          58.6   1,010     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 559-560

Y7_271   **FREQ PARTICIPATION PART FAM ACTIV**

Between Christmas a year ago and the Christmas just past . . .

How often have you taken part in your
(spouse's/girlfriend's/boyfriend's) family activities such
as birthday parties, holiday dinners, and traditional times?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
   9.2     3.8      66      1  Never
  20.7     8.6     148      2  Once or twice
  26.7    11.1     191      3  3 or 4 times
  30.6    12.7     219      4  Monthly
  12.8     5.3      92      5  Weekly (or more often)
          58.5   1,009     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 561-562

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_272                NO. MOS LIVED W/PARTNER'S FAMILY                    │
└─────────────────────────────────────────────────────────────────────────┘
```

Between Christmas a year ago and the Christmas just past . . .

How many months did you live with your
(spouse's/girlfriend's/boyfriend's) family?

(IF 12 MONTHS, SKIP TO Y7_274)

```
  PCT     PCT      N   VALUE   LABEL
VALID     ALL
 92.7    38.5    664      0    >1 month
  2.1     0.9     15      1    1 month
  1.1     0.5      8      2    2 months
  0.8     0.3      6      3    3 months
  0.3     0.1      2      4    4 months
  0.3     0.1      2      5    5 months
  0.7     0.3      5      6    6 months
  0.1     0.1      1      7    7 months
  0.3     0.1      2      8    8 months
  0.1     0.1      1      9    9 months
  0.1     0.1      1     10    10 months
  1.3     0.5      9     12
          58.5  1,009     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 563-564

Y7_273	FREQ CONTACT W/PARTNER'S FAMILY

Between Christmas a year ago and the Christmas just past . . .

During the months you were not living with your
(spouse's/girlfriend's/boyfriend's) family in the past year, how
often have you been in touch with them through
phone calls, letters, or visits?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.8	2.4	41	1	Never
7.5	3.1	53	2	Once or twice
7.1	2.9	50	3	3 or 4 times
20.3	8.3	143	4	Monthly
59.3	24.3	419	5	Weekly (or more often)
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 565-566

Y7_274	PARTNER'S PARENTS' INFLUENCE

Between Christmas a year ago and the Christmas just past . . .

How much have (his/her) parents influenced what you've thought and
done?

PCT VALID	PCT ALL	N	VALUE	LABEL
30.4	12.5	216	1	Very little
25.6	10.6	182	2	Not too much
26.6	11.0	189	3	Some
13.4	5.5	95	4	Quite a bit
4.1	1.7	29	5	A great deal
	58.8	1,014	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 567-568

Y7_275   IMPORTANCE PARTNER'S FAM ACTIVITY

Between Christmas a year ago and the Christmas just past . . .

How important have the things you've done with (his/her)
family been to you?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  6.0    2.5     43      1  Not important at all
 11.0    4.5     78      2  Not too important
 34.8   14.4    248      3  Somewhat important
 30.3   12.5    216      4  Pretty important
 17.8    7.4    127      5  Very important
        58.7  1,013     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 569-570

Y7_276   STRESS/PRESS REL W/PART PAR

Between Christmas a year ago and the Christmas just past . . .

Think of your relationship with your
(spouse's/boyfriend's/girlfriend's) parents. How much stress or
pressure has there been in this area of your life?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 32.7   13.4    232      1  Very little
 30.1   12.4    214      2  Not too much
 21.0    8.6    149      3  Some
 11.5    4.8     82      4  Quite a bit
  4.6    1.9     33      5  A great deal
        58.8  1,015     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 571-572

Y7_277   **HOW SATISFIED W/REL W/PART PAR**

Between Christmas a year ago and the Christmas just past . . .

Overall, how satisfied have you been with your relationship with
your (in-laws/girlfriend's parents/boyfriend's parents)?

(AFTER RESPONSE, SKIP TO Y7_290)

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  4.2    1.7     30      1 Very dissatisfied
  8.7    3.6     62      2 Somewhat dissatisfied
 14.5    6.0    103      3 Neither
 39.4   16.2    280      4 Somewhat satisfied
 33.2   13.7    236      5 Very satisfied
        58.8  1,014     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 573-574

Y7_278   **AFT/SCHOOL WK SPENT W/FAMILY**

Between Christmas a year ago and the Christmas just past . . .

On the average, how many weekday afternoons, Monday through Friday,
from 5:00 p.m. or the end of work to dinner, have you spent playing,
talking, or working with members of your family?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 29.1   11.2    193      0 >No wkday aftn with fam
 13.9    5.3     92      1 1 Wkday aftn with fam
 15.5    6.0    103      2 2 Wkday aftn with fam
 12.4    4.8     82      3 3 Wkday aftn with fam
 10.1    3.9     67      4 4 Wkday aftn with fam
 19.0    7.3    126      5 5 Wkday aftn with fam
        61.6  1,062     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 575-576

Y7_279 **EVE/SCHOOL WK SPENT W/FAMILY**

Between Christmas a year ago and the Christmas just past . . .

On the average, how many weekday evenings, Monday through
Friday, from dinnertime to bedtime, have you spent playing,
talking, or working with members of your family?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.9	7.7	132	0	>No wkday even with fam
19.2	7.4	127	1	1 Wkday even with fam
19.2	7.4	127	2	2 Wkday even with fam
15.2	5.9	101	3	3 Wkday even with fam
11.3	4.3	75	4	4 Wkday even with fam
15.2	5.9	101	5	5 Wkday even with fam
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 577-578

Y7_280 **TIME WKNDS SPENT W/FAMILY**

Between Christmas a year ago and the Christmas just past . . .

On the weekends, how much time have you generally spent
playing, talking, or working with members of your family?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.5	6.7	116	1	Very little
16.9	6.5	112	2	Not too much
39.1	15.0	259	3	Some
19.5	7.5	129	4	Quite a bit
7.1	2.7	47	5	A great deal
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 579-580

Y7_281   **FREQ PARTICIPATION FAM ACTIV**

Between Christmas a year ago and the Christmas just past . . .

 How often have you taken part in family activities such as
 birthday parties, holiday dinners, and traditional times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	2.0	34	1	Never
14.2	5.4	94	2	Once or twice
26.1	10.0	173	3	3 or 4 times
39.5	15.2	262	4	Monthly
15.2	5.9	101	5	Weekly (or more often)
	61.5	1,061	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 581-582

Y7_282   **NO. MOS LIVED W/FAMILY**

Between Christmas a year ago and the Christmas just past . . .

 How many months did you live with your family?

(IF 12 MONTHS, SKIP TO Y7_284)

PCT VALID	PCT ALL	N	VALUE	LABEL
36.8	14.1	244	0	>1 month
2.6	1.0	17	1	1 month
2.0	0.8	13	2	2 months
4.8	1.9	32	3	3 months
3.3	1.3	22	4	4 months
2.1	0.8	14	5	5 months
2.7	1.0	18	6	6 months
1.5	0.6	10	7	7 months
2.6	1.0	17	8	8 months
2.0	0.8	13	9	9 months
1.1	0.4	7	10	10 months
0.8	0.3	5	11	11 months
37.9	14.6	251	12	12 months
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 583-584

```
Y7_283                FREQ OF CONTACT W/FAMILY
```

Between Christmas a year ago and the Christmas just past . . .

 During the months you were not living with your family in
 the past year, how often have you been in touch with your
 family through phone calls, letters, or visits?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  0.5     0.1      2     1  Never
  3.2     0.8     13     2  Once or twice
  4.6     1.1     19     3  3 or 4 times
 11.4     2.7     47     4  Monthly
 80.3    19.1    330     5  Weekly (or more often)
         76.2  1,314    -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 585-586

```
Y7_284                PARENTS' INFLUENCE
```

Between Christmas a year ago and the Christmas just past . . .

 How much have your parents influenced what you've thought
 and done?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  3.3     1.3     22     1  Very little
  6.5     2.5     43     2  Not too much
 21.3     8.2    141     3  Some
 37.3    14.3    247     4  Quite a bit
 31.7    12.2    210     5  A great deal
         61.6  1,062    -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 587-588

```
Y7_285                    IMPORTANCE OF FAMILY ACTIVITIES
```

Between Christmas a year ago and the Christmas just past . . .

How important have the things you've done with your family
been to you?

```
  PCT     PCT       N  VALUE  LABEL
 VALID    ALL
  1.1     0.4       7      1  Not important at all
  1.1     0.4       7      2  Not too important
 16.1     6.2     107      3  Somewhat important
 38.3    14.7     254      4  Pretty important
 43.5    16.8     289      5  Very important
         61.5   1,061     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 589-590

```
Y7_286                    HOW SATISFIED W/REL W/PARENTS
```

Between Christmas a year ago and the Christmas just past . . .

All things considered, how satisfied have you been with your
relationship with your parents?

```
  PCT     PCT       N  VALUE  LABEL
 VALID    ALL
  1.4     0.5       9      1  very dissatisfied
  3.8     1.4      25      2  Somewhat dissatisfied
  5.1     2.0      34      3  Neither
 36.3    14.0     241      4  Somewhat satisfied
 53.4    20.5     354      5  Very satisfied
         61.6   1,062     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 591-592

```
Y7_287                    HOW MUCH WARMTH/AFF FROM PARENTS
```

Between Christmas a year ago and the Christmas just past . . .

How much warmth and affection have you received from your
parents?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.4	0.9	16	1	Very little
3.0	1.2	20	2	Not too much
14.4	5.5	95	3	Some
35.7	13.7	236	4	Quite a bit
44.5	17.0	294	5	A great deal
	61.7	1,064	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 593-594

```
Y7_288                    HOW MUCH SUPPORT/ENCOURAGE F/PAR
```

Between Christmas a year ago and the Christmas just past . . .

How much support and encouragement have you received from your
parents?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.4	0.9	16	1	Very little
3.3	1.3	22	2	Not too much
14.1	5.4	93	3	Some
33.1	12.7	219	4	Quite a bit
47.0	18.0	311	5	A great deal
	61.7	1,064	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 595-596

Y7_289   **HOW MUCH STRESS/PRESS REL W/PAR**

Between Christmas a year ago and the Christmas just past . . .

 Think of your relationship with your parents. How much
 stress or pressure has there been in this relationship?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.8	8.0	138	1	Very little
32.2	12.3	213	2	Not too much
32.0	12.3	212	3	Some
10.0	3.8	66	4	Quite a bit
5.0	1.9	33	5	A great deal
	61.6	1,063	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 597-598

Children

Y7_290   **HAVE ANY CHILDREN**

Do you have any children? (INCLUDE STEPCHILDREN)

(IF NO SKIP TO Y7_325)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 60.4   48.4     835      1  No
 39.6   31.8     548      2  Yes
        19.8     342     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 599-600

Y7_291   **OLDEST CHILD-BIRTHDATE MO**

Birthdate of Oldest child? (Month)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  7.8    2.5      43      1  Jan
  8.2    2.6      45      2  Feb
  8.2    2.6      45      3  Mar
  8.8    2.8      48      4  Apr
  8.4    2.7      46      5  May
  6.9    2.2      38      6  Jun
  7.8    2.5      43      7  Jul
  9.7    3.1      53      8  Aug
  8.8    2.8      48      9  Sept
  9.1    2.9      50     10  Oct
  6.9    2.2      38     11  Nov
  9.1    2.9      50     12  Dec
  0.2    0.1       1     99  Dont know
        68.2   1,177     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 601-602

Y7_292			**OLDEST CHILD-BIRTHDATE YR**	

Birthdate of Oldest child? (Year)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.1	1	62	
0.2	0.1	1	67	
0.0	0.0	0	70	1970
0.5	0.2	3	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.2	0.1	1	74	1974
0.4	0.1	2	75	1975
1.5	0.5	8	76	1976
2.0	0.6	11	77	1977
3.6	1.2	20	78	1978
5.1	1.6	28	79	1979
8.2	2.6	45	80	1980
9.7	3.1	53	81	1981
8.8	2.8	48	82	1982
11.1	3.5	61	83	1983
14.2	4.5	78	84	1984
12.0	3.8	66	85	1985
17.0	5.4	93	86	1986
5.3	1.7	29	87	1987
	68.2	1,177	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 603-604

Y7_293			**OLDEST CHILD-SEX**	

Sex of Oldest child?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.8	16.1	278	1	Boy
49.2	15.6	269	2	Girl
	68.3	1,178	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 605-606

Y7_294	OLDEST CHILD-LIVING W/RESP

Is Oldest child living with respondent?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.8	26.8	463	1	Yes
15.2	4.8	83	2	No
	68.3	1,179	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 607-608

Y7_295	OLDEST CHILD-BIOLOGICAL

Is Oldest child your biological child?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.1	1.6	28	1	No
94.7	30.0	517	2	Yes
0.2	0.1	1	9	Dont Know
	68.3	1,179	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 609-610

Y7_296	NEXT OLDEST CHILD-BIRTHDATE MO

Birthdate of Next Oldest child? (Month)

```
   PCT    PCT      N   VALUE   LABEL
 VALID    ALL
   7.1    1.0     17       1   Jan
   9.2    1.3     22       2   Feb
   8.8    1.2     21       3   Mar
   9.6    1.3     23       4   Apr
   8.4    1.2     20       5   May
   7.9    1.1     19       6   Jun
   6.7    0.9     16       7   Jul
   5.4    0.8     13       8   Aug
  10.0    1.4     24       9   Sept
   9.2    1.3     22      10   Oct
   7.9    1.1     19      11   Nov
   8.8    1.2     21      12   Dec
   0.8    0.1      2      99
          86.1  1,486      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 611-612

```
Y7_297              NEXT OLDEST CHILD-BIRTHDATE YR
```

Birthdate of Next Oldest child? (Year)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.4	0.1	1	74	1974
0.4	0.1	1	75	1975
0.0	0.0	0	76	1976
0.8	0.1	2	77	1977
1.3	0.2	3	78	1978
2.1	0.3	5	79	1979
2.9	0.4	7	80	1980
9.2	1.3	22	81	1981
7.1	1.0	17	82	1982
12.1	1.7	29	83	1983
14.6	2.0	35	84	1984
18.8	2.6	45	85	1985
23.0	3.2	55	86	1986
7.1	1.0	17	87	1987
	86.1	1,486	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 613-614

```
Y7_298              NEXT OLDEST CHILD-SEX
```

Sex of Next Oldest child?

PCT VALID	PCT ALL	N	VALUE	LABEL
46.9	6.5	112	1	Boy
53.1	7.4	127	2	Girl
	86.1	1,486	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 615-616

Y7_299   **NEXT OLDEST CHILD-LIVING W/RESP**

Is Next Oldest child living with respondent?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  85.7   11.8     204      1  Yes
  14.3    2.0      34      2  No
          86.2  1,487     -1
 -----   -----   -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 617-618

Y7_300   **NEXT OLDEST CHILD-BIOLOGICAL**

Is Next Oldest child your biological child?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   4.2    0.6      10      1  No
  95.8   13.3     229      2  Yes
   0.0    0.0       0      9  Dont Know
          86.1  1,486     -1
 -----   -----   -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 619-620

```
Y7_301                    NEXT OLDEST CHILD-BIRTHDATE MO
```

Birthdate of Next Oldest child? (Month)

```
    PCT    PCT      N   VALUE   LABEL
  VALID    ALL
    8.6    0.3      6       1   Jan
   10.0    0.4      7       2   Feb
    4.3    0.2      3       3   Mar
    7.1    0.3      5       4   Apr
    1.4    0.1      1       5   May
   12.9    0.5      9       6   Jun
   11.4    0.5      8       7   Jul
   10.0    0.4      7       8   Aug
   14.3    0.6     10       9   Sept
    2.9    0.1      2      10   Oct
   10.0    0.4      7      11   Nov
    5.7    0.2      4      12   Dec
    1.4    0.1      1      99
           95.9  1,655      -1
  -----  -----  -----
  100.0  100.0  1,725  cases
```

Data type: numeric
Missing-data code: -1
Columns: 621-622

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_302                    NEXT OLDEST CHILD-BIRTHDATE YR                   │
└─────────────────────────────────────────────────────────────────────────┘
```

Birthdate of Next Oldest child? (Year)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.0	0.0	0	74	1974
0.0	0.0	0	75	1975
1.4	0.1	1	76	1976
0.0	0.0	0	77	1977
0.0	0.0	0	78	1978
1.4	0.1	1	79	1979
0.0	0.0	0	80	1980
11.4	0.5	8	81	1981
8.6	0.3	6	82	1982
8.6	0.3	6	83	1983
15.7	0.6	11	84	1984
20.0	0.8	14	85	1985
27.1	1.1	19	86	1986
5.7	0.2	4	87	1987
	95.9	1,655	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 623-624

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_303                    NEXT OLDEST CHILD-SEX                            │
└─────────────────────────────────────────────────────────────────────────┘
```

Sex of Next Oldest child?

PCT VALID	PCT ALL	N	VALUE	LABEL
57.1	2.3	40	1	Boy
42.9	1.7	30	2	Girl
	95.9	1,655	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 625-626

```
Y7_304                 NEXT OLDEST CHILD-LIVING W/RESP
```

Is Next Oldest child living with respondent?

```
  PCT    PCT       N  VALUE  LABEL
VALID    ALL
 88.4    3.5      61       1  Yes
 11.6    0.5       8       2  No
         96.0  1,656      -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 627-628

```
Y7_305                 NEXT OLDEST CHILD-BIOLOGICAL
```

Is Next Oldest child your biological child?

```
  PCT    PCT       N  VALUE  LABEL
VALID    ALL
  2.9    0.1       2       1  No
 97.1    3.9      68       2  Yes
  0.0    0.0       0       9  Dont Know
         95.9  1,655      -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 629-630

Y7_306	NEXT OLDEST CHILD-BIRTHDATE MO

Birthdate of Next Oldest child? (Month)

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	0.1	1	1	Jan
10.5	0.1	2	2	Feb
0.0	0.0	0	3	Mar
5.3	0.1	1	4	Apr
5.3	0.1	1	5	May
5.3	0.1	1	6	Jun
5.3	0.1	1	7	Jul
21.1	0.2	4	8	Aug
15.8	0.2	3	9	Sept
10.5	0.1	2	10	Oct
5.3	0.1	1	11	Nov
10.5	0.1	2	12	Dec
	98.9	1,706	-1	

```
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 631-632

```
Y7_307              NEXT OLDEST CHILD-BIRTHDATE YR
```

Birthdate of Next Oldest child? (Year)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.0	0.0	0	74	1974
0.0	0.0	0	75	1975
0.0	0.0	0	76	1976
0.0	0.0	0	77	1977
0.0	0.0	0	78	1978
0.0	0.0	0	79	1979
5.3	0.1	1	80	1980
5.3	0.1	1	81	1981
5.3	0.1	1	82	1982
15.8	0.2	3	83	1983
21.1	0.2	4	84	1984
21.1	0.2	4	85	1985
21.1	0.2	4	86	1986
5.3	0.1	1	87	1987
	98.9	1,706	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 633-634

```
Y7_308              NEXT OLDEST CHILD-SEX
```

Sex of Next Oldest child?

PCT VALID	PCT ALL	N	VALUE	LABEL
42.1	0.5	8	1	Boy
57.9	0.6	11	2	Girl
	98.9	1,706	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 635-636

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_309                    NEXT OLDEST CHILD-LIVING W/RESP                      │
└─────────────────────────────────────────────────────────────────────────────┘
```

Is Next Oldest child living with respondent?

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  83.3    0.9      15      1  Yes
  16.7    0.2       3      2  No
          99.0  1,707     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 637-638

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_310                    NEXT OLDEST CHILD-BIOLOGICAL                         │
└─────────────────────────────────────────────────────────────────────────────┘
```

Is Next Oldest child your biological child?

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
   0.0    0.0       0      1  No
 100.0    1.1      19      2  Yes
   0.0    0.0       0      9  Dont Know
          98.9  1,706     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 639-640

Y7_311	NEXT OLDEST CHILD-BIRTHDATE MO

Birthdate of Next Oldest child? (Month)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	Jan
0.0	0.0	0	2	Feb
0.0	0.0	0	3	Mar
20.0	0.1	1	4	Apr
20.0	0.1	1	5	May
0.0	0.0	0	6	Jun
0.0	0.0	0	7	Jul
0.0	0.0	0	8	Aug
40.0	0.1	2	9	Sept
0.0	0.0	0	10	Oct
0.0	0.0	0	11	Nov
20.0	0.1	1	12	Dec
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 641-642

```
Y7_312              NEXT OLDEST CHILD-BIRTHDATE YR
```

Birthdate of Next Oldest child? (Year)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.0	0.0	0	74	1974
0.0	0.0	0	75	1975
0.0	0.0	0	76	1976
0.0	0.0	0	77	1977
0.0	0.0	0	78	1978
0.0	0.0	0	79	1979
0.0	0.0	0	80	1980
0.0	0.0	0	81	1981
40.0	0.1	2	82	1982
0.0	0.0	0	83	1983
20.0	0.1	1	84	1984
20.0	0.1	1	85	1985
20.0	0.1	1	86	1986
0.0	0.0	0	87	1987
	99.7	1,720	-1	

```
       -----  -----  -----
       100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 643-644

```
Y7_313              NEXT OLDEST CHILD-SEX
```

Sex of Next Oldest child?

PCT VALID	PCT ALL	N	VALUE	LABEL
60.0	0.2	3	1	Boy
40.0	0.1	2	2	Girl
	99.7	1,720	-1	

```
       -----  -----  -----
       100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 645-646

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_314              NEXT OLDEST CHILD-LIVING W/RESP                    │
└─────────────────────────────────────────────────────────────────────┘
```

Is Next Oldest child living with respondent?

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  80.0     0.2      4      1  Yes
  20.0     0.1      1      2  No
           99.7  1,720     -1
  -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 647-648

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_315              NEXT OLDEST CHILD-BIOLOGICAL                       │
└─────────────────────────────────────────────────────────────────────┘
```

Is Next Oldest child your biological child?

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
   0.0     0.0      0      1  No
 100.0     0.3      5      2  Yes
   0.0     0.0      0      9  Dont Know
           99.7  1,720     -1
  -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 649-650

Y7_316   **NEXT OLDEST CHILD-BIRTHDATE MO**

Birthdate of Next Oldest child? (Month)

```
   PCT     PCT      N    VALUE   LABEL
  VALID    ALL
   0.0     0.0      0       1    Jan
   0.0     0.0      0       2    Feb
   0.0     0.0      0       3    Mar
   0.0     0.0      0       4    Apr
  50.0     0.1      1       5    May
   0.0     0.0      0       6    Jun
   0.0     0.0      0       7    Jul
   0.0     0.0      0       8    Aug
  50.0     0.1      1       9    Sept
   0.0     0.0      0      10    Oct
   0.0     0.0      0      11    Nov
   0.0     0.0      0      12    Dec
           99.9  1,723      -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 651-652

Y7_317	NEXT OLDEST CHILD-BIRTHDATE YR

Birthdate of Next Oldest child? (Year)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.0	0.0	0	74	1974
0.0	0.0	0	75	1975
0.0	0.0	0	76	1976
0.0	0.0	0	77	1977
0.0	0.0	0	78	1978
0.0	0.0	0	79	1979
0.0	0.0	0	80	1980
0.0	0.0	0	81	1981
0.0	0.0	0	82	1982
0.0	0.0	0	83	1983
0.0	0.0	0	84	1984
0.0	0.0	0	85	1985
100.0	0.1	2	86	1986
0.0	0.0	0	87	1987
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 653-654

Y7_318	NEXT OLDEST CHILD-SEX

Sex of Next Oldest child?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.0	0.1	1	1	Boy
50.0	0.1	1	2	Girl
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 655-656

```
Y7_319              NEXT OLDEST CHILD-LIVING W/RESP
```

Is Next Oldest child living with respondent?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 50.0    0.1      1      1  Yes
 50.0    0.1      1      2  No
         99.9  1,723     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 657-658

```
Y7_320              NEXT OLDEST CHILD-BIOLOGICAL
```

Is Next Oldest child your biological child?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.0    0.0      0      1  No
100.0    0.1      2      2  Yes
  0.0    0.0      0      9  Dont Know
         99.9  1,723     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 659-660

```
Y7_321              HOW MUCH TIME SPENT W/CHILDREN
```

During an average week in the past year, how many hours have you
spent with your (child/children)?

```
Min    =   0              Mean     =    66.538
Max    = 168              Std Dev  =    53.191
Median =  48              Variance = 2,829.257
```

(Based on 517 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 661-663

```
Y7_322                ENJOYED BEING W/CHILDREN
```

In general, how much have you enjoyed being with your
(child/children)?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.2    0.1      1      1  Very little
   0.0    0.0      0      2  Not too much
   1.0    0.3      5      3  Some
   9.3    2.8     48      4  Quite a bit
  89.5   26.7    460      5  A great deal
         70.2  1,211     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 664-665

```
Y7_323                HOW SATISFIED W/RELATIONSHIP
```

How satisfied have you been with your relationship with your
(child/children)?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.6    0.2      3      1  very dissatisfied
   1.5    0.5      8      2  Somewhat dissatisfied
   0.8    0.2      4      3  Neither
  17.6    5.3     91      4  Somewhat satisfied
  79.5   23.8    411      5  Very satisfied
         70.0  1,208     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 666-667

Y7_324   **STRESS/PRESS IN REL W/CHILD**

Thinking of your relationships) with your (child/children) during the
past year, how much stress or pressure is there in this/these
relationships?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 42.4    12.7     219      1  Very little
 23.2     7.0     120      2  Not too much
 25.0     7.5     129      3  Some
  7.0     2.1      36      4  Quite a bit
  2.5     0.8      13      5  A great deal
         70.0   1,208     -1
 -----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 668-669

Religion

Y7_325   **ATTENDANCE AT RELIGIOUS SERVICES**

During the past year, how often did you attend church, synagogue, or other religious services?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 31.0   24.9    429      1  Never (Once or twice)
 30.2   24.2    418      2  Several times a year
 16.8   13.5    233      3  Once or twice a month
 14.8   11.9    205      4  Once a week
  7.1    5.7     98      5  Several times a week
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 670-671

Y7_326   **IMPORTANCE OF RELIGION**

How important has religion been in your life?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  6.8    5.4     94      1  Not important at all
 19.7   15.8    272      2  Not too important
 29.1   23.3    402      3  Somewhat important
 16.7   13.4    231      4  Pretty important
 27.7   22.2    383      5  Very important
        19.9    343     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 672-673

ASPIRATIONS

Y7_327	SUCCESS IN WORK-HOW IMPORTANT

How important is it to you . . .

 to be a success in your work or career?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.6	1.3	22	1	Not important at all
19.0	15.2	263	3	Somewhat important
79.4	63.5	1,096	5	Very important
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 674-675

Y7_328	SUCCESS IN WORK-HOW DOING

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_327)

What do you think your chances are for . . .

 to be a success in your work or career?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.2	0.9	16	1	Poor
19.8	15.6	269	3	Fair
78.9	62.0	1,070	5	Good
0.1	0.1	1	8	Already achieved
	21.4	369	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 676-677

```
Y7_329              ABILITIES IN WORK-HOW IMPORTANT
```

How important is it to you . . .

 to use your abilities in your work or career?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   1.2    1.0     17      1  Not important at all
  14.9   11.9    206      3  Somewhat important
  83.9   67.1  1,158      5  Very important
         19.9    344     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 678-679

```
Y7_330              ABILITIES IN WORK-HOW DOING
```

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_329)

What do you think your chances are for . . .

 to use your abilities in your work or career?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   1.1    0.9     15      1  Poor
  17.1   13.5    233      3  Fair
  81.7   64.5  1,113      5  Good
   0.1    0.1      2      8  Already achieved
         21.0    362     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 680-681

Y7_331 **GET AHEAD IN WORK-HOW IMPORTANT**

How important is it to you . . .

 to get ahead quickly in your work or career?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   6.8    5.4     94      1  Not important at all
  46.1   36.9    637      3  Somewhat important
  47.1   37.7    651      5  Very important
         19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 682-683

Y7_332 **GET AHEAD IN WORK-HOW DOING**

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_331)

What do you think your chances are for . . .

 to get ahead quickly in your work or career?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   3.9    2.9     50      1  Poor
  39.4   29.3    506      3  Fair
  56.6   42.1    727      5  Good
   0.2    0.1      2      8  Already achieved
         25.5    440     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 684-685

```
Y7_333              HAVE GOOD JOB-HOW IMPORTANT
```

How important is it to you . . .

 to have a good job or career?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   2.2    1.8      31      1  Not important at all
  16.4   13.1     226      3  Somewhat important
  81.4   65.2   1,125      5  Very important
         19.9     343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 686-687

```
Y7_334              HAVE GOOD JOB-HOW DOING
```

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_333)

What do you think your chances are for . . .

 to have a good job or career?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   2.2    1.7      29      1  Poor
  25.9   20.2     349      3  Fair
  71.6   55.9     964      5  Good
   0.4    0.3       5      8  Already achieved
         21.9     378     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 688-689

```
Y7_335                    GRAD FROM COLLEGE-HOW IMPORTANT
```

How important is it to you . . .

 to graduate from college?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 28.3   22.2    383      1  Not important at all
 28.9   22.7    391      3  Somewhat important
 42.9   33.7    581      5  Very important
        21.4    370     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 690-691

```
Y7_336                    GRAD FROM COLLEGE-HOW DOING
```

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_335)

What do you think your chances are for . . .

 to graduate from college?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 12.5    7.2    124      1  Poor
 28.5   16.4    283      3  Fair
 36.5   21.0    363      5  Good
 22.5   13.0    224      8  Already achieved
        42.4    731     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 692-693

Y7_337   **GET MARRIED-HOW IMPORTANT**

(IF NOT MARRIED)

How important is it to you . . .

 to get married?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  21.5   9.4    162      1  Not important at all
  43.6  19.0    328      3  Somewhat important
  34.8  15.2    262      5  Very important
        56.4    973     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 694-695

Y7_338   **GET MARRIED-HOW DOING**

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_337)

What do you think your chances are for . . .

 to get married?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   4.1   1.4     24      1  Poor
  35.6  12.1    208      3  Fair
  60.3  20.4    352      5  Good
   0.0   0.0      0      8  Already achieved
        66.1  1,141     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 696-697

```
Y7_339                    HAVE LONG TERM REL-HOW IMPORTANT
```

How important is it to you . . .

 to have a long term intimate relationship with a person of
 the opposite sex?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
  7.0    5.6       96      1  Not important at all
 21.4   17.2      296      3  Somewhat important
 71.6   57.3      989      5  Very important
        19.9      344     -1
 -----  -----   -----
100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 698-699

```
Y7_340                    HAVE LONG TERM REL-HOW DOING
```

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_339)

What do you think your chances are for . . .

 to have a long term intimate relationship with a person
 of the opposite sex?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
  1.0    0.8       13      1  Poor
 17.7   13.2      227      3  Fair
 78.8   58.5    1,009      5  Good
  2.5    1.9       32      8  Already achieved
        25.7      444     -1
 -----  -----   -----
100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 700-701

```
Y7_341                HAVE CHILDREN-HOW IMPORTANT
```

How important is it to you . . .

 to have children of your own?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.7	6.1	106	1	Not important at all
20.3	16.1	278	3	Somewhat important
72.0	57.2	986	5	Very important
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 702-703

```
Y7_342                HAVE CHILDREN-HOW DOING
```

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_341)

What do you think your chances are for . . .

 to have children of your own?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.3	2.4	42	1	Poor
16.1	11.8	203	3	Fair
60.4	44.2	763	5	Good
20.3	14.8	256	8	Already achieved
	26.7	461	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 704-705

```
Y7_343              EARN $20K ANNUAL-HOW IMPORTANT
```

How important is it to you . . .

 to earn an annual salary of at least $20,000 this year?

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  18.9   15.1    261      1  Not important at all
  25.5   20.4    352      3  Somewhat important
  55.6   44.6    769      5  Very important
         19.9    343     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 706-707

```
Y7_344              EARN $20K ANNUAL-HOW DOING
```

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_341)

What do you think your chances are for . . .

 to earn an annual salary of at least $20,000 this year?

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  26.6   17.3    298      1  Poor
  25.7   16.7    288      3  Fair
  43.8   28.4    490      5  Good
   3.8    2.5     43      8  Already achieved
         35.1    606     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 708-709

NORMLESSNESS

Y7_345	CAN SUCCEED AT WORK W/O CHEATING

(RESPONDENT TYPES C D G H)

Please tell me how much you agree or disagree with these statements about you . . .

 You can make it at work without having to cheat or lie.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.6	11	1	Strongly disagree
1.3	0.9	16	2	Disagree
1.5	1.0	18	3	Neither agree nor disagree
31.8	22.8	393	4	Agree
64.5	46.2	797	5	Strongly agree
	28.4	490	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 710-711

```
Y7_346                LIE TO PARTNER AVOID ARGUMENTS
```

(RESPONDENT TYPES B D F H)

Please tell me how much you agree or disagree with these statements
about you . . .

 Sometimes you have to lie to your
 (husband/wife/girlfriend/boyfriend) in order to avoid arguments or
 fights.

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  25.6   10.7    185      1  Strongly disagree
  36.9   15.5    267      2  Disagree
  12.8    5.4     93      3  Neither agree nor disagree
  22.2    9.3    161      4  Agree
   2.5    1.0     18      5  Strongly agree
         58.0  1,001     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 712-713

```
Y7_347                LIE TO GET A JOB
```

(RESPONDENT TYPES C D G H)

Please tell me how much you agree or disagree with these statements
about you . . .

 Sometimes you need to lie in order to get a job.

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  32.3   23.1    398      1  Strongly disagree
  45.1   32.2    556      2  Disagree
  10.8    7.7    133      3  Neither agree nor disagree
  10.8    7.7    133      4  Agree
   1.1    0.8     14      5  Strongly agree
         28.5    491     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 714-715

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_348                    W/FRIENDS GOOD IMPRESS FOREMOST                 │
└─────────────────────────────────────────────────────────────────────────┘
```

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements
about you . . .

 Making a good impression is more important than telling the truth
 to friends.

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  32.9   26.4    455      1  Strongly disagree
  58.4   46.8    807      2  Disagree
   4.9    3.9     67      3  Neither agree nor disagree
   2.5    2.0     35      4  Agree
   1.2    1.0     17      5  Strongly agree
         19.9    344     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 716-717

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_349                    TO AVOID TROUBLE LIE TO TEACHERS                │
└─────────────────────────────────────────────────────────────────────────┘
```

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements
about you . . .

 To stay out of trouble, it's sometimes necessary to lie to
 professors/teachers.

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  24.7    4.5     77      1  Strongly disagree
  52.2    9.4    163      2  Disagree
  13.1    2.4     41      3  Neither agree nor disagree
   9.0    1.6     28      4  Agree
   1.0    0.2      3      5  Strongly agree
         81.9  1,413     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 718-719

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_350                    W/PARENTS GOOD IMPRESS FOREMOST                   │
└──────────────────────────────────────────────────────────────────────────┘
```

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements
about you . . .

 Making a good impression is more important than telling the truth
 to parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	27.5	474	1	Strongly disagree
56.4	45.2	780	2	Disagree
6.2	5.0	86	3	Neither agree nor disagree
2.4	1.9	33	4	Agree
0.7	0.5	9	5	Strongly agree
	19.9	343	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 720-721

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_351                    LIKING WORKERS REQUIRES COVER UP                  │
└──────────────────────────────────────────────────────────────────────────┘
```

(RESPONDENT TYPES C D G H)

Please tell me how much you agree or disagree with these statements
about you . . .

 If you want your fellow workers to like you, you may have to cover
 up for them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	14.9	257	1	Strongly disagree
51.1	36.6	631	2	Disagree
17.7	12.7	219	3	Neither agree nor disagree
10.0	7.2	124	4	Agree
0.3	0.2	4	5	Strongly agree
	28.4	490	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 722-723

```
Y7_352                  LIE OK KEEP PARTNER OUT/O TROUBLE
```

(RESPONDENT TYPES B D F H)

Please tell me how much you agree or disagree with these statements
about you . . .

 It's okay to lie if it keeps your
 (husband/wife/girlfriend/boyfriend) out of trouble.

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  19.6    8.2     142      1  Strongly disagree
  45.6   19.1     330      2  Disagree
  22.8    9.6     165      3  Neither agree nor disagree
  11.2    4.7      81      4  Agree
   0.8    0.3       6      5  Strongly agree
          58.0   1,001     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 724-725

```
Y7_353                  CAN SUCCEED SCHOOL W/O CHEATING
```

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements
about you . . .

 You can make it in school/college without having to cheat on exams
 or tests.

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   1.3    0.2       4      1  Strongly disagree
   2.9    0.5       9      2  Disagree
   2.3    0.4       7      3  Neither agree nor disagree
  49.8    9.0     155      4  Agree
  43.7    7.9     136      5  Strongly agree
          82.0   1,414     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 726-727

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_354                   IMPORTANT TO BE HONEST W/PARENTS                   │
└──────────────────────────────────────────────────────────────────────────┘
```

    (RESPONDENT TYPES A B C D E F G H)

    Please tell me how much you agree or disagree with these statements
    about you . . .

     It's important to be honest with your parents, even if they become
     upset or angry.

       PCT   PCT   N   VALUE LABEL
      VALID   ALL
       0.7   0.5   9   1 Strongly disagree
       3.3   2.7   46   2 Disagree
       7.7   6.2   107   3 Neither agree nor disagree
      61.9   49.6   855   4 Agree
      26.4   21.2   365   5 Strongly agree
              19.9   343   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 728-729

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_355                    TO BE POPULAR MUST BREAK RULES                    │
└──────────────────────────────────────────────────────────────────────────┘
```

    (RESPONDENT TYPES A B C D E F G H)

    Please tell me how much you agree or disagree with these statements
    about you . . .

     You have to be willing to break some rules if you want to be
     popular with your friends.

       PCT   PCT   N   VALUE LABEL
      VALID   ALL
      28.7   23.0   397   1 Strongly disagree
      58.1   46.6   804   2 Disagree
       7.8   6.3   108   3 Neither agree nor disagree
       5.1   4.1   71   4 Agree
       0.2   0.2   3   5 Strongly agree
              19.8   342   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 730-731

```
Y7_356              OWN WORK MORE IMPORTANT
```

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements
about you . . .

It's important to do your own work at school/college even if it
means some students won't like you.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.3    0.1      1      1  Strongly disagree
   0.6    0.1      2      2  Disagree
   8.0    1.4     25      3  Neither agree nor disagree
  59.0   10.7    184      4  Agree
  32.1    5.8    100      5  Strongly agree
         81.9  1,413     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 732-733

```
Y7_357              BEAT UP KIDS GAIN RESPECT
```

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements
about you . . .

In order to gain the respect of your friends, it's sometimes
necessary to beat up on other people.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  58.9   47.2    814      1  Strongly disagree
  39.6   31.7    547      2  Disagree
   0.5    0.4      7      3  Neither agree nor disagree
   0.7    0.5      9      4  Agree
   0.4    0.3      6      5  Strongly agree
         19.8    342     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 734-735

Y7_358   **BREAK RULES TO SUCCEED AT WORK**

(RESPONDENT TYPES C D G H)

Please tell me how much you agree or disagree with these statements about you . . .

At work it's sometimes necessary to break the rules in order to get ahead.

PCT VALID	PCT ALL	N	VALUE	LABEL
31.9	22.8	394	1	Strongly disagree
53.7	38.4	663	2	Disagree
7.1	5.0	87	3	Neither agree nor disagree
7.1	5.0	87	4	Agree
0.2	0.2	3	5	Strongly agree
	28.5	491	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 736-737

Y7_359   **TO HAVE GOOD REL MUST DECEIVE**

(RESPONDENT TYPES B D F H)

Please tell me how much you agree or disagree with these statements about you . . .

Sometimes it's necessary to deceive your (husband/wife/girlfriend/boyfriend) in order to have a good relationship.

PCT VALID	PCT ALL	N	VALUE	LABEL
36.6	15.4	265	1	Strongly disagree
53.3	22.4	386	2	Disagree
6.2	2.6	45	3	Neither agree nor disagree
3.3	1.4	24	4	Agree
0.6	0.2	4	5	Strongly agree
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 738-739

```
Y7_360              PLAY DIRTY TO WIN AT SCHOOL
```

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

At school/college it's sometimes necessary to play dirty in order to win.

PCT VALID	PCT ALL	N	VALUE	LABEL
38.9	7.1	122	1	Strongly disagree
48.7	8.9	153	2	Disagree
8.6	1.6	27	3	Neither agree nor disagree
3.8	0.7	12	4	Agree
0.0	0.0	0	5	Strongly agree
	81.8	1,411	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 740-741

```
Y7_361              LIE TO PARENTS TO KEEP TRUST
```

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

Sometimes it's necessary to lie to your parents in order to keep their trust.

PCT VALID	PCT ALL	N	VALUE	LABEL
29.1	23.3	402	1	Strongly disagree
54.6	43.8	755	2	Disagree
8.8	7.1	122	3	Neither agree nor disagree
7.2	5.8	100	4	Agree
0.3	0.2	4	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 742-743

```
Y7_362                 W/TEACHERS GOOD IMPRESS FOREMOST
```

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements
about you . . .

 Making a good impression is more important than telling the truth
 to professors/teachers.

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 27.3     4.9       85      1  Strongly disagree
 58.8    10.6      183      2  Disagree
 10.0     1.8       31      3  Neither agree nor disagree
  3.9     0.7       12      4  Agree
  0.0     0.0        0      5  Strongly agree
          82.0    1,414     -1
 -----   -----    -----
 100.0   100.0    1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 744-745

```
Y7_363                 BREAK PROMISE GET ALONG W/PARTNER
```

(RESPONDENT TYPES B D F H)

Please tell me how much you agree or disagree with these statements
about you . . .

 It may be necessary to break promises to others in order to get
 along with your (husband/wife/girlfriend/boyfriend).

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 16.6     7.0      120      1  Strongly disagree
 46.5    19.5      337      2  Disagree
 15.2     6.4      110      3  Neither agree nor disagree
 21.0     8.8      152      4  Agree
  0.8     0.3        6      5  Strongly agree
          58.0    1,000     -1
 -----   -----    -----
 100.0   100.0    1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 746-747

```
Y7_364              LIE OK KEEP FRIEND OUT OF TROUBLE
```

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements
about you . . .

 It's okay to lie if it keeps your friends out of trouble.

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 20.3   16.3    281      1  Strongly disagree
 54.7   43.8    756      2  Disagree
 18.2   14.6    252      3  Neither agree nor disagree
  6.7    5.3     92      4  Agree
  0.1    0.1      2      5  Strongly agree
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 748-749

```
Y7_365              BREAK PARENT RULE KEEP FRIENDS
```

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements
about you . . .

 It may be necessary to break some of your parents' rules in order
 to keep some of your friends.

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 21.1   16.9    291      1  Strongly disagree
 53.3   42.6    734      2  Disagree
 15.4   12.3    212      3  Neither agree nor disagree
  9.9    7.9    137      4  Agree
  0.3    0.2      4      5  Strongly agree
        20.1    347     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 750-751

LABELING BY PARENTS

Y7_366   **WELL-LIKED**

How would your PARENTS agree that you . . .

 are well-liked.

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  0.1     0.1      1      1  Strongly disagree
  0.4     0.3      5      2  Disagree
  3.0     2.4     42      3  Neither agree nor disagree
 59.8    47.8    824      4  Agree
 36.7    29.3    506      5  Strongly agree
         20.1    347     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 752-753

Y7_367   **NEED HELP**

How would your PARENTS agree that you . . .

 need help.

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 28.5    22.8    393      1  Strongly disagree
 55.9    44.6    770      2  Disagree
  7.8     6.3    108      3  Neither agree nor disagree
  6.0     4.8     83      4  Agree
  1.7     1.3     23      5  Strongly agree
         20.2    348     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 754-755

```
Y7_368              BAD KID
```

How would your PARENTS agree that you . . .

 are a bad person.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  44.5   35.5    613      1  Strongly disagree
  52.5   41.9    723      2  Disagree
   2.3    1.9     32      3  Neither agree nor disagree
   0.5    0.4      7      4  Agree
   0.2    0.2      3      5  Strongly agree
         20.1    347     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 756-757

```
Y7_369              OFTEN UPSET
```

How would your PARENTS agree that you . . .

 are often upset.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  14.9   11.9    206      1  Strongly disagree
  54.8   43.8    755      2  Disagree
  17.1   13.7    236      3  Neither agree nor disagree
  12.2    9.7    168      4  Agree
   0.9    0.8     13      5  Strongly agree
         20.1    347     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 758-759

```
Y7_370                    GOOD CITIZEN
```

How would your PARENTS agree that you . . .

 are a good citizen.

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
   0.0     0.0      0      1  Strongly disagree
   0.9     0.8     13      2  Disagree
   5.2     4.1     71      3  Neither agree nor disagree
  68.8    55.0    948      4  Agree
  25.1    20.0    345      5  Strongly agree
          20.2    348     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 760-761

```
Y7_371                    GET ALONG WELL W/OTHERS
```

How would your PARENTS agree that you . . .

 get along well with other people.

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
   0.0     0.0      0      1  Strongly disagree
   0.7     0.6     10      2  Disagree
   2.4     1.9     33      3  Neither agree nor disagree
  64.3    51.4    886      4  Agree
  32.5    26.0    448      5  Strongly agree
          20.2    348     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 762-763

```
Y7_372                 MESSED UP
```

How would your PARENTS agree that you . . .

 are messed up.

```
    PCT    PCT      N  VALUE   LABEL
  VALID    ALL
  41.6   33.2     573      1  Strongly disagree
  52.9   42.3     729      2  Disagree
   3.2    2.6      44      3  Neither agree nor disagree
   1.8    1.4      25      4  Agree
   0.4    0.3       6      5  Strongly agree
         20.2     348     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 764-765

```
Y7_373                 BREAK RULES
```

How would your PARENTS agree that you . . .

 break rules.

```
    PCT    PCT      N  VALUE   LABEL
  VALID    ALL
  31.4   25.0     432      1  Strongly disagree
  54.3   43.4     748      2  Disagree
   8.4    6.7     116      3  Neither agree nor disagree
   5.3    4.2      73      4  Agree
   0.6    0.5       8      5  Strongly agree
         20.2     348     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 766-767

```
+------------------------------------------------------------------+
| Y7_374                    PERSONAL PROBLEMS                       |
+------------------------------------------------------------------+
```

How would your PARENTS agree that you . . .

 have a lot of personal problems.

```
   PCT     PCT       N  VALUE   LABEL
  VALID    ALL
  25.9    20.7     357      1  Strongly disagree
  55.0    43.9     757      2  Disagree
  10.0     8.0     138      3  Neither agree nor disagree
   8.0     6.4     110      4  Agree
   1.1     0.9      15      5  Strongly agree
          20.2     348     -1
  -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 768-769

```
+------------------------------------------------------------------+
| Y7_375                    GET INTO TROUBLE                        |
+------------------------------------------------------------------+
```

How would your PARENTS agree that you . . .

 get into trouble.

```
   PCT     PCT       N  VALUE   LABEL
  VALID    ALL
  34.9    27.9     481      1  Strongly disagree
  58.1    46.4     801      2  Disagree
   4.4     3.5      61      3  Neither agree nor disagree
   2.3     1.9      32      4  Agree
   0.2     0.2       3      5  Strongly agree
          20.1     347     -1
  -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 770-771

```
Y7_376              LIKELY TO SUCCEED
```

How would your PARENTS agree that you . . .

 are likely to succeed.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.6	10	1	Strongly disagree
3.0	2.4	41	2	Disagree
6.5	5.2	89	3	Neither agree nor disagree
63.3	50.6	872	4	Agree
26.5	21.2	365	5	Strongly agree
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 772-773

```
Y7_377              DO THINGS AGAINST THE LAW
```

How would your PARENTS agree that you . . .

 do things that are against the law.

PCT VALID	PCT ALL	N	VALUE	LABEL
41.5	33.2	572	1	Strongly disagree
48.6	38.8	670	2	Disagree
5.1	4.1	70	3	Neither agree nor disagree
4.2	3.4	58	4	Agree
0.6	0.5	8	5	Strongly agree
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 774-775

PERCEIVED DISAPPROVAL

Perceived Disapproval from Parents

Y7_378 **PARENTS OPIN:CHEAT ON INCOME TAX**

How would your parents react if you . . .

 cheated on your income tax.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	3	1	Strongly approve
1.1	0.9	15	2	Approve
19.9	15.9	274	3	Neither approve nor disapprove
52.6	42.0	725	4	Disapprove
26.3	21.0	362	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 776-777

Y7_379 **PARENTS OPIN:STOLE WORTH < $5**

How would your parents react if you . . .

 stole something worth less than $5.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	3	1	Strongly approve
0.1	0.1	2	2	Approve
4.9	3.9	68	3	Neither approve nor disapprove
54.4	43.5	750	4	Disapprove
40.3	32.2	556	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 778-779

```
Y7_380                    PARENTS OPIN:SOLD HARD DRUGS
```

How would your parents react if you . . .

 sold hard drugs such as heroin, cocaine and LSD.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	2	1	Strongly approve
0.0	0.0	0	2	Approve
0.3	0.2	4	3	Neither approve nor disapprove
15.0	12.0	207	4	Disapprove
84.6	67.6	1,166	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 780-781

```
Y7_381                    PARENTS OPIN:USED MARIJUANA
```

How would your parents react if you . . .

 used marijuana or hashish.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	3	1	Strongly approve
0.4	0.3	6	2	Approve
7.3	5.9	101	3	Neither approve nor disapprove
35.0	27.9	482	4	Disapprove
57.1	45.6	787	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 782-783

```
┌────────────────────────────────────────────────────────────────────┐
│ Y7_382              PARENTS OPIN:STOLE WORTH > $50                    │
└────────────────────────────────────────────────────────────────────┘
```

    How would your parents react if you . . .

     stole something worth more than $50.

```
   PCT     PCT       N  VALUE  LABEL
 VALID     ALL
   0.1     0.1       2      1  Strongly approve
   0.1     0.1       2      2  Approve
   0.7     0.5       9      3  Neither approve nor disapprove
  28.2    22.6     389      4  Disapprove
  70.8    56.6     977      5  Strongly disapprove
          20.1     346     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 784-785

```
┌────────────────────────────────────────────────────────────────────┐
│ Y7_383              PARENTS OPIN:HIT SOMEONE                          │
└────────────────────────────────────────────────────────────────────┘
```

    How would your parents react if you . . .

     hit or threatened to hit someone without any reason.

```
   PCT     PCT       N  VALUE  LABEL
 VALID     ALL
   0.0     0.0       0      1  Strongly approve
   0.1     0.1       2      2  Approve
   1.5     1.2      21      3  Neither approve nor disapprove
  41.8    33.4     577      4  Disapprove
  56.5    45.2     779      5  Strongly disapprove
          20.1     346     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 786-787

```
Y7_384                  PARENTS OPIN:USED ALCOHOL
```

How would your parents react if you . . .

 used alcohol.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.5    0.4      7      1  Strongly approve
  13.9   11.1    192      2  Approve
  51.6   41.2    711      3  Neither approve nor disapprove
  23.5   18.8    324      4  Disapprove
  10.5    8.4    145      5  Strongly disapprove
         20.1    346     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 788-789

```
Y7_385                  PARENTS OPIN:DESTROYED PROPERTY
```

How would your parents react if you . . .

 purposely damaged or destroyed property that did not belong to you.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.1    0.1      1      1  Strongly approve
   0.1    0.1      1      2  Approve
   0.7    0.6     10      3  Neither approve nor disapprove
  37.9   30.3    523      4  Disapprove
  61.2   48.9    844      5  Strongly disapprove
         20.1    346     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 790-791

```
Y7_386              PARENTS OPIN:BROKE INTO VEHICLE
```

How would your parents react if you . . .

 broke into a vehicle or building to steal something.

```
   PCT     PCT        N  VALUE  LABEL
 VALID     ALL
   0.1     0.1        1      1  Strongly approve
   0.1     0.1        1      2  Approve
   0.4     0.3        5      3  Neither approve nor disapprove
  27.6    22.0      380      4  Disapprove
  71.9    57.5      992      5  Strongly disapprove
          20.1      346     -1
 -----   -----    -----
 100.0   100.0    1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 792-793

```
Y7_387              PARENTS OPIN:DELIB HURT SP/PARTN
```

How would your parents react if you . . .

 deliberately injured your spouse/boyfriend/girlfriend, e.g., hit,
 choked or cut him/her?

```
   PCT     PCT        N  VALUE  LABEL
 VALID     ALL
   0.1     0.1        2      1  Strongly approve
   0.6     0.5        8      2  Approve
   1.6     1.3       22      3  Neither approve nor disapprove
  28.3    22.6      390      4  Disapprove
  69.4    55.4      956      5  Strongly disapprove
          20.1      347     -1
 -----   -----    -----
 100.0   100.0    1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 794-795

```
Y7_388                    PEER OPIN:CHEATED ON INCOME TAX
```

How would your close friends react if you . . .

 cheated on your income tax.

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
   0.7     0.5       9      1  Strongly approve
   4.5     3.6      62      2  Approve
  46.4    37.0     639      3  Neither approve nor disapprove
  35.6    28.4     490      4  Disapprove
  12.8    10.2     176      5  Strongly disapprove
          20.2     349     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 796-797

```
Y7_389                    PEER OPIN:STOLE WORTH < $5
```

How would your close friends react if you . . .

 stole something worth less than $5

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
   0.0     0.0       0      1  Strongly approve
   1.7     1.4      24      2  Approve
  26.3    21.0     362      3  Neither approve nor disapprove
  51.9    41.4     714      4  Disapprove
  20.1    16.0     276      5  Strongly disapprove
          20.2     349     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 798-799

Perceived Disapproval by Peers

Y7_390   **PEER OPIN:SOLD HARD DRUGS**

How would your close friends react if you . . .

 sold hard drugs such as heroin, cocaine and LSD.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.5    0.4      7      1  Strongly approve
   2.0    1.6     28      2  Approve
  10.3    8.2    142      3  Neither approve nor disapprove
  36.8   29.4    507      4  Disapprove
  50.4   40.2    694      5  Strongly disapprove
         20.1    347     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 800-801

Y7_391   **PEER OPIN:USED MARIJUANA**

How would your close friends react if you . . .

 used marijuana or hashish.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   1.2    0.9     16      1  Strongly approve
   8.6    6.9    119      2  Approve
  36.0   28.8    496      3  Neither approve nor disapprove
  28.7   22.9    395      4  Disapprove
  25.5   20.3    351      5  Strongly disapprove
         20.2    348     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 802-803

```
Y7_392                PEER OPIN:STOLE WORTH > $50
```

How would your close friends react if you . . .

 stole something worth more than $50.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.1    0.1      1      1  Strongly approve
   1.2    1.0     17      2  Approve
   8.6    6.9    119      3  Neither approve nor disapprove
  45.0   35.9    619      4  Disapprove
  45.1   36.0    621      5  Strongly disapprove
         20.2    348     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 804-805

```
Y7_393                PEER OPIN:HIT SOMEONE
```

How would your close friends react if you . . .

 hit or threatened to hit someone without any reason.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.2    0.2      3      1  Strongly approve
   0.9    0.8     13      2  Approve
   8.9    7.1    123      3  Neither approve nor disapprove
  50.5   40.2    694      4  Disapprove
  39.4   31.4    542      5  Strongly disapprove
         20.3    350     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 806-807

```
Y7_394                    PEER OPIN:USED ALCOHOL
```

How would your close friends react if you . . .

 used alcohol.

```
   PCT    PCT      N  VALUE   LABEL
 VALID   ALL
   4.1    3.2     56      1  Strongly approve
  27.4   21.9    378      2  Approve
  52.1   41.6    718      3  Neither approve nor disapprove
  10.2    8.2    141      4  Disapprove
   6.2    4.9     85      5  Strongly disapprove
         20.1    347     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 808-809

```
Y7_395                    PEER OPIN:PRESSURED SEXUALLY
```

How would your close friends react if you . . .

 pressured or forced someone to do more sexually than he/she wanted
 to do.

```
   PCT    PCT      N  VALUE   LABEL
 VALID   ALL
   0.0    0.0      0      1  Strongly approve
   0.7    0.6     10      2  Approve
   7.6    6.1    105      3  Neither approve nor disapprove
  49.4   39.5    681      4  Disapprove
  42.2   33.7    582      5  Strongly disapprove
         20.1    347     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 810-811

Y7_396   PEER OPIN:DESTROYED PROPERTY

    How would your close friends react if you . . .

 purposely damaged or destroyed property that did not belong
 to you.

      PCT   PCT   N   VALUE   LABEL
    VALID   ALL
      0.1   0.1   1   1   Strongly approve
      0.2   0.2   3   2   Approve
      5.4   4.3   75   3   Neither approve nor disapprove
     52.5   42.0   724   4   Disapprove
     41.7   33.3   575   5   Strongly disapprove
             20.1   347   -1
    -----   -----   -----
    100.0   100.0   1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 812-813

Y7_397   PEER OPIN:BROKE INTO VEHICLE

    How would your close friends react if you . . .

 broke into a vehicle or building to steal something.

      PCT   PCT   N   VALUE   LABEL
    VALID   ALL
      0.0   0.0   0   1   Strongly approve
      0.4   0.3   6   2   Approve
      3.7   3.0   51   3   Neither approve nor disapprove
     47.8   38.1   658   4   Disapprove
     48.1   38.4   663   5   Strongly disapprove
             20.1   347   -1
    -----   -----   -----
    100.0   100.0   1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 814-815

```
Y7_398               PEER OPIN:HAD SEXUAL INTERCOURSE
```

How would your close friends react if you . . .

 had sexual intercourse with a person of the opposite sex
(IF MARRIED, other than with your husband/wife.)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  3.7    3.0     51      1  Strongly approve
 15.8   12.6    217      2  Approve
 36.7   29.2    504      3  Neither approve nor disapprove
 21.0   16.7    288      4  Disapprove
 22.7   18.1    312      5  Strongly disapprove
        20.5    353     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 816-817

```
Y7_399               PEER OPIN:DELIB HURT SPOUSE/PARTN
```

How would your close friends react if you . . .

 deliberately injured your spouse/boyfriend/girlfriend,
e.g., hit, choked or cut him/her?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.0    0.0      0      1  Strongly approve
  0.9    0.7     12      2  Approve
  5.2    4.2     72      3  Neither approve nor disapprove
 44.3   35.4    610      4  Disapprove
 49.6   39.5    682      5  Strongly disapprove
        20.2    349     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 818-819

Perceived Disapproval by People at Work

Y7_400	COWORK OPIN:CHEATED ON INCOME TAX

(IF WORKING)

How would the people at work react if you . . .

 cheated on your income tax.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.2	4	1	Strongly approve
2.8	2.0	35	2	Approve
41.1	29.4	507	3	Neither approve nor disapprove
39.9	28.5	492	4	Disapprove
15.9	11.4	196	5	Strongly disapprove
	28.5	491	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 820-821

Y7_401	COWORK OPIN:STOLE WORTH < $5

(IF WORKING)

How would the people at work react if you . . .

 stole something worth less than $5.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	1	1	Strongly approve
0.8	0.6	10	2	Approve
16.5	11.8	203	3	Neither approve nor disapprove
56.8	40.6	701	4	Disapprove
25.9	18.5	319	5	Strongly disapprove
	28.5	491	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 822-823

```
Y7_402                    COWORK OPIN:SOLD HARD DRUGS
```

(IF WORKING)

How would the people at work react if you . . .

 sold hard drugs such as heroin, cocaine and LSD.

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.2    0.1      2      1  Strongly approve
   0.7    0.5      9      2  Approve
   5.7    4.1     71      3  Neither approve nor disapprove
  36.3   26.0    449      4  Disapprove
  57.1   40.9    706      5  Strongly disapprove
         28.3    488     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 824-825

```
Y7_403                    COWORK OPIN:USED MARIJUANA
```

(IF WORKING)

How would the people at work react if you . . .

 used marijuana or hashish.

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.3    0.2      4      1  Strongly approve
   3.5    2.5     43      2  Approve
  24.1   17.3    298      3  Neither approve nor disapprove
  37.6   27.0    465      4  Disapprove
  34.5   24.8    427      5  Strongly disapprove
         28.3    488     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 826-827

```
Y7_404              COWORK OPIN:STOLE WORTH > $50
```

(IF WORKING)

How would the people at work react if you . . .

 stole something worth more than $50.

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.0     0.0      0      1  Strongly approve
   0.2     0.2      3      2  Approve
   4.5     3.2     55      3  Neither approve nor disapprove
  45.2    32.3    558      4  Disapprove
  50.1    35.9    619      5  Strongly disapprove
          28.4    490     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 828-829

```
Y7_405              COWORK OPIN:HIT SOMEONE
```

(IF WORKING)

How would the people at work react if you . . .

 hit or threatened to hit someone without any reason.

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.1     0.1      1      1  Strongly approve
   0.3     0.2      4      2  Approve
   6.5     4.7     81      3  Neither approve nor disapprove
  50.8    36.5    629      4  Disapprove
  42.2    30.3    523      5  Strongly disapprove
          28.2    487     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 830-831

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_406                    COWORK OPIN:USED ALCOHOL                             │
└─────────────────────────────────────────────────────────────────────────────┘
```

     (IF WORKING)

     How would the people at work react if you . . .

      used alcohol.

       PCT   PCT   N VALUE   LABEL
      VALID   ALL
       1.9   1.4   24   1   Strongly approve
      18.4   13.2   227   2   Approve
      56.9   40.8   704   3   Neither approve nor disapprove
      16.1   11.5   199   4   Disapprove
       6.7   4.8   83   5   Strongly disapprove
               28.3   488   -1
      -----   -----   -----
      100.0   100.0   1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 832-833

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_407                    COWORK OPIN:DESTROYED PROPERTY                       │
└─────────────────────────────────────────────────────────────────────────────┘
```

     (IF WORKING)

     How would the people at work react if you . . .

      purposely damaged or destroyed property that did not belong to you.

       PCT   PCT   N VALUE   LABEL
      VALID   ALL
       0.0   0.0   0   1   Strongly approve
       0.6   0.4   7   2   Approve
       3.8   2.7   47   3   Neither approve nor disapprove
      51.9   37.2   642   4   Disapprove
      43.7   31.4   541   5   Strongly disapprove
               28.3   488   -1
      -----   -----   -----
      100.0   100.0   1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 834-835

```
Y7_408                    COWORK OPIN:BROKE INTO VEHICLE
```

(IF WORKING)

How would the people at work react if you . . .

 broke into a vehicle or building to steal something.

```
   PCT     PCT        N  VALUE   LABEL
 VALID    ALL
   0.0     0.0        0     1  Strongly approve
   0.2     0.2        3     2  Approve
   2.9     2.1       36     3  Neither approve nor disapprove
  47.6    34.1      589     4  Disapprove
  49.3    35.4      610     5  Strongly disapprove
          28.2      487    -1
 -----   -----    -----
 100.0   100.0    1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 836-837

```
Y7_409                    COWORK OPIN:DELIB HURT SP/PARTN
```

(IF WORKING)

How would the people at work react if you . . .

 deliberately injured your spouse/boyfriend/girlfriend,
 e.g., hit, choked or cut him/her?

```
   PCT     PCT        N  VALUE   LABEL
 VALID    ALL
   0.0     0.0        0     1  Strongly approve
   0.3     0.2        4     2  Approve
   5.1     3.7       63     3  Neither approve nor disapprove
  48.1    34.5      595     4  Disapprove
  46.4    33.3      574     5  Strongly disapprove
          28.3      489    -1
 -----   -----    -----
 100.0   100.0    1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 838-839

Perceived Disapproval by Partner

Y7_410   **PARTNER OPIN:CHEAT ON INCOME TAX**

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .

 cheated on your income tax.

```
   PCT     PCT       N   VALUE   LABEL
  VALID    ALL
   0.1     0.1       1       1   Strongly approve
   3.6     1.5      26       2   Approve
  20.4     8.6     148       3   Neither approve nor disapprove
  49.3    20.8     358       4   Disapprove
  26.6    11.2     193       5   Strongly disapprove
          57.9     999      -1
  -----   -----   -----
  100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 840-841

Y7_411   **PARTNER OPIN:STOLE WORTH < $5**

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .

 stole something worth less than $5

```
   PCT     PCT       N   VALUE   LABEL
  VALID    ALL
   0.0     0.0       0       1   Strongly approve
   0.8     0.3       6       2   Approve
   8.1     3.4      59       3   Neither approve nor disapprove
  53.0    22.3     385       4   Disapprove
  38.1    16.1     277       5   Strongly disapprove
          57.9     998      -1
  -----   -----   -----
  100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 842-843

```
Y7_412                    PARTNER OPIN:SOLD HARD DRUGS
```

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .

 sold hard drugs such as heroin, cocaine and LSD.

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
  0.0     0.0       0      1  Strongly approve
  0.8     0.3       6      2  Approve
  3.0     1.3      22      3  Neither approve nor disapprove
 26.5    11.2     193      4  Disapprove
 69.6    29.3     506      5  Strongly disapprove
         57.9     998     -1
-----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 844-845

```
Y7_413                    PARTNER OPIN:USED MARIJUANA
```

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .

 used marijuana or hashish.

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
  0.0     0.0       0      1  Strongly approve
  6.3     2.7      46      2  Approve
 19.7     8.3     143      3  Neither approve nor disapprove
 29.0    12.2     211      4  Disapprove
 45.0    19.0     327      5  Strongly disapprove
         57.9     998     -1
-----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 846-847

Y7_414   **PARTNER OPIN:STOLE WORTH > $50**

    (IF MARRIED OR LIVING TOGETHER)

    How would your spouse/boyfriend/girlfriend react if you . . .

    stole something worth more than $50.

```
   PCT     PCT      N   VALUE  LABEL
 VALID     ALL
   0.0     0.0      0      1   Strongly approve
   0.3     0.1      2      2   Approve
   1.8     0.8     13      3   Neither approve nor disapprove
  36.0    15.1    261      4   Disapprove
  62.0    26.1    450      5   Strongly disapprove
          57.9    999     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 848-849

Y7_415   **PARTNER OPIN:HIT SOMEONE**

    (IF MARRIED OR LIVING TOGETHER)

    How would your spouse/boyfriend/girlfriend react if you . . .

    hit or threatened to hit someone without any reason.

```
   PCT     PCT      N   VALUE  LABEL
 VALID     ALL
   0.0     0.0      0      1   Strongly approve
   0.6     0.2      4      2   Approve
   2.2     0.9     16      3   Neither approve nor disapprove
  43.9    18.5    319      4   Disapprove
  53.4    22.5    388      5   Strongly disapprove
          57.9    998     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 850-851

Y7_416   PARTNER OPIN:USED ALCOHOL

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .

 used alcohol.

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  0.8    0.3      6      1  Strongly approve
 21.5    9.0    156      2  Approve
 50.2   21.2    365      3  Neither approve nor disapprove
 17.3    7.3    126      4  Disapprove
 10.2    4.3     74      5  Strongly disapprove
        57.9    998     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 852-853

Y7_417   PARTNER OPIN:DESTROYED PROPERTY

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .

 purposely damaged or destroyed property that did not belong
 to you.

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  0.0    0.0      0      1  Strongly approve
  0.3    0.1      2      2  Approve
  1.2    0.5      9      3  Neither approve nor disapprove
 44.2   18.6    321      4  Disapprove
 54.3   22.9    395      5  Strongly disapprove
        57.9    998     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 854-855

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_418                    PARTNER OPIN:BROKE INTO VEHICLE                  │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .

 broke into a vehicle or building to steal something.

```
   PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   0.0     0.0      0       1  Strongly approve
   0.3     0.1      2       2  Approve
   1.2     0.5      9       3  Neither approve nor disapprove
  35.6    15.0    259       4  Disapprove
  62.9    26.5    457       5  Strongly disapprove
          57.9    998      -1
  -----   -----   -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 856-857

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_419                    PARTNER OPIN:DELIB HURT SP/PARTN                 │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .

 deliberately injured him/her, e.g., hit, choked or cut him/her?

```
   PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   0.1     0.1      1       1  Strongly approve
   0.1     0.1      1       2  Approve
   0.3     0.1      2       3  Neither approve nor disapprove
  21.9     9.2    159       4  Disapprove
  77.6    32.7    564       5  Strongly disapprove
          57.9    998      -1
  -----   -----   -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 858-859

ATTITUDES TOWARD DEVIANCE

Y7_420   **OWN OPIN:CHEAT ON INCOME TAX**

How wrong is it for someone your age to . . .

 cheat on their income tax?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.0	1.6	28	1	Not wrong at all
18.7	15.0	258	2	A little bit wrong
42.4	33.9	585	3	Wrong
36.9	29.6	510	4	Very wrong
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 860-861

Y7_421   **OWN OPIN:DESTROY PROPERTY**

How wrong is it for someone your age to . . .

 purposely damage or destroy property that does not belong to you?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	1	1	Not wrong at all
1.1	0.9	15	2	A little bit wrong
28.6	22.9	395	3	Wrong
70.3	56.3	971	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 862-863

```
Y7_422               OWN OPIN:USE MARIJUANA
```

How wrong is it for someone your age to . . .

 use marijuana or hashish?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 13.3   10.7    184      1  Not wrong at all
 25.1   20.1    347      2  A little bit wrong
 30.8   24.6    425      3  Wrong
 30.7   24.6    424      4  Very wrong
        20.0    345     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 864-865

```
Y7_423               OWN OPIN:STEAL WORTH < $5
```

How wrong is it for someone your age to . . .

 steal something worth less than $5?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  0.8    0.6     11      1  Not wrong at all
  9.4    7.5    130      2  A little bit wrong
 51.2   41.0    708      3  Wrong
 38.6   30.9    533      4  Very wrong
        19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 866-867

```
Y7_424                  OWN OPIN:HIT SOMEONE
```

How wrong is it for someone your age to . . .

 hit or threaten to hit someone without any reason?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.1     0.1      1      1  Not wrong at all
   1.5     1.2     21      2  A little bit wrong
  37.3    29.9    516      3  Wrong
  61.1    48.9    844      4  Very wrong
          19.9    343     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 868-869

```
Y7_425                  OWN OPIN:USE ALCOHOL
```

How wrong is it for someone your age to . . .

 use alcohol?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  52.2    41.8    721      1  Not wrong at all
  26.7    21.4    369      2  A little bit wrong
  11.8     9.4    163      3  Wrong
   9.2     7.4    127      4  Very wrong
          20.0    345     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 870-871

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_426              OWN OPIN:BREAK INTO VEHICLE                    │
└─────────────────────────────────────────────────────────────────┘
```

     How wrong is it for someone your age to . . .

      break into a vehicle or building to steal something?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.1    0.1      2      1  Not wrong at all
   0.9    0.7     12      2  A little bit wrong
  32.6   26.1    451      3  Wrong
  66.4   53.2    917      4  Very wrong
         19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

     Data type: numeric
     Missing-data code: -1
     Columns: 872-873

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_427              OWN OPIN:SELL HARD DRUGS                       │
└─────────────────────────────────────────────────────────────────┘
```

     How wrong is it for someone your age to . . .

      sell hard drugs such as heroin, cocaine, and LSD?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.7    0.6     10      1  Not wrong at all
   3.1    2.5     43      2  A little bit wrong
  21.2   17.0    293      3  Wrong
  75.0   60.1  1,036      4  Very wrong
         19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

     Data type: numeric
     Missing-data code: -1
     Columns: 874-875

```
Y7_428                    OWN OPIN:STOLE WORTH > $50
```

How wrong is it for someone your age to . . .

 steal something worth more than $50?

```
   PCT    PCT       N  VALUE  LABEL
 VALID   ALL
   0.1    0.1      1       1  Not wrong at all
   1.1    0.9     15       2  A little bit wrong
  28.7   23.0    397       3  Wrong
  70.1   56.2    969       4  Very wrong
         19.9    343      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 876-877

```
Y7_429                    OWN OPIN:GET DRUNK
```

How wrong is it for someone your age to . . .

 get drunk once in awhile?

```
   PCT    PCT       N  VALUE  LABEL
 VALID   ALL
  42.4   34.0    586       1  Not wrong at all
  32.1   25.7    443       2  A little bit wrong
  15.7   12.6    217       3  Wrong
   9.8    7.9    136       4  Very wrong
         19.9    343      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 878-879

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_430                 OWN OPIN:USE PRESCRIPTION DRUGS                  │
└──────────────────────────────────────────────────────────────────────┘
```

How wrong is it for someone your age to . . .

 use prescription drugs such as amphetamines or barbiturates
 when there is no medical need for them?

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
   1.1     0.9     15      1   Not wrong at all
   9.1     7.3    126      2   A little bit wrong
  34.5    27.6    476      3   Wrong
  55.3    44.3    764      4   Very wrong
          19.9    344     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 880-881

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_431                 OWN OPIN:GIVE OR SELL ALCHOHOL                   │
└──────────────────────────────────────────────────────────────────────┘
```

How wrong is it for someone your age to . . .

 give or sell alcohol to kids under 18?

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
   1.1     0.9     15      1   Not wrong at all
   7.1     5.7     98      2   A little bit wrong
  33.9    27.1    468      3   Wrong
  58.0    46.4    801      4   Very wrong
          19.9    343     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 882-883

```
┌────────────────────────────────────────────────────────────────────────┐
│ Y7_432              OWN OPIN:ATTACK ONE TO HURT/KILL                     │
└────────────────────────────────────────────────────────────────────────┘
```

How wrong is it for someone your age to . . .

 attack someone with the idea of seriously hurting or killing them?

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  0.1    0.1      1       1  Not wrong at all
  0.7    0.5      9       2  A little bit wrong
 18.5   14.8    256       3  Wrong
 80.7   64.6  1,115       4  Very wrong
        19.9    344      -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 884-885

```
┌────────────────────────────────────────────────────────────────────────┐
│ Y7_433              OWN OPIN:EXC SPEED LIM 10-20 MPH                     │
└────────────────────────────────────────────────────────────────────────┘
```

How wrong is it for someone your age to . . .

 exceed the speed limit by 10-20 mph?

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
 16.4   13.2    227       1  Not wrong at all
 42.5   34.0    587       2  A little bit wrong
 31.1   24.9    429       3  Wrong
  9.9    7.9    137       4  Very wrong
        20.0    345      -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 886-887

Y7_434	OWN OPIN:STRONGARM OTHER PEOPLE

How wrong is it for someone your age to . . .

 use force (strongarming) to get money or things from other people?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.1    0.1      2      1  Not wrong at all
  0.4    0.3      5      2  A little bit wrong
 26.6   21.3    367      3  Wrong
 72.9   58.4  1,008      4  Very wrong
        19.9    343     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 888-889

Y7_435	OWN OPIN:DELIB HURT SPOUSE/PART

How wrong is it for someone your age to . . .

 deliberately hit and injure their spouse/boyfriend/girlfriend?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.1    0.1      1      1  Not wrong at all
  0.9    0.7     12      2  A little bit wrong
 24.0   19.2    331      3  Wrong
 75.1   60.2  1,038      4  Very wrong
        19.9    343     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 890-891

EXPOSURE TO DELINQUENT PEERS

Y7_436	OWN FRIENDS:CHEAT ON INCOME TAX

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them
have . . .

cheated on their income tax?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 69.6   53.2    918     1  None of them
 19.3   14.8    255     2  Very few of them
  9.5    7.2    125     3  Some of them
  1.1    0.9     15     4  Most of them
  0.5    0.3      6     5  All of them
        23.5    406    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 892-893

```
Y7_437              OWN FRIENDS:DESTROYED PROPERTY
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

 Think of your friends. During the last year how many of them
 have . . .

 purposely damaged or destroyed property that did not belong to
 them?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  83.7   66.4  1,146      1  None of them
  13.6   10.8    186      2  Very few of them
   2.3    1.8     31      3  Some of them
   0.3    0.2      4      4  Most of them
   0.1    0.1      2      5  All of them
         20.6    356     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 894-895

```
Y7_438              OWN FRIENDS:USED MARIJUANA
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

 Think of your friends. During the last year how many of them
 have . . .

 used marijuana or hashish?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  35.7   28.3    489      1  None of them
  24.0   19.0    328      2  Very few of them
  23.8   18.9    326      3  Some of them
  11.2    8.9    153      4  Most of them
   5.3    4.2     72      5  All of them
         20.7    357     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 896-897

```
Y7_439                    OWN FRIENDS:STOLE WORTH < $5
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them
 have . . .

 stolen something worth less than $5?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 71.5   56.2    969       1  None of them
 19.7   15.5    267       2  Very few of them
  7.2    5.6     97       3  Some of them
  1.5    1.2     20       4  Most of them
  0.2    0.2      3       5  All of them
        21.4    369      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 898-899

```
Y7_440                    OWN FRIENDS:HIT SOMEONE
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

 Think of your friends. During the last year how many of them
 have . . .

 hit or threatened to hit someone without any reason?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 81.8   64.8  1,117       1  None of them
 13.5   10.7    185       2  Very few of them
  4.1    3.2     56       3  Some of them
  0.5    0.4      7       4  Most of them
  0.1    0.1      1       5  All of them
        20.8    359      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 900-901

```
Y7_441                    OWN FRIENDS:USED ALCOHOL
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

 Think of your friends. During the last year how many of them
 have . . .

 used alcohol?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  7.0    5.6     96      1  None of them
  8.8    7.0    120      2  Very few of them
 22.4   17.8    307      3  Some of them
 29.1   23.1    398      4  Most of them
 32.8   26.0    449      5  All of them
        20.6    355     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 902-903

```
Y7_442                    OWN FRIENDS:BROKEN INTO VEHICLE
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

 Think of your friends. During the last year how many of them
 have . . .

 broken into a vehicle or building to steal something?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 94.5   75.0  1,294      1  None of them
  3.7    3.0     51      2  Very few of them
  1.6    1.3     22      3  Some of them
  0.1    0.1      2      4  Most of them
  0.1    0.1      1      5  All of them
        20.6    355     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 904-905

Y7_443   **OWN FRIENDS:SOLD HARD DRUGS**

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them
 have . . .

 sold hard drugs such as heroin, cocaine, and LSD?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 85.7   67.9  1,171      1  None of them
  9.4    7.5   129       2  Very few of them
  4.1    3.2    56       3  Some of them
  0.6    0.5     8       4  Most of them
  0.2    0.2     3       5  All of them
        20.8   358      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 906-907

Y7_444   **OWN FRIENDS:STOLEN WORTH > $50**

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

 Think of your friends. During the last year how many of them
 have . . .

 stolen something worth more than $50?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 91.1   72.2  1,245      1  None of them
  5.3    4.2    73       2  Very few of them
  3.2    2.6    44       3  Some of them
  0.1    0.1     1       4  Most of them
  0.2    0.2     3       5  All of them
        20.8   359      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 908-909

```
┌────────────────────────────────────────────────────────────────────────────┐
│ Y7_445                    OWN FRIENDS:SUGG YOU BREAK LAW                      │
└────────────────────────────────────────────────────────────────────────────┘
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

 Think of your friends. During the last year how many of them
 have . . .

 suggested you do something that was against the law?

```
   PCT     PCT       N  VALUE  LABEL
 VALID     ALL
 77.7    61.7  1,064       1  None of them
 13.3    10.6    182       2  Very few of them
  6.5     5.2     89       3  Some of them
  1.5     1.2     21       4  Most of them
  1.0     0.8     14       5  All of them
         20.6    355      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 910-911

```
┌────────────────────────────────────────────────────────────────────────────┐
│ Y7_446                    OWN FRIENDS:GOTTEN DRUNK                            │
└────────────────────────────────────────────────────────────────────────────┘
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

 Think of your friends. During the last year how many of them
 have . . .

 gotten drunk once in awhile?

```
   PCT     PCT       N  VALUE  LABEL
 VALID     ALL
 10.4     8.3    143       1  None of them
 11.1     8.8    152       2  Very few of them
 28.4    22.6    389       3  Some of them
 25.5    20.2    349       4  Most of them
 24.5    19.5    336       5  All of them
         20.6    356      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 912-913

```
Y7_447              OWN FRIENDS:USED PRESCRIP DRUGS
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them
have . . .

used prescription drugs such as amphetamines or barbiturates when
there was no medical need for them?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 76.1   60.1  1,036      1  None of them
 15.3   12.1    209      2  Very few of them
  7.3    5.8    100      3  Some of them
  0.7    0.6     10      4  Most of them
  0.5    0.4      7      5  All of them
        21.0    363     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 914-915

```
Y7_448              OWN FRIENDS:GIVEN OR SOLD ALCH
```

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them
have . . .

sold or given alcohol to kids under 18?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 73.2   57.9    999      1  None of them
 18.5   14.6    252      2  Very few of them
  7.0    5.6     96      3  Some of them
  1.0    0.8     14      4  Most of them
  0.2    0.2      3      5  All of them
        20.9    361     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 916-917

Y7_449   **OWN FRIENDS:PRESS ONE SEXUALLY**

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT
THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them
 have . . .

 pressured or forced someone to do more sexually than he/she wanted
 to do?

```
   PCT     PCT      N   VALUE  LABEL
  VALID    ALL
  92.3    72.3  1,248       1  None of them
   6.0     4.7     81       2  Very few of them
   1.5     1.2     20       3  Some of them
   0.1     0.1      2       4  Most of them
   0.1     0.1      1       5  All of them
           21.6    373      -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 918-919

SELF-REPORTED DELINQUENCY

Y7_450   **DAMAGED FAMILY PROP-FREQ**

How many times in the Last Year have you . . .

purposely damaged or destroyed property belonging to your parents or other family members?

```
Min    = 0              Mean     = .012
Max    = 3              Std Dev  = .137
Median = 0              Variance = .019
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 920-922

Y7_451   **DAMAGED FAMILY PROP-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_450) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

purposely damaging or destroying property belonging to your parents or other family members?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	79.5	1,371	1	Never
0.9	0.7	12	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 923-924

Y7_452   **DAMAGED EMPLOYER PROP-FREQ**

(IF WORKING)

How many times in the Last Year have you . . .

 purposely damaged or destroyed property belonging to your
 employer?

```
Min    = 0                    Mean     = .036
Max    = 5                    Std Dev  = .317
Median = 0                    Variance = .100
```

(Based on 1,262 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 925-927

Y7_453   **DAMAGED EMPLOYER PROP-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_452) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 purposely damaging or destroying property belonging to your
 employer?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	71.9	1,240	1	Never
1.5	1.1	19	2	Once or twice
0.2	0.2	3	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	26.8	463	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 928-929

Y7_454   **DAMAGED OTHER PROP-FREQ**

How many times in the Last Year have you . . .

 purposely damaged or destroyed other property that did not
 belong to you, not counting family, or work property?

Min   = 0   Mean   = .094
Max   = 50   Std Dev = 1.397
Median = 0   Variance = 1.951

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 930-932

Y7_455   **DAMAGED OTHER PROP-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_454) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 purposely damaging or destroying other property that did not
 belong to you, not counting family, or work property?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.8	77.6	1,339	1	Never
2.8	2.3	39	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 933-934

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_456                    STOLEN MOTOR VEHICLE-FREQ                        │
└─────────────────────────────────────────────────────────────────────────┘
```

How many times in the Last Year have you . . .

 stolen or tried to steal a motor vehicle such as a
 car or motorcycle?

Min   = 0   Mean   = .005
Max   = 4   Std Dev = .117
Median = 0   Variance = .014

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 935-937

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_457                    STOLEN MOTOR VEHICLE-RATE                        │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_456) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 stealing or trying to steal a motor vehicle such as a car or
 motorcycle?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.7	79.9	1,379	1	Never
0.2	0.2	3	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 938-939

Y7_458   **STOLEN > $50-FREQ**

How many times in the Last Year have you . . .

 stolen or tried to steal something worth more
than $50?

```
Min    = 0                  Mean     = .069
Max    = 50                 Std Dev  = 1.382
Median = 0                  Variance = 1.911
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 940-942

Y7_459   **STOLEN > $50-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_458) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 stealing or trying to steal something worth more than $50?

```
  PCT    PCT     N  VALUE   LABEL
 VALID   ALL
 98.3   78.8  1,360     1  Never
  1.2    1.0     17     2  Once or twice
  0.4    0.3      5     3  Once every 2-3 months
  0.0    0.0      0     4  Once a month
  0.0    0.0      0     5  Once every 2-3 weeks
  0.1    0.1      1     6  Once a week
  0.0    0.0      0     7  2-3 times a week
  0.0    0.0      0     8  Once a day
  0.0    0.0      0     9  2-3 times a day
         19.8    342    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 943-944

Y7_460   **BOUGHT STOLEN GOODS-FREQ**

How many times in the Last Year have you . . .

knowingly bought, sold or held stolen goods or tried to do
any of these things?

```
Min    =  0                    Mean     =  .146
Max    = 65                    Std Dev  = 1.911
Median =  0                    Variance = 3.650
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 945-947

Y7_461   **BOUGHT STOLEN GOODS-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_460) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

knowingly buying, selling or holding stolen goods or tried to do
any of these things?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.9	76.9	1,326	1	Never
3.5	2.8	49	2	Once or twice
0.2	0.2	3	3	Once every 2-3 months
0.2	0.2	3	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 948-949

Y7_462   **SET FIRE TO PROPERTY-FREQ**

How many times in the Last Year have you . . .

purposely set fire to a building, a car, or other property
or tried to do so?

```
Min    = 0                    Mean     = .001
Max    = 1                    Std Dev  = .038
Median = 0                    Variance = .001
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 950-952

Y7_463   **SET FIRE TO PROPERTY-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_462) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

purposely setting fire to a building, a car, or other property or
trying to do so?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.9	80.1	1,381	1	Never
0.1	0.1	2	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 953-954

Y7_464	CARRIED HIDDEN WEAPON-FREQ

How many times in the Last Year have you . . .

 carried a hidden weapon other than a plain pocket
 knife?

```
Min    =    0              Mean     =     8.139
Max    = 365              Std Dev  =    50.181
Median =    0              Variance = 2,518.175
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 955-957

Y7_465	CARRIED HIDDEN WEAPON-RATE

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_464) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 carrying a hidden weapon other than a plain pocket knife?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.9	72.9	1,257	1	Never
3.9	3.1	54	2	Once or twice
1.2	1.0	17	3	Once every 2-3 months
0.7	0.5	9	4	Once a month
0.4	0.3	5	5	Once every 2-3 weeks
0.2	0.2	3	6	Once a week
0.6	0.5	8	7	2-3 times a week
2.2	1.7	30	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 958-959

Y7_466   **STOLEN < $5-FREQ**

How many times in the Last Year have you . . .

 stolen or tried to steal things worth $5
 or less?

Min	= 0	Mean	=	1.122
Max	= 999	Std Dev	=	27.074
Median	= 0	Variance	=	733.000

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 960-962

Y7_467   **STOLEN < $5-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_466) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 stealing or trying to steal things worth $5 or less?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.2	73.9	1,275	1	Never
5.4	4.3	75	2	Once or twice
1.4	1.2	20	3	Once every 2-3 months
0.4	0.3	5	4	Once a month
0.4	0.3	5	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 963-964

Y7_468   **ATTACKED SOMEONE-FREQ**

How many times in the Last Year have you . . .

 attacked someone with the idea of seriously hurting or
 killing that person?

Min   = 0   Mean   = .087
Max   = 8   Std Dev = .506
Median = 0   Variance = .256

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 965-967

Y7_469   **ATTACKED SOMEONE-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_468) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 attacking someone with the idea of seriously hurting or killing
 that person?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.4	76.5	1,319	1	Never
4.0	3.2	56	2	Once or twice
0.5	0.4	7	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 968-969

```
Y7_470                 BEEN PAID SEX RELATIONS-FREQ
```

How many times in the Last Year have you . . .

 been paid for having sexual relations with someone?

```
Min    = 0                      Mean     = .038
Max    = 25                     Std Dev  = .767
Median = 0                      Variance = .589
```

(Based on 1,382 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 970-972

```
Y7_471                 BEEN PAID SEX RELATIONS-RATE
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_470) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 being paid for having sexual relations with someone?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	79.5	1,372	1	Never
0.5	0.4	7	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 973-974

Y7_472   **PAID FOR SEX RELATIONS-FREQ**

How many times in the Last Year have you . . .

 paid someone to have sexual relations with you?

Min   = 0   Mean   = .048
Max   = 25   Std Dev = .732
Median = 0   Variance = .536

(Based on 1,382 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 975-977

Y7_473   **PAID FOR SEX RELATIONS-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_472) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 paying someone to have sexual relations with you?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.5	78.9	1,361	1	Never
1.2	1.0	17	2	Once or twice
0.2	0.2	3	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 978-979

Y7_474   **BEEN IN GANG FIGHTS-FREQ**

How many times in the Last Year have you . . .

 been involved in gang fights?

Min	= 0	Mean	= .020
Max	= 12	Std Dev	= .352
Median	= 0	Variance	= .124

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 980-982

Y7_475   **BEEN IN GANG FIGHTS-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_474) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 gang fights?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	79.5	1,371	1	Never
0.8	0.6	11	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 983-984

Y7_476   **USED CHECKS ILLEGALLY-FREQ**

How many times in the Last Year have you . . .

 used checks illegally or used phony money to pay for
 something? (INCLUDES INTENTIONAL OVERDRAFTS)

```
Min    = 0                      Mean     = .053
Max    = 15                     Std Dev  = .622
Median = 0                      Variance = .388
```

(Based on 1,382 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 985-987

Y7_477   **USED CHECKS ILLEGALLY-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_476) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 using checks illegally or using phony money to pay for something?
 (INCLUDES INTENTIONAL OVERDRAFTS)

PCT VALID	PCT ALL	N	VALUE	LABEL
98.4	78.8	1,360	1	Never
1.1	0.9	15	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.1	0.1	2	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 988-989

Y7_478   **SOLD MARIJUANA-FREQ**

How many times in the Last Year have you . . .

 sold marijuana or hashish?
 ("POT", "GRASS", "HASH")

Min	= 0	Mean	= 1.647
Max	= 500	Std Dev	= 16.961
Median	= 0	Variance	= 287.683

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 990-992

Y7_479   **SOLD MARIJUANA-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_478) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 selling marijuana or hashish? ("POT", "GRASS", "HASH")

PCT VALID	PCT ALL	N	VALUE	LABEL
94.1	75.5	1,302	1	Never
2.1	1.7	29	2	Once or twice
0.7	0.5	9	3	Once every 2-3 months
0.9	0.7	12	4	Once a month
0.8	0.6	11	5	Once every 2-3 weeks
0.6	0.5	8	6	Once a week
0.7	0.6	10	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 993-994

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_480              HITCHHIKED WHERE ILLEGAL-FREQ                      │
└──────────────────────────────────────────────────────────────────────┘
```

How many times in the Last Year have you . . .

 hitchhiked where it was illegal to do so?

```
Min    =   0                        Mean     =   .338
Max    = 340                        Std Dev  =  9.208
Median =   0                        Variance = 84.793
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 995-997

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_481              HITCHHIKED WHERE ILLEGAL-RATE                      │
└──────────────────────────────────────────────────────────────────────┘
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_480) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 hitchhiking where it was illegal to do so?

```
  PCT    PCT      N   VALUE   LABEL
VALID    ALL
 97.3   78.0  1,346      1   Never
  2.1    1.7     29      2   Once or twice
  0.3    0.2      4      3   Once every 2-3 months
  0.1    0.1      1      4   Once a month
  0.1    0.1      1      5   Once every 2-3 weeks
  0.0    0.0      0      6   Once a week
  0.0    0.0      0      7   2-3 times a week
  0.1    0.1      2      8   Once a day
  0.0    0.0      0      9   2-3 times a day
         19.8    342     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 998-999

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_482              STOLEN MONEY FROM FAMILY-FREQ                       │
└──────────────────────────────────────────────────────────────────────┘
```

How many times in the Last Year have you . . .

 Stolen money or other things from your parents or other
 members of your family?

```
Min    = 0                    Mean     = .048
Max    = 40                   Std Dev  = 1.092
Median = 0                    Variance = 1.192
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1000-1002

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_483              STOLEN MONEY FROM FAMILY-RATE                       │
└──────────────────────────────────────────────────────────────────────┘
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_482) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 Stealing money or other things from your parents or other members
 of your family?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.7	79.1	1,365	1	Never
1.2	1.0	17	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1003-1004

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_484                  STOLEN MONEY FROM EMPLOYER-FREQ               │
└─────────────────────────────────────────────────────────────────────┘
```

(IF WORKING)

How many times in the Last Year have you . . .

Stolen money, goods, or property from the place where you
work?

Min   =   0   Mean   =   1.132
Max   = 999   Std Dev = 28.375
Median =   0   Variance = 805.129

(Based on 1,254 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1005-1007

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_485                  STOLEN MONEY FROM EMPLOYER-RATE               │
└─────────────────────────────────────────────────────────────────────┘
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_484) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

Stealing money, goods, or property from the place where you work?

PCT VALID	PCT ALL	N	VALUE	LABEL
91.3	66.4	1,145	1	Never
6.5	4.8	82	2	Once or twice
1.4	1.0	18	3	Once every 2-3 months
0.3	0.2	4	4	Once a month
0.2	0.1	2	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	27.3	471	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1008-1009

Y7_486   **SEX AGAINST SOMEONE'S WILL-FREQ**

How many times in the Last Year have you . . .

had or tried to have sexual relations with someone against their will?

```
Min    =  0              Mean     = .017
Max    = 10              Std Dev  = .320
Median =  0              Variance = .103
```

(Based on 1,381 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1010-1012

Y7_487   **SEX AGAINST SOMEONE'S WILL-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_486) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

having or trying to have sexual relations with someone against their will?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.4	79.6	1,373	1	Never
0.4	0.3	6	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1013-1014

Y7_488   **HIT PARENT-FREQ**

How many times in the Last Year have you . . .

 hit or threatened to hit one of your parents?

Min = 0	Mean = .014
Max = 5	Std Dev = .176
Median = 0	Variance = .031

(Based on 1,381 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1015-1017

Y7_489   **HIT PARENT-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_488) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

 hitting or threatening to hit one of your parents?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	79.3	1,368	1	Never
0.9	0.7	12	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1018-1019

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_490                    HIT SOMEONE AT WORK-FREQ                         │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF WORKING)

How many times in the Last Year have you . . .

 hit or threatened to hit your supervisor or other employee?

Min   = 0   Mean   = .154
Max   = 70   Std Dev = 2.055
Median = 0   Variance = 4.221

(Based on 1,253 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1020-1022

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_491                    HIT SOMEONE AT WORK-RATE                         │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_490) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 hitting or threatening to hit your supervisor or other employee?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.3	68.5	1,181	1	Never
5.3	3.8	66	2	Once or twice
0.2	0.2	3	3	Once every 2-3 months
0.2	0.1	2	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	27.4	472	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1023-1024

Y7_492   **HIT ANYONE ELSE-FREQ**

How many times in the Last Year have you . . .

hit or threatened to hit anyone else (other than parents,
persons at work)?

Min	= 0	Mean	=	1.735
Max	= 999	Std Dev	=	29.368
Median =	0	Variance =		862.476

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1025-1027

Y7_493   **HIT ANYONE ELSE-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_492) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

hitting or threatening to hit anyone else (other than parents,
persons at work)?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.2	67.5	1,164	1	Never
11.6	9.3	160	2	Once or twice
2.5	2.0	34	3	Once every 2-3 months
1.1	0.9	15	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.4	0.3	5	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1028-1029

Y7_494   **BEEN LOUD/ROWDY-FREQ**

How many times in the Last Year have you . . .

 been loud, rowdy, or unruly in a public place-disorderly conduct?

Min   =   0   Mean   = 1.130
Max   = 100   Std Dev = 5.042
Median =   0   Variance = 25.419

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1030-1032

Y7_495   **BEEN LOUD/ROWDY-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_494) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 being loud, rowdy, or unruly in a public place-disorderly conduct?

PCT VALID	PCT ALL	N	VALUE	LABEL
76.6	61.4	1,059	1	Never
16.3	13.0	225	2	Once or twice
4.4	3.5	61	3	Once every 2-3 months
1.6	1.3	22	4	Once a month
0.4	0.3	6	5	Once every 2-3 weeks
0.7	0.5	9	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1033-1034

Y7_496   **SOLD HARD DRUGS-FREQ**

How many times in the Last Year have you . . .

 sold hard drugs such as heroin, cocaine, and LSD?
 (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE
 DRUGS)

```
Min    =   0                      Mean     =    .794
Max    = 365                      Std Dev  =  12.528
Median =   0                      Variance = 156.959
```

(Based on 1,382 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1035-1037

Y7_497   **SOLD HARD DRUGS-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_496) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 selling hard drugs such as heroin, cocaine, and LSD?
 (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE
 DRUGS)

PCT VALID	PCT ALL	N	VALUE	LABEL
97.9	78.4	1,353	1	Never
0.7	0.5	9	2	Once or twice
0.4	0.3	6	3	Once every 2-3 months
0.3	0.2	4	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.4	0.3	5	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1038-1039

Y7_498   **TRIED TO SELL WORTHLESS-FREQ**

How many times in the Last Year have you . . .

 tried to cheat someone by selling them something that was worthless
or not what you said it was?

```
Min    =  0                    Mean     =  .107
Max    = 30                    Std Dev  = 1.341
Median =  0                    Variance = 1.798
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1040-1042

Y7_499   **TRIED TO SELL WORTHLESS-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_498) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 trying to cheat someone by selling them something that was
worthless or not what you said it was?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 98.0   78.6  1,355     1  Never
  1.4    1.2     20     2  Once or twice
  0.1    0.1      2     3  Once every 2-3 months
  0.3    0.2      4     4  Once a month
  0.1    0.1      2     5  Once every 2-3 weeks
  0.0    0.0      0     6  Once a week
  0.0    0.0      0     7  2-3 times a week
  0.0    0.0      0     8  Once a day
  0.0    0.0      0     9  2-3 times a day
         19.8    342    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1043-1044

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_500              TAKEN VEHICLE-FREQ                                 │
└─────────────────────────────────────────────────────────────────────┘
```

How many times in the Last Year have you . . .

 taken a vehicle for a ride or drive without the owner's permission?

```
Min    =  0               Mean     = .038
Max    = 24               Std Dev  = .684
Median =  0               Variance = .468
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1045-1047

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_501              TAKEN VEHICLE-RATE                                 │
└─────────────────────────────────────────────────────────────────────┘
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_500) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 taking a vehicle for a ride or drive without the owner's permission?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.5	79.0	1,362	1	Never
1.3	1.0	18	2	Once or twice
0.1	0.1	2	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1048-1049

Y7_502   **BOUGHT LIQUOR FOR MINOR-FREQ**

How many times in the Last Year have you . . .

 Bought or provided liquor for a minor?

```
Min   = 0                        Mean    =  .764
Max   = 52                       Std Dev =  3.407
Median = 0                       Variance = 11.609
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1050-1052

Y7_503   **BOUGHT LIQUOR FOR MINOR-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_502) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 Buying or providing liquor for a minor?

PCT VALID	PCT ALL	N	VALUE	LABEL
85.4	68.5	1,181	1	Never
8.7	7.0	120	2	Once or twice
3.0	2.4	42	3	Once every 2-3 months
1.8	1.4	25	4	Once a month
0.7	0.5	9	5	Once every 2-3 weeks
0.3	0.2	4	6	Once a week
0.1	0.1	2	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1053-1054

```
Y7_504                  USED FORCE ON OTHERS-FREQ
```

How many times in the Last Year have you . . .

 used force or strongarm methods to get money or things from
 people?

```
Min    = 0                    Mean    = .059
Max    = 75                   Std Dev = 2.019
Median = 0                    Variance = 4.078
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1055-1057

```
Y7_505                  USED FORCE ON OTHERS-RATE
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_504) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 using force or strongarm methods to get money or things from people?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.6	79.9	1,378	1	Never
0.3	0.2	4	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1058-1059

Y7_506   **AVOIDED PAYING FOR THINGS-FREQ**

How many times in the Last Year have you . . .

 avoided paying for such things as movies, bus or subway rides, and
 food?

Min   = 0   Mean   = .230
Max   = 25   Std Dev = 1.516
Median = 0   Variance = 2.297

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1060-1062

Y7_507   **AVOIDED PAYING FOR THINGS-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_506) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 avoiding paying for such things as movies, bus or subway rides, and
 food?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.6	75.8	1,308	1	Never
3.6	2.9	50	2	Once or twice
0.9	0.8	13	3	Once every 2-3 months
0.6	0.5	8	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.1	0.1	2	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1063-1064

Y7_508   **BEEN DRUNK-FREQ**

How many times in the Last Year have you . . .

been drunk in a public place?

```
Min    =   0              Mean     =   4.665
Max    = 360              Std Dev  =  17.203
Median =   0              Variance = 295.942
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1065-1067

Y7_509   **BEEN DRUNK-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_508) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

being drunk in a public place?

PCT VALID	PCT ALL	N	VALUE	LABEL
56.0	44.9	775	1	Never
21.1	16.9	292	2	Once or twice
8.2	6.6	114	3	Once every 2-3 months
6.7	5.4	93	4	Once a month
4.5	3.6	62	5	Once every 2-3 weeks
2.6	2.1	36	6	Once a week
0.8	0.6	11	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1068-1069

Y7_510   **STOLEN THINGS $5 TO $50-FREQ**

How many times in the Last Year have you . . .

 stolen or tried to steal things worth between $5 and $50?

Min	= 0	Mean	=	.137
Max	= 35	Std Dev	=	1.341
Median	= 0	Variance	=	1.797

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1070-1072

Y7_511   **STOLEN THINGS $5 TO $50-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_510) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 stealing or trying to steal things worth between $5 and $50?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.8	77.6	1,339	1	Never
2.1	1.7	29	2	Once or twice
0.7	0.5	9	3	Once every 2-3 months
0.3	0.2	4	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1073-1074

Y7_512   **BROKEN INTO BUILDING-FREQ**

How many times in the Last Year have you . . .

 broken or tried to break into a building or vehicle to steal
 something or just to look around?

Min   = 0   Mean   = .043
Max   = 35   Std Dev = 1.000
Median = 0   Variance = 1.000

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1075-1077

Y7_513   **BROKEN INTO BUILDING-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_512) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 breaking or trying to break into a building or vehicle to steal
 something or just to look around?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	79.5	1,371	1	Never
0.7	0.6	10	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1078-1079

Y7_514   **BEGGED FOR MONEY-FREQ**

How many times in the Last Year have you . . .

 begged for money or things from strangers?

Min   =   0   Mean   = .090
Max   = 114   Std Dev = 3.068
Median =   0   Variance = 9.415

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1080-1082

Y7_515   **BEGGED FOR MONEY-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_514) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 begging for money or things from strangers?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.6	79.8	1,377	1	Never
0.3	0.2	4	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1083-1084

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_516                    FAILED TO RETURN CHANGE-FREQ                     │
└─────────────────────────────────────────────────────────────────────────┘
```

How many times in the Last Year have you . . .

 failed to return extra change that a cashier gave you by
 mistake?

```
Min    =  0                      Mean     = .361
Max    = 20                      Std Dev  = 1.142
Median =  0                      Variance = 1.303
```

(Based on 1,381 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1085-1087

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_517                    FAILED TO RETURN CHANGE-RATE                     │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_516) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 failing to return extra change that a cashier gave you by mistake?

PCT VALID	PCT ALL	N	VALUE	LABEL
81.5	65.3	1,126	1	Never
16.6	13.3	229	2	Once or twice
1.4	1.2	20	3	Once every 2-3 months
0.4	0.3	6	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	344	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1088-1089

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_518              USED CREDIT W/O PERMISSION-FREQ                        │
└─────────────────────────────────────────────────────────────────────────┘
```

How many times in the Last Year have you . . .

 used or tried to use credit cards without the owner's
 permission?

Min   = 0   Mean   = .006
Max   = 5   Std Dev = .147
Median = 0   Variance = .022

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1090-1092

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_519              USED CREDIT W/O PERMISSION-RATE                        │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_518) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 using or trying to use credit cards without the owner's permission?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.8	80.0	1,380	1	Never
0.1	0.1	2	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1093-1094

Y7_520   **OBSCENE PHONE CALLS-FREQ**

How many times in the Last Year have you . . .

 made obscene telephone calls (such as calling someone and saying
 dirty things)?

Min   = 0   Mean   = .038
Max   = 30   Std Dev = .848
Median = 0   Variance = .720

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1095-1097

Y7_521   **OBSCENE PHONE CALLS-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_520) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 making obscene telephone calls (such as calling someone and
 saying dirty things)?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	79.7	1,374	1	Never
0.3	0.2	4	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1098-1099

Y7_522   **PICKED SOMEONE'S POCKET-FREQ**

How many times in the Last Year have you . . .

 Snatched someone's purse or wallet or picked someone's pocket?

Min = 0		Mean = .001
Max = 2		Std Dev = .054
Median = 0		Variance = .003

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1100-1102

Y7_523   **PICKED SOMEONE'S POCKET-RATE**

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_522) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 Snatching someone's purse or wallet or picked someone's pocket?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.9	80.1	1,382	1	Never
0.1	0.1	1	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1103-1104

```
┌────────────────────────────────────────────────────────────────────────┐
│ Y7_524               EMBEZZLED MONEY/FUNDS-FREQ                          │
└────────────────────────────────────────────────────────────────────────┘
```

How many times in the Last Year have you . . .

 Embezzled money, that is, used money or funds entrusted to your care
 for some purpose other than that intended?

```
Min    =   0                      Mean     =    .365
Max    = 500                      Std Dev  =  13.450
Median =   0                      Variance = 180.898
```

(Based on 1,382 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1105-1107

```
┌────────────────────────────────────────────────────────────────────────┐
│ Y7_525               EMBEZZLED MONEY/FUNDS-RATE                          │
└────────────────────────────────────────────────────────────────────────┘
```

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_524) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

 Embezzling money, that is, used money or funds entrusted to your
 care for some purpose other than that intended?

```
  PCT     PCT      N  VALUE   LABEL
VALID     ALL
 99.6    79.8  1,376      1   Never
  0.4     0.3      5      2   Once or twice
  0.0     0.0      0      3   Once every 2-3 months
  0.0     0.0      0      4   Once a month
  0.0     0.0      0      5   Once every 2-3 weeks
  0.0     0.0      0      6   Once a week
  0.0     0.0      0      7   2-3 times a week
  0.0     0.0      0      8   Once a day
  0.1     0.1      1      9   2-3 times a day
         19.9    343     -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1108-1109

```
Y7_526                 DAMAGED FAMILY PROPERTY
```

```
    PCT    PCT     N   VALUE  LABEL
  VALID   ALL
   8.3    0.1     1      1   Inappropriate
  16.7    0.1     2      2   Appropriate but trivial
  75.0    0.5     9      3   Appropriate and nontrivial
         99.3  1,713     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1110-1111
```

```
Y7_527                 DAMAGED EMPLOYER'S PROPERTY
```

```
    PCT    PCT     N   VALUE  LABEL
  VALID   ALL
   0.0    0.0     0      1   Inappropriate
   9.1    0.1     2      2   Appropriate but trivial
  90.9    1.2    20      3   Appropriate and nontrivial
         98.7  1,703     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1112-1113
```

```
Y7_528                 DAMAGED OTHER PROPERTY
```

```
    PCT    PCT     N   VALUE  LABEL
  VALID   ALL
   0.0    0.0     0      1   Inappropriate
  11.4    0.3     5      2   Appropriate but trivial
  88.6    2.3    39      3   Appropriate and nontrivial
         97.4  1,681     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1114-1115
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_529              STOLEN MV-THE LAST TIME                               │
└─────────────────────────────────────────────────────────────────────────┘


      PCT    PCT      N  VALUE  LABEL
     VALID   ALL
      0.0    0.0      0     1   Inappropriate
      0.0    0.0      0     2   Appropriate but trivial
     100.0   0.2      4     3   Appropriate and nontrivial
             99.8  1,721    -1
     -----  -----  -----
     100.0  100.0  1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 1116-1117
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_530              STOLEN MV-NEXT TO LAST TIME                           │
└─────────────────────────────────────────────────────────────────────────┘


      PCT    PCT      N  VALUE  LABEL
     VALID   ALL
      0.0    0.0      0     1   Inappropriate
      0.0    0.0      0     2   Appropriate but trivial
     100.0   0.1      1     3   Appropriate and nontrivial
             99.9  1,724    -1
     -----  -----  -----
     100.0  100.0  1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 1118-1119
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_531              STOLEN MV-TIME BEFORE THAT                            │
└─────────────────────────────────────────────────────────────────────────┘


      PCT    PCT      N  VALUE  LABEL
     VALID   ALL
      0.0    0.0      0     1   Inappropriate
      0.0    0.0      0     2   Appropriate but trivial
     100.0   0.1      1     3   Appropriate and nontrivial
             99.9  1,724    -1
     -----  -----  -----
     100.0  100.0  1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 1120-1121
```

```
Y7_532              STOLEN > $50-THE LAST TIME
```

```
    PCT    PCT     N  VALUE  LABEL
  VALID    ALL
   8.7    0.1      2     1   Inappropriate
   0.0    0.0      0     2   Appropriate but trivial
  91.3    1.2     21     3   Appropriate and nontrivial
         98.7  1,702    -1
  -----  -----  -----
  100.0  100.0  1,725 cases

  Data type: numeric
  Missing-data code: -1
  Columns: 1122-1123
```

```
Y7_533              STOLEN > $50-NEXT TO LAST TIME
```

```
    PCT    PCT     N  VALUE  LABEL
  VALID    ALL
  11.1    0.1      1     1   Inappropriate
   0.0    0.0      0     2   Appropriate but trivial
  88.9    0.5      8     3   Appropriate and nontrivial
         99.5  1,716    -1
  -----  -----  -----
  100.0  100.0  1,725 cases

  Data type: numeric
  Missing-data code: -1
  Columns: 1124-1125
```

```
Y7_534              STOLEN > $50-TIME BEFORE THAT
```

```
    PCT    PCT     N  VALUE  LABEL
  VALID    ALL
  33.3    0.1      2     1   Inappropriate
   0.0    0.0      0     2   Appropriate but trivial
  66.7    0.2      4     3   Appropriate and nontrivial
         99.7  1,719    -1
  -----  -----  -----
  100.0  100.0  1,725 cases

  Data type: numeric
  Missing-data code: -1
  Columns: 1126-1127
```

```
Y7_535                 BOUGHT STOLEN GOODS
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID   ALL
    0.0    0.0      0      1  Inappropriate
    0.0    0.0      0      2  Appropriate but trivial
  100.0    3.3     57      3  Appropriate and nontrivial
          96.7  1,668     -1
   -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1128-1129
```

```
Y7_536                 SET FIRE TO PROPERTY
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID   ALL
    0.0    0.0      0      1  Inappropriate
    0.0    0.0      0      2  Appropriate but trivial
  100.0    0.1      2      3  Appropriate and nontrivial
          99.9  1,723     -1
   -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1130-1131
```

```
Y7_537                 CARRIED A HIDDEN WEAPON
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID   ALL
    0.8    0.1      1      1  Inappropriate
    0.0    0.0      0      2  Appropriate but trivial
   99.2    7.2    124      3  Appropriate and nontrivial
          92.8  1,600     -1
   -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1132-1133
```

```
Y7_538                STOLEN SOMETHING WORTH < $5
```

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.4	7	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
93.5	5.8	100	3	Appropriate and nontrivial
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

```
Data type: numeric
Missing-data code: -1
Columns: 1134-1135
```

```
Y7_539                ATTACK SOMEONE-THE LAST TIME
```

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	1	1	Inappropriate
34.9	1.3	22	2	Appropriate but trivial
63.5	2.3	40	3	Appropriate and nontrivial
	96.3	1,662	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

```
Data type: numeric
Missing-data code: -1
Columns: 1136-1137
```

```
Y7_540                ATTACK SOMEONE-NEXT TO LAST TIME
```

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
54.2	0.8	13	2	Appropriate but trivial
45.8	0.6	11	3	Appropriate and nontrivial
	98.6	1,701	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

```
Data type: numeric
Missing-data code: -1
Columns: 1138-1139
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_541              ATTACK SOMEONE-TIME BEFORE THAT                   │
└─────────────────────────────────────────────────────────────────────┘
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID    ALL
    0.0    0.0      0      1  Inappropriate
   70.0    0.4      7      2  Appropriate but trivial
   30.0    0.2      3      3  Appropriate and nontrivial
                  99.4  1,715     -1
   -----  -----  -----
   100.0  100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1140-1141
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_542              IN GANG FIGHTS-THE LAST TIME                      │
└─────────────────────────────────────────────────────────────────────┘
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID    ALL
    8.3    0.1      1      1  Inappropriate
   33.3    0.2      4      2  Appropriate but trivial
   58.3    0.4      7      3  Appropriate and nontrivial
                  99.3  1,713     -1
   -----  -----  -----
   100.0  100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1142-1143
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_543              IN GANG FIGHTS-NEXT TO LAST TIME                  │
└─────────────────────────────────────────────────────────────────────┘
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID    ALL
    0.0    0.0      0      1  Inappropriate
   20.0    0.1      1      2  Appropriate but trivial
   80.0    0.2      4      3  Appropriate and nontrivial
                  99.7  1,720     -1
   -----  -----  -----
   100.0  100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1144-1145
```

```
Y7_544                    IN GANG FIGHTS-TIME BEFORE THAT
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID    ALL
    0.0    0.0      0      1  Inappropriate
    0.0    0.0      0      2  Appropriate but trivial
  100.0    0.1      2      3  Appropriate and nontrivial
           99.9  1,723     -1
   -----  -----  -----
  100.0  100.0  1,725 cases

  Data type: numeric
  Missing-data code: -1
  Columns: 1146-1147
```

```
Y7_545                    USED CHECKS ILLEGALLY
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID    ALL
    0.0    0.0      0      1  Inappropriate
    9.5    0.1      2      2  Appropriate but trivial
   90.5    1.1     19      3  Appropriate and nontrivial
           98.8  1,704     -1
   -----  -----  -----
  100.0  100.0  1,725 cases

  Data type: numeric
  Missing-data code: -1
  Columns: 1148-1149
```

```
Y7_546                    SOLD MARIJUANA
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID    ALL
    0.0    0.0      0      1  Inappropriate
    7.4    0.3      6      2  Appropriate but trivial
   92.6    4.3     75      3  Appropriate and nontrivial
           95.3  1,644     -1
   -----  -----  -----
  100.0  100.0  1,725 cases

  Data type: numeric
  Missing-data code: -1
  Columns: 1150-1151
```

Y7_547   **STOLEN MONEY FROM FAMILY**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	Inappropriate
5.6	0.1	1	2	Appropriate but trivial
94.4	1.0	17	3	Appropriate and nontrivial
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1152-1153

Y7_548   **STOLEN MONEY FROM EMPLOYER**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.1	1	1	Inappropriate
33.9	2.1	37	2	Appropriate but trivial
65.1	4.1	71	3	Appropriate and nontrivial
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1154-1155

Y7_549   **SEX AGAINST WILL-THE LAST TIME**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	Inappropriate
12.5	0.1	1	2	Appropriate but trivial
87.5	0.4	7	3	Appropriate and nontrivial
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1156-1157

```
Y7_550              SEX AGAINST WILL-NEXT/LAST TIME
```

```
    PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   0.0     0.0      0      1    Inappropriate
  33.3     0.1      1      2    Appropriate but trivial
  66.7     0.1      2      3    Appropriate and nontrivial
          99.8   1,722     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 1158-1159
```

```
Y7_551              SEX AGN'ST WILL-TIME BEFORE THAT
```

```
    PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   0.0     0.0      0      1    Inappropriate
  50.0     0.1      1      2    Appropriate but trivial
  50.0     0.1      1      3    Appropriate and nontrivial
          99.9   1,723     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 1160-1161
```

```
Y7_552              HIT PARENT
```

```
    PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   0.0     0.0      0      1    Inappropriate
  84.6     0.6     11      2    Appropriate but trivial
  15.4     0.1      2      3    Appropriate and nontrivial
          99.2   1,712     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 1162-1163
```

```
Y7_553              HIT SOMEONE AT WORK
```

```
     PCT     PCT      N   VALUE  LABEL
    VALID    ALL
     0.0     0.0      0      1   Inappropriate
    91.7     3.8     66      2   Appropriate but trivial
     8.3     0.3      6      3   Appropriate and nontrivial
            95.8  1,653     -1
    -----   -----  -----
    100.0   100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1164-1165
```

```
Y7_554              HIT ANYONE ELSE
```

```
     PCT     PCT      N   VALUE  LABEL
    VALID    ALL
     0.0     0.0      0      1   Inappropriate
    75.1     9.4    163      2   Appropriate but trivial
    24.9     3.1     54      3   Appropriate and nontrivial
            87.4  1,508     -1
    -----   -----  -----
    100.0   100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1166-1167
```

```
Y7_555              SOLD HARD DRUGS
```

```
     PCT     PCT      N   VALUE  LABEL
    VALID    ALL
     0.0     0.0      0      1   Inappropriate
     0.0     0.0      0      2   Appropriate but trivial
   100.0     1.7     29      3   Appropriate and nontrivial
            98.3  1,696     -1
    -----   -----  -----
    100.0   100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1168-1169
```

```
Y7_556              TRIED SELL SOMETHING WORTHLESS
```

```
      PCT    PCT      N  VALUE  LABEL
     VALID   ALL
     22.2    0.3      6      1  Inappropriate
      3.7    0.1      1      2  Appropriate but trivial
     74.1    1.2     20      3  Appropriate and nontrivial
             98.4  1,698     -1
     -----  -----  -----
     100.0  100.0  1,725 cases
```

```
     Data type: numeric
     Missing-data code: -1
     Columns: 1170-1171
```

```
Y7_557              TAKEN VEHICLE
```

```
      PCT    PCT      N  VALUE  LABEL
     VALID   ALL
      0.0    0.0      0      1  Inappropriate
      4.8    0.1      1      2  Appropriate but trivial
     95.2    1.2     20      3  Appropriate and nontrivial
             98.8  1,704     -1
     -----  -----  -----
     100.0  100.0  1,725 cases
```

```
     Data type: numeric
     Missing-data code: -1
     Columns: 1172-1173
```

```
Y7_558              FORCE OTHERS-THE LAST TIME
```

```
      PCT    PCT      N  VALUE  LABEL
     VALID   ALL
      0.0    0.0      0      1  Inappropriate
     40.0    0.1      2      2  Appropriate but trivial
     60.0    0.2      3      3  Appropriate and nontrivial
             99.7  1,720     -1
     -----  -----  -----
     100.0  100.0  1,725 cases
```

```
     Data type: numeric
     Missing-data code: -1
     Columns: 1174-1175
```

```
Y7_559                 FORCE OTHERS-NEXT TO LAST TIME
```

```
    PCT    PCT      N  VALUE  LABEL
  VALID    ALL
   0.0    0.0      0      1  Inappropriate
  50.0    0.1      1      2  Appropriate but trivial
  50.0    0.1      1      3  Appropriate and nontrivial
         99.9  1,723     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1176-1177
```

```
Y7_560                 FORCE OTHERS-TIME BEFORE THAT
```

```
    PCT    PCT      N  VALUE  LABEL
  VALID    ALL
   0.0    0.0      0      1  Inappropriate
   0.0    0.0      0      2  Appropriate but trivial
  100.0   0.1      2      3  Appropriate and nontrivial
         99.9  1,723     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1178-1179
```

```
Y7_561                 STOLEN THINGS WORTH FROM $5-$50
```

```
    PCT    PCT      N  VALUE  LABEL
  VALID    ALL
   9.3    0.2      4      1  Inappropriate
   0.0    0.0      0      2  Appropriate but trivial
  90.7    2.3     39      3  Appropriate and nontrivial
         97.5  1,682     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1180-1181
```

```
Y7_562                 BROKEN INTO BLDG-THE LAST TIME
```

```
       PCT    PCT      N  VALUE  LABEL
      VALID   ALL
      16.7    0.1      2      1  Inappropriate
       0.0    0.0      0      2  Appropriate but trivial
      83.3    0.6     10      3  Appropriate and nontrivial
              99.3  1,713     -1
      -----  -----  -----
      100.0  100.0  1,725 cases
```

```
      Data type: numeric
      Missing-data code: -1
      Columns: 1182-1183
```

```
Y7_563                 BROKEN INTO BLDG-NEXT/LAST TIME
```

```
       PCT    PCT      N  VALUE  LABEL
      VALID   ALL
      33.3    0.1      1      1  Inappropriate
       0.0    0.0      0      2  Appropriate but trivial
      66.7    0.1      2      3  Appropriate and nontrivial
              99.8  1,722     -1
      -----  -----  -----
      100.0  100.0  1,725 cases
```

```
      Data type: numeric
      Missing-data code: -1
      Columns: 1184-1185
```

```
Y7_564                 BROKE INTO BLDG-TIME BEFORE THAT
```

```
       PCT    PCT      N  VALUE  LABEL
      VALID   ALL
      50.0    0.1      1      1  Inappropriate
       0.0    0.0      0      2  Appropriate but trivial
      50.0    0.1      1      3  Appropriate and nontrivial
              99.9  1,723     -1
      -----  -----  -----
      100.0  100.0  1,725 cases
```

```
      Data type: numeric
      Missing-data code: -1
      Columns: 1186-1187
```

```
Y7_565                 CREDIT CARDS WITHOUT PERMISSION
```

```
   PCT     PCT      N   VALUE  LABEL
 VALID    ALL
   0.0     0.0      0       1  Inappropriate
   0.0     0.0      0       2  Appropriate but trivial
 100.0     0.2      3       3  Appropriate and nontrivial
          99.8  1,722      -1
 -----   -----  -----
 100.0   100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 1188-1189
```

```
Y7_566                 PICKED SOMEONE'S POCKET
```

```
   PCT     PCT      N   VALUE  LABEL
 VALID    ALL
   0.0     0.0      0       1  Inappropriate
   0.0     0.0      0       2  Appropriate but trivial
 100.0     0.1      1       3  Appropriate and nontrivial
          99.9  1,724      -1
 -----   -----  -----
 100.0   100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 1190-1191
```

```
Y7_567                 EMBEZZLED MONEY OR FUNDS
```

```
   PCT     PCT      N   VALUE  LABEL
 VALID    ALL
  16.7     0.1      1       1  Inappropriate
   0.0     0.0      0       2  Appropriate but trivial
  83.3     0.3      5       3  Appropriate and nontrivial
          99.7  1,719      -1
 -----   -----  -----
 100.0   100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 1192-1193
```

Y7_568   **DAMAGE FAM PROP-HOW MUCH WORTH**

Thinking of the last time you purposely damaged or destroyed property
belonging to your parents or other family members . . .

What was the dollar amount of the damage, i.e., what would it
cost to repair it, or if totally destroyed, to replace it?
(SPECIFY)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   8.3    0.1      1      2
   8.3    0.1      1      4
   8.3    0.1      1     15
   8.3    0.1      1     24
   8.3    0.1      1     25
   8.3    0.1      1     30
  16.7    0.1      2     50
   8.3    0.1      1    150
   8.3    0.1      1    500
  16.7    0.1      2    999
         99.3  1,713     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1194-1196

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_569              DAMAGE FAM PROP-OTHERS INVOLVED               │
└─────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you purposely damaged or destroyed property
belonging to your parents or other family members . . .

Were you alone or did others take part in this event?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  91.7    0.6    11      0  Alone
   0.0    0.0     0      1  1 person
   8.3    0.1     1      2  2 people
   0.0    0.0     0      3  3 people
   0.0    0.0     0      4  4 people
   0.0    0.0     0      5  5 people
   0.0    0.0     0      6  6 people
   0.0    0.0     0      7  7 people
   0.0    0.0     0      8  8 people
   0.0    0.0     0      9  9 people
         99.3  1,713     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1197-1198

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_570              DAMAGE FAM PROP-1ST ITEM NO.                  │
└─────────────────────────────────────────────────────────────────┘
```

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 100.0    0.7    12      0  No
         99.3  1,713     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1199-1201

```
Y7_571              DAMAGE FAM PROP-2ND ITEM NO.
```

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  100.0    0.7     12      0  No
           99.3  1,713     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1202-1204

```
Y7_572              DAMAGE EMPLOY PROP-WORTH
```

Thinking of the last time you purposely damaged or destroyed property
belonging to your employer . . .

 What was the dollar amount of the damage, i.e., what would it
 cost to repair it, or if totally destroyed, to replace it?
 (SPECIFY)

```
Min    =     0           Mean     =    135.227
Max    = 1,000           Std Dev  =    240.222
Median =    12.5         Variance = 57,706.755
```

(Based on 22 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1205-1208

Y7_573   **DAMAGE EMPLOY PROP-OTHER INVOLVE**

Thinking of the last time you purposely damaged or destroyed property
belonging to your employer . . .

Were you alone or did others take part in this event?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  65.2    0.9     15      0  Alone
  17.4    0.2      4      1  1 person
   4.3    0.1      1      2  2 people
   4.3    0.1      1      3  3 people
   8.7    0.1      2      4  4 people
   0.0    0.0      0      5  5 people
   0.0    0.0      0      6  6 people
   0.0    0.0      0      7  7 people
   0.0    0.0      0      8  8 people
   0.0    0.0      0      9  9 people
         98.7  1,702     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1209-1210

Y7_574   **DAMAGE EMPLOY PROP-1ST ITEM NO.**

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  95.7    1.3     22      0
   4.3    0.1      1    243
         98.7  1,702     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1211-1213

```
Y7_575                    DAMAGE EMPLOY PROP-2ND ITEM NO.
```

```
   PCT     PCT       N   VALUE  LABEL
  VALID    ALL
  100.0    1.3     23        0
           98.7  1,702      -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1214-1216

```
Y7_576                    DAMAGE OTHER PROP-HOW MUCH WORTH
```

Thinking of the last time you purposely damaged or destroyed other
property that did not belong to you, not counting family, or work
property . . .

 What was the dollar amount of the damage, i.e., what would it cost
 to repair it, or if totally destroyed, to replace it? (SPECIFY)

```
Min    =   0                Mean     =    173.220
Max    = 999                Std Dev  =    292.128
Median =  50                Variance = 85,338.576
```

(Based on 41 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1217-1219

```
Y7_577                    DAMAGE OTHER PROP-OTHER INVOLVE
```

Thinking of the last time you purposely damaged or destroyed other
property that did not belong to you, not counting family, or work
property . . .

 Were you alone or did others take part in this event?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  55.8    1.4     24      0
   4.7    0.1      2      1
   9.3    0.2      4      2
  18.6    0.5      8      3
   4.7    0.1      2      4
   2.3    0.1      1      5
   2.3    0.1      1      7
   2.3    0.1      1      9
          97.5  1,682     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1220-1221

```
Y7_578                    DAMAGE OTHER PROP-1ST ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  93.0    2.3     40      0  No
   2.3    0.1      1    226
   4.7    0.1      2    232
          97.5  1,682     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1222-1224

Y7_579	DAMAGE OTHER PROP-2ND ITEM NO.

PCT VALID	PCT ALL	N	VALUE	LABEL
97.7	2.4	42	0	No
2.3	0.1	1	227	
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1225-1227

Y7_580	STOLE MV/LAST TIME-KIND O/VEHICLE

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

 What kind of vehicle was it?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.0	0.1	1	1	Car
25.0	0.1	1	2	Truck
25.0	0.1	1	3	Motorcycle
25.0	0.1	1	4	Other
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1228-1229

Y7_581   **STOLE MV/LAST TIME-ACTUALLY STEAL**

Thinking of the last time you stole or tried to steal a motor vehicle
such as a car or motorcycle . . .

 Did you actually steal it?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  25.0    0.1      1      1  No
  75.0    0.2      3      2  Yes
         99.8  1,721     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1230-1231

Y7_582   **STOLE MV/LAST TIME-VEHICLE OWNER**

Thinking of the last time you stole or tried to steal a motor vehicle
such as a car or motorcycle . . .

 Who did the vehicle belong to?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.0    0.0      0      1  Family member
  25.0    0.1      1      2  Friend
  75.0    0.2      3      3  Other
         99.8  1,721     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1232-1233

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_583               STOLE MV/LAST TIME-START VEHICLE                     │
└─────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the last time you stole or tried to steal a motor vehicle
    such as a car or motorcycle . . .

     How did you get the vehicle started?

       PCT   PCT   N VALUE LABEL
      VALID   ALL
       0.0   0.0   0   1 Had keys
       0.0   0.0   0   2 Hot wired
      75.0   0.2   3   3 Keys in ignition
      25.0   0.1   1   4 Other
               99.8 1,721   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 1234-1235

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_584               STOLE MV/LAST TIME-INTENT                            │
└─────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the last time you stole or tried to steal a motor vehicle
    such as a car or motorcycle . . .

     What were you going to do with the vehicle?

       PCT   PCT   N VALUE LABEL
      VALID   ALL
      50.0   0.1   2   1 Resping
       0.0   0.0   0   2 Keep
       0.0   0.0   0   3 Keep parts
      25.0   0.1   1   4 Sell
       0.0   0.0   0   5 Sell parts
      25.0   0.1   1   6 Other
               99.8 1,721   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 1236-1237
```

Y7_585   **STOLE MV/LAST TIME-OTH INVOLVE**

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Were you alone or did others take part in this event?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  50.0    0.1      2      0  Alone
  25.0    0.1      1      1  1 person
  25.0    0.1      1      2  2 people
   0.0    0.0      0      3  3 people
   0.0    0.0      0      4  4 people
   0.0    0.0      0      5  5 people
   0.0    0.0      0      6  6 people
   0.0    0.0      0      7  7 people
   0.0    0.0      0      8  8 people
   0.0    0.0      0      9  9 people
          99.8  1,721     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1238-1239

Y7_586   **STOLE MV/LAST TIME-DRINK/DRUGS**

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Had you been drinking or taking drugs before the incident?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  25.0    0.1      1      0  No
  75.0    0.2      3      1  Drinking
   0.0    0.0      0      2  Using drugs
   0.0    0.0      0      3  Drinking and drugs
          99.8  1,721     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1240-1241

```
Y7_587                  STOLE MV/LAST TIME-1ST ITEM NO.
```

```
    PCT    PCT      N   VALUE  LABEL
  VALID    ALL
   0.0    0.0      0       0  No
  75.0    0.2      3     227
  25.0    0.1      1     248
          99.8  1,721      -1
  -----  -----  -----
 100.0  100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 1242-1244
```

```
Y7_588                  STOLE MV/LAST TIME-2ND ITEM NO.
```

```
    PCT    PCT      N   VALUE  LABEL
  VALID    ALL
  25.0    0.1      1       0  No
  25.0    0.1      1     228
  25.0    0.1      1     229
  25.0    0.1      1     248
          99.8  1,721      -1
  -----  -----  -----
 100.0  100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 1245-1247
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_589                    STOLE MV/NEXT LAST-KIND VEHICLE             │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the next to last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

 What kind of vehicle was it?

```
   PCT     PCT       N  VALUE  LABEL
 VALID     ALL
   0.0     0.0       0      1  Car
   0.0     0.0       0      2  Truck
   0.0     0.0       0      3  Motorcycle
 100.0     0.1       1      4  Other
          99.9   1,724     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1248-1249

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_590                    STOLE MV/NEXT LAST-ACTUALLY STEAL          │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the next to last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

 Did you actually steal it?

```
   PCT     PCT       N  VALUE  LABEL
 VALID     ALL
   0.0     0.0       0      1  No
 100.0     0.1       1      2  Yes
          99.9   1,724     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1250-1251

Y7_591   **STOLE MV/NEXT LAST-VEHICLE OWNER**

Thinking of the next to last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

 Who did the vehicle belong to?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	Family member
0.0	0.0	0	2	Friend
100.0	0.1	1	3	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1252-1253

Y7_592   **STOLE MV/NEXT LAST-START VEHICLE**

Thinking of the next to last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

 How did you get the vehicle started?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	Had keys
0.0	0.0	0	2	Hot wired
100.0	0.1	1	3	Keys in ignition
0.0	0.0	0	4	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1254-1255

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_593                    STOLE MV/NEXT LAST-INTENT                        │
└─────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the next to last time you stole or tried to steal a motor
    vehicle such as a car or motorcycle . . .

     What were you going to do with the vehicle?

      PCT   PCT   N VALUE LABEL
     VALID   ALL
      0.0   0.0   0   1   Resping
      0.0   0.0   0   2   Keep
      0.0   0.0   0   3   Keep parts
    100.0   0.1   1   4   Sell
      0.0   0.0   0   5   Sell parts
      0.0   0.0   0   6   Other
             99.9 1,724   -1
     ----- ----- -----
    100.0 100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1256-1257

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_594                    STOLE MV/NEXT LAST-OTH INVOLVE                   │
└─────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the next to last time you stole or tried to steal a motor
    vehicle such as a car or motorcycle . . .

     Were you alone or did others take part in this event?

      PCT   PCT   N VALUE LABEL
     VALID   ALL
      0.0   0.0   0   0   Alone
      0.0   0.0   0   1   1 person
    100.0   0.1   1   2   2 people
      0.0   0.0   0   3   3 people
      0.0   0.0   0   4   4 people
      0.0   0.0   0   5   5 people
      0.0   0.0   0   6   6 people
      0.0   0.0   0   7   7 people
      0.0   0.0   0   8   8 people
      0.0   0.0   0   9   9 people
             99.9 1,724   -1
     ----- ----- -----
    100.0 100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1258-1259
```

---

**Y7_595**           **STOLE MV/NEXT LAST-DRINK/DRUGS**

---

Thinking of the next to last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

 Had you been drinking or taking drugs before the incident?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      1      0  No
   0.0    0.0      0      1  Drinking
   0.0    0.0      0      2  Using drugs
   0.0    0.0      0      3  Drinking and drugs
          99.9  1,724     -1
 -----   -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1260-1261

Y7_596   **STOLE MV/NEXT LAST-1ST ITEM NO.**

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.0    0.0      0      0  No
 100.0    0.1      1    227
          99.9  1,724     -1
 -----   -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1262-1264

Y7_597   **STOLE MV/NEXT LAST-2ND ITEM NO.**

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.0    0.0      0      0  No
 100.0    0.1      1    228
          99.9  1,724     -1
 -----   -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1265-1267

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_598                    STOLE MV/TIME BEF-KIND VEHICLE                   │
└─────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the time before that that you stole or tried to steal a
    motor vehicle such as a car or motorcycle . . .

     What kind of vehicle was it?

       PCT   PCT   N VALUE LABEL
      VALID   ALL
      100.0   0.1   1   1 Car
        0.0   0.0   0   2 Truck
        0.0   0.0   0   3 Motorcycle
        0.0   0.0   0   4 Other
              99.9 1,724   -1
      ----- ----- -----
      100.0 100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1268-1269

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_599                    STOLE MV/TIME BEF-ACTUALLY STEAL                 │
└─────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the time before that that you stole or tried to steal a
    motor vehicle such as a car or motorcycle . . .

     Did you actually steal it?

       PCT   PCT   N VALUE LABEL
      VALID   ALL
        0.0   0.0   0   1 No
      100.0   0.1   1   2 Yes
              99.9 1,724   -1
      ----- ----- -----
      100.0 100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1270-1271

```
Y7_600              STOLE MV/TIME BEF-VEHICLE OWNER
```

    Thinking of the time before that that you stole or tried to steal a
    motor vehicle such as a car or motorcycle . . .

     Who did the vehicle belong to?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
   0.0     0.0       0      1  Family member
   0.0     0.0       0      2  Friend
 100.0     0.1       1      3  Other
          99.9   1,724     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 1272-1273

```
Y7_601              STOLE MV/TIME BEF-START VEHICLE
```

    Thinking of the time before that that you stole or tried to steal a
    motor vehicle such as a car or motorcycle . . .

     How did you get the vehicle started?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
   0.0     0.0       0      1  Had keys
   0.0     0.0       0      2  Hot wired
 100.0     0.1       1      3  Keys in ignition
   0.0     0.0       0      4  Other
          99.9   1,724     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 1274-1275

```
Y7_602                STOLE MV/TIME BEF-INTENT
```

Thinking of the time before that that you stole or tried to steal a
motor vehicle such as a car or motorcycle . . .

 What were you going to do with the vehicle?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   0.0    0.0      0      1  Riding
   0.0    0.0      0      2  Keep
   0.0    0.0      0      3  Keep parts
 100.0    0.1      1      4  Sell
   0.0    0.0      0      5  Sell parts
   0.0    0.0      0      6  Other
          99.9  1,724     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1276-1277

```
Y7_603                STOLE MV/TIME BEF-OTH INVOLVE
```

Thinking of the time before that that you stole or tried to steal a
motor vehicle such as a car or motorcycle . . .

 Were you alone or did others take part in this event?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 100.0    0.1      1      0  Alone
   0.0    0.0      0      1  1 person
   0.0    0.0      0      2  2 people
   0.0    0.0      0      3  3 people
   0.0    0.0      0      4  4 people
   0.0    0.0      0      5  5 people
   0.0    0.0      0      6  6 people
   0.0    0.0      0      7  7 people
   0.0    0.0      0      8  8 people
   0.0    0.0      0      9  9 people
          99.9  1,724     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1278-1279

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_604                   STOLE MV/TIME BEF-DRINK/DRUGS                 │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the time before that that you stole or tried to steal a
motor vehicle such as a car or motorcycle . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT     PCT     N  VALUE  LABEL
  VALID    ALL
  100.0    0.1     1      0  No
    0.0    0.0     0      1  Drinking
    0.0    0.0     0      2  Using drugs
    0.0    0.0     0      3  Drinking and drugs
           99.9  1,724    -1
  -----   -----  -----
  100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1280-1281

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_605                   STOLE MV/TIME BEF-1ST ITEM NO.                │
└─────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT     N  VALUE  LABEL
  VALID    ALL
    0.0    0.0     0      0  No
  100.0    0.1     1    227
           99.9  1,724    -1
  -----   -----  -----
  100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1282-1284

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_606                   STOLE MV/TIME BEF-2ND ITEM NO.                │
└─────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT     N  VALUE  LABEL
  VALID    ALL
    0.0    0.0     0      0  No
  100.0    0.1     1    228
           99.9  1,724    -1
  -----   -----  -----
  100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1285-1287

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_607              STOLE LAST TIME-VALUE ($0-$999)                       │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you stole or tried to steal something worth
more than $50 . . .

 About how much do you think it was worth? (SPECIFY)

Min   = 20   Mean   =   297.217
Max   = 999   Std Dev =   349.231
Median = 200   Variance = 121,962.542

(Based on 23 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1288-1290

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_608              STOLE LAST TME-ACTUAL STEAL                           │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you stole or tried to steal something worth
more than $50 . . .

 Did you actually steal it?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 13.0   0.2     3     1  No
 87.0   1.2    20     2  Yes
        98.7 1,702    -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1291-1292

```
Y7_609                    STOLE LAST TIME-STOLEN FROM
```

Thinking of the last time you stole or tried to steal something worth
more than $50 . . .

 Where did you steal it from?

```
  PCT     PCT      N   VALUE   LABEL
 VALID    ALL
  17.4    0.2      4      1   Retail store
  17.4    0.2      4      2   Private home
   4.3    0.1      1      3   Auto
  30.4    0.4      7      4   Work place
   4.3    0.1      1      5   College/school
   8.7    0.1      2      6   Construction site
   0.0    0.0      0      7   Warehouse
  17.4    0.2      4      8   Other
          98.7  1,702     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1293-1294

```
Y7_610                    STOLE LAST TIME-OTH INVOLVE
```

Thinking of the last time you stole or tried to steal something worth
more than $50 . . .

 Were you alone or did others take part in this event?

```
  PCT     PCT      N   VALUE   LABEL
 VALID    ALL
  56.5    0.8     13      0   Alone
  17.4    0.2      4      1   1 person
  13.0    0.2      3      2   2 people
   8.7    0.1      2      3   3 people
   0.0    0.0      0      4   4 people
   4.3    0.1      1      5   5 people
   0.0    0.0      0      6   6 people
   0.0    0.0      0      7   7 people
   0.0    0.0      0      8   8 people
   0.0    0.0      0      9   9 people
          98.7  1,702     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1295-1296

Y7_611   **STOLE LAST TIME-DRINK/DRUGS**

Thinking of the last time you stole or tried to steal something worth
more than $50 . . .

 Had you been drinking or taking drugs before the incident?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 65.2     0.9     15      0  No
 26.1     0.3      6      1  Drinking
  8.7     0.1      2      2  Using drugs
  0.0     0.0      0      3  Drinking and drugs
          98.7  1,702     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1297-1298

Y7_612   **STOLE LAST TIME-1ST ITEM NO**

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 60.9     0.8     14      0  No
 13.0     0.2      3    226
  8.7     0.1      2    228
  4.3     0.1      1    239
  8.7     0.1      2    240
  4.3     0.1      1    253
          98.7  1,702     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1299-1301

```
Y7_613                STOLE LAST TIME-2ND ITEM NO
```

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  87.0   1.2     20       0  No
   4.3   0.1      1     229
   4.3   0.1      1     240
   4.3   0.1      1     248
         98.7  1,702      -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1302-1304

```
Y7_614                STOLE ($0-$999)/NEXT LAST-VALUE
```

Thinking of the next to last time you stole or tried to steal
something worth more than $50 . . .

 About how much do you think it was worth? (SPECIFY)

```
Min    = 15              Mean     =    329.222
Max    = 999             Std Dev  =    386.271
Median = 150             Variance = 149,205.194
```

(Based on 9 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1305-1307

Y7_615   **STOLE NEXT LST-ACTUAL STEAL**

Thinking of the next to last time you stole or tried to steal
something worth more than $50 . . .

 Did you actually steal it?

```
   PCT     PCT        N  VALUE  LABEL
 VALID    ALL
  11.1    0.1        1      1  No
  88.9    0.5        8      2  Yes
          99.5  1,716     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1308-1309

Y7_616   **STOLE NEXT LAST-STOLEN FROM**

Thinking of the next to last time you stole or tried to steal
something worth more than $50 . . .

 Where did you steal it from?

```
   PCT     PCT        N  VALUE  LABEL
 VALID    ALL
  22.2    0.1        2      1  Retail store
  11.1    0.1        1      2  Private home
   0.0    0.0        0      3  Auto
  33.3    0.2        3      4  Work place
   0.0    0.0        0      5  College/school
   0.0    0.0        0      6  Construction site
   0.0    0.0        0      7  Warehouse
  33.3    0.2        3      8  Other
          99.5  1,716     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1310-1311

```
Y7_617              STOLE NEXT LAST-OTH INVOLVE
```

Thinking of the next to last time you stole or tried to steal
something worth more than $50 . . .

 Were you alone or did others take part in this event?

```
   PCT    PCT      N  VALUE   LABEL
 VALID   ALL
  44.4    0.2      4      0   Alone
  44.4    0.2      4      1   1 person
  11.1    0.1      1      2   2 people
   0.0    0.0      0      3   3 people
   0.0    0.0      0      4   4 people
   0.0    0.0      0      5   5 people
   0.0    0.0      0      6   6 people
   0.0    0.0      0      7   7 people
   0.0    0.0      0      8   8 people
   0.0    0.0      0      9   9 people
          99.5  1,716     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1312-1313

```
Y7_618              STOLE NEXT LAST-DRINK/DRUGS
```

Thinking of the next to last time you stole or tried to steal
something worth more than $50 . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT    PCT      N  VALUE   LABEL
 VALID   ALL
  44.4    0.2      4      0   No
  22.2    0.1      2      1   Drinking
  22.2    0.1      2      2   Using drugs
  11.1    0.1      1      3   Drinking and drugs
          99.5  1,716     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1314-1315

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_619                    STOLE NEXT LAST-1ST ITEM NO                       │
└──────────────────────────────────────────────────────────────────────────┘
```

```
      PCT     PCT       N   VALUE  LABEL
    VALID    ALL
    77.8     0.4        7       0  No
    11.1     0.1        1     226
    11.1     0.1        1     240
             99.5   1,716      -1
    -----   -----   -----
    100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1316-1318

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_620                    STOLE NEXT LAST-2ND ITEM NO                       │
└──────────────────────────────────────────────────────────────────────────┘
```

```
      PCT     PCT       N   VALUE  LABEL
    VALID    ALL
    100.0    0.5        9       0  No
             99.5   1,716      -1
    -----   -----   -----
    100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1319-1321

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_621                    STOLE ($0-$999)/TIME BEF-VALUE                    │
└──────────────────────────────────────────────────────────────────────────┘
```

Thinking of the time before that that you stole or tried to steal
something worth more than $50 . . .

 About how much do you think it was worth? (SPECIFY)


```
Min    = 10                      Mean      =      255.667
Max    = 999                     Std Dev   =      378.770
Median = 100                     Variance  = 143,466.667
```

(Based on 6 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1322-1324

Y7_622   **STOLE TIME BEF-ACTUAL STEAL**

Thinking of the time before that that you stole or tried to steal
something worth more than $50 . . .

 Did you actually steal it?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
   0.0     0.0       0      1  No
 100.0     0.3       6      2  Yes
          99.7   1,719     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1325-1326

Y7_623   **STOLE TIME BEF-STOLEN FROM**

Thinking of the time before that that you stole or tried to steal
something worth more than $50 . . .

 Where did you steal it from?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
  16.7     0.1       1      1  Retail store
  50.0     0.2       3      2  Private home
   0.0     0.0       0      3  Auto
  16.7     0.1       1      4  Work place
   0.0     0.0       0      5  College/school
   0.0     0.0       0      6  Construction site
   0.0     0.0       0      7  Warehouse
  16.7     0.1       1      8  Other
          99.7   1,719     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1327-1328

```
Y7_624                    STOLE TIME BEF-OTH INVOLVE
```

Thinking of the time before that that you stole or tried to steal
something worth more than $50 . . .

 Were you alone or did others take part in this event?

```
   PCT     PCT      N   VALUE   LABEL
  VALID    ALL
  83.3     0.3      5       0   Alone
  16.7     0.1      1       1   1 person
   0.0     0.0      0       2   2 people
   0.0     0.0      0       3   3 people
   0.0     0.0      0       4   4 people
   0.0     0.0      0       5   5 people
   0.0     0.0      0       6   6 people
   0.0     0.0      0       7   7 people
   0.0     0.0      0       8   8 people
   0.0     0.0      0       9   9 people
          99.7  1,719      -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1329-1330

```
Y7_625                    STOLE TIME BEF-DRINK/DRUGS
```

Thinking of the time before that that you stole or tried to steal
something worth more than $50 . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT     PCT      N   VALUE   LABEL
  VALID    ALL
  50.0     0.2      3       0   No
  16.7     0.1      1       1   Drinking
  33.3     0.1      2       2   Using drugs
   0.0     0.0      0       3   Drinking and drugs
          99.7  1,719      -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1331-1332

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_626                    STOLE TIME BEF-1ST ITEM NO.                  │
└─────────────────────────────────────────────────────────────────────┘
```

```
     PCT     PCT      N  VALUE  LABEL
   VALID    ALL
   66.7     0.2      4      0  No
   16.7     0.1      1    226
   16.7     0.1      1    240
            99.7  1,719     -1
   -----   -----  -----
   100.0   100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1333-1335
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_627                    STOLE TIME BEF-2ND ITEM NO.                  │
└─────────────────────────────────────────────────────────────────────┘
```

```
     PCT     PCT      N  VALUE  LABEL
   VALID    ALL
   100.0    0.3      6      0  No
            99.7  1,719     -1
   -----   -----  -----
   100.0   100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1336-1338
```

```
Y7_628                    BOUGHT STOLEN-WHAT DID YOU DO
```

Thinking of the last time you knowingly bought, sold or held stolen
goods or tried to do any of these things . . .

 What did you do? (CHECK ALL THAT APPLY)

```
   PCT     PCT       N  VALUE  LABEL
  VALID    ALL
  15.8     0.5       9      1  Try to buy
   3.5     0.1       2      2  Try to sell
   5.3     0.2       3      3  Try to hold
  40.4     1.3      23      4  Buy
   7.0     0.2       4      5  Sell
  21.1     0.7      12      6  Hold
   7.0     0.2       4      7  Other
           96.7  1,668     -1
  -----   -----   -----
  100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1339-1340

```
Y7_629                    BOUGHT STOLEN-VALUE ($0-$9999)
```

Thinking of the last time you knowingly bought, sold or held stolen
goods or tried to do any of these things . . .

 About how much do you think the goods were worth? (SPECIFY)

```
Min    =     12             Mean     =        879.404
Max    = 9,999              Std Dev  =      1,786.657
Median =    300             Variance = 3,192,143.566
```

(Based on 57 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1341-1344

```
Y7_630                    BOUGHT STOLEN-OTH INVOLVE
```

Thinking of the last time you knowingly bought, sold or held stolen
goods or tried to do any of these things . . .

 Were you alone or did others take part in this event?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  45.5     1.4     25      0  Alone
  20.0     0.6     11      1  1 person
  16.4     0.5      9      2  2 people
  12.7     0.4      7      3  3 people
   3.6     0.1      2      4  4 people
   0.0     0.0      0      5  5 people
   0.0     0.0      0      6  6 people
   0.0     0.0      0      7  7 people
   0.0     0.0      0      8  8 people
   1.8     0.1      1      9  9 people
          96.8  1,670     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1345-1346

```
Y7_631                    BOUGHT STOLEN-1ST ITEM NO.
```

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  89.3     2.9     50      0  No
   1.8     0.1      1    226
   5.4     0.2      3    227
   1.8     0.1      1    230
   1.8     0.1      1    237
          96.8  1,669     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1347-1349

```
Y7_632                   BOUGHT STOLEN-2ND ITEM NO.
```

```
    PCT     PCT      N  VALUE  LABEL
  VALID    ALL
   96.4    3.1      54      0  No
    1.8    0.1       1    227
    1.8    0.1       1    246
          96.8   1,669     -1
  -----  -----   -----
  100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1350-1352

```
Y7_633                   SET FIRE TO PROP-ACTUALLY SET
```

Thinking of the last time you purposely set fire to a building, a
car, or other property or tried to do so . . .

 Did you actually set it on fire?

```
    PCT     PCT      N  VALUE  LABEL
  VALID    ALL
   50.0    0.1       1      1  No
   50.0    0.1       1      2  Yes
          99.9   1,723     -1
  -----  -----   -----
  100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1353-1354

Y7_634　　　　　　　　**SET FIRE TO PROP-OTH INVOLVE**

Thinking of the last time you purposely set fire to a building, a car, or other property or tried to do so . . .

Were you alone or did others take part in this event?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	Alone
50.0	0.1	1	1	1 person
50.0	0.1	1	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1355-1356

Y7_635　　　　　　　　**SET FIRE TO PROP-DRINK/DRUGS**

Thinking of the last time you purposely set fire to a building, a car, or other property or tried to do so . . .

Had you been drinking or taking drugs before the incident?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No
100.0	0.1	2	1	Drinking
0.0	0.0	0	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1357-1358

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_636                     SET FIRE TO PROP-1ST ITEM NO.                   │
└─────────────────────────────────────────────────────────────────────────┘
```

```
     PCT     PCT      N  VALUE  LABEL
   VALID     ALL
    50.0     0.1      1      0  No
    50.0     0.1      1    226
            99.9  1,723     -1
   -----   -----  -----
   100.0   100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1359-1361
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_637                     SET FIRE TO PROP-2ND ITEM NO.                   │
└─────────────────────────────────────────────────────────────────────────┘
```

```
     PCT     PCT      N  VALUE  LABEL
   VALID     ALL
    50.0     0.1      1      0  No
    50.0     0.1      1    227
            99.9  1,723     -1
   -----   -----  -----
   100.0   100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1362-1364
```

```
Y7_638              CARRIED HIDDEN WEAPON-KIND
```

Thinking of the last time you carried a hidden weapon other than a
plain pocket knife . . .

 What kind of weapon was it?

```
   PCT     PCT       N   VALUE   LABEL
 VALID    ALL
  20.6    1.5       26       1   Knife, cutting/stabbing thing
   4.0    0.3        5       2   Chain, bat/hitting thing
   3.2    0.2        4       3   Hard knuckles/numchucks
  66.7    4.9       84       4   Gun and other firearm
   4.8    0.3        6       5   Other
   0.0    0.0        0       6   Mixed weapons excluding gun
   0.8    0.1        1       7   Mixed weapons including gun
   0.0    0.0        0       8   Mixed weapons-no gun or knife types
          92.7   1,599      -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1365-1366

```
Y7_639              STOLE-VALUE ($0-$9)
```

Thinking of the last time you stole or tried to steal things worth $5
or less . . .

 About how much do you think it was worth? (SPECIFY)

```
   PCT     PCT       N   VALUE   LABEL
 VALID    ALL
   9.3    0.6       10       0   $0
  27.1    1.7       29       1   $1
  20.6    1.3       22       2   $2
  11.2    0.7       12       3   $3
  12.1    0.8       13       4   $4
  13.1    0.8       14       5   $5
   0.9    0.1        1       6   $6
   0.0    0.0        0       7   $7
   0.9    0.1        1       8   $8
   4.7    0.3        5       9   $9
          93.8   1,618      -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1367-1368

Y7_640   STOLE-VALUE ACTUALLY STEAL

    Thinking of the last time you stole or tried to steal things worth $5
     or less . . .

     Did you actually steal it?

      PCT   PCT   N VALUE LABEL
     VALID   ALL
     12.1   0.8   13   1 No
     87.9   5.4   94   2 Yes
             93.8 1,618   -1
     ----- ----- -----
     100.0 100.0 1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 1369-1370

Y7_641   STOLE OTH INVOLVE

    Thinking of the last time you stole or tried to steal things worth $5
     or less . . .

     Were you alone or did others take part in this event?

      PCT   PCT   N VALUE LABEL
     VALID   ALL
     72.0   4.5   77   0 Alone
     15.0   0.9   16   1 1 person
      9.3   0.6   10   2 2 people
      1.9   0.1   2   3 3 people
      0.0   0.0   0   4 4 people
      0.9   0.1   1   5 5 people
      0.0   0.0   0   6 6 people
      0.9   0.1   1   7 7 people
      0.0   0.0   0   8 8 people
      0.0   0.0   0   9 9 people
             93.8 1,618   -1
     ----- ----- -----
     100.0 100.0 1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 1371-1372

Y7_642   STOLE DRINK/DRUGS

Thinking of the last time you stole or tried to steal things worth $5
or less . . .

Had you been drinking or taking drugs before the incident?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  86.0    5.3     92      0  No
   8.4    0.5      9      1  Drinking
   0.9    0.1      1      2  Using drugs
   4.7    0.3      5      3  Drinking and drugs
         93.8  1,618     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1373-1374

Y7_643   STOLE ($0-$9)-1ST ITEM NO.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  73.8    4.6     79      0  No
   1.9    0.1      2    239
  21.5    1.3     23    240
   2.8    0.2      3    253
         93.8  1,618     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1375-1377

Y7_644   STOLE ($0-$9)-2ND ITEM NO.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    6.2    107      0  No
         93.8  1,618     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1378-1380

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_645                    ATTACK/LAST TIME-FORM OF ATTACK             │
└─────────────────────────────────────────────────────────────────────┘
```

      Thinking of the last time you attacked someone with the idea of
      seriously hurting or killing that person . . .

       In which of the following ways did you attack the person?

         PCT   PCT   N VALUE   LABEL
        VALID   ALL
         51.6   1.9   33   1   Hit
         29.7   1.1   19   2   Beat/choked
         12.5   0.5   8   3   Attacked with weapon
          6.2   0.2   4   4   Other
                 96.3   1,661   -1
        -----   -----   -----
        100.0   100.0   1,725 cases

        Data type: numeric
        Missing-data code: -1
        Columns: 1381-1382

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_646                    ATTACK/LAST TIME-EXTENT INJURY              │
└─────────────────────────────────────────────────────────────────────┘
```

      Thinking of the last time you attacked someone with the idea of
      seriously hurting or killing that person . . .

       How badly did you hurt the person?

         PCT   PCT   N VALUE   LABEL
        VALID   ALL
         28.1   1.0   18   0   No injury
          3.1   0.1   2   1   Knocked down
         15.6   0.6   10   2   Bruised
         32.8   1.2   21   3   Cut/bleeding
          3.1   0.1   2   4   Unconscious
         14.1   0.5   9   5   Hospitalized
          3.1   0.1   2   6   Required medical treatment
          0.0   0.0   0   7   Other
                 96.3   1,661   -1
        -----   -----   -----
        100.0   100.0   1,725 cases

        Data type: numeric
        Missing-data code: -1
        Columns: 1383-1384

```
Y7_647                    ATTACK/LAST TIME-WAS THE PERSON
```

Thinking of the last time you attacked someone with the idea of
seriously hurting or killing that person . . .

 Who was the person you attacked?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 32.8    1.2    21      1  A stranger
 29.7    1.1    19      2  An acquaintance
 18.8    0.7    12      3  A friend
 12.5    0.5     8      4  Family member
  6.2    0.2     4      5  Other
         96.3  1,661    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1385-1386

```
Y7_648                    ATTACK/LAST TIME-OTH INVOLVE
```

Thinking of the last time you attacked someone with the idea of
seriously hurting or killing that person . . .

 Were you alone or did others take part in this event?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 79.7    3.0    51      0  Alone
  4.7    0.2     3      1  1 person
  7.8    0.3     5      2  2 people
  3.1    0.1     2      3  3 people
  0.0    0.0     0      4  4 people
  0.0    0.0     0      5  5 people
  0.0    0.0     0      6  6 people
  0.0    0.0     0      7  7 people
  0.0    0.0     0      8  8 people
  4.7    0.2     3      9  9 people
         96.3  1,661    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1387-1388

```
Y7_649                    ATTACK/LAST TIME-DRINK/DRUGS
```

Thinking of the last time you attacked someone with the idea of
seriously hurting or killing that person . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT     PCT       N  VALUE   LABEL
 VALID    ALL
  64.1    2.4       41      0  No
  29.7    1.1       19      1  Drinking
   0.0    0.0        0      2  Using drugs
   6.2    0.2        4      3  Drinking and drugs
          96.3  1,661     -1
 -----   -----   -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1389-1390

```
Y7_650                    ATTACK/LAST TIME-1ST ITEM NO.
```

```
   PCT     PCT       N  VALUE   LABEL
 VALID    ALL
  54.7    2.0       35      0  No
   3.1    0.1        2    225
   1.6    0.1        1    235
   4.7    0.2        3    243
  35.9    1.3       23    244
          96.3  1,661     -1
 -----   -----   -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1391-1393

```
Y7_651                    ATTACK/LAST TIME-2ND ITEM NO.
```

```
   PCT     PCT       N  VALUE   LABEL
 VALID    ALL
  98.4    3.7       63      0  No
   1.6    0.1        1    245
          96.3  1,661     -1
 -----   -----   -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1394-1396

Y7_652   **ATTACK/NEXT LAST-FORM OF ATTACK**

Thinking of the next to last time you attacked someone with the idea of seriously hurting or killing that person . . .

In which of the following ways did you attack the person?

PCT VALID	PCT ALL	N	VALUE	LABEL
64.0	0.9	16	1	Hit
16.0	0.2	4	2	Beat/choked
12.0	0.2	3	3	Attacked with weapon
8.0	0.1	2	4	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1397-1398

Y7_653   **ATTACK/NEXT LAST-EXTENT OF INJURY**

Thinking of the next to last time you attacked someone with the idea of seriously hurting or killing that person . . .

How badly did you hurt the person?

PCT VALID	PCT ALL	N	VALUE	LABEL
44.0	0.6	11	0	No injury
0.0	0.0	0	1	Knocked down
24.0	0.3	6	2	Bruised
20.0	0.3	5	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
8.0	0.1	2	5	Hospitalized
4.0	0.1	1	6	Required medical treatment
0.0	0.0	0	7	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1399-1400

Y7_654   **ATTACK/NEXT LAST-WAS THE PERSON**

Thinking of the next to last time you attacked someone with the idea
of seriously hurting or killing that person . . .

Who was the person you attacked?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 40.0    0.6     10      1  A stranger
 24.0    0.3      6      2  An acquaintance
 16.0    0.2      4      3  A friend
 16.0    0.2      4      4  Family member
  4.0    0.1      1      5  Other
         98.6  1,700     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1401-1402

Y7_655   **ATTACK/NEXT LAST-OTH INVOLVE**

Thinking of the next to last time you attacked someone with the idea
of seriously hurting or killing that person . . .

Were you alone or did others take part in this event?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 84.0    1.2     21      0  Alone
  4.0    0.1      1      1  1 person
  8.0    0.1      2      2  2 people
  4.0    0.1      1      3  3 people
  0.0    0.0      0      4  4 people
  0.0    0.0      0      5  5 people
  0.0    0.0      0      6  6 people
  0.0    0.0      0      7  7 people
  0.0    0.0      0      8  8 people
  0.0    0.0      0      9  9 people
         98.6  1,700     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1403-1404

Y7_656   **ATTACK/NEXT LAST-DRINK/DRUGS**

    Thinking of the next to last time you attacked someone with the idea
of seriously hurting or killing that person . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
  60.0     0.9     15       0   No
  36.0     0.5      9       1   Drinking
   0.0     0.0      0       2   Using drugs
   4.0     0.1      1       3   Drinking and drugs
          98.6  1,700      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1405-1406

Y7_657   **ATTACK/NEXT LAST-1ST ITEM NO.**

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
  84.0     1.2     21       0   No
  16.0     0.2      4     244
          98.6  1,700      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1407-1409

Y7_658   **ATTACK/NEXT LAST-2ND ITEM NO.**

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
 100.0     1.4     25       0   No
          98.6  1,700      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1410-1412

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_659                  ATTACK/TIME BEF-FORM OF ATTACK                │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the time before that that you attacked someone with the
idea of seriously hurting or killing that person . . .

 In which of the following ways did you attack the person?

```
   PCT     PCT       N  VALUE   LABEL
 VALID     ALL
  54.5     0.3       6       1  Hit
  27.3     0.2       3       2  Beat/choked
   9.1     0.1       1       3  Attacked with weapon
   9.1     0.1       1       4  Other
          99.4   1,714      -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1413-1414

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_660                  ATTACK/TIME BEF-EXTENT OF INJURY              │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the time before that that you attacked someone with the
idea of seriously hurting or killing that person . . .

 How badly did you hurt the person?

```
   PCT     PCT       N  VALUE   LABEL
 VALID     ALL
  45.5     0.3       5       0  No injury
   9.1     0.1       1       1  Knocked down
  27.3     0.2       3       2  Bruised
  18.2     0.1       2       3  Cut/bleeding
   0.0     0.0       0       4  Unconscious
   0.0     0.0       0       5  Hospitalized
   0.0     0.0       0       6  Required medical treatment
   0.0     0.0       0       7  Other
          99.4   1,714      -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1415-1416

Y7_661   **ATTACK/TIME BEF-WAS THE PERSON**

Thinking of the time before that that you attacked someone with the idea of seriously hurting or killing that person . . .

Who was the person you attacked?

PCT VALID	PCT ALL	N	VALUE	LABEL
36.4	0.2	4	1	A stranger
0.0	0.0	0	2	An acquaintance
18.2	0.1	2	3	A friend
45.5	0.3	5	4	Family member
0.0	0.0	0	5	Other
	99.4	1,714	-1	

```
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1417-1418

Y7_662   **ATTACK/TIME BEF-OTH INVOLVE**

Thinking of the time before that that you attacked someone with the idea of seriously hurting or killing that person . . .

Were you alone or did others take part in this event?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	11	0	Alone
0.0	0.0	0	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.4	1,714	-1	

```
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1419-1420

```
Y7_663               ATTACK/TIME BEF-DRINK/DRUGS
```

Thinking of the time before that that you attacked someone with the
idea of seriously hurting or killing that person . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  54.5    0.3     6      0  No
  36.4    0.2     4      1  Drinking
   9.1    0.1     1      2  Using drugs
   0.0    0.0     0      3  Drinking and drugs
         99.4  1,714     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1421-1422

```
Y7_664               ATTACK/TIME BEF-1ST ITEM NO.
```

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  81.8    0.5     9      0  No
  18.2    0.1     2    244
         99.4  1,714     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1423-1425

```
Y7_665               ATTACK/TIME BEF-2ND ITEM NO.
```

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 100.0    0.6    11      0  No
         99.4  1,714     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1426-1428

```
Y7_666              GANG FIGHT/LAST-NO. GROUP
```

Thinking of the last time you were involved in gang fights . . .

 Counting yourself, how many were in your group?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.3	0.1	1	1	l-2 people
25.0	0.2	3	2	3-5
66.7	0.5	8	3	More than 5 people
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1429-1430

```
Y7_667              GANG FIGHT/LAST-NO. OTH GROUP
```

Thinking of the last time you were involved in gang fights . . .

 How many were in the other group?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	l-2 people
25.0	0.2	3	2	3-5
75.0	0.5	9	3	More than 5 people
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1431-1432

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_668                    GANG FIGHT/LAST-NATURE OF WEAPON                  │
└──────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the last time you were involved in gang fights . . .

     What weapons were used? (DESCRIBE)

```
   PCT     PCT      N  VALUE   LABEL
  VALID    ALL
  50.0     0.3      6      0   No weapons
   8.3     0.1      1      1   Knives, cutting/stabbing things
   8.3     0.1      1      2   Chains, bats/hitting things
   0.0     0.0      0      3   Hard knuckles/numchucks
   8.3     0.1      1      4   Guns and other firearms
   0.0     0.0      0      5   Other
  25.0     0.2      3      6   Mixed weapons excluding guns
   0.0     0.0      0      7   Mixed weapons including guns
   0.0     0.0      0      8   Mixed weapons-no gun or knife types
          99.3  1,713     -1
  -----   -----  -----
 100.0   100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 1433-1434

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_669                    GANG FIGHT/LAST-EXTENT OF INJURY                  │
└──────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the last time you were involved in gang fights . . .

     How badly hurt was the most injured person?

```
   PCT     PCT      N  VALUE   LABEL
  VALID    ALL
  27.3     0.2      3      0   No injury
   0.0     0.0      0      1   Knocked down
  27.3     0.2      3      2   Bruised
   0.0     0.0      0      3   Cut/bleeding
   0.0     0.0      0      4   Unconscious
  18.2     0.1      2      5   Hospitalized
  27.3     0.2      3      6   Required medical treatment
   0.0     0.0      0      7   Other
          99.4  1,714     -1
  -----   -----  -----
 100.0   100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 1435-1436

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_670                      GANG FIGHT/LAST-DRINK/DRUGS                    │
└─────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the last time you were involved in gang fights . . .

     Had you been drinking or taking drugs before the
     incident?

       PCT   PCT   N   VALUE   LABEL
      VALID   ALL
      33.3   0.2   4   0   No
      66.7   0.5   8   1   Drinking
       0.0   0.0   0   2   Using drugs
       0.0   0.0   0   3   Drinking and drugs
               99.3 1,713   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 1437-1438

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_671                      GANG FIGHT/LAST-1ST ITEM NO.                   │
└─────────────────────────────────────────────────────────────────────────┘
```

       PCT   PCT   N   VALUE   LABEL
      VALID   ALL
      83.3   0.6   10   0   No
       8.3   0.1   1   232
       8.3   0.1   1   244
               99.3 1,713   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 1439-1441

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_672                      GANG FIGHT/LAST-2ND ITEM NO.                   │
└─────────────────────────────────────────────────────────────────────────┘
```

       PCT   PCT   N   VALUE   LABEL
      VALID   ALL
      91.7   0.6   11   0   No
       8.3   0.1   1   232
               99.3 1,713   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 1442-1444

```
Y7_673                    GANG FIGHT/NEXT-NO. GROUP
```

Thinking of the next to last time you were involved in gang
fights . . .

Counting yourself, how many were in your group?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  0.0    0.0      0      1  1-2 people
 60.0    0.2      3      2  3-5
 40.0    0.1      2      3  More than 5 people
        99.7  1,720     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1445-1446

```
Y7_674                    GANG FIGHT/NEXT-NO. OTH GROUP
```

Thinking of the next to last time you were involved in gang
fights . . .

How many were in the other group?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 20.0    0.1      1      1  1-2 people
  0.0    0.0      0      2  3-5
 80.0    0.2      4      3  More than 5 people
        99.7  1,720     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1447-1448

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_675              GANG FIGHT/NEXT-NATURE OF WEAPON                   │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the next to last time you were involved in gang
fights . . .

What weapons were used? (DESCRIBE)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 40.0    0.1      2      0  No weapons
 20.0    0.1      1      1  Knives, cutting/stabbing things
 20.0    0.1      1      2  Chains, bats/hitting things
  0.0    0.0      0      3  Hard knuckles/numchucks
  0.0    0.0      0      4  Guns and other firearms
  0.0    0.0      0      5  Other
 20.0    0.1      1      6  Mixed weapons excluding guns
  0.0    0.0      0      7  Mixed weapons including guns
  0.0    0.0      0      8  Mixed weapons-no gun or knife types
        99.7  1,720     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1449-1450

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_676              GANG FIGHT/NEXT-EXTENT OF INJURY                   │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the next to last time you were involved in gang
fights . . .

How badly hurt was the most injured person?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 40.0    0.1      2      0  No injury
  0.0    0.0      0      1  Knocked down
  0.0    0.0      0      2  Bruised
 40.0    0.1      2      3  Cut/bleeding
  0.0    0.0      0      4  Unconscious
 20.0    0.1      1      5  Hospitalized
  0.0    0.0      0      6  Required medical treatment
  0.0    0.0      0      7  Other
        99.7  1,720     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1451-1452

```
┌─────────────────────────────────────────────────────────────────────────┐
│  Y7_677                      GANG FIGHT/NEXT-DRINK/DRUGS                   │
└─────────────────────────────────────────────────────────────────────────┘
```

   Thinking of the next to last time you were involved in gang
   fights . . .

   Had you been drinking or taking drugs before the incident?

```
    PCT     PCT      N  VALUE  LABEL
   VALID    ALL
   40.0    0.1      2      0  No
   60.0    0.2      3      1  Drinking
    0.0    0.0      0      2  Using drugs
    0.0    0.0      0      3  Drinking and drugs
           99.7  1,720     -1
   -----   -----  -----
   100.0  100.0  1,725 cases
```

   Data type: numeric
   Missing-data code: -1
   Columns: 1453-1454

```
┌─────────────────────────────────────────────────────────────────────────┐
│  Y7_678                      GANG FIGHT/NEXT-1ST ITEM NO.                  │
└─────────────────────────────────────────────────────────────────────────┘
```

```
    PCT     PCT      N  VALUE  LABEL
   VALID    ALL
   100.0   0.3      5      0  No
           99.7  1,720     -1
   -----   -----  -----
   100.0  100.0  1,725 cases
```

   Data type: numeric
   Missing-data code: -1
   Columns: 1455-1457

```
┌─────────────────────────────────────────────────────────────────────────┐
│  Y7_679                      GANG FIGHT/NEXT-2ND ITEM NO.                  │
└─────────────────────────────────────────────────────────────────────────┘
```

```
    PCT     PCT      N  VALUE  LABEL
   VALID    ALL
   100.0   0.3      5      0  No
           99.7  1,720     -1
   -----   -----  -----
   100.0  100.0  1,725 cases
```

   Data type: numeric
   Missing-data code: -1
   Columns: 1458-1460

```
Y7_680                    GANG FIGHT/BEF-NO. GROUP
```

Thinking of the time before that that you were involved in gang
fights . . .

Counting yourself, how many were in your group?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.0    0.0      0      1  l-2 people
  0.0    0.0      0      2  3-5
100.0    0.1      2      3  More than 5 people
         99.9  1,723     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1461-1462

```
Y7_681                    GANG FIGHT/BEF-NO. OTH GROUP
```

Thinking of the time before that that you were involved in gang
fights . . .

How many were in the other group?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 50.0    0.1      1      1  l-2 people
  0.0    0.0      0      2  3-5
 50.0    0.1      1      3  More than 5 people
         99.9  1,723     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1463-1464

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_682              GANG FIGHT/BEF-NATURE OF WEAPONS                       │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the time before that that you were involved in gang
fights . . .

 What weapons were used? (DESCRIBE)

```
  PCT     PCT      N   VALUE  LABEL
 VALID    ALL
  50.0    0.1      1       0  No weapons
   0.0    0.0      0       1  Knives, cutting/stabbing things
   0.0    0.0      0       2  Chains, bats/hitting things
   0.0    0.0      0       3  Hard knuckles/numchucks
   0.0    0.0      0       4  Guns and other firearms
   0.0    0.0      0       5  Other
  50.0    0.1      1       6  Mixed weapons excluding guns
   0.0    0.0      0       7  Mixed weapons including guns
   0.0    0.0      0       8  Mixed weapons-no gun or knife types
          99.9  1,723     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1465-1466

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_683              GANG FIGHT/BEF-EXTENT OF INJURY                        │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the time before that that you were involved in gang
fights . . .

 How badly hurt was the most injured person?

```
  PCT     PCT      N   VALUE  LABEL
 VALID    ALL
 100.0    0.1      2       0  No injury
   0.0    0.0      0       1  Knocked down
   0.0    0.0      0       2  Bruised
   0.0    0.0      0       3  Cut/bleeding
   0.0    0.0      0       4  Unconscious
   0.0    0.0      0       5  Hospitalized
   0.0    0.0      0       6  Required medical treatment
   0.0    0.0      0       7  Other
          99.9  1,723     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1467-1468

```
Y7_684                    GANG FIGHT/BEF-DRINK/DRUGS
```

Thinking of the time before that that you were involved in gang
fights . . .

 Had you been drinking or taking drugs before the
 incident?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  50.0    0.1      1      0  No
  50.0    0.1      1      1  Drinking
   0.0    0.0      0      2  Using drugs
   0.0    0.0      0      3  Drinking and drugs
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1469-1470

```
Y7_685                    GANG FIGHT/BEF-1ST ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 100.0    0.1      2      0  No
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1471-1473

```
Y7_686                    GANG FIGHT/BEF-2ND ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 100.0    0.1      2      0  No
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1474-1476

Y7_687	USE CHECK ILLEGALLY-HOW USED

Thinking of the last time you used checks illegally or used phony
money to pay for something (INCLUDES INTENTIONAL OVERDRAFTS) . . .

 What did you do?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  85.7     1.0     18      1  Overdraft
   4.8     0.1      1      2  Forged check
   0.0     0.0      0      3  Cashed someones check
   0.0     0.0      0      4  Counterfeit money
   9.5     0.1      2      5  Other
          98.8  1,704     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1477-1478

Y7_688	USE CHECK ILLEG-VALUE($0-$999)

Thinking of the last time you used checks illegally or used phony
money to pay for something (INCLUDES INTENTIONAL OVERDRAFTS) . . .

 What was the dollar value involved in this incident?

```
Min    =   5              Mean     =    64.857
Max    = 200              Std Dev  =    62.533
Median =  35              Variance = 3,910.429
```

(Based on 21 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1479-1481

```
Y7_689                    USE CHECK ILLEGALLY-OTH INVOLVE
```

Thinking of the last time you used checks illegally or used phony
money to pay for something (INCLUDES INTENTIONAL OVERDRAFTS) . . .

 Were you alone or did others take part in this event?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 71.4    0.9     15      0  Alone
 23.8    0.3      5      1  1 person
  4.8    0.1      1      2  2 people
  0.0    0.0      0      3  3 people
  0.0    0.0      0      4  4 people
  0.0    0.0      0      5  5 people
  0.0    0.0      0      6  6 people
  0.0    0.0      0      7  7 people
  0.0    0.0      0      8  8 people
  0.0    0.0      0      9  9 people
         98.8  1,704     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1482-1483

```
Y7_690                    USE CHECK ILLEGALLY-1ST ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    1.2     21      0  No
         98.8  1,704     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1484-1486

```
Y7_691               USE CHECK ILLEGALLY-2ND ITEM NO.
```

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  100.0   1.2     21      0  No
          98.8  1,704     -1
  -----  -----  -----
  100.0  100.0  1,725 cases


  Data type: numeric
  Missing-data code: -1
  Columns: 1487-1489
```

```
Y7_692               SOLD MARIJUANA-VALUE($0-$99999)
```

```
  Thinking of the last time you sold marijuana or hashish ("POT",
  "GRASS", "HASH") . . .

   How much money was involved in the sale? (SPECIFY)
   (IF OTHER THAN MONEY, SPECIFY)

  Min    =      1            Mean     =       135.556
  Max    = 4,500            Std Dev  =       511.246
  Median =     30            Variance = 261,372.775

  (Based on 81 valid cases)

  Data type: numeric
  Missing-data code: -1
  Columns: 1490-1494
```

```
Y7_693               SOLD MARIJUANA-AMOUNT(F5.2) OZ
```

```
  Thinking of the last time you sold marijuana or hashish ("POT",
  "GRASS", "HASH") . . .

   How much marijuana/hashish did you sell? (SPECIFY)

  Min    =      3            Mean     =        354.395
  Max    = 16,000            Std Dev  =     1,821.723
  Median =     25            Variance = 3,318,675.842

  (Based on 81 valid cases)

  Data type: numeric
  Missing-data code: -1
  Columns: 1495-1499
```

Y7_694   SOLD MARIJUANA-OTH INVOLVE

Thinking of the last time you sold marijuana or hashish ("POT", "GRASS", "HASH") . . .

 Were you alone or did others take part in this event?

```
  PCT     PCT       N   VALUE  LABEL
 VALID    ALL
  69.1    3.2      56       0  Alone
   9.9    0.5       8       1  1 person
   8.6    0.4       7       2  2 people
   9.9    0.5       8       3  3 people
   1.2    0.1       1       4  4 people
   1.2    0.1       1       5  5 people
   0.0    0.0       0       6  6 people
   0.0    0.0       0       7  7 people
   0.0    0.0       0       8  8 people
   0.0    0.0       0       9  9 people
          95.3  1,644      -1
 -----   -----   -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1500-1501

Y7_695   SOLD MARIJUANA-1ST ITEM NO.

```
  PCT     PCT       N   VALUE  LABEL
 VALID    ALL
  96.3    4.5      78       0  No
   1.2    0.1       1     230
   1.2    0.1       1     246
   1.2    0.1       1     247
          95.3  1,644      -1
 -----   -----   -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1502-1504

```
Y7_696                  SOLD MARIJUANA-2ND ITEM NO.
```

```
    PCT     PCT       N  VALUE  LABEL
  VALID    ALL
  100.0    4.7       81      0  No
           95.3  1,644      -1
  -----  -----   -----
  100.0  100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 1505-1507
```

```
Y7_697                  STOLE F/FAM-WHAT DID YOU STEAL
```

Thinking of the last time you stole money or other things from your parents or other members of your family . . .

 What did you steal?

```
    PCT     PCT       N  VALUE  LABEL
  VALID    ALL
   94.4    1.0       17      1  Money
    5.6    0.1        1      2  Other
    0.0    0.0        0      3  Both
           99.0  1,707      -1
  -----  -----   -----
  100.0  100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 1508-1509
```

Y7_698   **STOLE F/FAM-AMT STOLEN ($0-$999)**

(IF MONEY STOLEN TO Y7_697)

Thinking of the last time you stole money or other things from your
parents or other members of your family . . .

 How much money did you steal? (SPECIFY)

```
Min    =   0                Mean     =     72.529
Max    = 999                Std Dev  =    239.203
Median =  10                Variance = 57,218.015
```

(Based on 17 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1510-1512

Y7_699   **STOLE F/FAM-VAL OF OTH ($0-$999)**

(IF OTHER STOLEN TO Y7_697)

Thinking of the last time you stole money or other things from your
parents or other members of your family . . .

 How much do you think it was worth? (SPECIFY)

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 100.0   0.1      1     30
         99.9  1,724    -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1513-1515

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_700                    STOLE F/FAMILY-PLANNED USE                   │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you stole money or other things from your
parents or other members of your family . . .

 What were you going to do with it?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.4      7      1  Use it yourself
   0.0    0.0      0      2  Give it away
   0.0    0.0      0      3  Sell it
   0.0    0.0      0      4  Other
          99.6  1,718     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1516-1517

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_701                    STOLE F/FAMILY-OTH INVOLVE                   │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you stole money or other things from your
parents or other members of your family . . .

 Were you alone, or did others take part in the theft?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    1.0     18      0  Alone
   0.0    0.0      0      1  1 person
   0.0    0.0      0      2  2 people
   0.0    0.0      0      3  3 people
   0.0    0.0      0      4  4 people
   0.0    0.0      0      5  5 people
   0.0    0.0      0      6  6 people
   0.0    0.0      0      7  7 people
   0.0    0.0      0      8  8 people
   0.0    0.0      0      9  9 people
          99.0  1,707     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1518-1519

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_702                    STOLE F/FAMILY-DRINK/DRUGS                      │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you stole money or other things from your
parents or other members of your family . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  83.3    0.9      15      0  No
  11.1    0.1       2      1  Drinking
   5.6    0.1       1      2  Using drugs
   0.0    0.0       0      3  Drinking and drugs
          99.0  1,707     -1
  -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1520-1521

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_703                    STOLE F/FAMILY-1ST ITEM NO.                     │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  77.8    0.8      14      0  No
  11.1    0.1       2    227
  11.1    0.1       2    231
          99.0  1,707     -1
  -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1522-1524

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_704                    STOLE F/FAMILY-2ND ITEM NO.                     │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
 100.0    1.0      18      0  No
          99.0  1,707     -1
  -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1525-1527

Y7_705   **STOLE F/EMPLOY-WHAT DID YOU STEAL**

(IF WORKING)

Thinking of the last time you stole money, goods, or property from
the place where you work . . .

 What did you steal?

```
  PCT     PCT      N  VALUE  LABEL
VALID   ALL
  7.3    0.5      8      1  Money
 92.7    5.9    101      2  Other
  0.0    0.0      0      3  Both
        93.7  1,616     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1528-1529

Y7_706   **STOLE F/EMPL-AMT STOLEN ($0-$999)**

(IF WORKING)

(IF MONEY STOLEN TO Y7_705)

Thinking of the last time you stole money, goods, or property from
the place where you work . . .

 How much money did you steal? (SPECIFY)

```
Min    =   1              Mean     =    39.875
Max    = 240              Std Dev  =    82.853
Median =   4              Variance = 6,864.696
```

(Based on 8 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1530-1532

```
Y7_707                    STOLE F/EMP-VAL OF OTHR ($0-$999)
```

(IF WORKING)

(IF OTHER STOLEN TO Y7_705)

Thinking of the last time you stole money, goods, or property from
the place where you work . . .

 How much do you think it was worth? (SPECIFY)

Min   =   0   Mean   =   32.220
Max   = 999   Std Dev =   120.851
Median =   5   Variance = 14,605.022

(Based on 100 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1533-1535

```
Y7_708                    STOLE F/EMPLOY-OTH INVOLVE
```

(IF WORKING)

Thinking of the last time you stole money, goods, or property from
the place where you work . . .

 Were you alone, or did others take part in the theft?

PCT VALID	PCT ALL	N	VALUE	LABEL
75.2	4.8	82	0	Alone
11.9	0.8	13	1	1 person
11.0	0.7	12	2	2 people
1.8	0.1	2	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1536-1537

```
Y7_709                    STOLE F/EMPLOY-DRINK/DRUGS
```

(IF WORKING)

Thinking of the last time you stole money, goods, or property from
the place where you work . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  96.3   6.1     105      0  No
   1.8   0.1       2      1  Drinking
   1.8   0.1       2      2  Using drugs
   0.0   0.0       0      3  Drinking and drugs
         93.7  1,616     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1538-1539

```
Y7_710                    STOLE F/EMPLOY-1ST ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  67.9   4.3      74      0  No
   3.7   0.2       4    227
  21.1   1.3      23    231
   6.4   0.4       7    253
   0.9   0.1       1    256
         93.7  1,616     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1540-1542

Y7_711   **STOLE F/EMPLOY-2ND ITEM NO.**

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  98.2    6.2    107      0  No
   0.9    0.1      1    231
   0.9    0.1      1    240
         93.7  1,616     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1543-1545

Y7_712   **SEX AGAINST/LAST-OUTCOME ATTEMPT**

Thinking of the last time you had or tried to have sexual relations
with someone against their will . . .

 Did you actually force someone to have sexual relations or only
 try?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  12.5    0.1      1      1  Actually forced
  87.5    0.4      7      2  Tried but didnt succeed
         99.5  1,717     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1546-1547

Y7_713   **SEX AGAINST/LAST-MEANS FORCE**

Thinking of the last time you had or tried to have sexual relations
with someone against their will . . .

 In which of the following ways did you force the person?
 (CHECK ALL THAT APPLY)

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
  50.0     0.2      4       1   Verbal threats of injury
  25.0     0.1      2       2   Mild roughness
  12.5     0.1      1       3   Physical beating/choking
   0.0     0.0      0       4   Threat of weapon
   0.0     0.0      0       5   Used a weapon
  12.5     0.1      1       6   Other
          99.5  1,717      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1548-1549

Y7_714   **SEX AGAINST/LAST-EXTENT INJURY**

Thinking of the last time you had or tried to have sexual relations
with someone against their will . . .

 How badly did you hurt the person?

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
  87.5     0.4      7       0   No injury
   0.0     0.0      0       1   Knocked down
  12.5     0.1      1       2   Bruised
   0.0     0.0      0       3   Cut/bleeding
   0.0     0.0      0       4   Unconscious
   0.0     0.0      0       5   Hospitalized
   0.0     0.0      0       6   Required medical treatment
   0.0     0.0      0       7   Other
          99.5  1,717      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1550-1551

Y7_715   **SEX AGAINST/LAST-OTH INVOLVE**

Thinking of the last time you had or tried to have sexual relations
with someone against their will . . .

Was anyone else besides yourself involved in pressuring or
forcing the person? (CHECK ALL THAT APPLY)

PCT VALID	PCT ALL	N	VALUE	LABEL
87.5	0.4	7	0	Alone
12.5	0.1	1	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.5	1,717	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1552-1553

Y7_716   **SEX AGAINST/LAST-WAS PERSON**

Thinking of the last time you had or tried to have sexual relations
with someone against their will . . .

Who was the person you tried to have sex with?

PCT VALID	PCT ALL	N	VALUE	LABEL
37.5	0.2	3	1	A stranger
25.0	0.1	2	2	An acquaintance
25.0	0.1	2	3	A friend
12.5	0.1	1	4	Family member
0.0	0.0	0	5	Other
	99.5	1,717	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1554-1555

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_717                  SEX AGAINST/LAST-DRINK/DRUGS                   │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you had or tried to have sexual relations
with someone against their will . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  50.0     0.2      4      0  No
  12.5     0.1      1      1  Drinking
   0.0     0.0      0      2  Using drugs
  37.5     0.2      3      3  Drinking and drugs
           99.5  1,717     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1556-1557

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_718                  SEX AGAINST/LAST-1ST ITEM NO.                  │
└─────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  100.0    0.5      8      0  No
           99.5  1,717     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1558-1560

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_719                  SEX AGAINST/LAST-2ND ITEM NO.                  │
└─────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  100.0    0.5      8      0  No
           99.5  1,717     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1561-1563

Y7_720   **SEX AGAINST/NEXT-OUTCOME ATTEMPT**

Thinking of the next to last time you had or tried to have sexual
relations with someone against their will . . .

Did you actually force someone to have sexual relations or only
try?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 33.3   0.1      1      1  Actually forced
 66.7   0.1      2      2  Tried but didnt succeed
        99.8  1,722    -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1564-1565

Y7_721   **SEX AGAINST/NEXT-MEANS FORCE**

Thinking of the next to last time you had or tried to have sexual
relations with someone against their will . . .

In which of the following ways did you force the person?
(CHECK ALL THAT APPLY)

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 33.3   0.1      1      1  Verbal threats of injury
 33.3   0.1      1      2  Mild roughness
  0.0   0.0      0      3  Physical beating/choking
  0.0   0.0      0      4  Threat of weapon
  0.0   0.0      0      5  Used a weapon
 33.3   0.1      1      6  Other
        99.8  1,722    -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1566-1567

Y7_722   **SEX AGAINST/NEXT-EXTENT INJURY**

    Thinking of the next to last time you had or tried to have sexual
    relations with someone against their will . . .

     How badly did you hurt the person?

       PCT   PCT   N   VALUE   LABEL
      VALID   ALL
      100.0   0.2   3   0   No injury
        0.0   0.0   0   1   Knocked down
        0.0   0.0   0   2   Bruised
        0.0   0.0   0   3   Cut/bleeding
        0.0   0.0   0   4   Unconscious
        0.0   0.0   0   5   Hospitalized
        0.0   0.0   0   6   Required medical treatment
        0.0   0.0   0   7   Other
               99.8 1,722   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 1568-1569

Y7_723   **SEX AGAINST/NEXT-OTH INVOLVE**

Thinking of the next to last time you had or tried to have sexual
relations with someone against their will . . .

Was anyone else besides yourself involved in pressuring or forcing
the person? (CHECK ALL THAT APPLY)

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	3	0	Alone
0.0	0.0	0	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1570-1571

Y7_724   **SEX AGAINST/NEXT-WAS PERSON**

Thinking of the next to last time you had or tried to have sexual
relations with someone against their will . . .

Who was the person you tried to have sex with?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	A stranger
33.3	0.1	1	2	An acquaintance
33.3	0.1	1	3	A friend
33.3	0.1	1	4	Family member
0.0	0.0	0	5	Other
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1572-1573

Y7_725   **SEX AGAINST/NEXT-DRINK/DRUGS**

Thinking of the next to last time you had or tried to have sexual
relations with someone against their will . . .

 Had you been drinking or taking drugs before the incident?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 33.3   0.1      1      0  No
 33.3   0.1      1      1  Drinking
  0.0   0.0      0      2  Using drugs
 33.3   0.1      1      3  Drinking and drugs
        99.8  1,722     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1574-1575

Y7_726   **SEX AGAINST/NEXT-1ST ITEM NO.**

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 100.0   0.2      3      0  No
        99.8  1,722     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1576-1578

Y7_727   **SEX AGAINST/NEXT-2ND ITEM NO.**

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 100.0   0.2      3      0  No
        99.8  1,722     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1579-1581

```
Y7_728                    SEX AGAINST/BEF-OUTCOME ATTEMPT
```

Thinking of the time before that that you had or tried to have sexual
relations with someone against their will . . .

Did you actually force someone to have sexual relations or
only try?

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
  0.0     0.0      0      1  Actually forced
100.0     0.1      2      2  Tried but didnt succeed
          99.9  1,723     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1582-1583

```
Y7_729                    SEX AGAINST/BEF-MEANS FORCE
```

Thinking of the time before that that you had or tried to have sexual
relations with someone against their will . . .

In which of the following ways did you force the person?
(CHECK ALL THAT APPLY)

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
  0.0     0.0      0      1  Verbal threats of injury
 50.0     0.1      1      2  Mild roughness
  0.0     0.0      0      3  Physical beating/choking
  0.0     0.0      0      4  Threat of weapon
  0.0     0.0      0      5  Used a weapon
 50.0     0.1      1      6  Other
          99.9  1,723     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1584-1585

Y7_730   **SEX AGAINST/BEF-EXTENT INJURY**

Thinking of the time before that that you had or tried to have sexual
relations with someone against their will . . .

How badly did you hurt the person?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.0	0.1	1	0	No injury
0.0	0.0	0	1	Knocked down
50.0	0.1	1	2	Bruised
0.0	0.0	0	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
0.0	0.0	0	5	Hospitalized
0.0	0.0	0	6	Required medical treatment
0.0	0.0	0	7	Other
	99.9	1,723	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1586-1587

Y7_731   **SEX AGAINST/BEF-OTH INVOLVE**

Thinking of the time before that that you had or tried to have sexual
relations with someone against their will . . .

Was anyone else besides yourself involved in pressuring or
forcing the person? (CHECK ALL THAT APPLY)

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	2	0	Alone
0.0	0.0	0	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1588-1589

Y7_732   **SEX AGAINST/BEF-WAS THE PERSON**

Thinking of the time before that that you had or tried to have sexual
relations with someone against their will . . .

Who was the person you tried to have sex with?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	A stranger
50.0	0.1	1	2	An acquaintance
50.0	0.1	1	3	A friend
0.0	0.0	0	4	Family member
0.0	0.0	0	5	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1590-1591

```
Y7_733                  SEX AGAINST/BEF-DRINK/DRUGS
```

Thinking of the time before that that you had or tried to have sexual
relations with someone against their will . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 50.0    0.1      1      0  No
  0.0    0.0      0      1  Drinking
  0.0    0.0      0      2  Using drugs
 50.0    0.1      1      3  Drinking and drugs
         99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1592-1593

```
Y7_734                  SEX AGAINST/BEF-1ST ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      2      0  No
         99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1594-1596

```
Y7_735                  SEX AGAINST/BEF-2ND ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      2      0  No
         99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1597-1599

```
Y7_736                    HIT PARENTS-OUTCOME ATTEMPT
```

Thinking of the last time you hit or threatened to hit one of your
parents . . .

 Did you actually hit them or just threaten to hit them?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 23.1     0.2       3      1  Actually hit
  0.0     0.0       0      2  Tried, didnt succeed
 76.9     0.6      10      3  Only threatened to hit
          99.2  1,712     -1
 -----   -----  -----
 100.0   100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 1600-1601
```

```
Y7_737                    HIT PARENTS-EXTENT INJURY
```

Thinking of the last time you hit or threatened to hit one of your
parents . . .

 How badly did you hurt the person? (CHECK ALL THAT APPLY)

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 33.3     0.1       1      0  No injury
  0.0     0.0       0      1  Pushed or slapped
  0.0     0.0       0      2  Caused pain
  0.0     0.0       0      3  knocked down
 66.7     0.1       2      4  Bruised
  0.0     0.0       0      5  Cut/bleeding
  0.0     0.0       0      6  Unconscious
  0.0     0.0       0      7  Hospitalized
  0.0     0.0       0      8  Required medical treatment
  0.0     0.0       0      9  Other
          99.8  1,722     -1
 -----   -----  -----
 100.0   100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 1602-1603
```

Y7_738   **HIT PARENTS-OTH INVOLVE**

Thinking of the last time you hit or threatened to hit one of your parents . . .

Were you alone, or did others take part in this event?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.6	0.6	11	0	Alone
7.7	0.1	1	1	1 person
7.7	0.1	1	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.2	1,712	-1	

----- ----- -----
100.0   100.0   1,725 cases

Data type: numeric
Missing-data code: -1
Columns: 1604-1605

Y7_739   **HIT PARENTS-DRINK/DRUGS**

Thinking of the last time you hit or threatened to hit one of your parents . . .

Had you been drinking or taking drugs before the incident?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.6	0.6	11	0	No
7.7	0.1	1	1	Drinking
7.7	0.1	1	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.2	1,712	-1	

----- ----- -----
100.0   100.0   1,725 cases

Data type: numeric
Missing-data code: -1
Columns: 1606-1607

```
Y7_740                    HIT PARENTS-1ST ITEM NO.
```

```
    PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  100.0   0.8     13      0  No
          99.2  1,712     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1608-1610
```

```
Y7_741                    HIT PARENTS-2ND ITEM NO.
```

```
    PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  100.0   0.8     13      0  No
          99.2  1,712     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1611-1613
```

```
Y7_742                    HIT AT WORK-OUTCOME ATTEMPT
```

```
  (IF WORKING)

  Thinking of the last time you hit or threatened to hit your
  supervisor or other employee . . .

   Did you actually hit them or just threaten to hit them?
```

```
    PCT    PCT     N  VALUE  LABEL
  VALID   ALL
   13.9   0.6     10      1  Actually hit
    2.8   0.1      2      2  Tried, didnt succeed
   83.3   3.5     60      3  Only threatened to hit
          95.8  1,653     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 1614-1615
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_743                    HIT AT WORK-EXTENT INJURY                   │
└─────────────────────────────────────────────────────────────────────┘
```

(IF WORKING)

Thinking of the last time you hit or threatened to hit your
supervisor or other employee . . .

 How badly did you hurt the person? (CHECK ALL THAT APPLY)

```
   PCT      PCT      N   VALUE   LABEL
 VALID     ALL
  50.0      0.3      5       0   No injury
   0.0      0.0      0       1   Pushed or slapped
  10.0      0.1      1       2   Caused pain
   0.0      0.0      0       3   knocked down
  10.0      0.1      1       4   Bruised
  20.0      0.1      2       5   Cut/bleeding
   0.0      0.0      0       6   Unconscious
  10.0      0.1      1       7   Hospitalized
   0.0      0.0      0       8   Required medical treatment
   0.0      0.0      0       9   Other
            99.4  1,715      -1
 -----    -----  -----
 100.0    100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1616-1617

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_744              HIT AT WORK-OTH INVOLVE                        │
└─────────────────────────────────────────────────────────────────┘
```

(IF WORKING)

Thinking of the last time you hit or threatened to hit your
supervisor or other employee . . .

Were you alone, or did others take part in this event?

```
  PCT     PCT      N   VALUE   LABEL
 VALID    ALL
 80.3     3.3     57       0   Alone
  4.2     0.2      3       1   1 person
  5.6     0.2      4       2   2 people
  2.8     0.1      2       3   3 people
  1.4     0.1      1       4   4 people
  2.8     0.1      2       5   5 people
  0.0     0.0      0       6   6 people
  1.4     0.1      1       7   7 people
  0.0     0.0      0       8   8 people
  1.4     0.1      1       9   9 people
         95.9  1,654      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1618-1619

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_745              HIT AT WORK-DRINK/DRUGS                        │
└─────────────────────────────────────────────────────────────────┘
```

(IF WORKING)

Thinking of the last time you hit or threatened to hit your
supervisor or other employee . . .

Had you been drinking or taking drugs before the incident?

```
  PCT     PCT      N   VALUE   LABEL
 VALID    ALL
 100.0    4.1     71       0   No
   0.0    0.0      0       1   Drinking
   0.0    0.0      0       2   Using drugs
   0.0    0.0      0       3   Drinking and drugs
         95.9  1,654      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1620-1621

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_746              HIT AT WORK-1ST ITEM NO.                              │
└─────────────────────────────────────────────────────────────────────────┘
```

```
      PCT     PCT      N   VALUE  LABEL
     VALID    ALL
     93.0     3.8     66       0  No
      4.2     0.2      3     232
      2.8     0.1      2     244
              95.9  1,654      -1
     -----   -----   -----
     100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1622-1624

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_747              HIT AT WORK-2ND ITEM NO.                              │
└─────────────────────────────────────────────────────────────────────────┘
```

```
      PCT     PCT      N   VALUE  LABEL
     VALID    ALL
     100.0    4.1     71       0  No
              95.9  1,654      -1
     -----   -----   -----
     100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1625-1627

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_748              HIT ELSE-OUTCOME ATTEMPT                              │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you hit or threatened to hit anyone else
(other than parents, persons at work) . . .

 Did you actually hit them or just threaten to hit them?

```
      PCT     PCT      N   VALUE  LABEL
     VALID    ALL
     41.7     5.3     91       1  Actually hit
      1.4     0.2      3       2  Tried, didnt succeed
     56.9     7.2    124       3  Only threatened to hit
              87.4  1,507      -1
     -----   -----   -----
     100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1628-1629

Y7_749	HIT ELSE-EXTENT INJURY

Thinking of the last time you hit or threatened to hit anyone else (other than parents, persons at work) . . .

How badly did you hurt the person? (CHECK ALL THAT APPLY)

PCT VALID	PCT ALL	N	VALUE	LABEL
41.8	2.2	38	0	No injury
7.7	0.4	7	1	Pushed or slapped
1.1	0.1	1	2	Caused pain
5.5	0.3	5	3	knocked down
16.5	0.9	15	4	Bruised
17.6	0.9	16	5	Cut/bleeding
3.3	0.2	3	6	Unconscious
4.4	0.2	4	7	Hospitalized
2.2	0.1	2	8	required medical treatment
0.0	0.0	0	9	Other
	94.7	1,634	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1630-1631

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_750                    HIT ELSE-OTH INVOLVE                            │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you hit or threatened to hit anyone else
(other than parents, persons at work) . . .

Were you alone, or did others take part in this event?

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 75.5     9.4    163      0   Alone
  6.9     0.9     15      1   1 person
  4.6     0.6     10      2   2 people
  3.2     0.4      7      3   3 people
  2.3     0.3      5      4   4 people
  1.4     0.2      3      5   5 people
  0.9     0.1      2      6   6 people
  0.5     0.1      1      7   7 people
  0.5     0.1      1      8   8 people
  4.2     0.5      9      9   9 people
         87.5  1,509     -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1632-1633

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_751                    HIT ELSE-DRINK/DRUGS                            │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you hit or threatened to hit anyone else
(other than parents, persons at work) . . .

Had you been drinking or taking drugs before the incident?

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 70.2     8.9    153      0   No
 25.2     3.2     55      1   Drinking
  0.9     0.1      2      2   Using drugs
  3.7     0.5      8      3   Drinking and drugs
         87.4  1,507     -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1634-1635

```
Y7_752                HIT ELSE-1ST ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 87.6   11.1    191      0  No
  0.5    0.1      1    121
  0.5    0.1      1    225
 10.1    1.3     22    232
  0.5    0.1      1    235
  0.5    0.1      1    243
  0.5    0.1      1    343
         87.4  1,507     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 1636-1638
```

```
Y7_753                HIT ELSE-2ND ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 99.5   12.6    217      0  No
  0.5    0.1      1    232
         87.4  1,507     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

```
Data type: numeric
Missing-data code: -1
Columns: 1639-1641
```

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_754              SOLD HARD DRUGS-WHAT DRUGS                              │
└──────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you sold hard drugs such as heroin,
cocaine, and LSD (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED
TO THESE THREE DRUGS) . . .

 What drug or drugs were included in the sale?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  3.4    0.1      1      1  Marijuana
 17.2    0.3      5      2  Pills
 65.5    1.1     19      3  Cocaine
  3.4    0.1      1      4  Heroin
 10.3    0.2      3      5  Other
         98.3  1,696     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1642-1643

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_755              SOLD HARD DRUGS-VALUE                                   │
└──────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you sold hard drugs such as heroin,
cocaine, and LSD (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED
TO THESE THREE DRUGS) . . .

 How much money was involved in the sale? (SPECIFY)
 (IF OTHER THAN MONEY, SPECIFY)

```
Min    =     10              Mean     =       665.862
Max    = 6,000               Std Dev  =     1,457.036
Median =    100              Variance = 2,122,953.695
```

(Based on 29 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1644-1648

Y7_756　　　　　　　**SOLD HARD DRUGS-OTH INVOLVE**

Thinking of the last time you sold hard drugs such as heroin,
cocaine, and LSD (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED
TO THESE THREE DRUGS) . . .

 Were you alone, or did others take part in this event?

```
   PCT    PCT     N   VALUE  LABEL
  VALID   ALL
  44.8    0.8    13      0   Alone
  17.2    0.3     5      1   1 person
  27.6    0.5     8      2   2 people
   3.4    0.1     1      3   3 people
   6.9    0.1     2      4   4 people
   0.0    0.0     0      5   5 people
   0.0    0.0     0      6   6 people
   0.0    0.0     0      7   7 people
   0.0    0.0     0      8   8 people
   0.0    0.0     0      9   9 people
         98.3  1,696     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1649-1650

Y7_757　　　　　　　**SOLD HARD DRUGS-1ST ITEM NO.**

```
   PCT    PCT     N   VALUE  LABEL
  VALID   ALL
  93.1    1.6    27      0   No
   3.4    0.1     1    230
   3.4    0.1     1    237
         98.3  1,696     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1651-1653

```
Y7_758                 SOLD HARD DRUGS-2ND ITEM NO.
```

```
    PCT    PCT       N  VALUE  LABEL
  VALID    ALL
  100.0    1.7      29      0  No
           98.3  1,696     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1654-1656

```
Y7_759                 SOLD WORTHLESS-SOLD TO WHOM
```

Thinking of the last time you tried to cheat someone by selling them
something that was worthless or not what you said it was . . .

 Who were you trying to sell the_____to?

```
    PCT    PCT       N  VALUE  LABEL
  VALID    ALL
   48.1    0.8      13      1  Stranger
    7.4    0.1       2      2  Family member
   29.6    0.5       8      3  Friend
   14.8    0.2       4      4  Other
           98.4  1,698     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1657-1658

Y7_760   **SOLD WORTHLESS-REAL VALUE**

Thinking of the last time you tried to cheat someone by selling them
something that was worthless or not what you said it was . . .

 How much was the _____ really worth? (SPECIFY)

Min   =   0   Mean   =   123.077
Max   = 1,000   Std Dev =   223.996
Median =   22.5   Variance = 50,174.154

(Based on 26 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1659-1662

Y7_761   **SOLD WORTHLESS-ASKING PRICE**

Thinking of the last time you tried to cheat someone by selling them
something that was worthless or not what you said it was . . .

 How much did you try to sell it for? (SPECIFY)

Min   =   3   Mean   =   206.731
Max   = 1,650   Std Dev =   358.868
Median =   52.5   Variance = 128,786.205

(Based on 26 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1663-1666

Y7_762   **SOLD WORTHLESS-OUTCOME O/ATTEMPT**

Thinking of the last time you tried to cheat someone by selling them something that was worthless or not what you said it was . . .

 Did you actually sell _____or just try to sell it?

PCT VALID	PCT ALL	N	VALUE	LABEL
80.8	1.2	21	1	Actually sold it
19.2	0.3	5	2	Tried to sell it
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1667-1668

Y7_763   **SOLD WORTHLESS-OTH INVOLVE**

Thinking of the last time you tried to cheat someone by selling them something that was worthless or not what you said it was . . .

 Were you alone or did others take part in this event?

PCT VALID	PCT ALL	N	VALUE	LABEL
63.0	1.0	17	0	Alone
22.2	0.3	6	1	1 person
3.7	0.1	1	2	2 people
3.7	0.1	1	3	3 people
3.7	0.1	1	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
3.7	0.1	1	9	9 people
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1669-1670

Y7_764				SOLD WORTHLESS-1ST ITEM NO.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  92.6    1.4     25      0  No
   3.7    0.1      1    230
   3.7    0.1      1    237
         98.4  1,698     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1671-1673

Y7_765				SOLD WORTHLESS-2ND ITEM NO.

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  96.3    1.5     26      0  No
   3.7    0.1      1    246
         98.4  1,698     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1674-1676

Y7_766				TAKEN VEHICLE-KIND OF VEHICLE

Thinking of the last time you took a vehicle for a ride or drive
without the owner's permission . . .

 What kind of vehicle was it?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  61.9    0.8     13      1  Car
  23.8    0.3      5      2  Truck
   4.8    0.1      1      3  Motorcycle
   9.5    0.1      2      4  Other
         98.8  1,704     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1677-1678

```
Y7_767                  TAKEN VEHICLE-VEHICLE OWNER
```

Thinking of the last time you took a vehicle for a ride or drive
without the owner's permission . . .

  Who did the vehicle belong to?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  23.8    0.3      5      1  Family member
  38.1    0.5      8      2  Friend
  38.1    0.5      8      3  Other
          98.8  1,704     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1679-1680

```
Y7_768                  TAKEN VEHICLE-STARTED VEHICLE
```

Thinking of the last time you took a vehicle for a ride or drive
without the owner's permission . . .

  How did you get the vehicle started?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  71.4    0.9     15      1  Had keys
   4.8    0.1      1      2  Hot wired
  19.0    0.2      4      3  Keys in ignition
   4.8    0.1      1      4  Other
          98.8  1,704     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1681-1682

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_769                    TAKEN VEHICLE-OTH INVOLVE                         │
└──────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the last time you took a vehicle for a ride or drive
    without the owner's permission . . .

     Were you alone, or did others take part in the theft?

       PCT   PCT   N   VALUE   LABEL
      VALID   ALL
      61.9   0.8   13   0   Alone
      28.6   0.3   6   1   1 person
       9.5   0.1   2   2   2 people
       0.0   0.0   0   3   3 people
       0.0   0.0   0   4   4 people
       0.0   0.0   0   5   5 people
       0.0   0.0   0   6   6 people
       0.0   0.0   0   7   7 people
       0.0   0.0   0   8   8 people
       0.0   0.0   0   9   9 people
               98.8   1,704   -1
      -----   -----   -----
      100.0   100.0   1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1683-1684

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_770                    TAKEN VEHICLE-DRINK/DRUGS                         │
└──────────────────────────────────────────────────────────────────────────┘
```

    Thinking of the last time you took a vehicle for a ride or drive
    without the owner's permission . . .

     Had you been drinking or taking drugs before the incident?

       PCT   PCT   N   VALUE   LABEL
      VALID   ALL
      66.7   0.8   14   0   No
      23.8   0.3   5   1   Drinking
       4.8   0.1   1   2   Using drugs
       4.8   0.1   1   3   Drinking and drugs
               98.8   1,704   -1
      -----   -----   -----
      100.0   100.0   1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1685-1686

```
Y7_771                TAKEN VEHICLE-1ST ITEM NO.
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID    ALL
   85.7    1.0     18      0  No
    9.5    0.1      2    226
    4.8    0.1      1    227
          98.8  1,704     -1
   -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1687-1689

```
Y7_772                TAKEN VEHICLE-2ND ITEM NO.
```

```
     PCT    PCT      N  VALUE  LABEL
   VALID    ALL
   90.5    1.1     19      0  No
    4.8    0.1      1    226
    4.8    0.1      1    227
          98.8  1,704     -1
   -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1690-1692

```
Y7_773                FORCE OTHERS/LAST-TYPE FORCE
```

Thinking of the last time you used force or strongarm methods to get
money or things from people . . .

 What kind of force did you use? (CHECK ALL THAT APPLY)

```
     PCT    PCT      N  VALUE  LABEL
   VALID    ALL
   60.0    0.2      3      1  Punched
   20.0    0.1      1      2  Physical beating
   20.0    0.1      1      3  Other
          99.7  1,720     -1
   -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1693-1694

```
Y7_774                   FORCE OTHERS/LAST-NATURE WEAPONS
```

Thinking of the last time you used force or strongarm methods to get
money or things from people . . .

 What was the weapon?

```
   PCT     PCT       N  VALUE   LABEL
 VALID    ALL
  80.0    0.2       4       0  No weapons
   0.0    0.0       0       1  Knives, cutting/stabbing things
   0.0    0.0       0       2  Chains, bats/hitting things
   0.0    0.0       0       3  Hard knuckles/numchucks
  20.0    0.1       1       4  Guns and other firearms
   0.0    0.0       0       5  Other
   0.0    0.0       0       6  Mixed weapons excluding guns
   0.0    0.0       0       7  Mixed weapons including guns
   0.0    0.0       0       8  Mixed weapons-no gun or knife types
          99.7  1,720      -1
 -----   -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1695-1696

```
Y7_775                   FORCE OTHERS/LAST-PURPOSE
```

Thinking of the last time you used force or strongarm methods to get
money or things from people . . .

 What were you trying to get?

```
   PCT     PCT       N  VALUE   LABEL
 VALID    ALL
  80.0    0.2       4       1  Money
  20.0    0.1       1       2  Other
          99.7  1,720      -1
 -----   -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1697-1698

Y7_776   **FORCE OTHERS/LAST-EXTENT INJURY**

Thinking of the last time you used force or strongarm methods to get money or things from people . . .

How badly did you hurt the person? (CHECK ALL THAT APPLY)

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 60.0    0.2     3      0  No injury
  0.0    0.0     0      1  Knocked down
 20.0    0.1     1      2  Bruised
  0.0    0.0     0      3  Cut/bleeding
  0.0    0.0     0      4  Unconscious
 20.0    0.1     1      5  Hospitalized
  0.0    0.0     0      6  Required medical treatment
  0.0    0.0     0      7  Other
         99.7  1,720    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1699-1700

Y7_777   **FORCE OTHERS/LAST-OTH INVOLVE**

Thinking of the last time you used force or strongarm methods to get money or things from people . . .

Were you alone or did others take part in this event?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 40.0    0.1     2      0  Alone
 20.0    0.1     1      1  1 person
 20.0    0.1     1      2  2 people
 20.0    0.1     1      3  3 people
  0.0    0.0     0      4  4 people
  0.0    0.0     0      5  5 people
  0.0    0.0     0      6  6 people
  0.0    0.0     0      7  7 people
  0.0    0.0     0      8  8 people
  0.0    0.0     0      9  9 people
         99.7  1,720    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1701-1702

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_778                    FORCE OTHERS/LAST-DRINK/DRUGS               │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you used force or strongarm methods to get
money or things from people . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  60.0     0.2      3      0  No
   0.0     0.0      0      1  Drinking
  20.0     0.1      1      2  Using drugs
  20.0     0.1      1      3  Drinking and drugs
          99.7  1,720     -1
  -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1703-1704

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_779                    FORCE OTHERS/LAST-1ST ITEM NO.              │
└─────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  80.0     0.2      4      0  No
  20.0     0.1      1    230
          99.7  1,720     -1
  -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1705-1707

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_780                    FORCE OTHERS/LAST-2ND ITEM NO.              │
└─────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  80.0     0.2      4      0  No
  20.0     0.1      1    246
          99.7  1,720     -1
  -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1708-1710

Y7_781   **FORCE OTHERS/NEXT-TYPE FORCE**

Thinking of the next to last time you used force or strongarm methods
to get money or things from people . . .

What kind of force did you use? (CHECK ALL THAT APPLY)

PCT VALID	PCT ALL	N	VALUE	LABEL
50.0	0.1	1	1	Punched
0.0	0.0	0	2	Physical beating
50.0	0.1	1	3	Other
	99.9	1,723	-1	

----- ----- -----
100.0 100.0 1,725 cases

Data type: numeric
Missing-data code: -1
Columns: 1711-1712

Y7_782   **FORCE OTHERS/NEXT-NATURE WEAPONS**

Thinking of the next to last time you used force or strongarm methods
to get money or things from people . . .

What was the weapon?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	2	0	No weapons
0.0	0.0	0	1	Knives, cutting/stabbing things
0.0	0.0	0	2	Chains, bats/hitting things
0.0	0.0	0	3	Hard knuckles/numchucks
0.0	0.0	0	4	Guns and other firearms
0.0	0.0	0	5	Other
0.0	0.0	0	6	Mixed weapons excluding guns
0.0	0.0	0	7	Mixed weapons including guns
0.0	0.0	0	8	Mixed weapons-no gun or knife types
	99.9	1,723	-1	

----- ----- -----
100.0 100.0 1,725 cases

Data type: numeric
Missing-data code: -1
Columns: 1713-1714

Y7_783   **FORCE OTHERS/NEXT-PURPOSE**

Thinking of the next to last time you used force or strongarm methods
to get money or things from people . . .

What were you trying to get?

```
  PCT     PCT      N   VALUE  LABEL
VALID    ALL
 50.0    0.1      1       1   Money
 50.0    0.1      1       2   Other
         99.9  1,723     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1715-1716

Y7_784   **FORCE OTHERS/NEXT-EXTENT INJURY**

Thinking of the next to last time you used force or strongarm methods
to get money or things from people . . .

How badly did you hurt the person? (CHECK ALL THAT APPLY)

```
  PCT     PCT      N   VALUE  LABEL
VALID    ALL
100.0    0.1      2       0   No injury
  0.0    0.0      0       1   Knocked down
  0.0    0.0      0       2   Bruised
  0.0    0.0      0       3   Cut/bleeding
  0.0    0.0      0       4   Unconscious
  0.0    0.0      0       5   Hospitalized
  0.0    0.0      0       6   Required medical treatment
  0.0    0.0      0       7   Other
         99.9  1,723     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1717-1718

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_785                    FORCE OTHERS/NEXT-OTH INVOLVE                    │
└─────────────────────────────────────────────────────────────────────────┘
```

   Thinking of the next to last time you used force or strongarm methods
   to get money or things from people . . .

    Were you alone or did others take part in this event?

      PCT   PCT   N   VALUE   LABEL
     VALID   ALL
      0.0   0.0   0   0   Alone
     50.0   0.1   1   1   1 person
      0.0   0.0   0   2   2 people
      0.0   0.0   0   3   3 people
     50.0   0.1   1   4   4 people
      0.0   0.0   0   5   5 people
      0.0   0.0   0   6   6 people
      0.0   0.0   0   7   7 people
      0.0   0.0   0   8   8 people
      0.0   0.0   0   9   9 people
              99.9   1,723   -1
     -----   -----   -----
     100.0   100.0   1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 1719-1720

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_786                    FORCE OTHERS/NEXT-DRINK/DRUGS                    │
└─────────────────────────────────────────────────────────────────────────┘
```

   Thinking of the next to last time you used force or strongarm methods
   to get money or things from people . . .

    Had you been drinking or taking drugs before the incident?

      PCT   PCT   N   VALUE   LABEL
     VALID   ALL
      0.0   0.0   0   0   No
      0.0   0.0   0   1   Drinking
    100.0   0.1   2   2   Using drugs
      0.0   0.0   0   3   Drinking and drugs
              99.9   1,723   -1
     -----   -----   -----
     100.0   100.0   1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 1721-1722

```
Y7_787               FORCE OTHERS/NEXT-1ST ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  50.0    0.1      1      0  No
  50.0    0.1      1    230
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1723-1725

```
Y7_788               FORCE OTHERS/NEXT-2ND ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  50.0    0.1      1      0  No
  50.0    0.1      1    246
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1726-1728

```
Y7_789               FORCE OTHERS/BEF-TYPE FORCE
```

Thinking of the time before that that you used force or strongarm
methods to get money or things from people . . .

 What kind of force did you use? (CHECK ALL THAT APPLY)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  50.0    0.1      1      1  Punched
   0.0    0.0      0      2  Physical beating
  50.0    0.1      1      3  Other
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1729-1730

```
Y7_790                    FORCE OTHERS/BEF-NATURE WEAPONS
```

Thinking of the time before that that you used force or strongarm
methods to get money or things from people . . .

 What was the weapon?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      2      0  No weapons
   0.0    0.0      0      1  Knives, cutting/stabbing things
   0.0    0.0      0      2  Chains, bats/hitting things
   0.0    0.0      0      3  Hard knuckles/numchucks
   0.0    0.0      0      4  Guns and other firearms
   0.0    0.0      0      5  Other
   0.0    0.0      0      6  Mixed weapons excluding guns
   0.0    0.0      0      7  Mixed weapons including guns
   0.0    0.0      0      8  Mixed weapons-no gun or knife types
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1731-1732

```
Y7_791                    FORCE OTHERS/BEF-PURPOSE
```

Thinking of the time before that that you used force or strongarm
methods to get money or things from people . . .

 What were you trying to get?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  50.0    0.1      1      1  Money
  50.0    0.1      1      2  Other
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1733-1734

```
Y7_792                    FORCE OTHERS/BEF-EXTENT INJURY
```

Thinking of the time before that that you used force or strongarm
methods to get money or things from people . . .

 How badly did you hurt the person? (CHECK ALL THAT APPLY)

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      2      0  No injury
   0.0    0.0      0      1  Knocked down
   0.0    0.0      0      2  Bruised
   0.0    0.0      0      3  Cut/bleeding
   0.0    0.0      0      4  Unconscious
   0.0    0.0      0      5  Hospitalized
   0.0    0.0      0      6  Required medical treatment
   0.0    0.0      0      7  Other
         99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1735-1736

```
Y7_793                    FORCE OTHERS/BEF-OTH INVOLVE
```

Thinking of the time before that that you used force or strongarm
methods to get money or things from people . . .

 Were you alone or did others take part in this event?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.0    0.0      0      0  Alone
  50.0    0.1      1      1  1 person
   0.0    0.0      0      2  2 people
  50.0    0.1      1      3  3 people
   0.0    0.0      0      4  4 people
   0.0    0.0      0      5  5 people
   0.0    0.0      0      6  6 people
   0.0    0.0      0      7  7 people
   0.0    0.0      0      8  8 people
   0.0    0.0      0      9  9 people
         99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1737-1738

```
Y7_794                    FORCE OTHERS/BEF-DRINK/DRUGS
```

Thinking of the time before that that you used force or strongarm
methods to get money or things from people . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  50.0    0.1      1      0  No
   0.0    0.0      0      1  Drinking
  50.0    0.1      1      2  Using drugs
   0.0    0.0      0      3  Drinking and drugs
          99.9  1,723     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1739-1740

```
Y7_795                    FORCE OTHERS/BEF-1ST ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  50.0    0.1      1      0  No
  50.0    0.1      1    228
          99.9  1,723     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1741-1743

```
Y7_796                    FORCE OTHERS/BEF-2ND ITEM NO.
```

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  50.0    0.1      1      0  No
  50.0    0.1      1    230
          99.9  1,723     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1744-1746

Y7_797   **STOLE $0 TO $99-VALUE**

Thinking of the last time you stole or tried to steal things worth
between $5 and $50 . . .

About how much do you think it was worth?

```
Min    =  2                    Mean     =  27.209
Max    = 99                    Std Dev  =  23.214
Median = 20                    Variance = 538.884
```

(Based on 43 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1747-1748

Y7_798   **STOLE $0 TO $99-STOLEN FROM**

Thinking of the last time you stole or tried to steal things worth
between $5 and $50 . . .

Where did you steal it from?

PCT VALID	PCT ALL	N	VALUE	LABEL
30.2	0.8	13	1	Retail store
9.3	0.2	4	2	Private home
9.3	0.2	4	3	Auto
39.5	1.0	17	4	Work place
0.0	0.0	0	5	School/college
0.0	0.0	0	6	Construction site
0.0	0.0	0	7	Warehouse
11.6	0.3	5	8	Other
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1749-1750

Y7_799	STOLE $0 TO $99-ACTUALLY STEAL

Thinking of the last time you stole or tried to steal things worth
between $5 and $50 . . .

 Did you actually steal it?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 11.6    0.3      5      1  No
 88.4    2.2     38      2  Yes
         97.5  1,682     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1751-1752

Y7_800	STOLE $0 TO $99-OTH INVOLVE

Thinking of the last time you stole or tried to steal things worth
between $5 and $50 . . .

 Were you alone or did others take part in this theft?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 73.8    1.8     31      0  Alone
 16.7    0.4      7      1  1 person
  9.5    0.2      4      2  2 people
  0.0    0.0      0      3  3 people
  0.0    0.0      0      4  4 people
  0.0    0.0      0      5  5 people
  0.0    0.0      0      6  6 people
  0.0    0.0      0      7  7 people
  0.0    0.0      0      8  8 people
  0.0    0.0      0      9  9 people
         97.6  1,683     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1753-1754

Y7_801   **STOLE $0 TO $99-DRINK/DRUGS**

Thinking of the last time you stole or tried to steal things worth
between $5 and $50 . . .

Had you been drinking or taking drugs before the incident?

```
   PCT     PCT      N  VALUE  LABEL
VALID    ALL
 83.7    2.1      36      0  No
 11.6    0.3       5      1  Drinking
  4.7    0.1       2      2  Using drugs
  0.0    0.0       0      3  Drinking and drugs
         97.5  1,682     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1755-1756

Y7_802   **STOLE $0 TO $99-1ST ITEM NO.**

```
Min    =   0              Mean     =      84.738
Max    = 240              Std Dev  =     115.098
Median =   0              Variance = 13,247.564
```

(Based on 42 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1757-1759

Y7_803   **STOLE $0 TO $99-2ND ITEM NO.**

```
   PCT     PCT      N  VALUE  LABEL
VALID    ALL
100.0    2.4      42      0  No
         97.6  1,683     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1760-1762

Y7_804	BROKE BLDG/LAST-BROKE INTO WHAT

Thinking of the last time you broke or tried to break into a building
or vehicle to steal something or just to look around . . .

 What did you break into or try to break into?

PCT VALID	PCT ALL	N	VALUE	LABEL
41.7	0.3	5	1	Building
8.3	0.1	1	2	Vehicle
8.3	0.1	1	3	House
41.7	0.3	5	4	Other
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1763-1764

Y7_805	BROKE BLDG/LAST-ACTUAL BREAK IN

Thinking of the last time you broke or tried to break into a building
or vehicle to steal something or just to look around . . .

 Did you actually break in or did you only try to?

PCT VALID	PCT ALL	N	VALUE	LABEL
83.3	0.6	10	1	Broke in
0.0	0.0	0	2	Tried
16.7	0.1	2	3	Door open
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1765-1766

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_806                    BROKE BLDG/LAST-REASON                      │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you broke or tried to break into a building
or vehicle to steal something or just to look around . . .

 Why were you breaking in?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  50.0     0.3      6      1  Look around
  25.0     0.2      3      2  Steal
  25.0     0.2      3      3  Other
           99.3  1,713     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1767-1768

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_807                    BROKE BLDG/LAST-OTH INVOLVE                 │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you broke or tried to break into a building
or vehicle to steal something or just to look around . . .

 Were you alone or did others take part in this event?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  41.7     0.3      5      0  Alone
  33.3     0.2      4      1  1 person
  16.7     0.1      2      2  2 people
   8.3     0.1      1      3  3 people
   0.0     0.0      0      4  4 people
   0.0     0.0      0      5  5 people
   0.0     0.0      0      6  6 people
   0.0     0.0      0      7  7 people
   0.0     0.0      0      8  8 people
   0.0     0.0      0      9  9 people
           99.3  1,713     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1769-1770

```
Y7_808                  BROKE BLDG/LAST-DRINK/DRUGS
```

Thinking of the last time you broke or tried to break into a building
or vehicle to steal something or just to look around . . .

 Had you been drinking or taking drugs before the incident?

```
    PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  50.0    0.3      6      0  No
  41.7    0.3      5      1  Drinking
   8.3    0.1      1      2  Using drugs
   0.0    0.0      0      3  Drinking and drugs
          99.3  1,713     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1771-1772

```
Y7_809                  BROKE BLDG/LAST-1ST ITEM NO.
```

```
    PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  100.0    0.7     12      0  No
          99.3  1,713     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1773-1775

```
Y7_810                  BROKE BLDG/LAST-2ND ITEM NO.
```

```
    PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  100.0    0.7     12      0  No
          99.3  1,713     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1776-1778

Y7_811   **BROKE BLDG/NEXT-BROKE INTO WHAT**

Thinking of the next to last time you broke or tried to break into a
building or vehicle to steal something or just to look around . . .

 What did you break into or try to break into?

```
  PCT     PCT      N  VALUE   LABEL
VALID     ALL
 50.0     0.1      2      1   Building
 25.0     0.1      1      2   Vehicle
  0.0     0.0      0      3   House
 25.0     0.1      1      4   Other
          99.8  1,721     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1779-1780

Y7_812   **BROKE BLDG/NEXT-ACTUAL BREAK IN**

Thinking of the next to last time you broke or tried to break into a
building or vehicle to steal something or just to look around . . .

 Did you actually break in or did you only try to?

```
  PCT     PCT      N  VALUE   LABEL
VALID     ALL
 50.0     0.1      2      1   Broke in
 25.0     0.1      1      2   Tried
 25.0     0.1      1      3   Door open
          99.8  1,721     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1781-1782

```
Y7_813                    BROKE BLDG/NEXT-REASON
```

Thinking of the next to last time you broke or tried to break into a
building or vehicle to steal something or just to look around . . .

 Why were you breaking in?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  50.0    0.1      2      1  Look around
  50.0    0.1      2      2  Steal
   0.0    0.0      0      3  Other
          99.8  1,721     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1783-1784

```
Y7_814                    BROKE BLDG/NEXT-OTH INVOLVE
```

Thinking of the next to last time you broke or tried to break into a
building or vehicle to steal something or just to look around . . .

 Were you alone or did others take part in this event?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  50.0    0.1      2      0  Alone
  50.0    0.1      2      1  1 person
   0.0    0.0      0      2  2 people
   0.0    0.0      0      3  3 people
   0.0    0.0      0      4  4 people
   0.0    0.0      0      5  5 people
   0.0    0.0      0      6  6 people
   0.0    0.0      0      7  7 people
   0.0    0.0      0      8  8 people
   0.0    0.0      0      9  9 people
          99.8  1,721     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1785-1786

```
Y7_815                BROKE BLDG/NEXT-DRINK/DRUGS
```

Thinking of the next to last time you broke or tried to break into a
building or vehicle to steal something or just to look around . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  75.0    0.2     3      0  No
   0.0    0.0     0      1  Drinking
  25.0    0.1     1      2  Using drugs
   0.0    0.0     0      3  Drinking and drugs
         99.8  1,721     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1787-1788

```
Y7_816                BROKE BLDG/NEXT-1ST ITEM NO.
```

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 100.0    0.2     4      0  No
         99.8  1,721     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1789-1791

```
Y7_817                BROKE BLDG/NEXT-2ND ITEM NO.
```

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 100.0    0.2     4      0  No
         99.8  1,721     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1792-1794

Y7_818   **BROKE BLDG/BEF-BROKE INTO WHAT**

Thinking of the time before that that you broke or tried to break
into a building or vehicle to steal something or just to look
around . . .

 What did you break into or try to break into?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.0     0.0      0      1  Building
 100.0     0.1      2      2  Vehicle
   0.0     0.0      0      3  House
   0.0     0.0      0      4  Other
          99.9  1,723     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1795-1796

Y7_819   **BROKE BLDG/BEF-ACTUAL BREAK IN**

Thinking of the time before that that you broke or tried to break
into a building or vehicle to steal something or just to look
around . . .

 Did you actually break in or did you only try to?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  50.0     0.1      1      1  Broke in
   0.0     0.0      0      2  Tried
  50.0     0.1      1      3  Door open
          99.9  1,723     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1797-1798

Y7_820 **BROKE BLDG/BEF-REASON**

Thinking of the time before that that you broke or tried to break
into a building or vehicle to steal something or just to look
around . . .

 Why were you breaking in?

```
   PCT    PCT     N   VALUE  LABEL
 VALID    ALL
  50.0    0.1     1       1  Look around
  50.0    0.1     1       2  Steal
   0.0    0.0     0       3  Other
         99.9  1,723      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1799-1800

Y7_821 **BROKE BLDG/BEF-OTH INVOLVE**

Thinking of the time before that that you broke or tried to break
into a building or vehicle to steal something or just to look
around . . .

 Were you alone or did others take part in this event?

```
   PCT    PCT     N   VALUE  LABEL
 VALID    ALL
 100.0    0.1     2       0  Alone
   0.0    0.0     0       1  1 person
   0.0    0.0     0       2  2 people
   0.0    0.0     0       3  3 people
   0.0    0.0     0       4  4 people
   0.0    0.0     0       5  5 people
   0.0    0.0     0       6  6 people
   0.0    0.0     0       7  7 people
   0.0    0.0     0       8  8 people
   0.0    0.0     0       9  9 people
         99.9  1,723      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1801-1802

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_822                    BROKE BLDG/BEF-DRINK/DRUGS                       │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the time before that that you broke or tried to break
into a building or vehicle to steal something or just to look
around . . .

 Had you been drinking or taking drugs before the incident?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  50.0    0.1      1      0  No
   0.0    0.0      0      1  Drinking
  50.0    0.1      1      2  Using drugs
   0.0    0.0      0      3  Drinking and drugs
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1803-1804

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_823                    BROKE BLDG/BEF-1ST ITEM NO.                      │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      2      0  No
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1805-1807

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_824                    BROKE BLDG/BEF-2ND ITEM NO.                      │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      2      0  No
          99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1808-1810

```
Y7_825              CREDIT W/O PERMISSION-WHOSE CARD
```

Thinking of the last time you used or tried to use credit cards
without the owner's permission . . .

 Whose credit card was it?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  66.7    0.1      2      1  Stranger
   0.0    0.0      0      2  Family member
  33.3    0.1      1      3  Friend
   0.0    0.0      0      4  Other
         99.8  1,722     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1811-1812

```
Y7_826              CREDIT W/O PERMIS-$0-$999 CHARGED
```

Thinking of the last time you used or tried to use credit cards
without the owner's permission . . .

 How much did you charge or try to charge? (SPECIFY)

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  33.3    0.1      1      5
  33.3    0.1      1    100
  33.3    0.1      1    200
         99.8  1,722     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1813-1815

Y7_827   **CREDIT W/O PERMISSION-OTH INVOLVE**

    Thinking of the last time you used or tried to use credit cards
without the owner's permission . . .

 Were you alone or did others take part in this event?

```
   PCT     PCT      N   VALUE   LABEL
  VALID    ALL
  33.3     0.1      1       0   Alone
  66.7     0.1      2       1   1 person
   0.0     0.0      0       2   2 people
   0.0     0.0      0       3   3 people
   0.0     0.0      0       4   4 people
   0.0     0.0      0       5   5 people
   0.0     0.0      0       6   6 people
   0.0     0.0      0       7   7 people
   0.0     0.0      0       8   8 people
   0.0     0.0      0       9   9 people
          99.8  1,722      -1
  -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1816-1817

Y7_828   **CREDIT W/O PERMISSION-1ST ITEM NO**

```
   PCT     PCT      N   VALUE   LABEL
  VALID    ALL
  66.7     0.1      2       0   No
  33.3     0.1      1     236
          99.8  1,722      -1
  -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1818-1820

```
Y7_829                    CREDIT W/O PERMISSION-2ND ITEM NO
```

```
     PCT    PCT     N  VALUE  LABEL
   VALID   ALL
   100.0   0.2      3      0  No
           99.8  1,722     -1
   -----  -----  -----
   100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1821-1823

```
Y7_830                    PICKED POCKET-WHAT DID YOU DO
```

Thinking of the last time you snatched someone's purse or wallet or
picked someone's pocket . . .

 What did you do?

```
     PCT    PCT     N  VALUE  LABEL
   VALID   ALL
    0.0    0.0      0      1  Purse snatching
   100.0   0.1      1      2  Pick pocket
    0.0    0.0      0      3  Other
           99.9  1,724     -1
   -----  -----  -----
   100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1824-1825

```
Y7_831                  PICKED POCKET-MONEY TAKEN
```

Thinking of the last time you snatched someone's purse or wallet or picked someone's pocket . . .

 Was money taken?

```
   PCT     PCT       N  VALUE  LABEL
VALID    ALL
100.0    0.1       1      1  No
  0.0    0.0       0      2  Yes
         99.9  1,724     -1
-----   -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1826-1827

```
Y7_832              PICKED POCKET-CREDIT CARDS TAKEN
```

Thinking of the last time you snatched someone's purse or wallet or picked someone's pocket . . .

 Were credit cards taken?

```
   PCT     PCT       N  VALUE  LABEL
VALID    ALL
100.0    0.1       1      1  No
  0.0    0.0       0      2  Yes
         99.9  1,724     -1
-----   -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1828-1829

```
Y7_833                    PICKED POCKET-CHECKS TAKEN
```

Thinking of the last time you snatched someone's purse or wallet or picked someone's pocket . . .

 Were checks taken?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 100.0    0.1       1      1  No
   0.0    0.0       0      2  Yes
          99.9  1,724     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1830-1831

```
Y7_834                    PICKED POCKET-OTHER TAKEN
```

Thinking of the last time you snatched someone's purse or wallet or picked someone's pocket . . .

 Was other (SPECIFY) taken?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
   0.0    0.0       0      1  No
 100.0    0.1       1      2  Yes
          99.9  1,724     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1832-1833

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_835              PICKED POCKET-OTH INVOLVE                              │
└──────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you snatched someone's purse or wallet or
picked someone's pocket . . .

Were you alone, or did others take part in the theft?

```
   PCT     PCT      N  VALUE   LABEL
 VALID     ALL
 100.0     0.1      1      0   Alone
   0.0     0.0      0      1   1 person
   0.0     0.0      0      2   2 people
   0.0     0.0      0      3   3 people
   0.0     0.0      0      4   4 people
   0.0     0.0      0      5   5 people
   0.0     0.0      0      6   6 people
   0.0     0.0      0      7   7 people
   0.0     0.0      0      8   8 people
   0.0     0.0      0      9   9 people
          99.9  1,724     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1834-1835

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_836              PICKED POCKET-DRINK/DRUGS                              │
└──────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you snatched someone's purse or wallet or
picked someone's pocket . . .

Had you been drinking or taking drugs before the incident?

```
   PCT     PCT      N  VALUE   LABEL
 VALID     ALL
   0.0     0.0      0      0   No
   0.0     0.0      0      1   Drinking
 100.0     0.1      1      2   Using drugs
   0.0     0.0      0      3   Drinking and drugs
          99.9  1,724     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1836-1837

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_837              PICKED POCKET-1ST ITEM NO.                            │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   0.0     0.0      0       0  No
  100.0    0.1      1     236
           99.9  1,724      -1
  -----   -----  -----
  100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1838-1840

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_838              PICKED POCKET-2ND ITEM NO.                            │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   0.0     0.0      0       0  No
  100.0    0.1      1     257
           99.9  1,724      -1
  -----   -----  -----
  100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1841-1843

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_839              EMBEZZ MONEY/FNDS-($0-$999)VALUE                      │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of the last time you embezzled money, that is, used money or
funds entrusted to your care for some purpose other than that
intended . . .

 How much money was involved?

```
Min   =   5              Mean     =    54.167
Max   = 180              Std Dev  =    66.964
Median =  20             Variance = 4,484.167
```

Data type: numeric
Missing-data code: -1
Columns: 1844-1846

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_840              EMBEZZLED MONEY/FUNDS-1ST ITEM NO                 │
└─────────────────────────────────────────────────────────────────────┘

      PCT    PCT      N  VALUE  LABEL
    VALID    ALL
    100.0    0.3      6      0  No
             99.7  1,719     -1
    -----  -----  -----
    100.0  100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1847-1849
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_841              EMBEZZLED MONEY/FUNDS-2ND ITEM NO                 │
└─────────────────────────────────────────────────────────────────────┘

      PCT    PCT      N  VALUE  LABEL
    VALID    ALL
    100.0    0.3      6      0  No
             99.7  1,719     -1
    -----  -----  -----
    100.0  100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1850-1852
```

SUBSTANCE USE

Alcohol

Y7_842   ALCOHOLIC BEVERAGES-FREQ

How many times in the last year have you . . .

 used alcoholic beverages, beer, wine, hard liquor?

```
Min    =   0              Mean     =    59.259
Max    = 999              Std Dev  =    84.466
Median =  26              Variance = 7,134.581
```

(Based on 1,381 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1853-1855

Y7_843   ALCOHOLIC BEVERAGES-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_842) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you drunk/used alcoholic beverages, beer, wine, hard
liquor?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.5	8.4	145	1	Never
9.2	7.4	127	2	Once or twice
7.1	5.7	98	3	Once every 2-3 months
13.9	11.1	192	4	Once a month
14.0	11.2	194	5	Once every 2-3 weeks
19.0	15.2	263	6	Once a week
22.0	17.6	304	7	2-3 times a week
3.8	3.1	53	8	Once a day
0.4	0.3	6	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1856-1857

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_844                    ALCOHOLIC BEVERAGES-EPISODIC                     │
└─────────────────────────────────────────────────────────────────────────┘
```

```
     PCT      PCT       N   VALUE   LABEL
    VALID     ALL
     0.0      0.0       0       1   LT 2 weeks
     0.0      0.0       0       2   2 to 4 weeks
     0.0      0.0       0       3   GT 1 to 2 months
    50.0      0.1       2       4   GT 2 to 3 months
     0.0      0.0       0       5   GT 3 to 4 months
    50.0      0.1       2       6   GT 4 to 6 months
     0.0      0.0       0       7   GT 6 months
              99.8   1,721      -1
    -----    -----   -----
    100.0    100.0   1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 1858-1859
```

```
                              Tobacco
```

```
Y7_845                TOBACCO-USED TOBACCO
```

During the past year, have you used tobacco?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  53.5   42.9    740      1  No
  46.5   37.3    643      2  Yes
         19.8    342     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1860-1861

```
Y7_846                TOBACCO-EPISODIC
```

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.0    0.0      0      1  LT 2 weeks
   0.0    0.0      0      2  2 to 4 weeks
  50.0    0.1      1      3  GT 1 to 2 months
  50.0    0.1      1      4  GT 2 to 3 months
   0.0    0.0      0      5  GT 3 to 4 months
   0.0    0.0      0      6  GT 4 to 6 months
   0.0    0.0      0      7  GT 6 months
         99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1862-1863

Y7_847   **TOBACCO-# CIGS PER DAY**

(IF YES TO Y7_845)

When using tobacco, how much do you usually use?

 Cigarettes per day (NUMBER)

```
Min    =  0                 Mean     =  14.191
Max    = 90                 Std Dev  =  12.741
Median = 10                 Variance = 162.336
```

(Based on 643 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1864-1865

Y7_848   **TOBACCO-# CIGARS/PIPES PER DAY**

(IF YES TO Y7_845)

When using tobacco, how much do you usually use?

 Cigars or pipes per day (NUMBER)

```
Min    = 0                  Mean     = .031
Max    = 3                  Std Dev  = .241
Median = 0                  Variance = .058
```

(Based on 643 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1866-1867

Y7_849   **TOBACCO-CANS CHEW TOBACCO/MO**

(IF YES TO Y7_845)

 Cans of chewing tobacco per month

Min   = 0   Mean   =   .778
Max   = 45   Std Dev = 3.624
Median = 0   Variance = 13.133

(Based on 643 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1868-1869

Marijuana

Y7_850   MARIJUANA-FREQ

How many times in the last year have you . . .

 used marijuana or hashish? (GRASS, POT,HASH)

```
Min    =   0              Mean     =    25.446
Max    = 999              Std Dev  =    96.076
Median =   0              Variance = 9,230.619
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1870-1872

Y7_851   MARIJUANA-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_850) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used marijuana or hashish? (GRASS, POT, HASH)

PCT VALID	PCT ALL	N	VALUE	LABEL
63.1	50.6	873	1	Never
11.4	9.1	157	2	Once or twice
4.8	3.8	66	3	Once every 2-3 months
4.9	3.9	68	4	Once a month
4.0	3.2	55	5	Once every 2-3 weeks
3.1	2.5	43	6	Once a week
4.8	3.8	66	7	2-3 times a week
2.4	1.9	33	8	Once a day
1.6	1.3	22	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1873-1874

```
Y7_852              MARIJUANA-EPISODIC
```

```
    PCT    PCT     N  VALUE  LABEL
   VALID   ALL
   20.0    0.1     1      1  LT 2 weeks
   20.0    0.1     1      2  2 to 4 weeks
   20.0    0.1     1      3  GT 1 to 2 months
   20.0    0.1     1      4  GT 2 to 3 months
    0.0    0.0     0      5  GT 3 to 4 months
   20.0    0.1     1      6  GT 4 to 6 months
    0.0    0.0     0      7  GT 6 months
           99.7 1,720     -1
   -----  ----- -----
  100.0  100.0  1,725 cases

  Data type: numeric
  Missing-data code: -1
  Columns: 1875-1876
```

Hallucinogens

Y7_853   **HALLUCINOGENS-FREQ**

How many times in the last year have you . . .

 used hallucinogens, LSD, Acid, peyote, mescaline, Psilocybin?
 (PSYCHEDELICS)

```
Min    =   0              Mean     =   .344
Max    = 100              Std Dev  =  3.694
Median =   0              Variance = 13.646
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1877-1879

Y7_854   **HALLUCINOGENS-RATE**

(IF RESPONDENT HAS USED SUBSTANCE (Y7_853) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used hallucinogens, LSD, Acid, peyote, mescaline,
Psilocybin? (PSYCHEDELICS)

PCT VALID	PCT ALL	N	VALUE	LABEL
95.1	76.2	1,315	1	Never
3.5	2.8	49	2	Once or twice
0.5	0.4	7	3	Once every 2-3 months
0.4	0.3	6	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.2	0.2	3	6	Once a week
0.1	0.1	2	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1880-1881

```
Y7_855              HALLUCINOGENS-EPISODIC
```

```
   PCT    PCT      N   VALUE  LABEL
 VALID    ALL
   0.0    0.0      0       1  LT 2 weeks
   0.0    0.0      0       2  2 to 4 weeks
   0.0    0.0      0       3  GT 1 to 2 months
   0.0    0.0      0       4  GT 2 to 3 months
   0.0    0.0      0       5  GT 3 to 4 months
   0.0    0.0      0       6  GT 4 to 6 months
   0.0    0.0      0       7  GT 6 months
          100.0  1,725     -1
 -----  -----  -----
 100.0  100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 1882-1883
```

Tranquillizers

Y7_856   **TRANQUILIZERS-FREQ**

How many times in the last year have you . . .

 used tranquilizers such as Valium, Librium, Thorazine,
 Miltown, Equanil, Meprobamate, etc.?

```
Min    =   0              Mean     =   1.677
Max    = 400              Std Dev  =  18.337
Median =   0              Variance = 336.239
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1884-1886

Y7_857   **TRANQUILIZERS-RATE**

(IF RESPONDENT HAS USED SUBSTANCE (Y7_856) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used tranquilizers such as Valium, Librium,
Thorazine, Miltown, Equanil, Meprobamate, etc.?

PCT VALID	PCT ALL	N	VALUE	LABEL
93.8	75.2	1,297	1	Never
3.4	2.7	47	2	Once or twice
0.4	0.3	5	3	Once every 2-3 months
0.8	0.6	11	4	Once a month
0.3	0.2	4	5	Once every 2-3 weeks
0.3	0.2	4	6	Once a week
0.3	0.2	4	7	2-3 times a week
0.4	0.3	5	8	Once a day
0.4	0.3	6	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1887-1888

Y7_858   **TRANQUILIZERS-EPISODIC**

```
     PCT     PCT      N   VALUE   LABEL
   VALID     ALL
    57.1     0.2      4       1   LT 2 weeks
    28.6     0.1      2       2   2 to 4 weeks
    14.3     0.1      1       3   GT 1 to 2 months
     0.0     0.0      0       4   GT 2 to 3 months
     0.0     0.0      0       5   GT 3 to 4 months
     0.0     0.0      0       6   GT 4 to 6 months
     0.0     0.0      0       7   GT 6 months
             99.6  1,718      -1

   -----   -----  -----
   100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1889-1890

Amphetamines

Y7_859   **AMPHETAMINES-DR PERSCRIBED**

```
Min    =   0                   Mean     =    21.930
Max    = 365                   Std Dev  =    66.582
Median =   1                   Variance = 4,433.219
```

(Based on 86 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1891-1893

Y7_860   **AMPHETAMINES-FREQ**

How many times in the last year have you . . .

 used amphetamines, uppers, ups, speed, pep pills or
 bennies? (DEXEDRINE, BENZEDRINE, WHITES, DIET PILLS,
 DEXIES, DEXAMYL, STP)

 (IF RESPONDENT DOES NOT UNDERSTAND THIS DRUG CATEGORY -
 People can take amphetamines to lose weight to stay awake,
 or to make them feel they have more energy.)

```
Min    =   0                   Mean     =     2.800
Max    = 999                   Std Dev  =    32.990
Median =   0                   Variance = 1,088.351
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1894-1896

```
Y7_861                 AMPHETAMINES-RATE
```

(IF RESPONDENT HAS USED SUBSTANCE (Y7_860) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used amphetamines, uppers, ups, speed, pep pills
or bennies? (DEXEDRINE, BENZEDRINE, WHITES, DIET PILLS, DEXIES,
DEXAMYL, STP)

PCT VALID	PCT ALL	N	VALUE	LABEL
92.1	73.9	1,274	1	Never
2.7	2.2	38	2	Once or twice
1.4	1.2	20	3	Once every 2-3 months
1.4	1.2	20	4	Once a month
0.4	0.3	5	5	Once every 2-3 weeks
0.5	0.4	7	6	Once a week
0.9	0.7	12	7	2-3 times a week
0.4	0.3	5	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1897-1898

```
Y7_862                 AMPHETAMINES-EPISODIC
```

PCT VALID	PCT ALL	N	VALUE	LABEL
33.3	0.1	1	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
33.3	0.1	1	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
33.3	0.1	1	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1899-1900

Barbiturates

Y7_863   **BARBITURATES-DR PERSCRIBED**

```
Min    =   0              Mean      =    11.320
Max    = 999              Std Dev   =    98.937
Median =   0              Variance  = 9,788.514
```

(Based on 103 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1901-1903

Y7_864   **BARBITURATES-FREQ**

How many times in the last year have you . . .

 used barbiturates, downers, reds, yellows, blues?
 (RAINBOWS, GOOF BALLS, PHENOBARBITAL, PRESCRIPTION SLEEPING PILLS,
 SECONALS, YELLOW JACKETS OR NEMBUTAL)

 (IF RESPONDENT DOES NOT UNDERSTAND THIS DRUG CATEGORY - These drugs
 can be used for calming down, reducing tension, and getting to
 sleep.)

```
Min    =   0              Mean      =     .577
Max    = 365              Std Dev   =  10.900
Median =   0              Variance  = 118.815
```

(Based on 1,382 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1904-1906

```
Y7_865                    BARBITURATES-RATE
```

(IF RESPONDENT HAS USED SUBSTANCE (Y7_864) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used barbiturates, downers, reds, yellows, blues?
(RAINBOWS, GOOF BALLS, PHENOBARBITAL, PRESCRIPTION SLEEPING PILLS,
SECONALS, YELLOW JACKETS OR NEMBUTAL)

PCT VALID	PCT ALL	N	VALUE	LABEL
98.7	79.1	1,364	1	Never
0.2	0.2	3	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.3	0.2	4	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.1	0.1	2	7	2-3 times a week
0.2	0.2	3	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1907-1908

```
Y7_866                    BARBITURATES-EPISODIC
```

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	1	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
0.0	0.0	0	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1909-1910

Codeine

Y7_867   **CODEINE-DR PERSCRIBED**

```
Min    =   0              Mean     =    24.556
Max    = 365              Std Dev  =    85.548
Median =   0              Variance = 7,318.379
```

(Based on 18 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1911-1913

Y7_868   **CODEINE-FREQ**

How many times in the last year have you . . .

 used codeine?

```
Min    =   0              Mean     =    1.427
Max    = 320              Std Dev  =   10.840
Median =   0              Variance = 117.508
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1914-1916

Y7_869   **CODEINE-RATE**

(IF RESPONDENT HAS USED SUBSTANCE (Y7_868) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used codeine?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 86.2   69.1  1,192      1  Never
  7.2    5.8    100      2  Once or twice
  2.1    1.7     29      3  Once every 2-3 months
  1.8    1.4     25      4  Once a month
  0.1    0.1      2      5  Once every 2-3 weeks
  0.0    0.0      0      6  Once a week
  0.2    0.2      3      7  2-3 times a week
  0.3    0.2      4      8  Once a day
  2.0    1.6     28      9  2-3 times a day
        19.8    342     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1917-1918

Y7_870   **CODEINE-EPISODIC**

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 84.8    1.6     28      1  LT 2 weeks
  9.1    0.2      3      2  2 to 4 weeks
  3.0    0.1      1      3  GT 1 to 2 months
  3.0    0.1      1      4  GT 2 to 3 months
  0.0    0.0      0      5  GT 3 to 4 months
  0.0    0.0      0      6  GT 4 to 6 months
  0.0    0.0      0      7  GT 6 months
        98.1  1,692     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1919-1920

Heroin

Y7_871   **HEROIN-DR PERSCRIBED**

```
Min    =   0              Mean     =    7.942
Max    = 120              Std Dev  =   15.973
Median =   2              Variance = 255.149
```

(Based on 191 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1921-1923

Y7_872   **HEROIN-FREQ**

How many times in the last year have you . . .

 used heroin? (HORSE, H, SKAG, SMACK, JUNK)

```
Min    =   0              Mean     =    .176
Max    = 200              Std Dev  =   5.419
Median =   0              Variance = 29.364
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1924-1926

```
Y7_873              HEROIN-RATE
```

(IF RESPONDENT HAS USED SUBSTANCE (Y7_872) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used heroin? (HORSE, H, SKAG, SMACK, JUNK)

PCT VALID	PCT ALL	N	VALUE	LABEL
99.4	79.7	1,375	1	Never
0.3	0.2	4	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	19.8	342	-1	

```
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1927-1928

```
Y7_874              HEROIN-EPISODIC
```

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
100.0	0.1	1	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.9	1,724	-1	

```
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1929-1930

Crack Cocaine

Y7_875 **CRACK-FREQ**

How many times in the last year have you . . .

 Used crack?

```
Min     =    0              Mean     =   .354
Max     =  365              Std Dev  =  9.899
Median  =    0              Variance = 97.983
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1931-1933

Y7_876 **CRACK-RATE**

(IF RESPONDENT HAS USED SUBSTANCE (Y7_875) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used crack?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.6	79.0	1,363	1	Never
0.9	0.7	12	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.1	0.1	2	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.1	0.1	2	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1934-1935

Y7_877	CRACK-EPISODIC

```
     PCT     PCT      N   VALUE  LABEL
   VALID     ALL
     0.0     0.0      0       1  LT 2 weeks
     0.0     0.0      0       2  2 to 4 weeks
    50.0     0.1      1       3  GT 1 to 2 months
    50.0     0.1      1       4  GT 2 to 3 months
     0.0     0.0      0       5  GT 3 to 4 months
     0.0     0.0      0       6  GT 4 to 6 months
     0.0     0.0      0       7  GT 6 months
             99.9  1,723      -1
   -----   -----  -----
   100.0   100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1936-1937
```

Cocaine

Y7_878   **COCAINE-FREQ**

How many times in the last year have you . . .

 used cocaine, or coke, other than crack?

```
Min    =   0                    Mean     =   2.496
Max    = 400                    Std Dev  =  18.948
Median =   0                    Variance = 359.037
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1938-1940

Y7_879   **COCAINE-RATE**

(IF RESPONDENT HAS USED SUBSTANCE (Y7_878) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used cocaine, or coke, other than crack?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.7	67.9	1,171	1	Never
7.4	6.0	103	2	Once or twice
2.5	2.0	35	3	Once every 2-3 months
2.7	2.1	37	4	Once a month
1.1	0.9	15	5	Once every 2-3 weeks
1.1	0.9	15	6	Once a week
0.3	0.2	4	7	2-3 times a week
0.1	0.1	1	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1941-1942

```
Y7_880              COCAINE-EPISODIC
```

```
      PCT     PCT      N    VALUE   LABEL
    VALID     ALL
     0.0     0.0      0       1   LT 2 weeks
     0.0     0.0      0       2   2 to 4 weeks
     0.0     0.0      0       3   GT 1 to 2 months
     0.0     0.0      0       4   GT 2 to 3 months
   100.0     0.1      1       5   GT 3 to 4 months
     0.0     0.0      0       6   GT 4 to 6 months
     0.0     0.0      0       7   GT 6 months
            99.9  1,724      -1
    -----   -----  -----
   100.0   100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1943-1944
```

Inhalants

Y7_881   **INHALANTS-FREQ**

How many times in the last year have you . . .

 used inhalants glue, paint, nail polish, or aerosol sprays?

```
Min    = 0              Mean      = .013
Max    = 12             Std Dev   = .344
Median = 0              Variance  = .118
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1945-1947

Y7_882   **INHALANTS-RATE**

(IF RESPONDENT HAS USED SUBSTANCE (Y7_881) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used inhalants glue, paint, nail polish, or
aerosol sprays?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.8	80.0	1,380	1	Never
0.1	0.1	1	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1948-1949

```
Y7_883              INHALANTS-EPISODIC
```

```
   PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   0.0     0.0      0      1   LT 2 weeks
   0.0     0.0      0      2   2 to 4 weeks
   0.0     0.0      0      3   GT 1 to 2 months
   0.0     0.0      0      4   GT 2 to 3 months
   0.0     0.0      0      5   GT 3 to 4 months
   0.0     0.0      0      6   GT 4 to 6 months
   0.0     0.0      0      7   GT 6 months
           100.0  1,725     -1

  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1950-1951

PCP

Y7_884	ANGEL DUST-FREQ

How many times in the last year have you . . .

 used angel dust or PCP? (PHENCYCLIDINE, SERNYLAN, CRYSTAL, PEACE
 HILL, HOG, SHEETS)

```
Min    =  0                    Mean     = .035
Max    = 35                    Std Dev  = .956
Median =  0                    Variance = .913
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1952-1954

Y7_885	ANGEL DUST-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_884) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used angel dust or PCP? (PHENCYCLIDINE, SERNYLAN,
CRYSTAL, PEACE   HILL, HOG, SHEETS)

PCT VALID	PCT ALL	N	VALUE	LABEL
99.4	79.7	1,375	1	Never
0.4	0.3	6	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1955-1956

```
Y7_886              ANGEL DUST-EPISODIC
```

```
    PCT     PCT     N   VALUE  LABEL
   VALID    ALL
    0.0     0.0     0       1  LT 2 weeks
    0.0     0.0     0       2  2 to 4 weeks
    0.0     0.0     0       3  GT 1 to 2 months
    0.0     0.0     0       4  GT 2 to 3 months
    0.0     0.0     0       5  GT 3 to 4 months
    0.0     0.0     0       6  GT 4 to 6 months
    0.0     0.0     0       7  GT 6 months
           100.0  1,725    -1
   -----   -----  -----
   100.0   100.0  1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 1957-1958
```

Other Substances

Y7_887   **DRUGS-SSMPLSTANCE**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	THC
0.0	0.0	0	2	Quaaludes
0.0	0.0	0	3	Cough medicine
0.0	0.0	0	4	Robitussin
0.0	0.0	0	5	Sominex
0.0	0.0	0	6	Sudafed
18.8	0.2	3	7	No-Doze
0.0	0.0	0	8	Demerol
12.5	0.1	2	9	Weight control pills
0.0	0.0	0	10	Coricidin
0.0	0.0	0	11	Mushrooms
6.2	0.1	1	12	MDA
0.0	0.0	0	13	Pam
62.5	0.6	10	99	Other
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1959-1960

Y7_888   **OTHER DRUGS-FREQ**

How many times in the last year have you . . .

 used any other non-prescription drugs or intoxicants?
 (EXCLUDE ASPIRIN AND TYLENOL)

Min	= 0	Mean	= .168
Max	= 40	Std Dev	= 1.987
Median	= 0	Variance	= 3.948

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1961-1963

Y7_889	OTHER DRUGS-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_888) 10 OR MORE TIMES IN THE LAST YEAR)

How often have you used any other non-prescription drugs or intoxicants?

(EXCLUDE ASPIRIN AND TYLENOL)

PCT VALID	PCT ALL	N	VALUE	LABEL
98.5	79.0	1,362	1	Never
0.6	0.5	8	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.2	0.2	3	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.1	0.1	2	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.1	0.1	2	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1964-1965

Y7_890	OTHER DRUGS-EPISODIC

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
100.0	0.1	1	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1966-1967

Y7_891   **DRUGS EXCEED DR RX-FREQ**

How many times in the last year have you . . .

 Used drugs prescribed for you by a doctor more often or in greater
 amounts than was prescribed?

```
Min    = 0                      Mean     = .102
Max    = 30                     Std Dev  = 1.034
Median = 0                      Variance = 1.070
```

(Based on 1,381 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1968-1970

Y7_892   **DRUGS EXCEED DR RX-RATE**

(IF RESPONDENT HAS USED SUBSTANCE (Y7_891) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used drugs prescribed for you by a doctor more
often or in greater amounts than was prescribed?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.0	77.7	1,340	1	Never
2.2	1.8	31	2	Once or twice
0.4	0.3	5	3	Once every 2-3 months
0.1	0.1	2	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.1	0.1	1	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1971-1972

Y7_893   **DRUGS EXCEED DR RX-EPISODIC**

```
    PCT     PCT      N   VALUE  LABEL
  VALID    ALL
  100.0    0.1      2       1  LT 2 weeks
    0.0    0.0      0       2  2 to 4 weeks
    0.0    0.0      0       3  GT 1 to 2 months
    0.0    0.0      0       4  GT 2 to 3 months
    0.0    0.0      0       5  GT 3 to 4 months
    0.0    0.0      0       6  GT 4 to 6 months
    0.0    0.0      0       7  GT 6 months
           99.9  1,723     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1973-1974

Y7_894   **INJECT ILLICIT DRUG**

Have you ever injected any illicit drug through the skin or into a
vein?

```
    PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   98.1   78.6  1,356      0  No
    0.2    0.2      3       1  Heroin
    0.5    0.4      7       2  Cocaine
    0.4    0.3      6       3  Other drugs
    0.4    0.3      5       4  Heroin and cocaine
    0.0    0.0      0       5  Other comb incl heroin
    0.3    0.2      4       6  Other comb incl cocaine
    0.1    0.1      1       7  Comb incl heroin and
           19.9    343     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1975-1976

```
Y7_895                    SHARE UNSTERILIZED NEEDLE
```

(IF YES TO Y7_894)

Have you ever shared the same injection needle with another person
without cleaning or sterilizing it between uses?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  88.0    1.3     22       1  No
  12.0    0.2      3       2  Yes
          98.6  1,700     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1977-1978

Problem Behavior Resulting from Drug or Alcohol Use

Y7_896	TROUBLE W/GIRL/BOYFRIEND-ALCOHOL

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF MARRIED OR LIVING WITH BOYFRIEND/GIRLFRIEND)

How many times in the last year have you gotten into trouble with your (husband/wife/girlfriend/boyfriend) because of your use of Alcohol?

(AFFECTED YOUR RELATIONSHIP - NOT TROUBLE WITH POLICE)

PCT VALID	PCT ALL	N	VALUE	LABEL
70.8	26.4	455	1	Never
17.7	6.6	114	2	Once or twice
5.0	1.9	32	3	Three or four times
3.0	1.1	19	4	Five or six times
3.6	1.3	23	5	More than six times
	62.7	1,082	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1979-1980

Y7_897   **TROUBLE W/GIRL/BOYFRIEND-MARIJ**

    (IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

    (IF MARRIED OR LIVING WITH BOYFRIEND/GIRLFRIEND)

    How many times in the last year have you gotten into trouble with
    your (husband/wife/girlfriend/boyfriend) because of your use of
    Marijuana or Hashish?
    (AFFECTED YOUR RELATIONSHIP - NOT TROUBLE WITH POLICE)

PCT VALID	PCT ALL	N	VALUE	LABEL
75.5	11.2	194	1	Never
15.2	2.3	39	2	Once or twice
3.1	0.5	8	3	Three or four times
1.9	0.3	5	4	Five or six times
4.3	0.6	11	5	More than six times
	85.1	1,468	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

    Data type: numeric
    Missing-data code: -1
    Columns: 1981-1982

```
Y7_898                    TROUBLE W/GIRL/BOYFRIEND-DRUGS
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF MARRIED OR LIVING WITH BOYFRIEND/GIRLFRIEND)

How many times in the last year have you gotten into trouble with
your (husband/wife/girlfriend/boyfriend) because of your use of Other
Drugs?

(AFFECTED YOUR RELATIONSHIP - NOT TROUBLE WITH POLICE)

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  86.5    11.5     198      1  Never
   8.7     1.2      20      2  Once or twice
   0.9     0.1       2      3  Three or four times
   0.9     0.1       2      4  Five or six times
   3.1     0.4       7      5  More than six times
          86.7   1,496     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1983-1984

```
Y7_899                    TROUBLE W/FRIENDS-ALCOHOL
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into trouble with
your friends (OTHER THAN GIRLFRIEND/BOYFRIEND) because of your use of
Alcohol?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  85.8    61.4   1,060      1  Never
  12.1     8.7     150      2  Once or twice
   1.3     0.9      16      3  Three or four times
   0.2     0.2       3      4  Five or six times
   0.5     0.3       6      5  More than six times
          28.4     490     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1985-1986

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_900                    TROUBLE W/FRIENDS-MARIJUANA                  │
└─────────────────────────────────────────────────────────────────────┘
```

       (IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

       How many times in the last year have you gotten into trouble with
       your friends (OTHER THAN GIRLFRIEND/BOYFRIEND) because of your use of
       Marijuana or Hashish?

         PCT   PCT   N VALUE LABEL
        VALID   ALL
         94.3   27.9   482   1 Never
          4.1   1.2   21   2 Once or twice
          1.4   0.4   7   3 Three or four times
          0.0   0.0   0   4 Five or six times
          0.2   0.1   1   5 More than six times
                 70.4   1,214   -1
        -----   -----   -----
        100.0   100.0   1,725 cases

       Data type: numeric
       Missing-data code: -1
       Columns: 1987-1988

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_901                    TROUBLE W/FRIENDS-DRUGS                      │
└─────────────────────────────────────────────────────────────────────┘
```

       (IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

       How many times in the last year have you gotten into trouble with
       your friends (OTHER THAN GIRLFRIEND/BOYFRIEND) because of your use of
       Other Drugs?

         PCT   PCT   N VALUE LABEL
        VALID   ALL
         94.1   24.1   416   1 Never
          3.8   1.0   17   2 Once or twice
          0.9   0.2   4   3 Three or four times
          0.5   0.1   2   4 Five or six times
          0.7   0.2   3   5 More than six times
                 74.4   1,283   -1
        -----   -----   -----
        100.0   100.0   1,725 cases

       Data type: numeric
       Missing-data code: -1
       Columns: 1989-1990

Y7_902 **PROBLEMS W/FAMILY-ALCOHOL**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you had problems with your
family because of your use of Alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
87.2	62.6	1,079	1	Never
9.6	6.9	119	2	Once or twice
1.3	0.9	16	3	Three or four times
0.6	0.5	8	4	Five or six times
1.3	0.9	16	5	More than six times
	28.2	487	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1991-1992

Y7_903 **PROBLEMS W/FAMILY-MARIJUANA**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you had problems with your
family because of your use of Marijuana or Hashish?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.4	26.8	463	1	Never
7.8	2.3	40	2	Once or twice
0.8	0.2	4	3	Three or four times
0.6	0.2	3	4	Five or six times
0.4	0.1	2	5	More than six times
	70.3	1,213	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 1993-1994

```
Y7_904                PROBLEMS W/FAMILY-DRUGS
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you had problems with your
family because of your use of Other Drugs?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  94.8   24.3    420      1  Never
   3.2    0.8     14      2  Once or twice
   0.5    0.1      2      3  Three or four times
   0.2    0.1      1      4  Five or six times
   1.4    0.3      6      5  More than six times
         74.3  1,282     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1995-1996

```
Y7_905                GOTTEN INTO FIGHTS-ALCOHOL
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into physical fights
because of your use of Alcohol?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  91.1   65.4  1,128      1  Never
   6.8    4.9     84      2  Once or twice
   1.3    0.9     16      3  Three or four times
   0.4    0.3      5      4  Five or six times
   0.4    0.3      5      5  More than six times
         28.2    487     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1997-1998

Y7_906   **GOTTEN INTO FIGHTS-MARIJUANA**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into physical fights
because of your use of Marijuana or Hashish?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 96.9   28.8    496     1  Never
  2.7    0.8     14     2  Once or twice
  0.2    0.1      1     3  Three or four times
  0.2    0.1      1     4  Five or six times
  0.0    0.0      0     5  More than six times
         70.3  1,213    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 1999-2000

Y7_907   **GOTTEN INTO FIGHTS-DRUGS**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into physical fights
because of your use of Other Drugs?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 98.0   25.2    434     1  Never
  1.6    0.4      7     2  Once or twice
  0.2    0.1      1     3  Three or four times
  0.2    0.1      1     4  Five or six times
  0.0    0.0      0     5  More than six times
         74.3  1,282    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2001-2002

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_908                   PROBS W/PHYS HEALTH-ALCOHOL                   │
└─────────────────────────────────────────────────────────────────────┘
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How often in the last year have you had problems with your physical
health because of your use of Alcohol?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  91.0   65.3  1,126      1  Never
   6.3    4.5     78      2  Once or twice
   1.3    0.9     16      3  Three or four times
   0.6    0.4      7      4  Five or six times
   0.9    0.6     11      5  More than six times
         28.2    487     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2003-2004

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_909                   PROBS W/PHYS HEALTH-MARIJUANA                 │
└─────────────────────────────────────────────────────────────────────┘
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How often in the last year have you had problems with your physical
health because of your use of Marijuana or Hashish?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  96.5   28.6    494      1  Never
   2.7    0.8     14      2  Once or twice
   0.6    0.2      3      3  Three or four times
   0.0    0.0      0      4  Five or six times
   0.2    0.1      1      5  More than six times
         70.3  1,213     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2005-2006

Y7_910   **PROBS W/PHYS HEALTH-DRUGS**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How often in the last year have you had problems with your physical
health because of your use of Other Drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.6	24.3	419	1	Never
3.2	0.8	14	2	Once or twice
0.7	0.2	3	3	Three or four times
0.7	0.2	3	4	Five or six times
0.9	0.2	4	5	More than six times
	74.3	1,282	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2007-2008

Y7_911   **TROUBLE W/POLICE-ALCOHOL**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you gotten into trouble with
the police or been arrested because of your use of Alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.3	68.4	1,180	1	Never
4.6	3.3	57	2	Once or twice
0.1	0.1	1	3	Three or four times
0.0	0.0	0	4	Five or six times
0.0	0.0	0	5	More than six times
	28.2	487	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2009-2010

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_912                    TROUBLE W/POLICE-MARIJUANA              │
└─────────────────────────────────────────────────────────────────┘
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you gotten into trouble with
the police or been arrested because of your use of Marijuana or
Hashish?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 97.5   28.9    499      1  Never
  2.1    0.6     11      2  Once or twice
  0.4    0.1      2      3  Three or four times
  0.0    0.0      0      4  Five or six times
  0.0    0.0      0      5  More than six times
        70.3  1,213     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2011-2012

```
┌─────────────────────────────────────────────────────────────────┐
│ Y7_913                    TROUBLE W/POLICE-DRUGS                 │
└─────────────────────────────────────────────────────────────────┘
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you gotten into trouble with
the police or been arrested because of your use of Other Drugs?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 98.6   25.3    437      1  Never
  0.9    0.2      4      2  Once or twice
  0.5    0.1      2      3  Three or four times
  0.0    0.0      0      4  Five or six times
  0.0    0.0      0      5  More than six times
        74.3  1,282     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2013-2014

```
Y7_914                ACCIDENTS WHILE DRIVE-ALCOHOL
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you had any accidents while driving because of your use of Alcohol?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 97.1   69.6  1,201      1  Never
  2.9    2.1     36      2  Once or twice
  0.0    0.0      0      3  Three or four times
  0.0    0.0      0      4  Five or six times
  0.0    0.0      0      5  More than six times
         28.3    488     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2015-2016

```
Y7_915                ACCIDENTS WHILE DRIVE-MARIJUANA
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you had any accidents while driving because of your use of Marijuana or Hashish?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 99.8   29.6    511      1  Never
  0.2    0.1      1      2  Once or twice
  0.0    0.0      0      3  Three or four times
  0.0    0.0      0      4  Five or six times
  0.0    0.0      0      5  More than six times
         70.3  1,213     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2017-2018

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_916                    ACCIDENTS WHILE DRIVE-DRUGS                  │
└─────────────────────────────────────────────────────────────────────┘
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you had any accidents while
driving because of your use of Other Drugs?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 99.5    25.6     441      1  Never
  0.5     0.1       2      2  Once or twice
  0.0     0.0       0      3  Three or four times
  0.0     0.0       0      4  Five or six times
  0.0     0.0       0      5  More than six times
          74.3   1,282     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2019-2020

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_917                    CALLED IN SICK WORK-ALCOHOL                  │
└─────────────────────────────────────────────────────────────────────┘
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF WORKING)

During the past year how many times have you missed work or had to
call in sick because of your use of Alcohol?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 85.6    55.9     965      1  Never
 12.0     7.8     135      2  Once or twice
  1.2     0.8      14      3  Three or four times
  0.4     0.3       5      4  Five or six times
  0.7     0.5       8      5  More than six times
          34.7     598     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2021-2022

```
Y7_918              CALLED IN SICK WORK-MARIJUANA
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF WORKING)

During the past year how many times have you missed work or had to call in sick because of your use of Marijuana or Hashish?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 98.3   26.9    464      1  Never
  1.5    0.4      7      2  Once or twice
  0.2    0.1      1      3  Three or four times
  0.0    0.0      0      4  Five or six times
  0.0    0.0      0      5  More than six times
         72.6  1,253     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2023-2024

```
Y7_919              CALLED IN SICK WORK-DRUGS
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF WORKING)

During the past year how many times have you missed work or had to call in sick because of your use of Other Drugs?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 93.3   21.7    374      1  Never
  3.7    0.9     15      2  Once or twice
  1.2    0.3      5      3  Three or four times
  0.7    0.2      3      4  Five or six times
  1.0    0.2      4      5  More than six times
         76.8  1,324     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2025-2026

Y7_920   **DONE ILLEGAL-ALCOHOL**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

In the past year, did you ever have to do anything illegal in order
to get Alcohol?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  99.0    71.1  1,226      1  No
   1.0     0.8     13      2  Yes
          28.2    486     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2027-2028

Y7_921   **DONE ILLEGAL-MARIJUANA**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

In the past year, did you ever have to do anything illegal in order
to get Marijuana?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  97.1    28.9    498      1  No
   2.9     0.9     15      2  Yes
          70.3  1,212     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2029-2030

```
Y7_922                DONE ILLEGAL-DRUGS
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

In the past year, did you ever have to do anything illegal in order
to get Drugs?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 96.6   24.9    429      1  No
  3.4    0.9     15      2  Yes
        74.3  1,281     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2031-2032

```
Y7_923                STEAL SOMETHING
```

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

 steal something?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
100.0    0.3      5      1  Yes
        99.7  1,720     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2033-2034

Y7_924   **PROSTITUTION**

    (IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

    What did you do . . .

    prostitution?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  0.0    0.0      0      1  Yes
         100.0  1,725    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 2035-2036

Y7_925   **GAMBLE**

    (IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

    What did you do . . .

    gamble?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
100.0    0.1      1      1  Yes
         99.9  1,724    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 2037-2038

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_926                    SELL DRUGS OR ALCOHOL                      │
└─────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

 sell drugs or alcohol?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 100.0    0.7     12      1 Yes
          99.3  1,713     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2039-2040

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_927                    SELL THINGS NOT YOURS                      │
└─────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

 sell things that were not yours?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      2      1 Yes
          99.9  1,723     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2041-2042

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_928                     BEAT SOMEONE UP                                 │
└─────────────────────────────────────────────────────────────────────────┘
```

       (IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

       What did you do . . .

        beat someone up?

         PCT   PCT   N VALUE LABEL
       VALID   ALL
       100.0   0.1   1   1 Yes
                99.9 1,724   -1
       -----   ----- -----
       100.0   100.0 1,725 cases

       Data type: numeric
       Missing-data code: -1
       Columns: 2043-2044

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_929              BOUGHT ALCOHOL WHILE UNDERAGE                          │
└─────────────────────────────────────────────────────────────────────────┘
```

       (IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

       What did you do . . .

        purchased while underage?

         PCT   PCT   N VALUE LABEL
       VALID   ALL
       100.0   0.2   3   1 Yes
                99.8 1,722   -1
       -----   ----- -----
       100.0   100.0 1,725 cases

       Data type: numeric
       Missing-data code: -1
       Columns: 2045-2046

```
Y7_930                    USE FAKE ID
```

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

 use fake ID?

```
  PCT    PCT       N  VALUE  LABEL
VALID   ALL
100.0    0.3       5      1  Yes
         99.7  1,720     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2047-2048

```
Y7_931                    STEAL ALCOHOL OR DRUGS
```

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

 steal alcohol or drugs?

```
  PCT    PCT       N  VALUE  LABEL
VALID   ALL
100.0    0.1       2      1  Yes
         99.9  1,723     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2049-2050

```
Y7_932              FAKE PRESCRIPTION
```

    (IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

    What did you do . . .

     fake prescription?

```
   PCT    PCT       N  VALUE  LABEL
 VALID   ALL
   0.0    0.0       0      1  Yes
         100.0  1,725     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 2051-2052

```
Y7_933              FAKE ILLNESS
```

    (IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

    What did you do . . .

     fake illness?

```
   PCT    PCT       N  VALUE  LABEL
 VALID   ALL
   0.0    0.0       0      1  Yes
         100.0  1,725     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 2053-2054

```
Y7_934                    OTHER
```

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

 Other (DESCRIBE)?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
100.0   0.3      5      1  Yes
        99.7  1,720     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2055-2056

```
Y7_935              DRUNK ON ALCOHOL PAST YEAR
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY ALCOHOL)

How many times in the past year have you been drunk or pretty high on
alcohol? (EXACT NUMBER)

```
Min   =   0              Mean     =    14.883
Max   = 365              Std Dev  =    36.076
Median =   3             Variance = 1,301.504
```

(Based on 1,238 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2057-2059

Y7_936   **DRUNK WHILE DRIVING**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY ALCOHOL)

How many times have you driven a motor vehicle when you were drunk or pretty high? (EXACT NUMBER)

```
Min    =   0              Mean     =   4.716
Max    = 110              Std Dev  =  12.642
Median =   1              Variance = 159.812
```

(Based on 976 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2060-2062

Y7_937   **DRUNK WHILE AT WORK**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY ALCOHOL)

(IF WORKING)

How many times have you been drunk or pretty high on alcohol while you were at work? (EXACT NUMBER)

```
Min    =   0              Mean     =   1.393
Max    = 500              Std Dev  =  20.762
Median =   0              Variance = 431.041
```

(Based on 904 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2063-2065

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_938                    HIGH ON MARIJUANA PAST YEAR                      │
└─────────────────────────────────────────────────────────────────────────┘
```

      (IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

      (IF USED ANY MARIJUANA/HASH)

      How many times in the past year have you been high on marijuana?
      (EXACT NUMBER)

```
Min    =   0                 Mean     =     63.400
Max    = 999                 Std Dev  =    143.596
Median =   8                 Variance = 20,619.756
```

      (Based on 513 valid cases)

      Data type: numeric
      Missing-data code: -1
      Columns: 2066-2068

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_939                  HIGH ON MARIJUANA WHILE DRIVING                    │
└─────────────────────────────────────────────────────────────────────────┘
```

      (IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

      (IF USED ANY MARIJUANA/HASH)

      How many times have you driven a motor vehicle when you were high on
      marijuana? (EXACT NUMBER)

```
Min    =   0                 Mean     =     29.046
Max    = 999                 Std Dev  =     97.655
Median =   1                 Variance = 9,536.541
```

      (Based on 483 valid cases)

      Data type: numeric
      Missing-data code: -1
      Columns: 2069-2071

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_940              HIGH ON MARIJUANA WHILE AT WORK                       │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY MARIJUANA/HASH)

(IF WORKING)

How many times have you been high on marijuana while you were at
work?
(EXACT NUMBER)

Min	= 0	Mean =	14.921
Max	= 999	Std Dev =	68.933
Median =	0	Variance =	4,751.726

(Based on 445 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2072-2074

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_941              HIGH ON OTHER DRUGS PAST YEAR                         │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY OTHER DRUGS)

How many times in the past year have you been high on other drugs?
(EXACT NUMBER)

Min	= 0	Mean =	11.797
Max	= 500	Std Dev =	45.867
Median =	0	Variance =	2,103.783

(Based on 444 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2075-2077

Y7_942   **HIGH ON OTHER DRUGS WHILE DRIVING**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY OTHER DRUGS)

How many times have you driven a motor vehicle when you were high on drugs other than marijuana? (EXACT NUMBER)

```
Min    =   0              Mean     =    6.667
Max    = 320              Std Dev  =  27.417
Median =   0              Variance = 751.712
```

(Based on 216 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2078-2080

Y7_943   **HIGH ON OTHER DRUGS WHILE AT WORK**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY OTHER DRUGS)

(IF WORKING)

How many times have you been high on drugs other than marijuana while you were at work? (EXACT NUMBER)

```
Min    =   0              Mean     =     5.438
Max    = 320              Std Dev  =    32.656
Median =   0              Variance = 1,066.396
```

(Based on 203 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2081-2083

SELF-REPORTED DELINQUENCY

Self-Reported Delinquency - Lifetime

Y7_944   **STOLEN M VEH-IN LIFETIME**

Have you ever in your lifetime . . .

Stolen a motor vehicle such as a car or motorcycle?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 96.2   77.1  1,330      1  No
  3.8    3.1     53      2  Yes
        19.8    342     -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2084-2085

Y7_945   **STOLEN M VEH-AGE 1ST TIME**

(IF YES TO Y7_944)

How old were you when you first stole a vehicle? (AGE)

```
Min    = 10              Mean     = 16.038
Max    = 22              Std Dev  =  2.601
Median = 16              Variance =  6.768
```

(Based on 53 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2086-2087

Y7_946	STOLEN VALUED > $50-IN LIFETIME

Have you ever in your lifetime . . .

 Stolen something worth more than $50?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.4	72.5	1,250	1	No
9.6	7.7	133	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2088-2089

Y7_947	STOLEN VALUED > $50-AGE 1ST TIME

(IF YES TO Y7_946)

How old were you when you first stole something worth more than $50?
(AGE)

Min	= 11	Mean	= 17.060
Max	= 99	Std Dev	= 10.543
Median	= 16	Variance	= 111.163

(Based on 133 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2090-2091

```
Y7_948                    SET FIRE TO PROPERTY-IN LIFETIME
```

Have you ever in your lifetime . . .

 Purposely set fire to a building, car or other property?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 98.3   78.8  1,359      1  No
  1.7    1.4     24      2  Yes
        19.8    342     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2092-2093

```
Y7_949                    SET FIRE TO PROPERTY-AGE 1ST TIME
```

(IF YES TO Y7_948)

How old were you when you first set fire to a building, car or other
property? (AGE)

```
Min    = 3                    Mean     =  16.500
Max    = 99                   Std Dev  =  18.118
Median = 13.5                 Variance = 328.261
```

(Based on 24 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2094-2095

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_950                    ATTACKED SOMEONE-IN LIFETIME                     │
└─────────────────────────────────────────────────────────────────────────┘
```

Have you ever in your lifetime . . .

 Attacked someone with the idea of seriously hurting or killing them?

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  90.8    72.8  1,256       1  No
   9.2     7.4    127       2  Yes
          19.8    342      -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2096-2097

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_951                    ATTACKED SOMEONE-AGE 1ST TIME                    │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_950)

How old were you when you first attacked someone? (AGE)

```
Min    =  7                    Mean     = 16.787
Max    = 25                    Std Dev  =  3.800
Median = 16                    Variance = 14.439
```

(Based on 127 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2098-2099

```
Y7_952              BEEN IN GANG FIGHTS-IN LIFETIME
```

Have you ever in your lifetime . . .

 gotten involved in a gang fight?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 93.1    74.6  1,287      1  No
  6.9     5.6     96      2  Yes
         19.8    342     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2100-2101

```
Y7_953              BEEN IN GANG FIGHTS-AGE 1ST TIME
```

(IF YES TO Y7_952)

How old were you when you first got involved in a gang fight? (AGE)

```
Min    =  7               Mean      = 15.989
Max    = 24               Std Dev   =  3.144
Median = 16               Variance  =  9.883
```

(Based on 95 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2102-2103

```
Y7_954              SEX REL AGAINST WILL-IN LIFETIME
```

Have you ever in your lifetime . . .

 had or tried to have sexual relations with someone against their
 will?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 97.9   78.4  1,353      1  No
  2.1    1.7     29      2  Yes
        19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2104-2105

```
Y7_955              SEX REL AGAINST WILL-AGE 1ST TIME
```

(IF YES TO Y7_954)

How old were you when you first had or tried to have sexual relations
with someone against their will? (AGE)

```
Min    = 11               Mean     =  20.655
Max    = 99               Std Dev  =  15.391
Median = 17               Variance = 236.877
```

(Based on 29 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2106-2107

```
┌─────────────────────────────────────────────────────────────────────────┐
│  Y7_956              BROKEN INTO BUILDING-IN LIFETIME                     │
└─────────────────────────────────────────────────────────────────────────┘
```

Have you ever in your lifetime . . .

 broken into a vehicle or building to steal something?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  93.4   74.9  1,292      1  No
   6.6    5.3     91      2  Yes
         19.8    342     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2108-2109

```
┌─────────────────────────────────────────────────────────────────────────┐
│  Y7_957              BROKEN INTO BUILDING-AGE 1ST TIME                    │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_956)

How old were you when you first broke into a vehicle or building?
(AGE)

```
Min    =  7              Mean     = 15.549
Max    = 21              Std Dev  =  2.482
Median = 15              Variance =  6.161
```

(Based on 91 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2110-2111

Y7_958   **USED FORCE ON OTHERS-IN LIFETIME**

Have you ever in your lifetime . . .

used force or strongarm methods to get money or things from
someone (students, teachers, other people)?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 98.4   78.9  1,361      1  No
  1.6    1.3     22      2  Yes
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2112-2113

Y7_959   **USED FORCE ON OTHERS-AGE 1ST TIME**

(IF YES TO Y7_958)

How old were you when you first used force or strongarm methods to
get money or things from someone? (AGE)

```
Min   = 12                 Mean     =  20.909
Max   = 99                 Std Dev  =  17.661
Median = 17                Variance = 311.896
```

(Based on 22 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2114-2115

```
Y7_960              PHYS HURT OTH FOR SEX-IN LIFETIME
```

Have you ever in your lifetime . . .

 Physically hurt or threatened to hurt someone to get them
 to have sex with you?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  99.5   79.7  1,375      1  No
   0.5    0.4      7      2  Yes
         19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2116-2117

```
Y7_961              PHYS HRT OTH FOR SEX-AGE 1ST TIME
```

(IF YES TO Y7_960)

How old were you when you first hurt or threatened to hurt someone to
get them to have sex with you? (AGE)

```
Min    = 12                    Mean     = 17.714
Max    = 21                    Std Dev  =  2.812
Median = 18                    Variance =  7.905
```

(Based on 7 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2118-2119

Y7_962   **SOLD HARD DRUGS-IN LIFETIME**

Have you ever in your lifetime . . .

Sold hard drugs such as heroin, cocaine and LSD?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 93.7   75.1  1,296      1  No
  6.3    5.0     87      2  Yes
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2120-2121

Y7_963   **SOLD HARD DRUGS-AGE 1ST TIME**

(IF YES TO Y7_962)

How old were you when you first sold hard (illicit) drugs? (AGE)

```
Min    = 12                Mean     = 18.207
Max    = 24                Std Dev  =  2.668
Median = 18                Variance =  7.119
```

(Based on 87 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2122-2123

```
Y7_964              INJURED SPOUSE/PARTN-IN LIFETIME
```

Have you ever in your lifetime . . .

Deliberately injured your spouse/girlfriend/boyfriend, e.g., hit,
knocked down, choked, beat or cut them?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 95.3   76.4  1,318      1  No
  4.7    3.8     65      2  Yes
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2124-2125

```
Y7_965              INJURED SPOUSE/PARTN-AGE 1ST TIME
```

(IF YES TO Y7_964)

How old were you when you first deliberately injured your
spouse/girlfriend/boyfriend? (AGE)

```
Min    = 13                   Mean     = 20.831
Max    = 27                   Std Dev  =  3.100
Median = 21                   Variance =  9.612
```

(Based on 65 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2126-2127

Self-Reported Delinquecy - 1984 and 1985

Y7_966   **STOLEN MOTOR VEHICLE-1984**

During 1984 did you ever . . .

 steal or try to steal a motor vehicle such as a car or motorcycle?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 99.8   47.7    822      1  Never
  0.2    0.1      2      2  1-2 Times
  0.0    0.0      0      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2128-2129

Y7_967   **STOLEN MOTOR VEHICLE-1985**

During 1985 did you ever . . .

 steal or try to steal a motor vehicle such as a car or motorcycle?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 99.6   47.6    821      1  Never
  0.4    0.2      3      2  1-2 Times
  0.0    0.0      0      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2130-2131

Y7_968 **STOLEN VALUED > $50-1984**

During 1984 did you ever . . .

 steal or try to steal something worth more than $50?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 97.9   46.8    807      1  Never
  1.5    0.7     12      2  1-2 Times
  0.4    0.2      3      3  3-11 Times
  0.2    0.1      2      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2132-2133

Y7_969 **STOLEN VALUED > $50-1985**

During 1985 did you ever . . .

 steal or try to steal something worth more than $50?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 98.4   47.0    811      1  Never
  0.8    0.4      7      2  1-2 Times
  0.5    0.2      4      3  3-11 Times
  0.2    0.1      2      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2134-2135

Y7_970   **BOUGHT STOLEN GOODS-1984**

During 1984 did you ever . . .

knowingly buy, sell or hold stolen goods or try to do any of these
things?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 95.8   45.7    789      1  Never
  3.0    1.4     25      2  1-2 Times
  0.6    0.3      5      3  3-11 Times
  0.6    0.3      5      4  12 or More Times
        52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2136-2137

Y7_971   **BOUGHT STOLEN GOODS-1985**

During 1985 did you ever . . .

knowingly buy, sell or hold stolen goods or try to do any of these
things?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 95.9   45.8    790      1  Never
  2.9    1.4     24      2  1-2 Times
  0.5    0.2      4      3  3-11 Times
  0.7    0.3      6      4  12 or More Times
        52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2138-2139

Y7_972 **SET FIRE TO PROPERTY-1984**

During 1984 did you ever . . .

purposely set fire to a building, a car, or other property or try to do so?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  99.6    47.6    821      1  Never
   0.4     0.2      3      2  1-2 Times
   0.0     0.0      0      3  3-11 Times
   0.0     0.0      0      4  12 or More Times
          52.2    901     -1
 -----   -----   -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2140-2141

Y7_973 **SET FIRE TO PROPERTY-1985**

During 1985 did you ever . . .

purposely set fire to a building, a car, or other property or try to do so?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  99.9    47.7    823      1  Never
   0.1     0.1      1      2  1-2 Times
   0.0     0.0      0      3  3-11 Times
   0.0     0.0      0      4  12 or More Times
          52.2    901     -1
 -----   -----   -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2142-2143

```
Y7_974                CARRIED A HIDDEN WEAPON-1984
```

During 1984 did you ever . . .

 carry a hidden weapon other than a plain pocket knife?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  92.7   44.2    763      1  Never
   1.3    0.6     11      2  1-2 Times
   1.7    0.8     14      3  3-11 Times
   4.3    2.0     35      4  12 or More Times
          52.3    902     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2144-2145

```
Y7_975                CARRIED A HIDDEN WEAPON-1985
```

During 1985 did you ever . . .

 carry a hidden weapon other than a plain pocket knife?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  92.0   43.9    757      1  Never
   1.6    0.8     13      2  1-2 Times
   1.7    0.8     14      3  3-11 Times
   4.7    2.3     39      4  12 or More Times
          52.3    902     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2146-2147

```
Y7_976              STOLEN SOMETHING < $5-1984
```

During 1984 did you ever . . .

 steal or try to steal things worth $5 or less?

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  89.7   42.9    740      1  Never
   6.5    3.1     54      2  1-2 Times
   2.8    1.3     23      3  3-11 Times
   1.0    0.5      8      4  12 or More Times
          52.2    900     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2148-2149

```
Y7_977              STOLEN SOMETHING < $5-1985
```

During 1985 did you ever . . .

 steal or try to steal things worth $5 or less?

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  91.5   43.7    754      1  Never
   5.2    2.5     43      2  1-2 Times
   2.2    1.0     18      3  3-11 Times
   1.1    0.5      9      4  12 or More Times
          52.2    901     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2150-2151

```
Y7_978                    ATTACK SOMEONE-1984
```

During 1984 did you ever . . .

attack someone with the idea of seriously hurting or
killing him or her?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  97.2   46.4    801      1  Never
   2.3    1.1     19      2  1-2 Times
   0.5    0.2      4      3  3-11 Times
   0.0    0.0      0      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2152-2153

```
Y7_979                    ATTACK SOMEONE-1985
```

During 1985 did you ever . . .

attack someone with the idea of seriously hurting or killing him or
her?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  96.6   46.1    796      1  Never
   2.8    1.3     23      2  1-2 Times
   0.6    0.3      5      3  3-11 Times
   0.0    0.0      0      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2154-2155

Y7_980   **BEEN PAID FOR SEX RELATIONS-1984**

During 1984 did you ever . . .

get paid for having sexual relations with someone?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 99.4   47.4    818      1  Never
  0.4    0.2      3      2  1-2 Times
  0.2    0.1      2      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.3    902     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2156-2157

Y7_981   **BEEN PAID FOR SEX RELATIONS-1985**

During 1985 did you ever . . .

get paid for having sexual relations with someone?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 99.5   47.5    819      1  Never
  0.4    0.2      3      2  1-2 Times
  0.1    0.1      1      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.3    902     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2158-2159

Y7_982   **PAY FOR SEX RELATIONS-1984**

During 1984 did you ever . . .

 pay someone to have sexual relations with you?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 98.7   47.1    812      1  Never
  1.1    0.5      9      2  1-2 Times
  0.1    0.1      1      3  3-11 Times
  0.1    0.1      1      4  12 or More Times
        52.3    902     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2160-2161

Y7_983   **PAY FOR SEX RELATIONS-1985**

During 1985 did you ever . . .

 pay someone to have sexual relations with you?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 98.7   47.1    812      1  Never
  0.9    0.4      7      2  1-2 Times
  0.5    0.2      4      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
        52.3    902     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2162-2163

```
Y7_984               BEEN IN GANG FIGHTS-1984
```

During 1984 did you ever . . .

 get involved in gang fights?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  99.0   47.3    816      1  Never
   1.0    0.5      8      2  1-2 Times
   0.0    0.0      0      3  3-11 Times
   0.0    0.0      0      4  12 or More Times
          52.2    901     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2164-2165

```
Y7_985               BEEN IN GANG FIGHTS-1985
```

During 1985 did you ever . . .

 get involved in gang fights?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  99.8   47.7    822      1  Never
   0.2    0.1      2      2  1-2 Times
   0.0    0.0      0      3  3-11 Times
   0.0    0.0      0      4  12 or More Times
          52.2    901     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2166-2167

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_986              USED CHECKS ILLEGALLY-1984                                │
└─────────────────────────────────────────────────────────────────────────────┘
```

During 1984 did you ever . . .

 use checks illegally or use phony money to pay for something?
 (INCLUDES INTENTIONAL OVERDRAFTS)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 98.8   47.2    814      1  Never
  0.4    0.2      3      2  1-2 Times
  0.6    0.3      5      3  3-11 Times
  0.2    0.1      2      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2168-2169

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ Y7_987              USED CHECKS ILLEGALLY-1985                                │
└─────────────────────────────────────────────────────────────────────────────┘
```

During 1985 did you ever . . .

 use checks illegally or use phony money to pay for something?
 (INCLUDES INTENTIONAL OVERDRAFTS)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 98.9   47.2    815      1  Never
  0.4    0.2      3      2  1-2 Times
  0.7    0.3      6      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2170-2171

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_988                     SOLD MARIJUANA-1984                            │
└─────────────────────────────────────────────────────────────────────────┘
```

    During 1984 did you ever . . .

     sell marijuana or hashish ? ("POT", "GRASS", "HASH")

       PCT   PCT   N VALUE LABEL
      VALID   ALL
      90.4   43.2   745   1 Never
       1.7   0.8   14   2 1-2 Times
       3.0   1.4   25   3 3-11 Times
       4.9   2.3   40   4 12 or More Times
               52.2   901   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 2172-2173

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_989                     SOLD MARIJUANA-1985                            │
└─────────────────────────────────────────────────────────────────────────┘
```

    During 1985 did you ever . . .

     sell marijuana or hashish ? ("POT", "GRASS", "HASH")

       PCT   PCT   N VALUE LABEL
      VALID   ALL
      89.7   42.8   739   1 Never
       2.2   1.0   18   2 1-2 Times
       4.2   2.0   35   3 3-11 Times
       3.9   1.9   32   4 12 or More Times
               52.2   901   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 2174-2175
```

Y7_990   **SEX RELATIONS AGAINST WILL–1984**

```
     During 1984 did you ever . . .

      have or try to have sexual relations with someone against their
      will?

       PCT     PCT       N  VALUE   LABEL
      VALID    ALL
      99.9    47.7     822       1  Never
       0.1     0.1       1       2  1-2 Times
       0.0     0.0       0       3  3-11 Times
       0.0     0.0       0       4  12 or More Times
               52.3     902      -1
      -----   -----   -----
      100.0   100.0   1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 2176-2177
```

Y7_991   **SEX RELATIONS AGAINST WILL–1985**

```
     During 1985 did you ever . . .

      have or try to have sexual relations with someone against their
      will?

       PCT     PCT       N  VALUE   LABEL
      VALID    ALL
      99.3    47.4     817       1  Never
       0.7     0.3       6       2  1-2 Times
       0.0     0.0       0       3  3-11 Times
       0.0     0.0       0       4  12 or More Times
               52.3     902      -1
      -----   -----   -----
      100.0   100.0   1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 2178-2179
```

```
Y7_992                   HIT PARENT-1984
```

During 1984 did you ever . . .

 hit or threaten to hit one of your parents?

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  99.2   47.4    817      1  Never
   0.7    0.3      6      2  1-2 Times
   0.1    0.1      1      3  3-11 Times
   0.0    0.0      0      4  12 or More Times
         52.2    901     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2180-2181

```
Y7_993                   HIT PARENT-1985
```

During 1985 did you ever . . .

 hit or threaten to hit one of your parents?

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  99.3   47.4    818      1  Never
   0.6    0.3      5      2  1-2 Times
   0.1    0.1      1      3  3-11 Times
   0.0    0.0      0      4  12 or More Times
         52.2    901     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2182-2183

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_994              HIT SOMEONE AT WORK-1984                              │
└─────────────────────────────────────────────────────────────────────────┘
```

        (IF WORKING)

        During 1984 did you ever . . .

         hit or threaten to hit your supervisor or other employee?

          PCT   PCT   N   VALUE   LABEL
         VALID   ALL
         97.4   43.5   751   1   Never
          2.2   1.0   17   2   1-2 Times
          0.4   0.2   3   3   3-11 Times
          0.0   0.0   0   4   12 or More Times
                 55.3   954   -1
         -----   -----   -----
         100.0   100.0   1,725 cases

         Data type: numeric
         Missing-data code: -1
         Columns: 2184-2185

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_995              HIT SOMEONE AT WORK-1985                              │
└─────────────────────────────────────────────────────────────────────────┘
```

        (IF WORKING)

        During 1985 did you ever . . .

         hit or threaten to hit your supervisor or other employee?

          PCT   PCT   N   VALUE   LABEL
         VALID   ALL
         97.4   43.3   747   1   Never
          2.3   1.0   18   2   1-2 Times
          0.3   0.1   2   3   3-11 Times
          0.0   0.0   0   4   12 or More Times
                 55.5   958   -1
         -----   -----   -----
         100.0   100.0   1,725 cases

         Data type: numeric
         Missing-data code: -1
         Columns: 2186-2187

```
Y7_996              HIT ANYONE ELSE-1984
```

During 1984 did you ever . . .

 hit or threaten to hit anyone else (other than parents or persons at
 work)?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 90.9   43.4    748      1  Never
  5.7    2.7     47      2  1-2 Times
  2.7    1.3     22      3  3-11 Times
  0.7    0.3      6      4  12 or More Times
        52.3    902     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2188-2189

```
Y7_997              HIT ANYONE ELSE-1985
```

During 1985 did you ever . . .

 hit or threaten to hit anyone else (other than parents or persons at
 work)?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 90.4   43.1    744      1  Never
  5.7    2.7     47      2  1-2 Times
  3.0    1.4     25      3  3-11 Times
  0.9    0.4      7      4  12 or More Times
        52.3    902     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2190-2191

```
Y7_998              SOLD HARD DRUGS-1984
```

During 1984 did you ever . . .

 sell hard drugs such as heroin, cocaine, and LSD?
 (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE
 DRUGS)

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 96.1   45.9    792      1  Never
  1.2    0.6     10      2  1-2 Times
  1.0    0.5      8      3  3-11 Times
  1.7    0.8     14      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2192-2193

```
Y7_999              SOLD HARD DRUGS-1985
```

During 1985 did you ever . . .

 sell hard drugs such as heroin, cocaine, and LSD?
 (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE
 DRUGS)

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 95.4   45.6    786      1  Never
  1.5    0.7     12      2  1-2 Times
  1.0    0.5      8      3  3-11 Times
  2.2    1.0     18      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2194-2195

Y7_1000   **TRIED SELL WORTHLESS-1984**

During 1984 did you ever . . .

try to cheat someone by selling them something that was worthless or
not what you said it was?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 98.9   47.2    815      1  Never
  0.7    0.3      6      2  1-2 Times
  0.2    0.1      2      3  3-11 Times
  0.1    0.1      1      4  12 or More Times
         52.2    901     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2196-2197

Y7_1001   **TRIED SELL WORTHLESS-1985**

During 1985 did you ever . . .

try to cheat someone by selling them something that was worthless or
not what you said it was?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 98.7   47.1    813      1  Never
  1.1    0.5      9      2  1-2 Times
  0.2    0.1      2      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.2    901     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2198-2199

```
Y7_1002            TAKEN VEHICLE-1984
```

During 1984 did you ever . . .

 take a vehicle for a ride or drive without the owner's
 permission?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 98.9   47.2    815      1  Never
  1.1    0.5      9      2  1-2 Times
  0.0    0.0      0      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2200-2201

```
Y7_1003            TAKEN VEHICLE-1985
```

During 1985 did you ever . . .

 take a vehicle for a ride or drive without the owner's
 permission?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 98.9   47.2    815      1  Never
  1.0    0.5      8      2  1-2 Times
  0.1    0.1      1      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2202-2203

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1004              USED FORCE ON ANYONE-1984                            │
└─────────────────────────────────────────────────────────────────────────┘
```

During 1984 did you ever . . .

 use force or strongarm methods to get money or things from
 people?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 99.9   47.7    823      1  Never
  0.0    0.0      0      2  1-2 Times
  0.1    0.1      1      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
        52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2204-2205

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1005              USED FORCE ON ANYONE-1985                            │
└─────────────────────────────────────────────────────────────────────────┘
```

During 1985 did you ever . . .

 use force or strongarm methods to get money or things from
 people?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 99.8   47.7    822      1  Never
  0.1    0.1      1      2  1-2 Times
  0.1    0.1      1      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
        52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2206-2207

Y7_1006   **STOLEN THINGS $5 TO $50-1984**

During 1984 did you ever . . .

 steal or try to steal things worth between $5 and $50?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 96.6   46.1    796      1  Never
  2.2    1.0     18      2  1-2 Times
  0.8    0.4      7      3  3-11 Times
  0.4    0.2      3      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2208-2209

Y7_1007   **STOLEN THINGS $5 TO $50-1985**

During 1985 did you ever . . .

 steal or try to steal things worth between $5 and $50?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 96.5   46.1    795      1  Never
  2.4    1.2     20      2  1-2 Times
  0.7    0.3      6      3  3-11 Times
  0.4    0.2      3      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2210-2211

Y7_1008   **BROKEN INTO BUILDING-1984**

During 1984 did you ever . . .

break or try to break into a building or vehicle to steal something or just to look around?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 98.8   47.2   814      1  Never
  1.0    0.5     8      2  1-2 Times
  0.2    0.1     2      3  3-11 Times
  0.0    0.0     0      4  12 or More Times
        52.2   901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2212-2213

Y7_1009   **BROKEN INTO BUILDING-1985**

During 1985 did you ever . . .

break or try to break into a building or vehicle to steal something or just to look around?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 99.6   47.6   821      1  Never
  0.2    0.1     2      2  1-2 Times
  0.1    0.1     1      3  3-11 Times
  0.0    0.0     0      4  12 or More Times
        52.2   901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2214-2215

```
Y7_1010            CR CDS W/OUT PERMISSION-1984
```

During 1984 did you ever . . .

 use or try to use credit cards without the owner's permission?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 99.9    47.7     823      1  Never
  0.0     0.0       0      2  1-2 Times
  0.0     0.0       0      3  3-11 Times
  0.1     0.1       1      4  12 or More Times
         52.2     901     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2216-2217

```
Y7_1011            CR CDS W/OUT PERMISSION-1985
```

During 1985 did you ever . . .

 use or try to use credit cards without the owner's permission?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 99.9    47.7     823      1  Never
  0.0     0.0       0      2  1-2 Times
  0.0     0.0       0      3  3-11 Times
  0.1     0.1       1      4  12 or More Times
         52.2     901     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2218-2219

```
Y7_1012              PICKED SOMEONE'S POCKET-1984
```

During 1984 did you ever . . .

 snatch someone's purse or wallet or pick someone's pocket?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 99.9   47.7    823      1  Never
  0.1    0.1      1      2  1-2 Times
  0.0    0.0      0      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2220-2221

```
Y7_1013              PICKED SOMEONE'S POCKET-1985
```

During 1985 did you ever . . .

 snatch someone's purse or wallet or pick someone's pocket?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 99.9   47.7    823      1  Never
  0.1    0.1      1      2  1-2 Times
  0.0    0.0      0      3  3-11 Times
  0.0    0.0      0      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2222-2223

Y7_1014 **EMBEZZLED MONEY/FUNDS-1984**

During 1984 did you ever . . .

 embezzle money, that is, use money or funds entrusted to your care
 for some purpose other than intended?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 99.6   47.6    821     1  Never
  0.0    0.0      0     2  1-2 Times
  0.2    0.1      2     3  3-11 Times
  0.1    0.1      1     4  12 or More Times
         52.2    901    -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2224-2225

Y7_1015 **EMBEZZLED MONEY/FUNDS-1985**

During 1985 did you ever . . .

 embezzle money, that is, use money or funds entrusted to your care
 for some purpose other than intended?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 99.5   47.5    820     1  Never
  0.4    0.2      3     2  1-2 Times
  0.1    0.1      1     3  3-11 Times
  0.0    0.0      0     4  12 or More Times
         52.2    901    -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2226-2227

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1016                  USED ALCOHOLIC BEVERAGES-1984                 │
└─────────────────────────────────────────────────────────────────────┘
```

During 1984 did you ever . . .

 use alcoholic beverages, beer, wine, hard liquor?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  12.4    5.9     102      1  Never
   7.7    3.7      63      2  1-2 Times
  17.3    8.2     142      3  3-11 Times
  62.7   29.9     515      4  12 or More Times
         52.3     903     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2228-2229

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1017                  USED ALCOHOLIC BEVERAGES-1985                 │
└─────────────────────────────────────────────────────────────────────┘
```

During 1985 did you ever . . .

 use alcoholic beverages, beer, wine, hard liquor?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  11.7    5.6      96      1  Never
   8.0    3.8      66      2  1-2 Times
  16.5    7.9     136      3  3-11 Times
  63.7   30.4     524      4  12 or More Times
         52.3     903     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2230-2231

```
Y7_1018            USED MARIJUANA-1984
```

During 1984 did you ever . . .

 use marijuana or hashish (GRASS, POT, HASH)?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  54.2   25.9    447      1  Never
   9.3    4.5     77      2  1-2 Times
  11.0    5.3     91      3  3-11 Times
  25.4   12.1    209      4  12 or More Times
         52.2    901     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2232-2233

```
Y7_1019            USED MARIJUANA-1985
```

During 1985 did you ever . . .

 use marijuana or hashish (GRASS, POT, HASH)?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  55.7   26.6    459      1  Never
   9.6    4.6     79      2  1-2 Times
  11.8    5.6     97      3  3-11 Times
  22.9   11.0    189      4  12 or More Times
         52.2    901     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2234-2235

```
Y7_1020                USED HALLUCINOGENS-1984
```

During 1984 did you ever . . .

use hallucinogens (LSD, ACID, PEYOTE, MESCALINE, PSILOCYBIN,
ETC.)

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 91.7   43.8    756     1  Never
  5.7    2.7     47     2  1-2 Times
  1.8    0.9     15     3  3-11 Times
  0.7    0.3      6     4  12 or More Times
        52.2    901    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2236-2237

```
Y7_1021                USED HALLUCINOGENS-1985
```

During 1985 did you ever . . .

use hallucinogens (LSD, ACID, PEYOTE, MESCALINE, PSILOCYBIN,
ETC.)

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 91.7   43.8    756     1  Never
  5.3    2.6     44     2  1-2 Times
  2.2    1.0     18     3  3-11 Times
  0.7    0.3      6     4  12 or More Times
        52.2    901    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2238-2239

```
Y7_1022              USED TRANQUILIZERS-1984
```

During 1984 did you ever . . .

 use tranquilizers such as Valium, Librium, Thorazine, Miltown
 Equanil, etc.?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 95.4   45.6    786      1  Never
  1.9    0.9     16      2  1-2 Times
  1.5    0.7     12      3  3-11 Times
  1.2    0.6     10      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2240-2241

```
Y7_1023              USED TRANQUILIZERS-1985
```

During 1985 did you ever . . .

 use tranquilizers such as Valium, Librium, Thorazine, Miltown
 Equanil, etc.?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 95.3   45.5    785      1  Never
  1.6    0.8     13      2  1-2 Times
  1.5    0.7     12      3  3-11 Times
  1.7    0.8     14      4  12 or More Times
         52.2    901     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2242-2243

```
┌────────────────────────────────────────────────────────────────────────────┐
│ Y7_1024              USED AMPHETAMINES-1984                                   │
└────────────────────────────────────────────────────────────────────────────┘
```

During 1984 did you ever . . .

 use amphetamines, uppers, speed, pep pills or bennies?
 (DEXEDRINE, BENZEDRINE, DEXAMIL, DIET PILLS, ETC.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	43.6	752	1	Never
2.3	1.1	19	2	1-2 Times
3.2	1.5	26	3	3-11 Times
3.3	1.6	27	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2244-2245

```
┌────────────────────────────────────────────────────────────────────────────┐
│ Y7_1025              USED AMPHETAMINES-1985                                   │
└────────────────────────────────────────────────────────────────────────────┘
```

During 1985 did you ever . . .

 use amphetamines, uppers, speed, pep pills or bennies?
 (DEXEDRINE, BENZEDRINE, DEXAMIL, DIET PILLS, ETC.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	43.7	754	1	Never
2.8	1.3	23	2	1-2 Times
3.2	1.5	26	3	3-11 Times
2.5	1.2	21	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2246-2247

```
Y7_1026              USED BARBITURATES-1984
```

During 1984 did you ever . . .

 use barbiturates, downers, reds, yellows, blues,
 rainbows or goofballs?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 97.8    46.7    806      1  Never
  0.8     0.4      7      2  1-2 Times
  0.4     0.2      3      3  3-11 Times
  1.0     0.5      8      4  12 or More Times
          52.2    901     -1
 -----   -----   -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2248-2249

```
Y7_1027              USED BARBITURATES-1985
```

During 1985 did you ever . . .

 use barbiturates, downers, reds, yellows, blues, rainbows or
 goofballs?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 97.6    46.6    804      1  Never
  1.0     0.5      8      2  1-2 Times
  0.6     0.3      5      3  3-11 Times
  0.8     0.4      7      4  12 or More Times
          52.2    901     -1
 -----   -----   -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2250-2251

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1028                USED COCAINE-1984                              │
└─────────────────────────────────────────────────────────────────────┘
```

During 1984 did you ever . . .

 use cocaine, coke or crack?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  81.2    38.8    669      1  Never
   9.1     4.3     75      2  1-2 Times
   4.6     2.2     38      3  3-11 Times
   5.1     2.4     42      4  12 or More Times
          52.2    901     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2252-2253

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1029                USED COCAINE-1985                              │
└─────────────────────────────────────────────────────────────────────┘
```

During 1985 did you ever . . .

 use cocaine, coke or crack?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  78.5    37.5    647      1  Never
  10.0     4.8     82      2  1-2 Times
   6.8     3.2     56      3  3-11 Times
   4.7     2.3     39      4  12 or More Times
          52.2    901     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2254-2255

INTERACTIONS WITH LAW ENFORCEMENT

Police Arrests

Y7_1030	EVER ARRESTED

Since January of 1984 have you ever been arrested by the police for anything other than a minor traffic offense?

(IF NO, SKIP TO Y7_1058)

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 92.3    74.0  1,276      0  No
  6.3     5.0     87      1
  1.0     0.8     14      2
  0.2     0.2      3      3
  0.1     0.1      2      4
  0.1     0.1      1     12
         19.8    342     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2256-2257

```
Y7_1031                    ARRESTS MOST RECENT-MONTH
```

For the last (most recent) time you were arrested . . .

 What month was this?

```
   PCT      PCT       N  VALUE   LABEL
VALID     ALL
   9.3     0.6       10      1   Jan
   2.8     0.2        3      2   Feb
   9.3     0.6       10      3   Mar
   2.8     0.2        3      4   Apr
  12.1     0.8       13      5   May
   7.5     0.5        8      6   Jun
  10.3     0.6       11      7   Jul
   9.3     0.6       10      8   Aug
   5.6     0.3        6      9   Sept
  11.2     0.7       12     10   Oct
  12.1     0.8       13     11   Nov
   5.6     0.3        6     12   Dec
   0.0     0.0        0     13   Winter
   0.9     0.1        1     14   Spring
   0.0     0.0        0     15   Summer
   0.0     0.0        0     16   Fall
   0.9     0.1        1     99   Unknown
          93.8    1,618     -1
 -----   -----    -----
 100.0   100.0    1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2258-2259

Y7_1032   **ARRESTS MOST RECENT-YEAR**

For the last (most recent) time you were arrested . . .

 What year was this?

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  32.7    2.0     35      84   1984
  23.4    1.4     25      85   1985
  42.1    2.6     45      86   1986
   0.9    0.1      1      87
   0.9    0.1      1      99
          93.8  1,618     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2260-2261

Y7_1033   **ARST MOST RECENT-1ST THING DOING**

For the last (most recent) time you were arrested . . .

 What were you doing that led the police to arrest you?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.8	0.2	3	2	
2.8	0.2	3	3	
0.9	0.1	1	5	
0.9	0.1	1	6	
1.9	0.1	2	7	
0.9	0.1	1	8	
19.8	1.2	21	9	
8.5	0.5	9	10	
3.8	0.2	4	14	
0.9	0.1	1	17	
0.9	0.1	1	21	
0.9	0.1	1	23	
1.9	0.1	2	24	
0.9	0.1	1	25	
2.8	0.2	3	26	
0.9	0.1	1	27	
1.9	0.1	2	29	
2.8	0.2	3	30	
8.5	0.5	9	32	
0.9	0.1	1	33	
1.9	0.1	2	34	
0.9	0.1	1	40	
1.9	0.1	2	41	
1.9	0.1	2	43	
23.6	1.4	25	49	
1.9	0.1	2	50	
1.9	0.1	2	51	
	93.9	1,619	-1	

```
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2262-2263

Y7_1034   **ARST MOST RECENT-2ND THING DOING**

For the last (most recent) time you were arrested . . .

 What were you doing that led the police to arrest you?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 50.0    0.2      4     10
 12.5    0.1      1     11
 12.5    0.1      1     23
 12.5    0.1      1     25
 12.5    0.1      1     51
         99.5  1,717    -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2264-2265

Y7_1035   **ARST MOST RECENT-3RD THING DOING**

For the last (most recent) time you were arrested . . .

 What were you doing that led the police to arrest you?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
       100.0  1,725    -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2266-2267

Y7_1036   ARRESTS MOST RECENT-1ST CHARGE

For the last (most recent) time you were arrested . . .

 What offense did the police charge you with? (SPECIFY)

```
    PCT     PCT      N  VALUE  LABEL
  VALID     ALL
    3.8     0.2      4      2
    2.8     0.2      3      3
    0.9     0.1      1      6
    2.8     0.2      3      7
    0.9     0.1      1      8
   15.1     0.9     16      9
    8.5     0.5      9     10
    0.9     0.1      1     11
    3.8     0.2      4     14
    1.9     0.1      2     15
    1.9     0.1      2     17
    0.9     0.1      1     21
    2.8     0.2      3     23
    2.8     0.2      3     24
    1.9     0.1      2     25
    1.9     0.1      2     26
    0.9     0.1      1     27
    0.9     0.1      1     28
    1.9     0.1      2     29
    3.8     0.2      4     30
    2.8     0.2      3     32
    0.9     0.1      1     33
    0.9     0.1      1     34
    0.9     0.1      1     35
    0.9     0.1      1     40
    3.8     0.2      4     43
   22.6     1.4     24     49
    0.9     0.1      1     50
    0.9     0.1      1     51
    0.9     0.1      1     54
    0.9     0.1      1     56
    0.9     0.1      1     80
    0.9     0.1      1     81
           93.9  1,619     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2268-2269

```
Y7_1037                 ARRESTS MOST RECENT-2ND CHARGE
```

For the last (most recent) time you were arrested . . .

 What offense did the police charge you with? (SPECIFY)

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  11.1    0.1      1      2
  11.1    0.1      1      8
  22.2    0.1      2     10
  11.1    0.1      1     23
  22.2    0.1      2     34
  11.1    0.1      1     39
  11.1    0.1      1     49
         99.5  1,716     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2270-2271

```
Y7_1038                 ARRESTS MOST RECENT-3RD CHARGE
```

For the last (most recent) time you were arrested . . .

 What offense did the police charge you with? (SPECIFY)

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  50.0    0.1      1      9
  50.0    0.1      1     49
         99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2272-2273

```
Y7_1039                 ARSTS MOST RECENT-DO POL CHARGE
```

For the last (most recent) time you were arrested . . .

 Did you actually commit the offense for which they arrested
 you?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 16.8    1.0     18      1  No
 83.2    5.2     89      2  Yes
        93.8  1,618     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2274-2275

```
Y7_1040                 ARRESTS 1ST BEFORE-MONTH
```

For the time before that that you were arrested . . .

 What month was this?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 15.0    0.2      3      1  Jan
  0.0    0.0      0      2  Feb
 10.0    0.1      2      3  Mar
  0.0    0.0      0      4  Apr
  5.0    0.1      1      5  May
 10.0    0.1      2      6  Jun
 15.0    0.2      3      7  Jul
  0.0    0.0      0      8  Aug
 20.0    0.2      4      9  Sept
  5.0    0.1      1     10  Oct
 15.0    0.2      3     11  Nov
  0.0    0.0      0     12  Dec
  0.0    0.0      0     13  Winter
  0.0    0.0      0     14  Spring
  0.0    0.0      0     15  Summer
  0.0    0.0      0     16  Fall
  5.0    0.1      1     99  Unknown
        98.8  1,705     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2276-2277

```
Y7_1041              ARRESTS 1ST BEFORE-YEAR
```

For the time before that that you were arrested . . .

 What year was this?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 30.0    0.3      6     84  1984
 40.0    0.5      8     85  1985
 30.0    0.3      6     86  1986
         98.8  1,705     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2278-2279

```
Y7_1042              ARST 1ST BEFORE-1ST THING DOING
```

For the time before that that you were arrested . . .

 What were you doing?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  5.0    0.1      1      3
  5.0    0.1      1      7
  5.0    0.1      1      9
 15.0    0.2      3     10
  5.0    0.1      1     26
  5.0    0.1      1     27
  5.0    0.1      1     29
 15.0    0.2      3     32
  5.0    0.1      1     34
  5.0    0.1      1     35
  5.0    0.1      1     41
  5.0    0.1      1     43
 15.0    0.2      3     49
  5.0    0.1      1     51
         98.8  1,705     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2280-2281

Y7_1043   **ARST 1ST BEFORE-2ND THING DOING**

For the time before that that you were arrested . . .

 What were you doing?

```
   PCT    PCT      N  VALUE  LABEL
VALID    ALL
        100.0  1,725     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2282-2283

Y7_1044   **ARST 1ST BEFORE-3RD THING DOING**

For the time before that that you were arrested . . .

 What were you doing?

```
   PCT    PCT      N  VALUE  LABEL
VALID    ALL
        100.0  1,725     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2284-2285

```
Y7_1045              ARRESTS 1ST BEFORE-1ST CHARGE
```

For the time before that that you were arrested . . .

 What offense did the police charge you with? (SPECIFY)

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
   5.0    0.1       1      3
   5.0    0.1       1      7
   5.0    0.1       1      9
  15.0    0.2       3     10
   5.0    0.1       1     24
   5.0    0.1       1     26
   5.0    0.1       1     27
   5.0    0.1       1     29
   5.0    0.1       1     32
   5.0    0.1       1     34
   5.0    0.1       1     35
  25.0    0.3       5     49
   5.0    0.1       1     51
   5.0    0.1       1     54
         98.8   1,705     -1
 -----  -----   -----
 100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2286-2287

```
Y7_1046              ARRESTS 1ST BEFORE-2ND CHARGE
```

For the time before that that you were arrested . . .

 What offense did the police charge you with? (SPECIFY)

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  50.0    0.1       1     25
  50.0    0.1       1     84
         99.9   1,723     -1
 -----  -----   -----
 100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2288-2289

Y7_1047   **ARRESTS 1ST BEFORE-3RD CHARGE**

For the time before that that you were arrested . . .

 What offense did the police charge you with? (SPECIFY)

```
   PCT     PCT      N  VALUE  LABEL
VALID    ALL
100.0    0.1      1     34
         99.9  1,724    -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2290-2291

Y7_1048   **ARSTS 1ST BEFORE-DO POL CHARGE**

For the time before that that you were arrested . . .

 Did you actually commit the offense for which they
 arrested you?

```
   PCT     PCT      N  VALUE  LABEL
VALID    ALL
 10.0    0.1      2      1  No
 90.0    1.0     18      2  Yes
         98.8  1,705    -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2292-2293

```
Y7_1049                    ARRESTS 2ND BEFORE-MONTH
```

For the time before that that you were arrested . . .

 What month was this?

```
  PCT     PCT       N   VALUE   LABEL
VALID    ALL
 16.7    0.1        1       1   Jan
  0.0    0.0        0       2   Feb
 16.7    0.1        1       3   Mar
  0.0    0.0        0       4   Apr
  0.0    0.0        0       5   May
 33.3    0.1        2       6   Jun
 16.7    0.1        1       7   Jul
 16.7    0.1        1       8   Aug
  0.0    0.0        0       9   Sept
  0.0    0.0        0      10   Oct
  0.0    0.0        0      11   Nov
  0.0    0.0        0      12   Dec
  0.0    0.0        0      13   Winter
  0.0    0.0        0      14   Spring
  0.0    0.0        0      15   Summer
  0.0    0.0        0      16   Fall
  0.0    0.0        0      99   Unknown
         99.7   1,719      -1
 -----  -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2294-2295

```
Y7_1050                    ARRESTS 2ND BEFORE-YEAR
```

For the time before that that you were arrested . . .

 What year was this?

```
  PCT     PCT       N   VALUE   LABEL
VALID    ALL
 16.7    0.1        1      84   1984
 66.7    0.2        4      85   1985
 16.7    0.1        1      86   1986
         99.7   1,719      -1
 -----  -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2296-2297

```
Y7_1051              ARRESTS 2ND BEFORE-1ST THING
```

For the time before that that you were arrested . . .

 What were you doing?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  16.7   0.1      1     26
  16.7   0.1      1     32
  33.3   0.1      2     43
  33.3   0.1      2     49
         99.7  1,719    -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2298-2299

```
Y7_1052              ARRESTS 2ND BEFORE-2ND THING
```

For the time before that that you were arrested . . .

 What were you doing?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
        100.0  1,725    -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2300-2301

Y7_1053   **ARRESTS 2ND BEFORE-3RD THING**

For the time before that that you were arrested . . .

 What were you doing?

```
   PCT    PCT      N  VALUE  LABEL
VALID   ALL
       100.0  1,725     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2302-2303

Y7_1054   **ARRESTS 2ND BEFORE-1ST CHARGE**

For the time before that that you were arrested . . .

 What offense did the police charge you with? (SPECIFY)

```
   PCT    PCT      N  VALUE  LABEL
VALID   ALL
 16.7    0.1      1     25
 16.7    0.1      1     26
 16.7    0.1      1     34
 33.3    0.1      2     49
 16.7    0.1      1     54
        99.7  1,719     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2304-2305

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1055                    ARRESTS 2ND BEFORE-2ND CHARGE                   │
└─────────────────────────────────────────────────────────────────────────┘
```

For the time before that that you were arrested . . .

 What offense did the police charge you with? (SPECIFY)

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      1     49
          99.9  1,724    -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2306-2307

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1056                    ARRESTS 2ND BEFORE-3RD CHARGE                   │
└─────────────────────────────────────────────────────────────────────────┘
```

For the time before that that you were arrested . . .

 What offense did the police charge you with? (SPECIFY)

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      1     84
          99.9  1,724    -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2308-2309

Y7_1057   **ARRESTS 2ND BEFORE-DO POL CHARGE**

     For the time before that that you were arrested . . .

      Did you actually commit the offense for which they arrested
      you?

       PCT   PCT   N   VALUE   LABEL
      VALID   ALL
       33.3   0.1   2   1   No
       66.7   0.2   4   2   Yes
                99.7   1,719   -1
      -----   -----   -----
      100.0   100.0   1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 2310-2311

Police Questioning

Y7_1058   **SINCE JAN 1984-EVER QUEST BY POL**

Since January of 1984 not counting any arrests, have you ever been
questioned by the police about your possible involvement in a
delinquent or criminal offense?

(IF NO, SKIP TO Y7_1077)

PCT VALID	PCT ALL	N	VALUE	LABEL
95.7	76.8	1,324	0	No
3.3	2.7	46	1	
0.6	0.5	8	2	
0.1	0.1	1	3	
0.1	0.1	2	5	
0.1	0.1	1	8	
0.1	0.1	1	12	
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2312-2313

```
Y7_1059              POLICE Q. MOST RECENT-MO
```

For the last (most recent) time you were questioned . . .

 What month was this?

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
   1.7     0.1      1       0
   5.1     0.2      3       1   Jan
   8.5     0.3      5       2   Feb
   8.5     0.3      5       3   Mar
   5.1     0.2      3       4   Apr
   3.4     0.1      2       5   May
   5.1     0.2      3       6   Jun
  18.6     0.6     11       7   Jul
   8.5     0.3      5       8   Aug
  13.6     0.5      8       9   Sept
   6.8     0.2      4      10   Oct
   1.7     0.1      1      11   Nov
   8.5     0.3      5      12   Dec
   0.0     0.0      0      13   Winter
   1.7     0.1      1      14   Spring
   0.0     0.0      0      15   Summer
   0.0     0.0      0      16   Fall
   3.4     0.1      2      99   Unknown
          96.6  1,666      -1
 -----   -----  -----
 100.0   100.0  1,725  cases
```

Data type: numeric
Missing-data code: -1
Columns: 2314-2315

Y7_1060	POLICE Q. MOST RECENT-YR

For the last (most recent) time you were questioned . . .

 What year was this?

PCT VALID	PCT ALL	N	VALUE	LABEL
36.2	1.2	21	84	1984
36.2	1.2	21	85	1985
24.1	0.8	14	86	1986
3.4	0.1	2	87	
	96.6	1,667	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2316-2317

Y7_1061   **POL Q. MOST RECENT-ABOUT WHAT**

        For the last (most recent) time you were questioned . . .

        What were you questioned about?

```
   PCT     PCT      N   VALUE  LABEL
  VALID    ALL
   5.2     0.2      3      3
   3.4     0.1      2      5
  10.3     0.3      6      7
   1.7     0.1      1      8
   6.9     0.2      4      9
   1.7     0.1      1     10
   3.4     0.1      2     14
   1.7     0.1      1     20
   8.6     0.3      5     21
   1.7     0.1      1     23
   3.4     0.1      2     25
   3.4     0.1      2     26
   1.7     0.1      1     27
   1.7     0.1      1     28
   1.7     0.1      1     29
   3.4     0.1      2     30
   8.6     0.3      5     32
   5.2     0.2      3     34
   5.2     0.2      3     41
   5.2     0.2      3     43
   1.7     0.1      1     49
   3.4     0.1      2     50
   1.7     0.1      1     52
   1.7     0.1      1     55
   5.2     0.2      3     57
   1.7     0.1      1     83
          96.6  1,667     -1
  -----   -----  -----
  100.0   100.0  1,725 cases

  Data type: numeric
  Missing-data code: -1
  Columns: 2318-2319
```

```
Y7_1062              POL Q. MOST RECENT-COMM ANY OFF
```

For the last (most recent) time you were questioned . . .

 Had you actually committed any offense?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 75.9    2.6     44      1  No
 24.1    0.8     14      2  Yes
        96.6  1,667     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2320-2321

```
Y7_1063              POL Q. MOST RECENT-WHAT DO
```

For the last (most recent) time you were questioned . . .

 What did you do? (DESCRIBE)

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  7.1    0.1      1      2
  7.1    0.1      1      3
  7.1    0.1      1      7
  7.1    0.1      1      9
  7.1    0.1      1     23
  7.1    0.1      1     26
 14.3    0.1      2     32
 14.3    0.1      2     34
  7.1    0.1      1     49
  7.1    0.1      1     50
  7.1    0.1      1     52
  7.1    0.1      1     55
        99.2  1,711     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2322-2323

Y7_1064   **POL Q. MOST RECENT-WHAT POL DO**

For the last (most recent) time you were questioned . . .

 What did the police do? (DESCRIBE)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 13.8    0.5      8     1  No police action
 69.0    2.3     40     2  Asked questions, no action
  0.0    0.0      0     3  Took Respondent home, no action
  5.2    0.2      3     4  Investigation report/complaint
  8.6    0.3      5     5  Temporarily detained/questioned
  1.7    0.1      1     6  Arrested/released on bail
  1.7    0.1      1     7  Placed in custody/jailed
  0.0    0.0      0     9  Other
         96.6  1,667    -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2324-2325

```
Y7_1065              POL Q. 2ND MOST RECENT Q.-MO
```

For the time before that that you were questioned . . .

 What month was this?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.1	0.1	1	1	Jan
18.2	0.1	2	2	Feb
0.0	0.0	0	3	Mar
9.1	0.1	1	4	Apr
9.1	0.1	1	5	May
18.2	0.1	2	6	Jun
0.0	0.0	0	7	Jul
18.2	0.1	2	8	Aug
0.0	0.0	0	9	Sept
9.1	0.1	1	10	Oct
0.0	0.0	0	11	Nov
9.1	0.1	1	12	Dec
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
0.0	0.0	0	99	Unknown
	99.4	1,714	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2326-2327

```
Y7_1066              POL Q. 2ND MOST RECENT Q.-YR
```

For the time before that that you were questioned . . .

 What year was this?

PCT VALID	PCT ALL	N	VALUE	LABEL
63.6	0.4	7	84	1984
27.3	0.2	3	85	1985
9.1	0.1	1	86	1986
	99.4	1,714	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2328-2329

```
Y7_1067                    POL Q. 2ND MOST RECENT Q-ABOUT
```

For the time before that that you were questioned . . .

 What were you questioned about?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
   9.1     0.1      1      1
   9.1     0.1      1      2
   9.1     0.1      1      4
  18.2     0.1      2      7
  18.2     0.1      2      9
   9.1     0.1      1     10
   9.1     0.1      1     20
   9.1     0.1      1     21
   9.1     0.1      1     57
          99.4  1,714     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2330-2331

```
Y7_1068                    POL Q 2ND MOST RECENT Q-COMM OFF
```

For the time before that that you were questioned . . .

 Had you actually committed any offense?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  90.9     0.6     10      1  No
   9.1     0.1      1      2  Yes
          99.4  1,714     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2332-2333

```
Y7_1069              POL Q 2ND MOST RECENT Q.-WHAT DO
```

For the time before that that you were questioned . . .

 What did you do? (DESCRIBE)

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
100.0   0.1      1     20
        99.9  1,724    -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2334-2335

```
Y7_1070              2ND MOST RECENT Q.-WHAT POL DO
```

For the time before that that you were questioned . . .

 What did the police do? (DESCRIBE)

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 27.3   0.2      3      1
 36.4   0.2      4      2
 36.4   0.2      4      5
        99.4  1,714    -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2336-2337

Y7_1071 **POL Q. 3RD MOST RECENT Q.-MO**

For the time before that that you were questioned . . .

 What month was this?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 25.0    0.1      1      1  Jan
  0.0    0.0      0      2  Feb
 25.0    0.1      1      3  Mar
  0.0    0.0      0      4  Apr
  0.0    0.0      0      5  May
 25.0    0.1      1      6  Jun
  0.0    0.0      0      7  Jul
  0.0    0.0      0      8  Aug
  0.0    0.0      0      9  Sept
  0.0    0.0      0     10  Oct
 25.0    0.1      1     11  Nov
  0.0    0.0      0     12  Dec
  0.0    0.0      0     13  Winter
  0.0    0.0      0     14  Spring
  0.0    0.0      0     15  Summer
  0.0    0.0      0     16  Fall
  0.0    0.0      0     99  Unknown
         99.8  1,721     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2338-2339

Y7_1072 **POL Q. 3RD MOST RECENT Q.-YR**

For the time before that that you were questioned . . .

 What year was this?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 50.0    0.1      2     84  1984
  0.0    0.0      0     85  1985
 50.0    0.1      2     86  1986
         99.8  1,721     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2340-2341

```
Y7_1073              POL Q 3RD MOST RECENT Q-ABOUT
```

For the time before that that you were questioned . . .

 What were you questioned about?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 25.0    0.1      1      5
 25.0    0.1      1     10
 25.0    0.1      1     21
 25.0    0.1      1     41
         99.8  1,721     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2342-2343

```
Y7_1074              POL Q 3RD MOST RECENT Q-COMM OFF
```

For the time before that that you were questioned . . .

 Had you actually committed any offense?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
100.0    0.2      4      1  No
  0.0    0.0      0      2  Yes
         99.8  1,721     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2344-2345

Y7_1075   **POL Q 3RD MOST RECENT Q-WHAT DO**

For the time before that that you were questioned . . .

 What did you do? (DESCRIBE)

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
        100.0  1,725     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2346-2347

Y7_1076   **3RD MOST RECENT Q.-WHAT POL DO**

For the time before that that you were questioned . . .

 What did the police do? (DESCRIBE)

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
   0.0    0.0     0     1  No police action
  66.7    0.1     2     2  Asked questions, no action
   0.0    0.0     0     3  Took Respondent home, no action
   0.0    0.0     0     4  Investigation report/complaint
  33.3    0.1     1     5  Temporarily detained/questioned
   0.0    0.0     0     6  Arrested/released on bail
   0.0    0.0     0     7  Placed in custody/jailed
   0.0    0.0     0     9  Other
         99.8  1,722    -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2348-2349

Court Appearances

Y7_1077   **WHAT COURT FOR CRIME**

Have you ever been to juvenile court or an adult court for a crime
you were accused of committing (excluding minor traffic offenses)?

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 89.4    71.7  1,237      0  No
  2.6     2.1     36      1  Juvenile Court
  7.0     5.6     97      2  Adult Court
  0.9     0.8     13      3  Both
         19.8    342     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2350-2351

Y7_1078	AGE AT 1ST COURT APPEAR

(IF YES TO Y7_1077)

How old were you at the time of your first court appearance? (AGE)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.1	1	9	
0.7	0.1	1	12	
4.8	0.4	7	13	
6.2	0.5	9	14	
8.9	0.8	13	15	
9.6	0.8	14	16	
11.6	1.0	17	17	
11.6	1.0	17	18	
4.1	0.3	6	19	
7.5	0.6	11	20	
9.6	0.8	14	21	
5.5	0.5	8	22	
4.8	0.4	7	23	
6.2	0.5	9	24	
4.1	0.3	6	25	
2.1	0.2	3	26	
0.7	0.1	1	27	
1.4	0.1	2	28	
	91.5	1,579	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2352-2353

Y7_1079   **TIMES CONVICTED**

(IF YES TO Y7_1077)

How many times were you convicted? (NUMBER)

PCT VALID	PCT ALL	N	VALUE	LABEL
37.0	3.1	54	0	Never convicted
44.5	3.8	65	1	
9.6	0.8	14	2	
6.2	0.5	9	3	
1.4	0.1	2	6	
0.7	0.1	1	10	
0.7	0.1	1	13	
	91.5	1,579	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2354-2355

Y7_1080	CHARGE 1ST CONVICTION

(IF CONVICTED IN Y7_1079)

For what charges? (DESCRIBE/LIST)

PCT VALID	PCT ALL	N	VALUE	LABEL
4.3	0.2	4	2	
1.1	0.1	1	3	
5.4	0.3	5	5	
14.0	0.8	13	7	
3.2	0.2	3	8	
8.6	0.5	8	9	
3.2	0.2	3	10	
1.1	0.1	1	11	
3.2	0.2	3	14	
1.1	0.1	1	15	
1.1	0.1	1	17	
3.2	0.2	3	23	
2.2	0.1	2	24	
2.2	0.1	2	26	
2.2	0.1	2	27	
3.2	0.2	3	29	
4.3	0.2	4	30	
3.2	0.2	3	32	
2.2	0.1	2	33	
2.2	0.1	2	34	
3.2	0.2	3	35	
1.1	0.1	1	36	
20.4	1.1	19	49	
2.2	0.1	2	54	
1.1	0.1	1	56	
1.1	0.1	1	84	
	94.6	1,632	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2356-2357

```
Y7_1081              CHARGE 2ND CONVICTION
```

    (IF CONVICTED IN Y7_1079)

    For what charges? (DESCRIBE/LIST)

PCT VALID	PCT ALL	N	VALUE	LABEL
3.1	0.1	1	3	
6.2	0.1	2	5	
9.4	0.2	3	7	
6.2	0.1	2	9	
9.4	0.2	3	10	
6.2	0.1	2	17	
3.1	0.1	1	21	
3.1	0.1	1	22	
3.1	0.1	1	23	
3.1	0.1	1	24	
3.1	0.1	1	25	
3.1	0.1	1	27	
3.1	0.1	1	29	
3.1	0.1	1	30	
6.2	0.1	2	31	
6.2	0.1	2	32	
3.1	0.1	1	34	
3.1	0.1	1	35	
6.2	0.1	2	49	
3.1	0.1	1	51	
3.1	0.1	1	53	
3.1	0.1	1	85	
	98.1	1,693	-1	

```
    -----  -----  -----
    100.0  100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 2358-2359

```
Y7_1082              CHARGE 3RD CONVICTION
```

```
    (IF CONVICTED IN Y7_1079)

    For what charges? (DESCRIBE/LIST)

     PCT     PCT      N   VALUE   LABEL
    VALID    ALL
     7.1     0.1      1      3
     7.1     0.1      1      7
     7.1     0.1      1     17
    14.3     0.1      2     21
     7.1     0.1      1     25
     7.1     0.1      1     26
     7.1     0.1      1     32
    14.3     0.1      2     49
     7.1     0.1      1     51
     7.1     0.1      1     54
    14.3     0.1      2     84
             99.2  1,711     -1
    -----   -----  -----
    100.0   100.0  1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 2360-2361
```

Legal Detainment

Y7_1083   **EVER SERVE TIME FOR OFF**

(IF CONVICTED IN Y7_1079)

Did you spend any time in a detention center, training school, jail
or prison as a result of this/these convictions?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  52.7    2.8      49       1  No
  47.3    2.6      44       2  Yes
          94.6  1,632      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2362-2363

Y7_1084   **TIME IN DETEN CTR, 1ST-NO. DAYS**

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  25.0    0.1      2       0
  12.5    0.1      1       2
  12.5    0.1      1       3
  25.0    0.1      2      14
  12.5    0.1      1      17
  12.5    0.1      1      99
          99.5  1,717     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2364-2365

Y7_1085   TIME IN DETEN CTR, 1ST-YR BEGUN

```
     PCT    PCT      N   VALUE  LABEL
   VALID   ALL
   11.1   0.1      1      77
   33.3   0.2      3      78
   11.1   0.1      1      79
   22.2   0.1      2      80
   11.1   0.1      1      84
   11.1   0.1      1      85
          99.5  1,716     -1
   -----  -----  -----
   100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2366-2367

Y7_1086   TIME SRVD TRAIN SCH, 1ST-NO DAYS

```
     PCT    PCT      N   VALUE  LABEL
   VALID   ALL
   100.0   0.1      1      12
          99.9  1,724     -1
   -----  -----  -----
   100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2368-2369

Y7_1087   TIME SRVD TRAIN SCH 1ST-YR BEGUN

```
     PCT    PCT      N   VALUE  LABEL
   VALID   ALL
   100.0   0.1      1      81
          99.9  1,724     -1
   -----  -----  -----
   100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2370-2371

```
Y7_1088              TIME SERVED JAIL, 1ST-NO. DAYS
```

PCT VALID	PCT ALL	N	VALUE	LABEL
3.6	0.1	1	0	
25.0	0.4	7	1	
14.3	0.2	4	2	
3.6	0.1	1	3	
3.6	0.1	1	6	
3.6	0.1	1	7	
3.6	0.1	1	8	
3.6	0.1	1	13	
3.6	0.1	1	14	
3.6	0.1	1	30	
3.6	0.1	1	31	
10.7	0.2	3	60	
3.6	0.1	1	90	
3.6	0.1	1	120	
3.6	0.1	1	190	
3.6	0.1	1	206	
3.6	0.1	1	697	
	98.4	1,697	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2372-2374

```
Y7_1089              TIME SERVED JAIL, 1ST-YR BEGUN
```

PCT VALID	PCT ALL	N	VALUE	LABEL
7.7	0.1	2	80	
3.8	0.1	1	81	
11.5	0.2	3	82	
15.4	0.2	4	83	
15.4	0.2	4	84	
26.9	0.4	7	85	
11.5	0.2	3	86	
7.7	0.1	2	87	
	98.5	1,699	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2375-2376

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_1090                 TIME SERVED PRISON, 1ST-NO. DAYS                    │
└──────────────────────────────────────────────────────────────────────────┘
```

```
     PCT    PCT     N  VALUE  LABEL
    VALID   ALL
    11.1    0.1     1      2
    11.1    0.1     1      4
    11.1    0.1     1      5
    11.1    0.1     1     11
    11.1    0.1     1     29
    11.1    0.1     1     30
    11.1    0.1     1     36
    11.1    0.1     1     44
    11.1    0.1     1     50
            99.5  1,716     -1
    -----  -----  -----
    100.0  100.0  1,725 cases


    Data type: numeric
    Missing-data code: -1
    Columns: 2377-2378
```

```
┌──────────────────────────────────────────────────────────────────────────┐
│ Y7_1091                 TIME SERVED PRISON, 1ST-YR BEGUN                    │
└──────────────────────────────────────────────────────────────────────────┘
```

```
     PCT    PCT     N  VALUE  LABEL
    VALID   ALL
     8.3    0.1     1     79
     8.3    0.1     1     81
    25.0    0.2     3     82
    25.0    0.2     3     83
     8.3    0.1     1     85
    16.7    0.1     2     86
     8.3    0.1     1     87
            99.3  1,713     -1
    -----  -----  -----
    100.0  100.0  1,725 cases


    Data type: numeric
    Missing-data code: -1
    Columns: 2379-2380
```

Likelihood of Being Punished for Illegal Behavior

Y7_1092   **CHANCE ARR-EXCD LIMIT 10-20 MPH**

What are the chances you would get a speeding ticket if you exceeded
the speed limit by 10 to 20 miles per hour?

```
   PCT      PCT      N   VALUE   LABEL
 VALID     ALL
   4.2      3.4     58       0   0% chance
  19.0     15.2    263       1   10% chance
  14.4     11.5    199       2   20% chance
  11.2      8.9    154       3   30% chance
   7.1      5.7     98       4   40% chance
  23.8     19.0    328       5   50% chance
   4.8      3.8     66       6   60% chance
   4.0      3.2     55       7   70% chance
   4.3      3.5     60       8   80% chance
   2.8      2.2     38       9   90% chance
   4.5      3.6     62      10   100% chance
           19.9    344      -1
 -----    -----  -----
 100.0    100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2381-2382

Y7_1093   CHANCE ARR-STEAL < $5

What are the chances you would be arrested if you stole something
worth $5 or less?

```
    PCT     PCT      N   VALUE   LABEL
   VALID    ALL
   12.7    10.2     176      0   0% chance
   23.8    19.0     328      1   10% chance
   12.5    10.0     173      2   20% chance
    8.8     7.0     121      3   30% chance
    4.5     3.6      62      4   40% chance
   16.2    13.0     224      5   50% chance
    2.0     1.6      27      6   60% chance
    3.3     2.6      45      7   70% chance
    4.2     3.4      58      8   80% chance
    3.1     2.5      43      9   90% chance
    9.0     7.2     124     10   100% chance
           19.9     344     -1
   -----   -----   -----
   100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2383-2384

Y7_1094   CHANCE ARR-STEAL > $50

What are the chances you would be arrested if you stole something
worth more than $50?

```
    PCT     PCT      N   VALUE   LABEL
   VALID    ALL
    1.6     1.3      22      0   0% chance
    5.6     4.5      78      1   10% chance
    6.1     4.9      84      2   20% chance
    6.4     5.1      88      3   30% chance
    6.4     5.1      88      4   40% chance
   19.9    15.9     275      5   50% chance
    5.7     4.6      79      6   60% chance
   10.6     8.5     147      7   70% chance
   11.8     9.4     163      8   80% chance
    8.5     6.8     118      9   90% chance
   17.4    13.9     240     10   100% chance
           19.9     343     -1
   -----   -----   -----
   100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2385-2386

Y7_1095   CHANCE ARR-BREAK INTO BUILDING

What are the chances you would be arrested if you broke into a
building or vehicle to steal something or just to look around?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   1.4     1.2     20      0  0% chance
   3.9     3.1     54      1  10% chance
   4.8     3.9     67      2  20% chance
   4.3     3.5     60      3  30% chance
   4.6     3.7     63      4  40% chance
  16.6    13.3    229      5  50% chance
   4.9     3.9     68      6  60% chance
  10.3     8.3    143      7  70% chance
  13.5    10.8    187      8  80% chance
  12.7    10.1    175      9  90% chance
  22.9    18.3    316     10  100% chance
          19.9    343     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2387-2388

Y7_1096   CHANCE ARR-STRONGARM OTHERS

What are the chances you would be arrested if you used force
(strongarm methods) to get money or things from other people?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   1.7     1.4     24      0  0% chance
   3.8     3.0     52      1  10% chance
   3.5     2.8     48      2  20% chance
   3.8     3.1     53      3  30% chance
   5.1     4.1     70      4  40% chance
  16.7    13.3    230      5  50% chance
   6.2     5.0     86      6  60% chance
   9.3     7.5    129      7  70% chance
  13.8    11.0    190      8  80% chance
  13.5    10.8    186      9  90% chance
  22.7    18.1    313     10  100% chance
          19.9    344     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2389-2390

Y7_1097	CHANCE ARR-ATTACK SOMEONE

What are the chances you would be arrested if you attacked someone
with the idea of seriously hurting or killing that person?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.0	0.8	14	0	0% chance
2.9	2.3	40	1	10% chance
1.7	1.4	24	2	20% chance
2.4	1.9	33	3	30% chance
2.9	2.3	40	4	40% chance
12.8	10.3	177	5	50% chance
4.4	3.5	61	6	60% chance
8.5	6.8	118	7	70% chance
12.5	10.0	173	8	80% chance
17.4	14.0	241	9	90% chance
33.4	26.7	461	10	100% chance
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2391-2392

Y7_1098 **CHANCE ARR-DELIB INJ SP/PARTN**

What are the chances you would be arrested if you deliberately
injured your spouse/boyfriend/girlfriend, e.g, hit, knocked down,
choked, beat or cut him/her?

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
  3.5    2.8     48      0  0% chance
  8.8    7.0    121      1  10% chance
  3.6    2.9     50      2  20% chance
  4.5    3.6     62      3  30% chance
  3.6    2.9     50      4  40% chance
 14.1   11.3    195      5  50% chance
  4.9    3.9     68      6  60% chance
  7.2    5.7     99      7  70% chance
  8.2    6.6    113      8  80% chance
 12.7   10.1    175      9  90% chance
 29.0   23.2    400     10  100% chance
        19.9    344     -1
-----  -----  -----
100.0  100.0  1,725 cases

Data type: numeric
Missing-data code: -1
Columns: 2393-2394
```

Type of Punishment for Illegal Behavior

Y7_1099	PUNISHMENT-EXCD LIMIT 10-20 MPH

Suppose you were given a ticket/arrested for exceeding the speed limit by 10 to 20 miles per hour.

What would be the most likely punishment that would result from that ticket/arrest?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  9.7    7.8     134     1  Released without charges
  3.3    2.6      45     2  Dismissed at court
 85.5   68.6   1,183     3  Fined and released
  0.5    0.4       7     4  Probation/suspended sentence
  0.8    0.6      11     5  Short time in jail
  0.0    0.0       0     6  Long time in jail
  0.0    0.0       0     7  Serious punishment
  0.2    0.2       3     8  Nonserious punishment
  0.0    0.0       0     9  No punishment
        19.8     342    -1
 -----  -----  -----
100.0  100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2395-2396

```
Y7_1100                 PUNISHMENT-STEAL < $5
```

Suppose you were given a ticket/arrested for stealing something worth
$5 or less.

What would be the most likely punishment that would result from that
ticket/arrest?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 13.7   11.0    190      1  Released without charges
 10.8    8.7    150      2  Dismissed at court
 45.0   36.1    623      3  Fined and released
 23.9   19.1    330      4  Probation/suspended sentence
  5.4    4.3     74      5  Short time in jail
  0.6    0.5      8      6  Long time in jail
  0.0    0.0      0      7  Serious punishment
  0.6    0.5      8      8  Nonserious punishment
  0.0    0.0      0      9  No punishment
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2397-2398

```
Y7_1101              PUNISHMENT-STEAL > $50
```

Suppose you were given a ticket/arrested for stealing something worth
more than $50.

What would be the most likely punishment that would result from that
ticket/arrest?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  0.5    0.4      7     1  Released without charges
  2.6    2.1     36     2  Dismissed at court
 24.5   19.7    339     3  Fined and released
 46.1   36.9    637     4  Probation/suspended sentence
 21.9   17.6    303     5  Short time in jail
  3.5    2.8     48     6  Long time in jail
  0.2    0.2      3     7  Serious punishment
  0.7    0.5      9     8  Nonserious punishment
  0.1    0.1      1     9  No punishment
        19.8    342    -1
 -----  -----  -----
100.0  100.0  1,725 cases

Data type: numeric
Missing-data code: -1
Columns: 2399-2400
```

Y7_1102   PUNISHMENT-BREAK INTO BUILDING

Suppose you were given a ticket/arrested for breaking into a building
or vehicle to steal something or just to look around.

What would be the most likely punishment that would result from that
ticket/arrest?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.9    0.8     13      1  Released without charges
  2.2    1.8     31      2  Dismissed at court
 10.8    8.7    150      3  Fined and released
 42.3   33.9    585      4  Probation/suspended sentence
 35.4   28.4    490      5  Short time in jail
  7.7    6.1    106      6  Long time in jail
  0.3    0.2      4      7  Serious punishment
  0.3    0.2      4      8  Nonserious punishment
  0.0    0.0      0      9  No punishment
        19.8    342     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2401-2402

```
Y7_1103              PUNISHMENT-STRONGARM OTHERS
```

Suppose you were given a ticket/arrested for using force (strongarm methods) to get money or things from other people.

What would be the most likely punishment that would result from that ticket/arrest?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  1.9    1.5     26      1  Released without charges
  2.6    2.1     36      2  Dismissed at court
  9.3    7.4    128      3  Fined and released
 34.2   27.4    473      4  Probation/suspended sentence
 40.5   32.5    560      5  Short time in jail
 11.1    8.9    153      6  Long time in jail
  0.2    0.2      3      7  Serious punishment
  0.3    0.2      4      8  Nonserious punishment
  0.0    0.0      0      9  No punishment
        19.8    342     -1
-----  -----  -----
100.0  100.0  1,725 cases

Data type: numeric
Missing-data code: -1
Columns: 2403-2404
```

Y7_1104   **PUNISHMENT-ATTACK SOMEONE**

Suppose you were given a ticket/arrested for attacking someone with
the idea of seriously hurting or killing that person.

What would be the most likely punishment that would result from that
ticket/arrest?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.9    0.7     12      1  Released without charges
  1.4    1.1     19      2  Dismissed at court
  3.8    3.1     53      3  Fined and released
 20.9   16.8    289      4  Probation/suspended sentence
 41.3   33.1    571      5  Short time in jail
 31.5   25.3    436      6  Long time in jail
  0.1    0.1      2      7  Serious punishment
  0.1    0.1      1      8  Nonserious punishment
  0.0    0.0      0      9  No punishment
         19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2405-2406

GUILT/REMORSE/PERSONAL DISCOMFORT FOR ACTS

Y7_1105   **GUILT-EXCEED LIMIT 10-20 MPH**

How much guilt, remorse or personal discomfort would you experience
if you . . .

 exceeded the speed limit by 10 to 20 mph?

PCT VALID	PCT ALL	N	VALUE	LABEL
44.0	35.2	608	1	Very little
28.5	22.8	394	2	Not too much
18.9	15.1	261	3	Some
5.9	4.7	81	4	Quite a bit
2.7	2.2	38	5	A great deal
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2407-2408

Y7_1106   **GUILT-STEAL SOMETHING < $5**

How much guilt, remorse or personal discomfort would you experience
if you . . .

  stole something worth $5 or less?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.5	6.8	117	1	Very little
14.5	11.7	201	2	Not too much
27.8	22.3	384	3	Some
28.2	22.6	390	4	Quite a bit
21.0	16.9	291	5	A great deal
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2409-2410

Y7_1107   **GUILT-STEAL SOMETHING > $50**

How much guilt, remorse or personal discomfort would you experience
if you . . .

    stole something worth more than $50?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  1.4    1.2     20      1  Very little
  3.5    2.8     49      2  Not too much
 11.9    9.6    165      3  Some
 31.7   25.4    438      4  Quite a bit
 51.4   41.2    711      5  A great deal
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2411-2412

Y7_1108   **GUILT-BREAK INTO BUILDING**

How much guilt, remorse or personal discomfort would you experience
if you . . .

 broke into a building or vehicle to steal something?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  1.0    0.8     14      1  Very little
  1.7    1.3     23      2  Not too much
  8.2    6.6    113      3  Some
 28.7   23.0    397      4  Quite a bit
 60.4   48.5    836      5  A great deal
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2413-2414

```
Y7_1109              GUILT-STRONGARM OTHERS
```

How much guilt, remorse or personal discomfort would you experience
if you . . .

  used force (strongarm methods) to get money or things from
  other people?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.8    0.6     11      1  Very little
   0.7    0.5      9      2  Not too much
   3.8    3.1     53      3  Some
  26.5   21.2    366      4  Quite a bit
  68.3   54.7    944      5  A great deal
         19.8    342     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2415-2416

```
Y7_1110              GUILT-ATTACK SOMEONE
```

How much guilt, remorse or personal discomfort would you experience
if you . . .

 attacked someone with the idea of seriously hurting or killing
 him/her?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.9    0.7     12      1  Very little
   1.2    0.9     16      2  Not too much
   4.0    3.2     55      3  Some
  16.9   13.6    234      4  Quite a bit
  77.1   61.7  1,065      5  A great deal
         19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2417-2418

```
┌──────────────────────────────────────────────────────────────────┐
│ Y7_1111              GUILT-EXCD LIMIT 10-20 MPH HELP               │
└──────────────────────────────────────────────────────────────────┘
```

How much guilt, remorse or personal discomfort would you experience
if you . . .

 exceeded the speed limit by 10 to 20 mph while taking a friend with
 a broken arm to the hospital?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 64.5   51.7    891      1  Very little
 19.0   15.2    262      2  Not too much
  8.8    7.1    122      3  Some
  3.5    2.8     49      4  Quite a bit
  4.2    3.4     58      5  A great deal
        19.9    343     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2419-2420

```
┌──────────────────────────────────────────────────────────────────┐
│ Y7_1112              GUILT-STEAL < $5 STORE OVERCHRGE              │
└──────────────────────────────────────────────────────────────────┘
```

How much guilt, remorse or personal discomfort would you experience
if you . . .

 stole something worth less than $5 from a shopkeeper who often
 overcharged his customers?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 14.0   11.2    193      1  Very little
 16.4   13.2    227      2  Not too much
 26.5   21.3    367      3  Some
 22.5   18.0    311      4  Quite a bit
 20.6   16.5    285      5  A great deal
        19.8    342     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2421-2422

```
Y7_1113              GUILT-STEAL > $50 COVER INSURNCE
```

How much guilt, remorse or personal discomfort would you experience
if you . . .

 stole something worth more than $50 knowing that the victim's
 insurance would cover his/her loss?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  2.9    2.3     40      1  Very little
  4.0    3.2     55      2  Not too much
 16.4   13.2    227      3  Some
 32.2   25.8    445      4  Quite a bit
 44.5   35.7    615      5  A great deal
        19.9    343     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2423-2424

```
Y7_1114              GUILT-BREAK INTO BLDG OWN CROOK
```

How much guilt, remorse or personal discomfort would you experience
if you . . .

 broke into a pawn shop whose owner was known to be a crook, and
 stole a color TV?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  4.3    3.4     59      1  Very little
  5.8    4.6     80      2  Not too much
 14.9   11.9    206      3  Some
 28.1   22.5    388      4  Quite a bit
 47.0   37.7    650      5  A great deal
        19.8    342     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2425-2426

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1115              GUILT-STRONGARM TO GET CAN'T PAY                  │
└─────────────────────────────────────────────────────────────────────┘
```

    How much guilt, remorse or personal discomfort would you experience
    if you . . .

     robbed a druggist at gunpoint to get some expensive drugs for a
     sick friend because neither of you had the money to pay for them?

      PCT   PCT   N VALUE LABEL
    VALID   ALL
      2.7   2.1   37   1 Very little
      3.8   3.1   53   2 Not too much
     12.5   10.0   172   3 Some
     26.9   21.6   372   4 Quite a bit
     54.1   43.3   747   5 A great deal
             19.9   344   -1
    -----   ----- -----
    100.0   100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 2427-2428

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1116              GUILT-ATTACK BECAUSE OF ARGUMENT                  │
└─────────────────────────────────────────────────────────────────────┘
```

    How much guilt, remorse or personal discomfort would you experience
    if you . . .

     attacked a person with the intent to kill or seriously injure
     him/her because of an argument over your girlfriend/boyfriend?

      PCT   PCT   N VALUE LABEL
    VALID   ALL
      2.1   1.7   29   1 Very little
      2.6   2.1   36   2 Not too much
      8.9   7.1   123   3 Some
     24.7   19.8   341   4 Quite a bit
     61.7   49.4   853   5 A great deal
             19.9   343   -1
    -----   ----- -----
    100.0   100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 2429-2430
```

**VICTIMIZATION**

---

**Y7_1117**          **THINGS TAKEN FROM YOU**

---

How many times in the Last Year . . .

 has something been taken directly from you or an attempt
 made to do so by force or threatening to hurt you?

```
Min    = 0                  Mean     = .154
Max    = 15                 Std Dev  = .666
Median = 0                  Variance = .443
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2431-2433

Y7_1118   **BEATEN UP BY PARENT**

How many times in the Last Year . . .

 have you been beaten up by your mother, stepmother, father or
 stepfather?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 99.9   80.1  1,381      0
  0.1    0.1      1      1
        19.9    343     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2434-2436

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1119              BEATEN BY PARENT-FORCED SEX                           │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF ONE OR MORE TIMES TO Y7_1118)

Did this attack (any of these attacks) involve an attempt to force
sex on you?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.1      1      1  No
   0.0    0.0      0      2  Yes
          99.9  1,724     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2437-2438

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1120              PAR/FORCED SEX-THREAT/INJ WEAPON                      │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF YES TO Y7_1119)

During the most recent attack which involved an attempt to force sex
on you, were you . . .

 threatened or injured by a weapon?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.0    0.0      0      1  No
   0.0    0.0      0      2  Yes
         100.0  1,725     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2439-2440

Y7_1121   **PAR/FORCED SEX-SERIOUSLY INJURED**

(IF YES TO Y7_1119)

During the most recent attack which involved an attempt to force sex
on you, were you . . .

 seriously injured?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  0.0    0.0      0      1  No
  0.0    0.0      0      2  Yes
        100.0  1,725     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2441-2442

Y7_1122   **PAR/FORCED SEX-FORCED SEX REL**

(IF YES TO Y7_1119)

During the most recent attack which involved an attempt to force sex
on you, were you . . .

 forced to have sexual relations?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  0.0    0.0      0      1  No
  0.0    0.0      0      2  Yes
        100.0  1,725     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2443-2444

Y7_1123   **THREAT/BEATEN UP BY OTHERS**

How many times in the Last Year . . .

 have you been beaten up or threatened with being beaten up by
 someone other than your mother or father?

```
Min    =   0              Mean     =    .765
Max    = 500              Std Dev  =  13.672
Median =   0              Variance = 186.927
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2445-2447

Y7_1124   **BEATEN UP BY OTHS-NO. TIMES**

(IF ONE OR MORE TIMES TO Y7_1123)

On how many of these occasions were you actually beaten up? (NUMBER)

```
Min    =  0              Mean     =  .812
Max    = 30              Std Dev  = 3.145
Median =  0              Variance = 9.894
```

(Based on 186 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2448-2450

Y7_1125   **BEATEN UP BY OTHS-BROTHER**

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .

 brother?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.5	10.7	185	1	No
0.5	0.1	1	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2451-2452

Y7_1126   **BEATEN UP BY OTHS-SISTER**

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .

 sister?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.5	10.7	185	1	No
0.5	0.1	1	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2453-2454

```
Y7_1127              BEATEN UP BY OTHS-TEACHER
```

   (IF ONE OR MORE TIMES TO Y7_1123)

   Was this attack (were any of these attacks) by a . . .

    teacher?

     PCT   PCT   N VALUE LABEL
    VALID   ALL
    100.0   10.8   186   1 No
      0.0   0.0   0   2 Yes
            89.2 1,539   -1
    ----- ----- -----
    100.0 100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 2455-2456

```
Y7_1128              BEATEN UP BY OTHS-SPOUSE
```

   (IF ONE OR MORE TIMES TO Y7_1123)

   Was this attack (were any of these attacks) by a . . .

    spouse?

     PCT   PCT   N VALUE LABEL
    VALID   ALL
     89.8   9.7   167   1 No
     10.2   1.1   19   2 Yes
            89.2 1,539   -1
    ----- ----- -----
    100.0 100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 2457-2458
```

```
Y7_1129              BEATEN UP BY OTHS-STUDENT
```

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .

 student?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 97.3   10.5    181      1  No
  2.7    0.3      5      2  Yes
         89.2  1,539     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2459-2460

```
Y7_1130              BEATEN UP BY OTHS-GANG
```

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .

 gang?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 96.8   10.4    180      1  No
  3.2    0.3      6      2  Yes
         89.2  1,539     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2461-2462

Y7_1131   **BEATEN UP BY OTHS-OTHER ADULT**

    (IF ONE OR MORE TIMES TO Y7_1123)

    Was this attack (were any of these attacks) by an . . .

   other adult?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 44.1    4.8     82      1  No
 55.9    6.0    104      2  Yes
        89.2  1,539     -1
----- ----- -----
100.0  100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 2463-2464

Y7_1132   **BEATEN UP BY OTHS-BOY/GIRLFRIEND**

    (IF ONE OR MORE TIMES TO Y7_1123)

    Was this attack (were any of these attacks) by a . . .

   boyfriend/girlfriend?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 84.4    9.1    157      1  No
 15.6    1.7     29      2  Yes
        89.2  1,539     -1
----- ----- -----
100.0  100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 2465-2466

Y7_1133   **BEATEN UP BY OTHS-OTHER YOUTH**

    (IF ONE OR MORE TIMES TO Y7_1123)

    Was this attack (were any of these attacks) by an . . .

     other youth?

       PCT   PCT   N VALUE LABEL
      VALID   ALL
      93.5   10.1   174   1 No
       6.5   0.7   12   2 Yes
              89.2 1,539   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 2467-2468

Y7_1134   **BEATEN UP BY OTHS-OTHER**

    (IF ONE OR MORE TIMES TO Y7_1123)

    Was this attack (were any of these attacks) by an . . .

     other (SPECIFY)?

       PCT   PCT   N VALUE LABEL
      VALID   ALL
      92.5   10.0   172   1 No
       7.5   0.8   14   2 Yes
              89.2 1,539   -1
      -----   ----- -----
      100.0   100.0 1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 2469-2470

```
Y7_1135                BEATEN UP BY OTHERS-FORCED SEX
```

(IF ONE OR MORE TIMES TO Y7_1123)

Did this attack (any of these attacks) involve an attempt to force
sex on you?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  92.5   10.0    172      1  No
   7.5    0.8     14      2  Yes
         89.2  1,539     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2471-2472

```
Y7_1136                BEAT OTHS/FOR SEX-THRT/INJ WEAP
```

(IF YES TO Y7_1135)

During the most recent attack which involved an attempt to force sex
on you were you . . .

 threatened or injured by a weapon?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  100.0   0.8     14      1  No
    0.0   0.0      0      2  Yes
         99.2  1,711     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2473-2474

Y7_1137   **BEAT OTHS/FORCE SEX-SERIOUS INJ**

    (IF YES TO Y7_1135)

    During the most recent attack which involved an attempt to force sex
    on you were you . . .

     seriously injured?

      PCT   PCT   N   VALUE   LABEL
    VALID   ALL
     92.9   0.8   13   1   No
      7.1   0.1   1   2   Yes
             99.2 1,711   -1
    -----   ----- -----
    100.0   100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 2475-2476

Y7_1138   **BEAT OTHS/FORCE SEX-FORCED SEX**

    (IF YES TO Y7_1135)

    During the most recent attack which involved an attempt to force sex
    on you were you . . .

     forced to have sexual relations?

      PCT   PCT   N   VALUE   LABEL
    VALID   ALL
     42.9   0.3   6   1   No
     57.1   0.5   8   2   Yes
             99.2 1,711   -1
    -----   ----- -----
    100.0   100.0 1,725 cases

    Data type: numeric
    Missing-data code: -1
    Columns: 2477-2478

```
Y7_1139              ATTACKED W/WEAPON
```

How many times in the Last Year . . .

 have you been attacked with a weapon, such as a gun,
 knife, bottle or chair by someone other than your
 mother or father?

```
Min    = 0                   Mean      = .076
Max    = 10                  Std Dev   = .480
Median = 0                   Variance  = .231
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2479-2481

```
Y7_1140              ATTACK W/WEAPON-BROTHER
```

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .

 brother?

```
  PCT     PCT      N   VALUE  LABEL
VALID    ALL
100.0    4.1      70      1   No
  0.0    0.0       0      2   Yes
         95.9  1,655     -1
-----   -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2482-2483

```
Y7_1141              ATTACK W/WEAPON-SISTER
```

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .

 sister?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 100.0    4.1      70       1  No
   0.0    0.0       0       2  Yes
          95.9  1,655      -1
 -----   -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2484-2485

```
Y7_1142              ATTACK W/WEAPON-TEACHER
```

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .

 teacher?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 100.0    4.1      70       1  No
   0.0    0.0       0       2  Yes
          95.9  1,655      -1
 -----   -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2486-2487

Y7_1143   **ATTACK W/WEAPON-SPOUSE**

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .

 spouse?

```
  PCT    PCT       N  VALUE  LABEL
VALID   ALL
 94.3   3.8      66      1  No
  5.7   0.2       4      2  Yes
        95.9  1,655     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2488-2489

Y7_1144   **ATTACK W/WEAPON-STUDENT**

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .

 student?

```
  PCT    PCT       N  VALUE  LABEL
VALID   ALL
100.0   4.1      70      1  No
  0.0   0.0       0      2  Yes
        95.9  1,655     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2490-2491

```
Y7_1145              ATTACK W/WEAPON-GANG
```

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .

 gang?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 97.1    3.9     68      1  No
  2.9    0.1      2      2  Yes
         95.9  1,655     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2492-2493

```
Y7_1146              ATTACK W/WEAPON-OTHER ADULT
```

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by an . . .

 other adult?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 34.3    1.4     24      1  No
 65.7    2.7     46      2  Yes
         95.9  1,655     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2494-2495

```
Y7_1147              ATTACK W/WEAPON-BOY/GIRLFRIEND
```

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .

 boyfriend/girlfriend?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  94.3    3.8      66      1  No
   5.7    0.2       4      2  Yes
          95.9  1,655     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2496-2497

```
Y7_1148              ATTACK W/WEAPON-OTHER YOUTH
```

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by an . . .

 other youth?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  90.0    3.7      63      1  No
  10.0    0.4       7      2  Yes
          95.9  1,655     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2498-2499

```
Y7_1149              ATTACK W/WEAPON-OTHER
```

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by an . . .

 other (SPECIFY)?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 85.7    3.5     60      1  No
 14.3    0.6     10      2  Yes
         95.9  1,655     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2500-2501

```
Y7_1150              ATTACK W/WEAPON-FORCED SEX
```

(IF ONE OR MORE TIMES TO Y7_1139)

Did this attack (any of these attacks) involve an attempt to force
sex on you?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 97.1    3.9     68      1  No
  2.9    0.1      2      2  Yes
         95.9  1,655     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2502-2503

```
Y7_1151              ATTACK/FORCE SEX-THREAT/INJ WEAP
```

(IF YES TO Y7_1150)

During the most recent attack which involved an attempt to force sex
on you, were you . . .

 threatened or injured by a weapon?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  50.0    0.1     1      1  No
  50.0    0.1     1      2  Yes
         99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2504-2505

```
Y7_1152              ATTACK/FORCE SEX-SERIOUS INJURY
```

(IF YES TO Y7_1150)

During the most recent attack which involved an attempt to force sex
on you, were you . . .

 seriously injured?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 100.0    0.1     2      1  No
   0.0    0.0     0      2  Yes
         99.9  1,723     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2506-2507

Y7_1153 **ATTACK/FORCE SEX-FORCED SEX**

(IF YES TO Y7_1150)

During the most recent attack which involved an attempt to force sex on you, were you . . .

 forced to have sexual relations?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	2	1	No
0.0	0.0	0	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2508-2509

Y7_1154 **MOTOR VEHICLE OR BIKE STOLEN**

How many times in the Last Year . . .

 has your car, motorcycle or bicycle been stolen or an
 attempt made to do so?

Min	= 0	Mean	= .078
Max	= 6	Std Dev	= .342
Median	= 0	Variance	= .117

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2510-2512

Y7_1155   THINGS TAKEN FROM CAR

How many times in the Last Year . . .

have things been taken from your car, motorcycle or bike
such as hubcaps, books or packages, or bike locks?

Min   = 0   Mean   = .284
Max   = 50   Std Dev = 1.517
Median = 0   Variance = 2.301

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2513-2515

Y7_1156   SEXUALLY ATTACKED

How many times in the Last Year . . .

have you been sexually attacked or raped or an attempt
made to do so?

Min   = 0   Mean   = .038
Max   = 20   Std Dev = .625
Median = 0   Variance = .391

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2516-2518

```
Y7_1157                SEXUALLY ATTACKED-BROTHER
```

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .

 brother?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
100.0    1.2     20      1  No
  0.0    0.0      0      2  Yes
         98.8  1,705     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2519-2520

```
Y7_1158                SEXUALLY ATTACKED-SISTER
```

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .

 sister?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
100.0    1.2     20      1  No
  0.0    0.0      0      2  Yes
         98.8  1,705     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2521-2522

```
Y7_1159            SEXUALLY ATTACKED-TEACHER
```

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .

 teacher?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
100.0    1.2      20       1  No
  0.0    0.0       0       2  Yes
         98.8  1,705      -1
-----   -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2523-2524

```
Y7_1160            SEXUALLY ATTACKED-SPOUSE
```

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .

 spouse?

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 90.0    1.0      18       1  No
 10.0    0.1       2       2  Yes
         98.8  1,705      -1
-----   -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2525-2526

Y7_1161   SEXUALLY ATTACKED-STUDENT

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .

 student?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 95.0   1.1     19      1  No
  5.0   0.1      1      2  Yes
        98.8  1,705     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2527-2528

Y7_1162   SEXUALLY ATTACKED-GANG

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .

 gang?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
100.0   1.2     20      1  No
  0.0   0.0      0      2  Yes
        98.8  1,705     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2529-2530

```
Y7_1163            SEXUALLY ATTACKED-OTHER ADULT
```

    (IF ONE OR MORE TIMES TO Y7_1156)

    Was this attack (were any of these attacks) by an . . .

     other adult?

      PCT   PCT   N VALUE LABEL
     VALID   ALL
      50.0   0.6   10   1 No
      50.0   0.6   10   2 Yes
             98.8 1,705   -1
     ----- ----- -----
     100.0 100.0 1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 2531-2532

```
Y7_1164            SEXUALLY ATTACKED-BOY/GIRLFRIEND
```

    (IF ONE OR MORE TIMES TO Y7_1156)

    Was this attack (were any of these attacks) by a . . .

     boyfriend/girlfriend?

      PCT   PCT   N VALUE LABEL
     VALID   ALL
      85.0   1.0   17   1 No
      15.0   0.2   3   2 Yes
             98.8 1,705   -1
     ----- ----- -----
     100.0 100.0 1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 2533-2534

```
Y7_1165              SEXUALLY ATTACKED-OTHER YOUTH
```

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by an . . .

 other youth?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 100.0    1.2      20       1  No
   0.0    0.0       0       2  Yes
          98.8  1,705      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2535-2536

```
Y7_1166              SEXUALLY ATTACKED-OTHER
```

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by an . . .

 other (SPECIFY)?

```
   PCT     PCT       N  VALUE  LABEL
 VALID    ALL
  80.0    0.9      16       1  No
  20.0    0.2       4       2  Yes
          98.8  1,705      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2537-2538

```
Y7_1167               SEX ATTACK-THREAT/INJURED WEAPON
```

(IF ONE OR MORE TIMES TO Y7_1156)

During the most recent event, were you . . .

 threatened or injured by a weapon?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 90.0   1.0     18      1  No
 10.0   0.1      2      2  Yes
        98.8  1,705     -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2539-2540

```
Y7_1168               SEX ATTACK-SERIOUSLY INJURED
```

(IF ONE OR MORE TIMES TO Y7_1156)

During the most recent event, were you . . .

 seriously injured?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 95.0   1.1     19      1  No
  5.0   0.1      1      2  Yes
        98.8  1,705     -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2541-2542

```
Y7_1169              SEX ATTACK-FORCED SEX
```

(IF ONE OR MORE TIMES TO Y7_1156)

During the most recent event, were you . . .

 forced to have sexual relations?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 55.0    0.6     11      1  No
 45.0    0.5      9      2  Yes
         98.8  1,705     -1
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2543-2544

```
Y7_1170              THINGS DAMAGED
```

How many times in the Last Year . . .

 have any of your things been damaged on purpose, such as
 car or bike tires slashed or books and clothing ripped
 up?

```
Min    = 0                  Mean     = .260
Max    = 52                 Std Dev  = 1.563
Median = 0                  Variance = 2.444
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2545-2547

Y7_1171   THINGS STOLEN FROM PUBLIC PLACE

How many times in the Last Year . . .

have some of your things, such as your jacket, notebooks, or
sports equipment been stolen from a public place such as a
cafeteria, restaurant or bowling alley?

```
Min    = 0                    Mean     = .140
Max    = 15                   Std Dev  = .613
Median = 0                    Variance = .375
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2548-2550

Y7_1172   SEXUALLY PRESSURED

How many times in the Last Year . . .

has someone such as a date or friend pressured or pushed
you to do more sexually than you wanted to do?

```
Min    = 0                    Mean     = .155
Max    = 50                   Std Dev  = 1.548
Median = 0                    Variance = 2.396
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2551-2553

```
Y7_1173                SEX PRESSURE-THREAT/INJ WEAPON
```

(IF ONE OR MORE TIMES TO Y7_1172)

During the most recent event, were you . . .

 threatened or injured by a weapon?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 98.6    3.9     68      1  No
  1.4    0.1      1      2  Yes
         96.0  1,656     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2554-2555

```
Y7_1174                SEX PRESSURE-SERIOUSLY INJURED
```

(IF ONE OR MORE TIMES TO Y7_1172)

During the most recent event, were you . . .

 seriously injured?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0   4.0     69      1  No
   0.0   0.0      0      2  Yes
         96.0  1,656     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2556-2557

Y7_1175   **SEX PRESSURE-FORCED SEX**

(IF ONE OR MORE TIMES TO Y7_1172)

During the most recent event, were you . . .

 forced to have sexual relations?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 73.9    3.0     51      1  No
 26.1    1.0     18      2  Yes
         96.0  1,656     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2558-2559

Y7_1176   **POCKET PICKED**

How many times in the Last Year . . .

 has your pocket been picked or your purse or wallet snatched or an
 attempt made to do so?

```
Min    = 0                Mean     = .053
Max    = 4                Std Dev  = .299
Median = 0                Variance = .089
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2560-2562

Y7_1177   **SEX ASSAULT-MORE THAN 1 BOX ITEM**

DID THE RESPONDENT REPORT ANY SEXUAL ASSAULTS IN MORE THAN ONE BOXED
ITEM?

(ITEMS Y7_1119, Y7_1135, Y7_1150, Y7_1156, AND Y7_1172)

(IF NO, SKIP TO Y7_1180)

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 99.0   79.4  1,369      1  No
  1.0    0.8     14      2  Yes
        19.8    342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2563-2564

Y7_1178   **SEX ASSAULTS-NO. NONREDUNDANT**

How many total events were there?

(IF 1, SKIP TO Y7_1180)

```
Min    = 1                Mean     =  3.571
Max    = 11               Std Dev  =  3.817
Median =  2               Variance = 14.571
```

(Based on 14 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2565-2566

Y7_1179   **SEX ASSAULT-ITEM NO. MOST RECENT**

     (IF MORE THAN 1 TO Y7_1178)

     Which was the most recent event?

       PCT   PCT   N   VALUE   LABEL
      VALID   ALL
      12.5   0.1   1   371
      50.0   0.2   4   375
      37.5   0.2   3   378
               99.5   1,717   -1
      -----   -----   -----
     100.0   100.0   1,725 cases

     Data type: numeric
     Missing-data code: -1
     Columns: 2567-2569

RESPONDENT'S HEALTH

Physical Health

Y7_1180   WHAT IS YOUR CURRENT WEIGHT

What is your current weight?

```
Min    =  86              Mean     =   156.174
Max    = 410              Std Dev  =    33.893
Median = 154              Variance = 1,148.738
```

(Based on 1,375 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2570-2572

Y7_1181   WHAT IS YOUR HEIGHT

What is your height?

```
Min    = 57               Mean     = 67.664
Max    = 83               Std Dev  =  4.106
Median = 68               Variance = 16.862
```

(Based on 1,381 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2573-2574

Y7_1182   **EAT WELL BALANCED MEALS**

Do you agree or disagree with each of the following statements?

 I try to eat at least two well-balanced meals every day

PCT VALID	PCT ALL	N	VALUE	LABEL
1.2	1.0	17	1	Strongly disagree
11.8	9.4	163	2	Disagree
8.3	6.7	115	3	Neither agree nor disagree
62.7	50.3	867	4	Agree
16.0	12.8	221	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2575-2576

Y7_1183   **EAT FRESH VEG AND FRUIT**

Do you agree or disagree with each of the following statements?

 I try to eat some fresh vegetables or fresh fruit every
 day

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.8	13	1	Strongly disagree
13.4	10.8	186	2	Disagree
12.1	9.7	168	3	Neither agree nor disagree
59.8	47.9	827	4	Agree
13.7	11.0	189	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2577-2578

Y7_1184   **EAT TOO MUCH JUNK FOOD**

Do you agree or disagree with each of the following statements?

 I eat too much junk food

PCT VALID	PCT ALL	N	VALUE	LABEL
4.2	3.4	58	1	Strongly disagree
29.1	23.4	403	2	Disagree
14.0	11.2	193	3	Neither agree nor disagree
42.7	34.2	590	4	Agree
10.1	8.1	139	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2579-2580

Y7_1185   **EAT JUNK FOOD INSTEAD OF MEALS**

Do you agree or disagree with each of the following statements?

 I often eat junk food for regular meals

PCT VALID	PCT ALL	N	VALUE	LABEL
10.7	8.6	148	1	Strongly disagree
55.1	44.2	762	2	Disagree
9.5	7.6	131	3	Neither agree nor disagree
21.3	17.0	294	4	Agree
3.4	2.7	47	5	Strongly agree
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2581-2582

```
 Y7_1186              TAKE DAILY VITAMIN SUPPLM
```

Do you agree or disagree with each of the following statements?

 I try to take a vitamin supplement every day

```
   PCT     PCT      N  VALUE   LABEL
  VALID    ALL
   6.5     5.2     90      1  Strongly disagree
  42.4    34.0    586      2  Disagree
  14.2    11.4    196      3  Neither agree nor disagree
  29.5    23.7    408      4  Agree
   7.4     6.0    103      5  Strongly agree
          19.8    342     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2583-2584

```
 Y7_1187              EXERCISE ON A REGULAR BASIS
```

Do you agree or disagree with each of the following statements?

 I exercise on a regular basis

```
   PCT     PCT      N  VALUE   LABEL
  VALID    ALL
   3.4     2.7     47      1  Strongly disagree
  33.0    26.4    456      2  Disagree
  15.8    12.6    218      3  Neither agree nor disagree
  37.0    29.7    512      4  Agree
  10.8     8.7    150      5  Strongly agree
          19.8    342     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2585-2586

```
Y7_1188              PHYS PROBLEMS RESTRICT ACTIVITY
```

Do you have any physical problems which restrict your activities?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  11.6    9.3    160      1  Yes
  88.4   70.9  1,223      2  No
         19.8    342     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2587-2588

```
Y7_1189              1ST PHYSICAL PROBLEM
```

(IF YES TO Y7_1188)

DESCRIBE PHYSICAL PROBLEM

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.0    0.0      0      0  No problem
  47.9    4.5     78      1  Orthopedic problems
   8.0    0.8     13      2  Endocrinology problems
   5.5    0.5      9      3  Ear/eye/nose/throat
   1.8    0.2      3      4  Heart disease
   1.2    0.1      2      5  Blood/circulatory
   1.2    0.1      2      6  Urological
   0.6    0.1      1      7  Skin problems
   3.1    0.3      5      8  Neurological
  12.9    1.2     21      9  Pulmonary
   0.0    0.0      0     10  Cancer
  17.8    1.7     29     11  Other
         90.6  1,562     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2589-2590

Y7_1190   **2ND PHYSICAL PROBLEM**

(IF YES TO Y7_1188)

DESCRIBE PHYSICAL PROBLEM

PCT VALID	PCT ALL	N	VALUE	LABEL
91.4	8.6	149	0	No problem
0.6	0.1	1	1	Orthopedic problems
0.0	0.0	0	2	Endocrinology problems
1.2	0.1	2	3	Ear/eye/nose/throat
0.6	0.1	1	4	Heart disease
0.6	0.1	1	5	Blood/circulatory
0.6	0.1	1	6	Urological
0.0	0.0	0	7	Skin problems
0.6	0.1	1	8	Neurological
2.5	0.2	4	9	Pulmonary
0.0	0.0	0	10	Cancer
1.8	0.2	3	11	Other
	90.6	1,562	-1	

```
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2591-2592

```
Y7_1191              3RD PHYSICAL PROBLEM
```

(IF YES TO Y7_1188)

DESCRIBE PHYSICAL PROBLEM

```
  PCT     PCT      N   VALUE   LABEL
 VALID    ALL
 99.4     9.4     162      0   No problem
  0.0     0.0       0      1   Orthopedic problems
  0.0     0.0       0      2   Endocrinology problems
  0.0     0.0       0      3   Ear/eye/nose/throat
  0.0     0.0       0      4   Heart disease
  0.0     0.0       0      5   Blood/circulatory
  0.0     0.0       0      6   Urological
  0.0     0.0       0      7   Skin problems
  0.0     0.0       0      8   Neurological
  0.0     0.0       0      9   Pulmonary
  0.0     0.0       0     10   Cancer
  0.6     0.1       1     11   Other
         90.6   1,562     -1
 -----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2593-2594

Y7_1192   **4TH PHYSICAL PROBLEM**

(IF YES TO Y7_1188)

DESCRIBE PHYSICAL PROBLEM

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	9.4	163	0	No problem
0.0	0.0	0	1	Orthopedic problems
0.0	0.0	0	2	Endocrinology problems
0.0	0.0	0	3	Ear/eye/nose/throat
0.0	0.0	0	4	Heart disease
0.0	0.0	0	5	Blood/circulatory
0.0	0.0	0	6	Urological
0.0	0.0	0	7	Skin problems
0.0	0.0	0	8	Neurological
0.0	0.0	0	9	Pulmonary
0.0	0.0	0	10	Cancer
0.0	0.0	0	11	Other
	90.6	1,562	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2595-2596

Y7_1193   **EVER HAD A VENERAL DISEASE**

Have you ever had a venereal disease, such as genital herpes or gonorrhea?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.2	4.2	72	1	Yes
94.6	75.8	1,307	2	No
0.1	0.1	2	8	Dont know
	19.9	344	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2597-2598

```
Y7_1194              IF YES-WHAT TYPE OF V.D.
```

(IF YES TO Y7_1193)

What type of V.D. did you have?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 68.6    2.8    48     1   Gonorrhea
 15.7    0.6    11     2   Genital herpes
  2.9    0.1     2     3   Syphilis
  1.4    0.1     1     4   Clap
 11.4    0.5     8     5   Other
        95.9 1,655    -1
-----  ----- -----
100.0  100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2599-2600

```
Y7_1195              PROBLEMS BECAUSE OF V.D.
```

(IF YES TO Y7_1193)

At present, are you having any physical or psychological
problems which you associate with having had V.D.?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  5.6    0.2     4     1   Yes
 94.4    3.9    68     2   No
        95.8 1,653    -1
-----  ----- -----
100.0  100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2601-2602

Y7_1197   **TESTED FOR AIDS**

Have you ever been tested for AIDS?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 91.1   73.0  1,259      1  No
  8.9    7.1    123      2  Yes
         19.9    343     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2603-2604

Y7_1198   **TEST FOR AIDS-RESULTS**

(IF YES TO Y7_1197)

Were you tested negative or positive?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 97.6    7.0    120      1  Negative
  0.0    0.0      0      2  Positive
  1.6    0.1      2      3  Outcome unknown
  0.8    0.1      1      4  Refused
         92.9  1,602     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2605-2606

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_1199              GENERAL PHYSICAL HEALTH                           │
└──────────────────────────────────────────────────────────────────────┘
```

At present, how would you describe your general physical health?

(AFTER RESPONSE, MALES SKIP TO Y7_1229)

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 19.4    15.5    268      1  Excellent
 44.9    35.9    619      2  Very good
 29.2    23.4    403      3  Good
  6.2     4.9     85      4  Fair
  0.4     0.3      5      5  Poor
         20.0    345     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2607-2608

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_1200              AGE AT 1ST PERIOD                                 │
└──────────────────────────────────────────────────────────────────────┘
```

(FOR FEMALES ONLY)

How old were you when you had your first period? (AGE)

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  0.1     0.1      1      8
  2.1     0.8     14      9
  2.9     1.2     20     10
  9.5     3.8     65     11
 27.6    10.9    188     12
 32.7    12.9    223     13
 12.9     5.1     88     14
  6.9     2.7     47     15
  4.1     1.6     28     16
  0.6     0.2      4     17
  0.3     0.1      2     18
  0.1     0.1      1     19
  0.1     0.1      1     20
  0.0     0.0      0     88  Cant remember
         60.5  1,043     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2609-2610

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1201              PREGNANT IN 1984,1985, OR 1986                    │
└─────────────────────────────────────────────────────────────────────┘
```

        (FOR FEMALES ONLY)

        Were you pregnant at any time during 1984, 1985 or 1986?

        (IF NO, SKIP TO Y7_1229)

          PCT   PCT   N VALUE LABEL
         VALID   ALL
          44.3   17.5   302   1 Yes
          55.7   22.0   380   2 No
                 60.5 1,043   -1
         ----- ----- -----
         100.0 100.0 1,725 cases

         Data type: numeric
         Missing-data code: -1
         Columns: 2611-2612

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1202              PREGNANCY 1ST-YEAR                                │
└─────────────────────────────────────────────────────────────────────┘
```

        Year of pregnancy?

          PCT   PCT   N VALUE LABEL
         VALID   ALL
           1.0   0.2   3   83 1983
          42.4   7.4   128   84 1984
          28.8   5.0   87   85 1985
          27.8   4.9   84   86 1986
                 82.5 1,423   -1
         ----- ----- -----
         100.0 100.0 1,725 cases

         Data type: numeric
         Missing-data code: -1
         Columns: 2613-2614
```

---

**Y7_1203**                    **PREGNANCY 1ST-OUTCOME**

---

    Outcome?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----------|---------|-----|-------|-------|
| 74.2 | 13.0 | 224 | 1 | Live birth |
| 9.9 | 1.7 | 30 | 2 | Abortion |
| 10.9 | 1.9 | 33 | 3 | Miscarriage |
| 0.7 | 0.1 | 2 | 4 | Stillbirth |
| 4.3 | 0.8 | 13 | 5 | Currently pregnant |
| 0.0 | 0.0 | 0 | 8 | Other |
|  | 82.5 | 1,423 | -1 | |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 1,725 | cases | |

Data type: numeric
Missing-data code: -1
Columns: 2615-2616

---

**Y7_1204**                    **PREGNANCY 1ST-1ST PROBLEM**

---

    Any prenatal or delivery problems? (DESCRIBE)

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----------|---------|-----|-------|-------|
| 66.8 | 11.2 | 193 | 0 | No |
| 2.8 | 0.5 | 8 | 1 | Difficult labor/delivery |
| 13.1 | 2.2 | 38 | 2 | C-section |
| 2.1 | 0.3 | 6 | 3 | Urological problems |
| 1.7 | 0.3 | 5 | 4 | Respiratory/cardiac distress |
| 0.7 | 0.1 | 2 | 5 | Atopic pregnancy |
| 2.1 | 0.3 | 6 | 6 | Miscarriage (or threat of) |
| 0.3 | 0.1 | 1 | 7 | Difficult presentation |
| 0.3 | 0.1 | 1 | 8 | Drug addiction |
| 0.0 | 0.0 | 0 | 9 | Phlebitis, hemorrhoids |
| 1.4 | 0.2 | 4 | 10 | Hemorrhaging during delivery |
| 8.7 | 1.4 | 25 | 11 | Other |
|  | 83.2 | 1,436 | -1 | |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 1,725 | cases | |

Data type: numeric
Missing-data code: -1
Columns: 2617-2618

---

**Y7_1205**              **PREGNANCY 1ST-2ND PROBLEM**

Any prenatal or delivery problems? (DESCRIBE)

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 93.1 | 15.6 | 269 | 0 | No |
| 0.7 | 0.1 | 2 | 1 | Difficult labor/delivery |
| 0.0 | 0.0 | 0 | 2 | C-section |
| 0.3 | 0.1 | 1 | 3 | Urological problems |
| 2.1 | 0.3 | 6 | 4 | Respiratory/cardiac distress |
| 0.0 | 0.0 | 0 | 5 | Atopic pregnancy |
| 0.0 | 0.0 | 0 | 6 | Miscarriage (or threat of) |
| 1.0 | 0.2 | 3 | 7 | Difficult presentation |
| 0.0 | 0.0 | 0 | 8 | Drug addiction |
| 0.0 | 0.0 | 0 | 9 | Phlebitis, hemorrhoids |
| 0.7 | 0.1 | 2 | 10 | Hemorrhaging during delivery |
| 2.1 | 0.3 | 6 | 11 | Other |
| | 83.2 | 1,436 | -1 | |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 1,725 cases | | |

Data type: numeric
Missing-data code: -1
Columns: 2619-2620

---

**Y7_1206**              **PREGNANCY 1ST-VOLUNTARY ABORTION**

(IF RESPONDENT SAYS Abortion, Miscarriage or "Lost the Baby" TO
Y7_1203)

Was your (abortion/miscarriage/loss of baby) involuntary, that is,
due to natural causes or medical reasons; or was it voluntary, that
is, a personal choice to terminate the pregnancy?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 57.8 | 2.1 | 37 | 1 | Involuntary |
| 42.2 | 1.6 | 27 | 2 | Voluntary |
| | 96.3 | 1,661 | -1 | |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 1,725 cases | | |

Data type: numeric
Missing-data code: -1
Columns: 2621-2622

```
Y7_1207               PREGNANCY 2ND-YEAR
```

Year of pregnancy?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	83	1983
5.5	0.2	4	84	1984
41.1	1.7	30	85	1985
53.4	2.3	39	86	1986
	95.8	1,652	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2623-2624

```
Y7_1208               PREGNANCY 2ND-OUTCOME
```

Outcome?

PCT VALID	PCT ALL	N	VALUE	LABEL
61.6	2.6	45	1	Live birth
9.6	0.4	7	2	Abortion
13.7	0.6	10	3	Miscarriage
0.0	0.0	0	4	Stillbirth
15.1	0.6	11	5	Currently pregnant
0.0	0.0	0	8	Other
	95.8	1,652	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2625-2626

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_1209              PREGNANCY 2ND-1ST PROBLEM                         │
└──────────────────────────────────────────────────────────────────────┘
```

Any prenatal or delivery problems? (DESCRIBE)

```
   PCT    PCT      N   VALUE   LABEL
  VALID   ALL
  73.1    2.8     49       0   No
   3.0    0.1      2       1   Difficult labor/delivery
  11.9    0.5      8       2   C-section
   3.0    0.1      2       3   Urological problems
   0.0    0.0      0       4   Respiratory/cardiac distress
   0.0    0.0      0       5   Atopic pregnancy
   3.0    0.1      2       6   Miscarriage (or threat of)
   0.0    0.0      0       7   Difficult presentation
   0.0    0.0      0       8   Drug addiction
   0.0    0.0      0       9   Phlebitis, hemorrhoids
   0.0    0.0      0      10   Hemorrhaging during delivery
   6.0    0.2      4      11   Other
         96.1  1,658      -1
  -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2627-2628

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_1210              PREGNANCY 2ND-2ND PROBLEM                         │
└──────────────────────────────────────────────────────────────────────┘
```

Any prenatal or delivery problems? (DESCRIBE)

```
   PCT    PCT      N   VALUE   LABEL
  VALID   ALL
  89.6    3.5     60       0   No
   0.0    0.0      0       1   Difficult labor/delivery
   0.0    0.0      0       2   C-section
   0.0    0.0      0       3   Urological problems
   4.5    0.2      3       4   Respiratory/cardiac distress
   0.0    0.0      0       5   Atopic pregnancy
   0.0    0.0      0       6   Miscarriage (or threat of)
   0.0    0.0      0       7   Difficult presentation
   0.0    0.0      0       8   Drug addiction
   0.0    0.0      0       9   Phlebitis, hemorrhoids
   0.0    0.0      0      10   Hemorrhaging during delivery
   6.0    0.2      4      11   Other
         96.1  1,658      -1
  -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2629-2630

Y7_1211   **PREGNANCY 2ND-VOLUNTARY ABORTION**

(IF RESPONDENT SAYS Abortion, Miscarriage or "Lost the Baby" TO
Y7_1208)

Was your (abortion/miscarriage/loss of baby) involuntary, that is,
due to natural causes or medical reasons; or was it voluntary, that
is, a personal choice to terminate the pregnancy?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  58.8    0.6     10      1  Involuntary
  41.2    0.4      7      2  Voluntary
         99.0  1,708     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2631-2632

Y7_1212   **PREGNANCY 3RD-YEAR**

Year of pregnancy?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   0.0    0.0      0     83  1983
  12.5    0.1      1     84  1984
   0.0    0.0      0     85  1985
  87.5    0.4      7     86  1986
         99.5  1,717     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2633-2634

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1213                    PREGNANCY 3RD-OUTCOME                           │
└─────────────────────────────────────────────────────────────────────────┘
```

Outcome?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.0	0.1	2	1	Live birth
12.5	0.1	1	2	Abortion
50.0	0.2	4	3	Miscarriage
0.0	0.0	0	4	Stillbirth
12.5	0.1	1	5	Currently pregnant
0.0	0.0	0	8	Other
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2635-2636

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1214                    PREGNANCY 3RD-1ST PROBLEM                       │
└─────────────────────────────────────────────────────────────────────────┘
```

Any prenatal or delivery problems? (DESCRIBE)

PCT VALID	PCT ALL	N	VALUE	LABEL
71.4	0.3	5	0	No
0.0	0.0	0	1	Difficult labor/delivery
14.3	0.1	1	2	C-section
0.0	0.0	0	3	Urological problems
0.0	0.0	0	4	Respiratory/cardiac distress
0.0	0.0	0	5	Atopic pregnancy
0.0	0.0	0	6	Miscarriage (or threat of)
0.0	0.0	0	7	Difficult presentation
0.0	0.0	0	8	Drug addiction
0.0	0.0	0	9	Phlebitis, hemorrhoids
0.0	0.0	0	10	Hemorrhaging during delivery
14.3	0.1	1	11	Other
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2637-2638

Y7_1215   **PREGNANCY 3RD-2ND PROBLEM**

Any prenatal or delivery problems? (DESCRIBE)

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	7	0	No
0.0	0.0	0	1	Difficult labor/delivery
0.0	0.0	0	2	C-section
0.0	0.0	0	3	Urological problems
0.0	0.0	0	4	Respiratory/cardiac distress
0.0	0.0	0	5	Atopic pregnancy
0.0	0.0	0	6	Miscarriage (or threat of)
0.0	0.0	0	7	Difficult presentation
0.0	0.0	0	8	Drug addiction
0.0	0.0	0	9	Phlebitis, hemorrhoids
0.0	0.0	0	10	Hemorrhaging during delivery
0.0	0.0	0	11	Other
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2639-2640

Y7_1216   **PREGNANCY 3RD-VOLUNTARY ABORTION**

(IF RESPONDENT SAYS Abortion, Miscarriage or "Lost the Baby" TO
Y7_1213)

Was your (abortion/miscarriage/loss of baby) involuntary, that is,
due to natural causes or medical reasons; or was it voluntary, that
is, a personal choice to terminate the pregnancy?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.3	5	1	Involuntary
0.0	0.0	0	2	Voluntary
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2641-2642

Y7_1217   EFFECTS FROM 1ST EVENT

(IF RESPONDENT MENTIONS ANY MISCARRIAGES/ABORTIONS/STILL BIRTHS)

(FIRST REPORT)

You mentioned that you had an (abortion/miscarriage/loss of baby).
Did you have any physical or psychological effects from your
(abortion/miscarriage/loss of baby) in (DATE)?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 42.5    1.8     31      1  No
 57.5    2.4     42      2  Yes
        95.8  1,652     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2643-2644

Y7_1218   EFFECTS 1ST EVENT-1ST EFFECT

(IF YES TO Y7_1217)

Please describe effects

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.0    0.0      0      0  No effect
  0.0    0.0      0      1  Hemorrhaging/blood disorders
  0.0    0.0      0      2  Hysterectomy
  0.0    0.0      0      3  Infections
 57.1    1.4     24      4  Depression
 11.9    0.3      5      5  Guilt
  0.0    0.0      0      6  Fatigue
  2.4    0.1      1      7  Fear of pregnancy/intercourse
  0.0    0.0      0      8  Husband/boyfriend upset
  0.0    0.0      0      9  Never get another abortion
  0.0    0.0      0     10  Relieved
 23.8    0.6     10     11  Other problem
  2.4    0.1      1     12  Other benefit
  2.4    0.1      1     13  Anger
        97.6  1,683     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2645-2646

```
Y7_1219                    EFFECTS 1ST EVENT-2ND EFFECT
```

(IF YES TO Y7_1217)

Please describe effects

```
  PCT     PCT       N  VALUE  LABEL
VALID     ALL
 73.8     1.8      31      0  No effect
  0.0     0.0       0      1  Hemorrhaging/blood disorders
  0.0     0.0       0      2  Hysterectomy
  0.0     0.0       0      3  Infections
  0.0     0.0       0      4  Depression
  4.8     0.1       2      5  Guilt
  0.0     0.0       0      6  Fatigue
  2.4     0.1       1      7  Fear of pregnancy/intercourse
  0.0     0.0       0      8  Husband/boyfriend upset
  0.0     0.0       0      9  Never get another abortion
  0.0     0.0       0     10  Relieved
 14.3     0.3       6     11  Other problem
  2.4     0.1       1     12  Other benefit
  2.4     0.1       1     13  Anger
          97.6  1,683     -1
-----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2647-2648

```
Y7_1220              EFFECTS 1ST EVENT-3RD EFFECT
```

(IF YES TO Y7_1217)

Please describe effects

```
  PCT     PCT      N   VALUE   LABEL
 VALID    ALL
 97.6    2.4      41       0   No effect
  0.0    0.0       0       1   Hemorrhaging/blood disorders
  0.0    0.0       0       2   Hysterectomy
  0.0    0.0       0       3   Infections
  0.0    0.0       0       4   Depression
  0.0    0.0       0       5   Guilt
  0.0    0.0       0       6   Fatigue
  0.0    0.0       0       7   Fear of pregnancy/intercourse
  0.0    0.0       0       8   Husband/boyfriend upset
  0.0    0.0       0       9   Never get another abortion
  0.0    0.0       0      10   Relieved
  2.4    0.1       1      11   Other problem
  0.0    0.0       0      12   Other benefit
  0.0    0.0       0      13   Anger
         97.6  1,683      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2649-2650

```
Y7_1221              EFFECTS FROM 2ND EVENT
```

(IF RESPONDENT MENTIONS ANY MISCARRIAGES/ABORTIONS/STILL BIRTHS)

(SECOND REPORT)

Did you have any physical or psychological effects from your
(abortion/miscarriage/loss of baby) in (DATE)?

```
  PCT     PCT      N   VALUE   LABEL
 VALID    ALL
 33.3    0.2       3       1   No
 66.7    0.3       6       2   Yes
         99.5  1,716      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2651-2652

```
Y7_1222              EFFECTS F/2ND EVENT-1ST EFFECT
```

(IF YES TO Y7_1221)

Please describe effects

```
  PCT     PCT       N   VALUE   LABEL
 VALID    ALL
  0.0     0.0       0       0   No effect
  0.0     0.0       0       1   Hemorrhaging/blood disorders
  0.0     0.0       0       2   Hysterectomy
  0.0     0.0       0       3   Infections
 66.7     0.2       4       4   Depression
 16.7     0.1       1       5   Guilt
  0.0     0.0       0       6   Fatigue
  0.0     0.0       0       7   Fear of pregnancy/intercourse
  0.0     0.0       0       8   Husband/boyfriend upset
  0.0     0.0       0       9   Never get another abortion
  0.0     0.0       0      10   Relieved
 16.7     0.1       1      11   Other problem
  0.0     0.0       0      12   Other benefit
  0.0     0.0       0      13   Anger
          99.7   1,719      -1
 -----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2653-2654

```
Y7_1223            EFFECTS F/2ND EVENT-2ND EFFECT
```

(IF YES TO Y7_1221)

Please describe effects

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 83.3    0.3       5      0  No effect
  0.0    0.0       0      1  Hemorrhaging/blood disorders
  0.0    0.0       0      2  Hysterectomy
  0.0    0.0       0      3  Infections
  0.0    0.0       0      4  Depression
  0.0    0.0       0      5  Guilt
  0.0    0.0       0      6  Fatigue
  0.0    0.0       0      7  Fear of pregnancy/intercourse
  0.0    0.0       0      8  Husband/boyfriend upset
  0.0    0.0       0      9  Never get another abortion
 16.7    0.1       1     10  Relieved
  0.0    0.0       0     11  Other problem
  0.0    0.0       0     12  Other benefit
  0.0    0.0       0     13  Anger
         99.7  1,719     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2655-2656

```
Y7_1224               EFFECTS F/2ND EVENT-3RD EFFECT
```

(IF YES TO Y7_1221)

Please describe effects

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
100.0    0.3      6      0  No effect
  0.0    0.0      0      1  Hemorrhaging/blood disorders
  0.0    0.0      0      2  Hysterectomy
  0.0    0.0      0      3  Infections
  0.0    0.0      0      4  Depression
  0.0    0.0      0      5  Guilt
  0.0    0.0      0      6  Fatigue
  0.0    0.0      0      7  Fear of pregnancy/intercourse
  0.0    0.0      0      8  Husband/boyfriend upset
  0.0    0.0      0      9  Never get another abortion
  0.0    0.0      0     10  Relieved
  0.0    0.0      0     11  Other problem
  0.0    0.0      0     12  Other benefit
  0.0    0.0      0     13  Anger
        99.7  1,719     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2657-2658

```
Y7_1225               EFFECTS AT PRESENT FROM EVENTS
```

(IF RESPONDENT MENTIONS ANY MISCARRIAGES/ABORTIONS/STILL BIRTHS)

At present, are there any physical or psychological problems or
benefits which you associate with your
abortion(s)/miscarriage(s)/loss of baby(s)?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 73.0    2.7     46      1  No
 27.0    1.0     17      2  Yes
        96.3  1,662     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2659-2660

Y7_1226   **PRES EFFECTS FROM EVENTS-1ST EFF**

(IF YES TO Y7_1225)

Please describe problems

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No effect
5.9	0.1	1	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
11.8	0.1	2	4	Depression
5.9	0.1	1	5	Guilt
0.0	0.0	0	6	Fatigue
5.9	0.1	1	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
0.0	0.0	0	10	Relieved
23.5	0.2	4	11	Other problem
41.2	0.4	7	12	Other benefit
5.9	0.1	1	13	Anger
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2661-2662

```
Y7_1227              PRES EFFECTS FROM EVENTS-2ND EFF
```

(IF YES TO Y7_1225)

Please describe problems

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 70.6    0.7     12      0  No effect
  0.0    0.0      0      1  Hemorrhaging/blood disorders
  0.0    0.0      0      2  Hysterectomy
  0.0    0.0      0      3  Infections
  5.9    0.1      1      4  Depression
  0.0    0.0      0      5  Guilt
  0.0    0.0      0      6  Fatigue
  0.0    0.0      0      7  Fear of pregnancy/intercourse
  0.0    0.0      0      8  Husband/boyfriend upset
  0.0    0.0      0      9  Never get another abortion
  0.0    0.0      0     10  Relieved
  5.9    0.1      1     11  Other problem
 17.6    0.2      3     12  Other benefit
  0.0    0.0      0     13  Anger
        99.0  1,708     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2663-2664

Y7_1228   **PRES EFFECTS FROM EVENTS-3RD EFF**

(IF YES TO Y7_1225)

Please describe problems

PCT VALID	PCT ALL	N	VALUE	LABEL
94.1	0.9	16	0	No effect
0.0	0.0	0	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Guilt
0.0	0.0	0	6	Fatigue
0.0	0.0	0	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
0.0	0.0	0	10	Relieved
0.0	0.0	0	11	Other problem
0.0	0.0	0	12	Other benefit
5.9	0.1	1	13	Anger
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2665-2666

Depression

Y7_1229   DEPRESS > 2 WKS -1984,1985,1986

In the past three years (1984-1986) have you had two weeks or more during which you felt sad, blue, depressed, or when you lost all interest and pleasure in things that you usually cared about or enjoyed?

(IF NO, SKIP TO Y7_1273)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 67.0   53.7     926      1  No
 33.0   26.5     457      2  Yes
        19.8     342     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2667-2668

Y7_1230   DEPRESSION-LOSS OF APPETITE

During the past three years, has there ever been a period of two weeks or longer when you lost your appetite?

(CAN BE POSITIVE EVEN IF FOOD INTAKE IS NORMAL)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 82.7   21.9     378      1  Symptom not present
 17.3    4.6      79      5  Symptom present
        73.5  1,268     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2669-2670

```
Y7_1231              DEPRESSION-LOSS OF WEIGHT
```

During the past three years, have you lost weight without trying to—
as much as two pounds a week for several weeks (or as much as 10
pounds altogether)?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 93.7   24.8     428      1  Symptom not present
  6.3    1.7      29      5  Symptom present
        73.5  1,268     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2671-2672

```
Y7_1232              DEPRESSION-WEIGHT GAIN
```

Have you had a period when your eating increased so much that you
gained as much as two pounds a week for several weeks (or 10 pounds
altogether)?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 92.1   24.4     421      1  Symptom not present
  7.9    2.1      36      5  Symptom present
        73.5  1,268     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2673-2674

```
Y7_1233              DEPRESSION-APPETITE SUMMARY
```

APPETITE SECTION CODE BOX

(MAKE NO ENTRY IF ALL APPETITE QUESTIONS WERE CODED 1, MARK AN "X" IF
ANY ONE APPETITE QUESTION IS CODED 5)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  75.3   19.9    344       1  No symptom(s)
  24.7    6.6    113       5  Symptom in at least one category
         73.5  1,268      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2675-2676

```
Y7_1234              DEPRESSION-INSOMNIA
```

During the past three years, have you ever had a period of two weeks
or more when you had trouble falling asleep, staying asleep, or with
waking up too early?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  74.6   19.8    341       1  Symptom not present
  25.4    6.7    116       5  Symptom present
         73.5  1,268      -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2677-2678

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1235              DEPRESSION-SLEEP TOO MUCH                            │
└─────────────────────────────────────────────────────────────────────────┘
```

During the past three years, have you had a period of two weeks or
longer when you were sleeping too much?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  83.2   22.0    380      1  Symptom not present
  16.8    4.5     77      5  Symptom present
               73.5  1,268     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2679-2680

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1236              DEPRESSION-SLEEP SUMMARY                             │
└─────────────────────────────────────────────────────────────────────────┘
```

SLEEP SECTION CODE BOX

(MAKE NO ENTRY IF ALL SLEEP QUESTIONS WERE CODED 1, MARK AN "X" IF
ANY ONE SLEEP QUESTION IS CODED 5)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  65.6   17.4    300      1  No symptom(s)
  34.4    9.1    157      5  Symptom in at least one category
               73.5  1,268     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2681-2682

```
Y7_1237                DEPRESSION-TIRED ALL THE TIME
```

During the past three years, has there been a period lasting two
weeks or more when you felt tired out all of the time?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 68.9   18.2    314      1  Symptom not present
 31.1    8.2    142      5  Symptom present
        73.6  1,269     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2683-2684

```
Y7_1238                DEPRESSION-TIRED SUMMARY
```

TIRED SECTION CODE BOX

(MAKE NO ENTRY IF ALL TIRED QUESTIONS WERE CODED 1, MARK AN "X" IF
ANY ONE TIRED QUESTION IS CODED 5)

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 68.9   18.2    314      1  No symptom(s)
 31.1    8.2    142      5  Symptom in at least one category
        73.6  1,269     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2685-2686

```
Y7_1239                    DEPRESSION-TALK/MOVE SLOWER
```

During the past three years has there been a period of two weeks or
more when you talked or moved more slowly than is normal for you?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  92.3   24.5    422      1  Symptom not present
   7.7    2.0     35      5  Symptom present
         73.5  1,268     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2687-2688

```
Y7_1240                    DEPRESSION-UNABLE TO BE STILL
```

During the past three years, has there been a period of two weeks or
more when you had to be moving all the time--that is, you couldn't
sit still and paced up and down?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  93.4   24.8    427      1  Symptom not present
   6.6    1.7     30      5  Symptom present
         73.5  1,268     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2689-2690

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_1241                DEPRESSION-SLOW/RESTLESS SUMMARY                │
└──────────────────────────────────────────────────────────────────────┘
```

SLOW/RESTLESS SECTION CODE BOX

(MAKE NO ENTRY IF ALL SLOW/RESTLESS QUESTIONS WERE CODED 1, MARK AN "X" IF ANY ONE SLOW/RESTLESS QUESTION IS CODED 5)

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 86.9   23.0    397      1  No symptom(s)
 13.1    3.5     60      5  Symptom in at least one category
        73.5  1,268     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2691-2692

```
┌──────────────────────────────────────────────────────────────────────┐
│ Y7_1242                DEPRESSION-LOST INTEREST IN SEX                 │
└──────────────────────────────────────────────────────────────────────┘
```

During the past three years, has there been a period of several weeks when your interest in sex was a lot less than usual?

(IF VOLUNTEERS NO INTEREST EVER, CODE AS 1 BELOW)

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 88.2   23.4    403      1  Symptom not present
 11.8    3.1     54      5  Symptom present
        73.5  1,268     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2693-2694

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1243              DEPRESSION-LOST INTEREST SUMMARY                     │
└─────────────────────────────────────────────────────────────────────────┘
```

LOST INTEREST SECTION CODE BOX

(MAKE NO ENTRY IF THE LOST INTEREST QUESTION WAS CODED 1 MARK AN "X"
IF LOST INTEREST QUESTION WAS CODED 5)

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  88.2   23.4    403      1  No symptom(s)
  11.8    3.1     54      5  Symptom in at least one category
         73.5  1,268     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2695-2696

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1244              DEPRESSION-TROUBLE CONCENTRATING                     │
└─────────────────────────────────────────────────────────────────────────┘
```

During the past three years, has there been a period of two weeks or
more when you had a lot more trouble concentrating than is normal for
you?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  76.1   20.1    347      1  Symptom not present
  23.9    6.3    109      5  Symptom present
         73.6  1,269     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2697-2698

```
Y7_1245                DEPRESSION-THOUGHTS SLOW/MIX UP
```

Have you had a period when your thoughts came much slower than usual
or seemed mixed up?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  85.3   22.6    390      1  Symptom not present
  14.7    3.9     67      5  Symptom present
          73.5  1,268     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2699-2700

```
Y7_1246                DEPRESSION-TROUBLE THINK SUMMARY
```

TROUBLE THINKING SECTION CODE BOX

(MAKE NO ENTRY IF ALL TROUBLE THINKING QUESTIONS WERE CODED 1, MARK
AN "X" IF EITHER OF THE TROUBLE THINKING QUESTIONS WAS CODED 5)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  71.3   18.8    325      1  No symptom(s)
  28.7    7.6    131      5  Symptom in at least one category
          73.6  1,269     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2701-2702

Y7_1247   **DEPRESSION-FELT WORTHLESS/GUILTY**

During the past three years, has there been a period of two weeks or
more when you felt worthless, sinful or guilty?

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  58.9    15.6    269      1  Symptom not present
  41.1    10.9    188      5  Symptom present
          73.5  1,268     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2703-2704

Y7_1248   **DEPRESSION-WORTHLESS SUMMARY**

WORTHLESS SECTION CODE BOX

(MAKE NO ENTRY IF QUESTION WAS CODED 1, MARK AN "X" IF WORTHLESS
QUESTION WAS CODED 5)

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  58.9    15.6    269      1  No symptom(s)
  41.1    10.9    188      5  Symptom in at least one category
          73.5  1,268     -1
  -----   -----  -----
  100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2705-2706

```
Y7_1249                    DEPRESSION-THOUGHT DEATH GENERAL
```

During the past three years, has there been a period of two weeks or
more when you thought a lot about death--either you own, someone
else's, or death in general?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 51.0   13.5    233      1  Symptom not present
 49.0   13.0    224      5  Symptom present
        73.5  1,268     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2707-2708

```
Y7_1250                    DEPRESSION-WANTED TO DIE
```

During the past three years has there been a period of two weeks or
more when you felt that you wanted to die?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 79.4   21.0    363      1  Symptom not present
 20.6    5.4     94      5  Symptom present
        73.5  1,268     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2709-2710

Y7_1251   **DEPRESSION-THOUGHT OF SUICIDE**

During the past three years, have you felt so low you thought of committing suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
80.3	21.2	366	1	Symptom not present
19.7	5.2	90	5	Symptom present
	73.6	1,269	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2711-2712

Y7_1252   **DEPRESSION-ATTEMPTED SUICIDE**

During the past three years have you attempted suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.0	25.3	437	1	Symptom not present
4.0	1.0	18	5	Symptom present
	73.6	1,270	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2713-2714

Y7_1253   **DEPRESSION-THOUGHT DEATH SUMMARY**

THOUGHT OF DEATH SECTION CODE BOX

(MAKE NO ENTRY IF DEATH QUESTION CODED 1, MARK AN "X" IF ANY DEATH
QUESTION IS CODED 5)

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 47.9  12.7    219      1  No symptom(s)
 52.1  13.8    238      5  Symptom in at least one category
       73.5  1,268     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2715-2716

Y7_1254   **FLAG FOR DEPRESSION**

(INTERVIEWER: HAVE '5's BEEN CODED AND BOXES MARKED IN 3 OR MORE
SECTIONS
(E.G., APPETITE, SLEEP, TIRED)?)

(IF NO, SKIP TO Y7_1273)
(IF YES, GO TO Y7_1255)

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 61.5  16.3    281      1  No: less than 3 summaries
 38.5  10.2    176      2  Yes: 3 or more summaries
       73.5  1,268     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2717-2718

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1255                    DEPRESS OTH PROBS OCCUR TOGETHER           │
└─────────────────────────────────────────────────────────────────────┘
```

You said that during the past three years you've had a problem of
feeling (depressed or blue/R'S TERM) and also said you've had some
other problems like (LIST ALL '5's IN QUESTIONS Y7_1230-Y7_1252). Has
there ever been a time when the feelings of depression and some of
these other problems occurred together--that is, within the same
month?

(IF YES, SKIP TO Y7_1257)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  90.9    9.3    160      1  Yes
   9.1    0.9     16      2  No
         89.8  1,549     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2719-2720

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1256                    NOT BLUE PLUS OTHER SYMPTOMS               │
└─────────────────────────────────────────────────────────────────────┘
```

(IF NO, TO Y7_1255)

So there's never been a period during the past three years when you
felt sad, blue, or depressed at the same time you were having some of
these other problems? Is that correct?

(IF YES, SKIP TO Y7_1273)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  75.0    0.7     12      1  Yes (No correction)
  25.0    0.2      4      2  No (Depression with symptoms)
         99.1  1,709     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2721-2722

Y7_1257   **LONG TIME DEPRESS/OTH SYMP-YRS**

During the past three years, what's the longest spell you've ever had when you felt blue and had several of the other problems at the same time? (Years)

(INTERVIEWER: IF LESS THAN 14 DAYS SKIP TO Y7_1273)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 98.2    9.3    161      0
  0.6    0.1      1      1
  0.6    0.1      1      2
  0.6    0.1      1      3
         90.5  1,561     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2723-2724

Y7_1258   **LONG TIME DEPRESS/OTH SYMP-MOS**

During the past three years, what's the longest spell you've ever had when you felt blue and had several of the other problems at the same time? (Months)

(INTERVIEWER: IF LESS THAN 14 DAYS SKIP TO Y7_1273)

```
Min    = 0                    Mean     = 1.591
Max    = 8                    Std Dev  = 2.092
Median = 1                    Variance = 4.378
```

(Based on 164 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2725-2726

Y7_1259   **LONG TIME DEPRESS/OTH SYMP-WKS**

During the past three years, what's the longest spell you've ever had when you felt blue and had several of the other problems at the same time? (Weeks)

(INTERVIEWER: IF LESS THAN 14 DAYS SKIP TO Y7_1273)

```
Min    = 0                    Mean     = 1.372
Max    = 21                   Std Dev  = 2.348
Median = 0                    Variance = 5.511
```

(Based on 164 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2727-2728

Y7_1260   **LONG TIME DEPRESS/OTH SYMP-DYS**

During the past three years, what's the longest spell you've ever had when you felt blue and had several of the other problems at the same time? (Days)

(INTERVIEWER: IF LESS THAN 14 DAYS SKIP TO Y7_1273)

```
Min    = 0                    Mean     =  .768
Max    = 90                   Std Dev  =  7.177
Median = 0                    Variance = 51.504
```

(Based on 164 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2729-2730

Y7_1261   **NO. EPISODE DEPRESS/OTH SYMPTOMS**

Now I'd like to ask about spells when you felt both (depressed/R'S
TERM)and had some of these other problems like (LIST 2 OR 3 ITEMS
CODED "5" IN QUESTIONS Y7_1230-Y7_1252. In the past three years, how
many spells like that have you had that lasted two weeks or more?
(NUMBER OF SPELLS)

```
Min    = 1                    Mean     = 3.778
Max    = 60                   Std Dev  = 6.236
Median = 2                    Variance = 38.885
```

(Based on 153 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2731-2732

Y7_1262   **SEE DOCTOR ABOUT ANY EPISODES**

Did you tell a doctor about (that spell/any of those spells)?

(IF YES, SKIP TO Y7_1266)

```
  PCT    PCT      N   VALUE  LABEL
VALID   ALL
 62.1    5.5     95       1  No
 37.9    3.4     58       5  Yes
        91.1  1,572      -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2733-2734

Y7_1263   SEE PROFESSIONAL ABOUT EPISODES

Did you tell any other professional about (it/any of them)?

(IF YES, SKIP TO Y7_1266)

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 87.6    4.9      85      1  No
 12.4    0.7      12      5  Yes
         94.4  1,628     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2735-2736

Y7_1264   MEDICINE > ONCE FOR FOR EPISODES

Did you take medicine more than once because of (that spell/any of
those spells)?

(IF YES, SKIP TO Y7_1266)

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 91.8    4.5      78      1  No
  8.2    0.4       7      5  Yes
         95.1  1,640     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2737-2738

Y7_1265   **EPISODES INTERFERE W/LIFE**

Did (that spell/those spells) interfere with your life or activities
a lot?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 15.4    0.7     12      1  No
 84.6    3.8     66      5  Yes
        95.5  1,647     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2739-2740

Y7_1266   **EPISODE OCCR AFT DEATH LOVED ONE**

(THIS QUESTION REFERS TO SPELLS DURING THE PAST THREE YEARS)

Did (this spell/any of those spells) occur just after someone close
to you died?

(IF RESPONDENT VOLUNTEERS THAT SPELL(S) BEGAN MORE THAN 2 MONTHS
AFTER DEATH CODE 1 AND GO TO Y7_1268)

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 75.8    6.7    116      1  No
 24.2    2.1     37      2  Yes
        91.1  1,572     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2741-2742

Y7_1267   **ANY EPISODE NOT ASSOC W/DEATH**

(IF YES TO Y7_1266)

Have you had any spell of (depression/OWN EQUIVALENT) along with
these other problems (such as _____) at times when it wasn't due
to a death?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 36.8    0.8     14      2  Only due to a death
 63.2    1.4     24      5  Not due to a death
         97.8  1,687     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2743-2744

Y7_1268   **DEPRESSED PLUS OTHER SYMPTOM NOW**

Are you in one of those spells of feeling low or disinterested and
having some of these other problems now?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 21.6    1.9     33      1  Yes
 78.4    7.0    120      2  No
         91.1  1,572     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2745-2746

Y7_1269   **WHEN LAST SUCH EPISODE ENDED**

When did your last spell like that end?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
   6.7    0.5      8      1  Within last 2 weeks
  12.6    0.9     15      2  Within last month
  37.0    2.6     44      3  Within last 6 months
  17.6    1.2     21      4  Within last year
  26.1    1.8     31      5  More than 1 year ago
         93.1  1,606     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2747-2748

Y7_1270   **HOW OLD THEN**

(IF MORE THAN 1 YEAR AGO TO Y7_1269)

How old were you then?

```
Min    = 18              Mean     = 22.172
Max    = 27              Std Dev  =  2.269
Median = 22              Variance =  5.148
```

(Based on 29 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2749-2750

Y7_1271   **SEEING PROFESSIONAL FOR EPISODE**

(INTERVIEWER: IF RESPONDENT ANSWERS YES TO Y7_1268)

Are you currently seeing a Doctor or other mental health professional about this?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
 21.2      0.4      7      1  Yes
 78.8      1.5     26      2  No
          98.1  1,692     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2751-2752

Y7_1272   **UNUSABLE CODE**

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
 32.0      0.5      8      1
 68.0      1.0     17      2
          98.6  1,700     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2753-2754

Use of Outpatient Services

Y7_1273	HELP TO FRIEND/RELATIVE-FREQ

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the last year have you gone to a friend or relative for help with these problems?

```
Min    =   0              Mean     =     25.542
Max    = 999              Std Dev  =    146.564
Median =   0              Variance = 21,481.140
```

(Based on 1,379 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2755-2757

```
Y7_1274                HELP TO FRIEND/RELATIVE-1ST PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1273)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
3.1	0.8	14	1	Drugs
3.8	1.0	17	2	Alcohol
22.2	5.7	99	3	Family relationships
23.4	6.0	104	4	Depression
2.2	0.6	10	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
13.0	3.4	58	7	Emotional stress/nerves
8.1	2.1	36	8	Problem with boy/girlfriend
5.8	1.5	26	9	Work/school problems
0.2	0.1	1	10	Problems with friends
3.1	0.8	14	11	Physical health/illness
2.5	0.6	11	12	Financial problems
1.1	0.3	5	13	Death of friend/relative
11.2	2.9	50	99	Other
	74.2	1,280	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2758-2759

```
Y7_1275              HELP TO FRIEND/RELATIVE-2ND PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1273)

What was the problem(s) for which you sought help during the past
year?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 62.5   16.1    278      0  No problem
  0.0    0.0      0      1  Drugs
  0.2    0.1      1      2  Alcohol
  3.4    0.9     15      3  Family relationships
  2.7    0.7     12      4  Depression
  1.3    0.3      6      5  Sexual relationships
  0.2    0.1      1      6  Trouble with the law
  4.0    1.0     18      7  Emotional stress/nerves
  6.1    1.6     27      8  Problem with boy/girlfriend
  5.8    1.5     26      9  Work/school problems
  0.0    0.0      0     10  Problems with friends
  2.9    0.8     13     11  Physical health/illness
  1.1    0.3      5     12  Financial problems
  1.8    0.5      8     13  Death of friend/relative
  7.9    2.0     35     99  Other
        74.2  1,280     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2760-2761

Y7_1276   **HELP TO FRIEND/RELATIVE-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1273)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.2	23.0	397	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.7	0.2	3	4	Depression
0.7	0.2	3	5	Sexual relationships
0.2	0.1	1	6	Trouble with the law
0.2	0.1	1	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
2.7	0.7	12	9	Work/school problems
0.2	0.1	1	10	Problems with friends
1.1	0.3	5	11	Physical health/illness
0.7	0.2	3	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
4.3	1.1	19	99	Other
	74.2	1,280	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2762-2763

Y7_1277   **HELP TO FRIEND/RELATIVE-AMT HELP**

How much did A friend or relative help with any of these problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.5	0.1	2	1	None at all
6.3	1.6	28	2	Only a little
15.8	4.1	70	3	Some
28.4	7.3	126	4	A fair amount
49.0	12.6	217	5	A great deal
	74.3	1,282	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2764-2765

```
┌─────────────────────────────────────────────────────────────────────────┐
│  Y7_1278              HELP MINISTER/RABBI-FREQ                            │
└─────────────────────────────────────────────────────────────────────────┘
```

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to a minister, priest,
or rabbi for help with any of these problems?

```
Min    =   0                    Mean     =    10.311
Max    = 999                    Std Dev  =   100.033
Median =   0                    Variance = 10,006.618
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2766-2768

```
┌─────────────────────────────────────────────────────────────────────────┐
│  Y7_1279              HELP MINISTER/RABBI-1ST PROB                        │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1278)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
1.3	0.1	1	1	Drugs
6.7	0.3	5	2	Alcohol
28.0	1.2	21	3	Family relationships
24.0	1.0	18	4	Depression
2.7	0.1	2	5	Sexual relationships
1.3	0.1	1	6	Trouble with the law
6.7	0.3	5	7	Emotional stress/nerves
6.7	0.3	5	8	Problem with boy/girlfriend
2.7	0.1	2	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
2.7	0.1	2	12	Financial problems
1.3	0.1	1	13	Death of friend/relative
16.0	0.7	12	99	Other
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2769-2770

Y7_1280   **HELP MINISTER/RABBI-2ND PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1278)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
72.0	3.1	54	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
4.0	0.2	3	3	Family relationships
1.3	0.1	1	4	Depression
1.3	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
1.3	0.1	1	7	Emotional stress/nerves
1.3	0.1	1	8	Problem with boy/girlfriend
4.0	0.2	3	9	Work/school problems
0.0	0.0	0	10	Problems with friends
1.3	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
13.3	0.6	10	99	Other
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2771-2772

Y7_1281   **HELP MINISTER/RABBI-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1278)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.7	3.9	68	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
1.3	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
2.7	0.1	2	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
1.3	0.1	1	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
4.0	0.2	3	99	Other
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2773-2774

Y7_1282   **HELP MINISTER/RABBI-AMOUNT HELP**

How much did a minister, priest, or rabbi help with any of these
problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.5	0.4	7	1	None at all
1.4	0.1	1	2	Only a little
16.2	0.7	12	3	Some
29.7	1.3	22	4	A fair amount
43.2	1.9	32	5	A great deal
	95.7	1,651	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2775-2776

```
Y7_1283              HELP PYSCH/COUNSEL-FREQ
```

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you to a psychiatrist,
psychologist, social worker or counselor in private practice for help
with your emotions, nerves, drugs, alcohol, or your mental health?

```
Min    =   0                  Mean     =     23.790
Max    = 999                  Std Dev  =    150.200
Median =   0                  Variance = 22,560.150
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2777-2779

```
Y7_1284              HELP PYSCH/COUNSEL-1ST PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1283)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
1.2	0.1	1	1	Drugs
8.5	0.4	7	2	Alcohol
23.2	1.1	19	3	Family relationships
30.5	1.4	25	4	Depression
2.4	0.1	2	5	Sexual relationships
1.2	0.1	1	6	Trouble with the law
12.2	0.6	10	7	Emotional stress/nerves
4.9	0.2	4	8	Problem with boy/girlfriend
1.2	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
6.1	0.3	5	11	Physical health/illness
0.0	0.0	0	12	Financial problems
1.2	0.1	1	13	Death of friend/relative
7.3	0.3	6	99	Other
	95.2	1,643	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2780-2781

Y7_1285   **HELP PYSCH/COUNSEL-2ND PROB**

    (IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1283)

    What was the problem(s) for which you sought help during the past
    year?

```
  PCT    PCT      N  VALUE   LABEL
 VALID   ALL
 57.3    2.7     47      0   No problem
  0.0    0.0      0      1   Drugs
  2.4    0.1      2      2   Alcohol
  2.4    0.1      2      3   Family relationships
  6.1    0.3      5      4   Depression
  0.0    0.0      0      5   Sexual relationships
  0.0    0.0      0      6   Trouble with the law
  9.8    0.5      8      7   Emotional stress/nerves
  2.4    0.1      2      8   Problem with boy/girlfriend
  3.7    0.2      3      9   Work/school problems
  0.0    0.0      0     10   Problems with friends
  4.9    0.2      4     11   Physical health/illness
  1.2    0.1      1     12   Financial problems
  0.0    0.0      0     13   Death of friend/relative
  9.8    0.5      8     99   Other
         95.2  1,643     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

    Data type: numeric
    Missing-data code: -1
    Columns: 2782-2783

```
Y7_1286            HELP PYSCH/COUNSEL-3RD PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1283)

What was the problem(s) for which you sought help during the past year?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 81.7    3.9     67      0  No problem
  0.0    0.0      0      1  Drugs
  0.0    0.0      0      2  Alcohol
  0.0    0.0      0      3  Family relationships
  2.4    0.1      2      4  Depression
  2.4    0.1      2      5  Sexual relationships
  0.0    0.0      0      6  Trouble with the law
  1.2    0.1      1      7  Emotional stress/nerves
  0.0    0.0      0      8  Problem with boy/girlfriend
  2.4    0.1      2      9  Work/school problems
  0.0    0.0      0     10  Problems with friends
  1.2    0.1      1     11  Physical health/illness
  0.0    0.0      0     12  Financial problems
  0.0    0.0      0     13  Death of friend/relative
  8.5    0.4      7     99  Other
         95.2  1,643     -1
 -----  -----  -----
 100.0  100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 2784-2785
```

Y7_1287	HELP PYSCH/COUNSEL-AMOUNT HELP

How much did a psychiatrist, psychologist, social worker or counselor
in private practice help with your emotions, nerves, drugs, alcohol,
or your mental health?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   6.2     0.3      5      1  None at all
   7.4     0.3      6      2  Only a little
  16.0     0.8     13      3  Some
  21.0     1.0     17      4  A fair amount
  49.4     2.3     40      5  A great deal
          95.3  1,644     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2786-2787

```
Y7_1288                HELP MEDICAL DR-FREQ
```

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you to a medical doctor in
private practice (except for a psychiatrist) or to any medical person
in private practice?

```
Min    =   0               Mean     =     8.289
Max    = 999               Std Dev  =    88.847
Median =   0               Variance = 7,893.775
```

(Based on 1,381 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2788-2790

```
Y7_1289                HELP MEDICAL DR-1ST PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1288)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
1.0	0.1	1	1	Drugs
3.9	0.2	4	2	Alcohol
11.7	0.7	12	3	Family relationships
24.3	1.4	25	4	Depression
5.8	0.3	6	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
26.2	1.6	27	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
1.9	0.1	2	9	Work/school problems
0.0	0.0	0	10	Problems with friends
22.3	1.3	23	11	Physical health/illness
0.0	0.0	0	12	Financial problems
1.0	0.1	1	13	Death of friend/relative
1.9	0.1	2	99	Other
	94.0	1,622	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2791-2792

```
Y7_1290              HELP MEDICAL DR-2ND PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1288)

What was the problem(s) for which you sought help during the past
year?

```
  PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 56.3     3.4      58      0  No problem
  0.0     0.0       0      1  Drugs
  0.0     0.0       0      2  Alcohol
  1.9     0.1       2      3  Family relationships
  2.9     0.2       3      4  Depression
  1.0     0.1       1      5  Sexual relationships
  0.0     0.0       0      6  Trouble with the law
  4.9     0.3       5      7  Emotional stress/nerves
  3.9     0.2       4      8  Problem with boy/girlfriend
  2.9     0.2       3      9  Work/school problems
  0.0     0.0       0     10  Problems with friends
 13.6     0.8      14     11  Physical health/illness
  1.0     0.1       1     12  Financial problems
  1.0     0.1       1     13  Death of friend/relative
 10.7     0.6      11     99  Other
          94.0   1,622     -1
 -----   -----   -----
100.0   100.0   1,725  cases
```

Data type: numeric
Missing-data code: -1
Columns: 2793-2794

Y7_1291   **HELP MEDICAL DR-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1288)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.2	5.5	95	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
1.0	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
1.0	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
2.9	0.2	3	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
2.9	0.2	3	99	Other
	94.0	1,622	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2795-2796

Y7_1292   **HELP MEDICAL DR-AMOUNT HELP**

How much did a medical doctor in private practice (except for a
psychiatrist) or to any medical person in private practice help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.4	0.5	9	1	None at all
9.4	0.5	9	2	Only a little
26.0	1.4	25	3	Some
20.8	1.2	20	4	A fair amount
34.4	1.9	33	5	A great deal
	94.4	1,629	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2797-2798

```
Y7_1293              HELP SPIRIT/HEALER-FREQ
```

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to a spiritualist,
herbalist, natural therapist or reader for problems with emotions,
nerves, drugs, alcohol, or mental health?

```
Min     =   0              Mean     =    .774
Max     = 999              Std Dev  =  26.879
Median  =   0              Variance = 722.470
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2799-2801

```
Y7_1294              HELP SPIRIT/HEALER-1ST PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1293)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
0.0	0.0	0	1	Drugs
8.3	0.1	1	2	Alcohol
8.3	0.1	1	3	Family relationships
16.7	0.1	2	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
25.0	0.2	3	7	Emotional stress/nerves
16.7	0.1	2	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
8.3	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
16.7	0.1	2	99	Other
	99.3	1,713	-1	
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2802-2803

Y7_1295   **HELP SPIRIT/HEALER-2ND PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1293)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
75.0	0.5	9	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
8.3	0.1	1	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
8.3	0.1	1	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
8.3	0.1	1	99	Other
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2804-2805

```
Y7_1296              HELP SPIRIT/HEALER-3RD PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1293)

What was the problem(s) for which you sought help during the past
year?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 91.7    0.6    11     0  No problem
  0.0    0.0     0     1  Drugs
  0.0    0.0     0     2  Alcohol
  0.0    0.0     0     3  Family relationships
  8.3    0.1     1     4  Depression
  0.0    0.0     0     5  Sexual relationships
  0.0    0.0     0     6  Trouble with the law
  0.0    0.0     0     7  Emotional stress/nerves
  0.0    0.0     0     8  Problem with boy/girlfriend
  0.0    0.0     0     9  Work/school problems
  0.0    0.0     0    10  Problems with friends
  0.0    0.0     0    11  Physical health/illness
  0.0    0.0     0    12  Financial problems
  0.0    0.0     0    13  Death of friend/relative
  0.0    0.0     0    99  Other
        99.3  1,713    -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2806-2807

Y7_1297   **HELP SPIRIT/HEALER-AMOUNT HELP**

How much did a spiritualist, herbalist, natural therapist or reader
help your problems with emotions, nerves, drugs, alcohol, or mental
health?

```
  PCT     PCT      N  VALUE  LABEL
VALID     ALL
  8.3     0.1      1      1  None at all
  8.3     0.1      1      2  Only a little
 16.7     0.1      2      3  Some
 25.0     0.2      3      4  A fair amount
 41.7     0.3      5      5  A great deal
         99.3  1,713     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2808-2809

Y7_1298   **HELP ANYONE ELSE-FREQ**

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to anyone else?

```
Min   =   0               Mean     =     3.762
Max   = 999               Std Dev  =    60.042
Median =   0              Variance = 3,605.093
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2810-2812

```
Y7_1299              HELP ANYONE ELSE-1ST PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1298)

What was the problem(s) for which you sought help during the past
year?

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  0.0     0.0      0      0  No problem
 14.3     0.1      2      1  Drugs
  0.0     0.0      0      2  Alcohol
 35.7     0.3      5      3  Family relationships
 14.3     0.1      2      4  Depression
  0.0     0.0      0      5  Sexual relationships
  0.0     0.0      0      6  Trouble with the law
 14.3     0.1      2      7  Emotional stress/nerves
  0.0     0.0      0      8  Problem with boy/girlfriend
  7.1     0.1      1      9  Work/school problems
  0.0     0.0      0     10  Problems with friends
  7.1     0.1      1     11  Physical health/illness
  7.1     0.1      1     12  Financial problems
  0.0     0.0      0     13  Death of friend/relative
  0.0     0.0      0     99  Other
         99.2  1,711     -1
 -----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2813-2814

Y7_1300   HELP ANYONE ELSE-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1298)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
42.9	0.3	6	0	No problem
0.0	0.0	0	1	Drugs
7.1	0.1	1	2	Alcohol
7.1	0.1	1	3	Family relationships
14.3	0.1	2	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
7.1	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
21.4	0.2	3	99	Other
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2815-2816

Y7_1301   **HELP ANYONE ELSE-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1298)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
85.7	0.7	12	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
14.3	0.1	2	99	Other
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2817-2818

Y7_1302   **HELP ANYONE ELSE-AMOUNT HELP**

How much did anyone else help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	None at all
14.3	0.1	2	2	Only a little
14.3	0.1	2	3	Some
7.1	0.1	1	4	A fair amount
64.3	0.5	9	5	A great deal
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2819-2820

Y7_1303   **HELP MENTAL HEALTH-FREQ**

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to a mental health
center?

```
Min    =   0                    Mean     =      10.244
Max    = 999                    Std Dev  =     100.081
Median =   0                    Variance = 10,016.135
```

(Based on 1,382 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2821-2823

Y7_1304   **HELP MENTAL HEALTH-1ST PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1303)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
10.5	0.1	2	1	Drugs
0.0	0.0	0	2	Alcohol
26.3	0.3	5	3	Family relationships
31.6	0.3	6	4	Depression
10.5	0.1	2	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
21.1	0.2	4	99	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2824-2825

```
Y7_1305                 HELP MENTAL HEALTH-2ND PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1303)

What was the problem(s) for which you sought help during the past year?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 57.9    0.6     11      0  No problem
  0.0    0.0      0      1  Drugs
  0.0    0.0      0      2  Alcohol
  5.3    0.1      1      3  Family relationships
  5.3    0.1      1      4  Depression
  0.0    0.0      0      5  Sexual relationships
  0.0    0.0      0      6  Trouble with the law
 15.8    0.2      3      7  Emotional stress/nerves
  5.3    0.1      1      8  Problem with boy/girlfriend
  0.0    0.0      0      9  Work/school problems
  0.0    0.0      0     10  Problems with friends
  5.3    0.1      1     11  Physical health/illness
  0.0    0.0      0     12  Financial problems
  0.0    0.0      0     13  Death of friend/relative
  5.3    0.1      1     99  Other
         98.9  1,706     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2826-2827

Y7_1306   **HELP MENTAL HEALTH-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1303)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
78.9	0.9	15	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
5.3	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
5.3	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
10.5	0.1	2	99	Other
	98.9	1,706	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2828-2829

Y7_1307   **HELP MENTAL HEALTH-AMOUNT HELP**

How much did going to a mental health center help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.5	0.2	4	1	None at all
5.9	0.1	1	2	Only a little
29.4	0.3	5	3	Some
11.8	0.1	2	4	A fair amount
29.4	0.3	5	5	A great deal
	99.0	1,708	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2830-2831

```
┌─────────────────────────────────────────────────────────────────────┐
│  Y7_1308              HELP PSYCH/OUT CLINIC-FREQ                       │
└─────────────────────────────────────────────────────────────────────┘
```

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to a psychiatric
outpatient clinic at a general hospital or university hospital?

```
Min    =   0                    Mean     =      5.788
Max    = 999                    Std Dev  =     75.759
Median =   0                    Variance = 5,739.473
```

(Based on 1,384 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2832-2834

```
┌─────────────────────────────────────────────────────────────────────┐
│  Y7_1309              HELP PSYCH/OUT CLINIC-1ST PROB                   │
└─────────────────────────────────────────────────────────────────────┘
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1308)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
0.0	0.0	0	1	Drugs
10.0	0.1	1	2	Alcohol
30.0	0.2	3	3	Family relationships
30.0	0.2	3	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
10.0	0.1	1	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
20.0	0.1	2	99	Other
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2835-2836

Y7_1310 **HELP PSYCH/OUT CLINIC-2ND PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1308)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
60.0	0.3	6	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
20.0	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
20.0	0.1	2	99	Other
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2837-2838

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1311              HELP PSYCH/OUT CLINIC-3RD PROB                  │
└─────────────────────────────────────────────────────────────────────┘
```

   (IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1308)

   What was the problem(s) for which you sought help during the past
   year?

```
    PCT     PCT      N   VALUE   LABEL
   VALID    ALL
    80.0    0.5      8      0   No problem
     0.0    0.0      0      1   Drugs
     0.0    0.0      0      2   Alcohol
     0.0    0.0      0      3   Family relationships
     0.0    0.0      0      4   Depression
     0.0    0.0      0      5   Sexual relationships
     0.0    0.0      0      6   Trouble with the law
     0.0    0.0      0      7   Emotional stress/nerves
     0.0    0.0      0      8   Problem with boy/girlfriend
     0.0    0.0      0      9   Work/school problems
     0.0    0.0      0     10   Problems with friends
    10.0    0.1      1     11   Physical health/illness
     0.0    0.0      0     12   Financial problems
     0.0    0.0      0     13   Death of friend/relative
    10.0    0.1      1     99   Other
            99.4  1,715     -1
   -----   -----  -----
   100.0   100.0  1,725 cases
```

   Data type: numeric
   Missing-data code: -1
   Columns: 2839-2840

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1312              HELP PSYCH/OUT CLINIC-AMOUNT HLP                │
└─────────────────────────────────────────────────────────────────────┘
```

   How much did going to a psychiatric outpatient clinic at a general
   hospital or university hospital help you?

```
    PCT     PCT      N   VALUE   LABEL
   VALID    ALL
    10.0    0.1      1      1   None at all
     0.0    0.0      0      2   Only a little
    20.0    0.1      2      3   Some
    10.0    0.1      1      4   A fair amount
    60.0    0.3      6      5   A great deal
            99.4  1,715     -1
   -----   -----  -----
   100.0   100.0  1,725 cases
```

   Data type: numeric
   Missing-data code: -1
   Columns: 2841-2842

Y7_1313   **HELP OUT CLINIC PSYCH-FREQ**

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to an outpatient clinic
in a psychiatric hospital?

```
Min    =    0              Mean     =      1.497
Max    =  999              Std Dev  =     37.980
Median =    0              Variance = 1,442.499
```

(Based on 1,384 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2843-2845

Y7_1314   **HELP OUT CLINIC PSYCH-1ST PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1313)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
60.0	0.2	3	3	Family relationships
20.0	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
20.0	0.1	1	99	Other
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2846-2847

Y7_1315   **HELP OUT CLINIC PSYCH-2ND PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1313)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.0	0.1	2	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
20.0	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
20.0	0.1	1	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
20.0	0.1	1	99	Other
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2848-2849

Y7_1316   HELP OUT CLINIC PSYCH-3RD PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1313)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
60.0	0.2	3	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
20.0	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
20.0	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.7	1,720	-1	
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2850-2851

Y7_1317   HELP OUT CLINIC PSYCH-AMOUNT HLP

How much did going to an outpatient clinic in a psychiatric hospital help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	None at all
0.0	0.0	0	2	Only a little
0.0	0.0	0	3	Some
20.0	0.1	1	4	A fair amount
80.0	0.2	4	5	A great deal
	99.7	1,720	-1	
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2852-2853

Y7_1318   **HELP DRUG CLINIC-FREQ**

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to a drug clinic?

```
Min    =   0                    Mean     =     2.221
Max    = 999                    Std Dev  =    46.507
Median =   0                    Variance = 2,162.887
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2854-2856

Y7_1319   **HELP DRUG CLINIC-1ST PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1318)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
100.0	0.5	9	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.5	1,716	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2857-2858

```
Y7_1320                 HELP DRUG CLINIC-2ND PROB
```

```
        (IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1318)

        What was the problem(s) for which you sought help during the past
        year?

          PCT     PCT      N   VALUE   LABEL
         VALID    ALL
         66.7     0.3      6      0   No problem
          0.0     0.0      0      1   Drugs
         22.2     0.1      2      2   Alcohol
          0.0     0.0      0      3   Family relationships
          0.0     0.0      0      4   Depression
          0.0     0.0      0      5   Sexual relationships
         11.1     0.1      1      6   Trouble with the law
          0.0     0.0      0      7   Emotional stress/nerves
          0.0     0.0      0      8   Problem with boy/girlfriend
          0.0     0.0      0      9   Work/school problems
          0.0     0.0      0     10   Problems with friends
          0.0     0.0      0     11   Physical health/illness
          0.0     0.0      0     12   Financial problems
          0.0     0.0      0     13   Death of friend/relative
          0.0     0.0      0     99   Other
                  99.5  1,716     -1
         -----   -----  -----
         100.0   100.0  1,725 cases

        Data type: numeric
        Missing-data code: -1
        Columns: 2859-2860
```

Y7_1321   **HELP DRUG CLINIC-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1318)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.5	9	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2861-2862

Y7_1322   **HELP DRUG CLINIC-AMOUNT HELP**

How much did going to a drug clinic help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.2	0.1	2	1	None at all
22.2	0.1	2	2	Only a little
22.2	0.1	2	3	Some
11.1	0.1	1	4	A fair amount
22.2	0.1	2	5	A great deal
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2863-2864

Y7_1323   **HELP ALCOHOLIC CLINIC-FREQ**

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to an alcohol clinic?

```
Min    =   0                    Mean     =    .972
Max    = 999                    Std Dev  =  27.107
Median =   0                    Variance = 734.810
```

(Based on 1,384 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2865-2867

Y7_1324   **HELP ALCOHOLIC CLINIC-1ST PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1323)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
11.1	0.1	2	1	Drugs
88.9	0.9	16	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2868-2869

Y7_1325   **HELP ALCOHOLIC CLINIC-2ND PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1323)

What was the problem(s) for which you sought help during the past
year?

```
  PCT     PCT      N  VALUE   LABEL
VALID     ALL
 77.8     0.8     14      0  No problem
  0.0     0.0      0      1  Drugs
 11.1     0.1      2      2  Alcohol
  5.6     0.1      1      3  Family relationships
  0.0     0.0      0      4  Depression
  0.0     0.0      0      5  Sexual relationships
  0.0     0.0      0      6  Trouble with the law
  0.0     0.0      0      7  Emotional stress/nerves
  0.0     0.0      0      8  Problem with boy/girlfriend
  0.0     0.0      0      9  Work/school problems
  0.0     0.0      0     10  Problems with friends
  0.0     0.0      0     11  Physical health/illness
  0.0     0.0      0     12  Financial problems
  0.0     0.0      0     13  Death of friend/relative
  5.6     0.1      1     99  Other
         99.0  1,707     -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2870-2871

Y7_1326   **HELP ALCOHOLIC CLINIC-3RD PROB**

   (IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1323)

   What was the problem(s) for which you sought help during the past
   year?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.0	18	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.0	1,707	-1	

   ----- ----- -----
   100.0 100.0 1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 2872-2873

Y7_1327   **HELP ALCOHOLIC CLINIC-AMOUNT HLP**

   How much did going to an alcohol clinic help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.6	0.1	1	1	None at all
16.7	0.2	3	2	Only a little
22.2	0.2	4	3	Some
5.6	0.1	1	4	A fair amount
50.0	0.5	9	5	A great deal
	99.0	1,707	-1	

   ----- ----- -----
   100.0 100.0 1,725 cases

   Data type: numeric
   Missing-data code: -1
   Columns: 2874-2875

Y7_1328   **HELP EMERGENCY ROOM-FREQ**

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to an emergency room
for problems with emotions, nerves, drugs, alcohol or mental health?

```
Min    =   0                 Mean     =     4.353
Max    = 999                 Std Dev  =    65.657
Median =   0                 Variance = 4,310.790
```

(Based on 1,384 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2876-2878

Y7_1329   **HELP EMERGENCY ROOM-1ST PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1328)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
4.0	0.1	1	1	Drugs
4.0	0.1	1	2	Alcohol
12.0	0.2	3	3	Family relationships
16.0	0.2	4	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
24.0	0.3	6	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
4.0	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
24.0	0.3	6	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
12.0	0.2	3	99	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2879-2880

```
Y7_1330              HELP EMERGENCY ROOM-2ND PROB
```

    (IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1328)

    What was the problem(s) for which you sought help during the past
    year?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  52.0   0.8     13      0  No problem
   0.0   0.0      0      1  Drugs
   4.0   0.1      1      2  Alcohol
   0.0   0.0      0      3  Family relationships
   0.0   0.0      0      4  Depression
   0.0   0.0      0      5  Sexual relationships
   0.0   0.0      0      6  Trouble with the law
  16.0   0.2      4      7  Emotional stress/nerves
   0.0   0.0      0      8  Problem with boy/girlfriend
   0.0   0.0      0      9  Work/school problems
   0.0   0.0      0     10  Problems with friends
  12.0   0.2      3     11  Physical health/illness
   0.0   0.0      0     12  Financial problems
   4.0   0.1      1     13  Death of friend/relative
  12.0   0.2      3     99  Other
         98.6  1,700     -1
 -----  -----  -----
 100.0  100.0  1,725 cases

 Data type: numeric
 Missing-data code: -1
 Columns: 2881-2882
```

Y7_1331   HELP EMERGENCY ROOM-3RD PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1328)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
88.0	1.3	22	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
4.0	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
4.0	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
4.0	0.1	1	99	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2883-2884

Y7_1332   HELP EMERGENCY ROOM-AMOUNT HELP

How much did going to an emergency room for problems with emotions,
nerves, drugs, alcohol or mental health help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.0	0.3	6	1	None at all
16.0	0.2	4	2	Only a little
16.0	0.2	4	3	Some
12.0	0.2	3	4	A fair amount
32.0	0.5	8	5	A great deal
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2885-2886

Y7_1333   **HELP FAM/SOC AGENCY-FREQ**

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to a family service,
child counseling or social service agency?

```
Min    =   0                    Mean     =      4.439
Max    = 999                    Std Dev  =     65.674
Median =   0                    Variance = 4,313.065
```

(Based on 1,384 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2887-2889

Y7_1334   **HELP FAM/SOC AGENCY-1ST PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1333)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
0.0	0.0	0	1	Drugs
15.8	0.2	3	2	Alcohol
42.1	0.5	8	3	Family relationships
21.1	0.2	4	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
5.3	0.1	1	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
10.5	0.1	2	11	Physical health/illness
5.3	0.1	1	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	98.9	1,706	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2890-2891

```
Y7_1335              HELP FAM/SOC AGENCY-2ND PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1333)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
63.2	0.7	12	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
10.5	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
5.3	0.1	1	11	Physical health/illness
5.3	0.1	1	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
15.8	0.2	3	99	Other
	98.9	1,706	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2892-2893

Y7_1336   **HELP FAM/SOC AGENCY-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1333)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
78.9	0.9	15	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
5.3	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
15.8	0.2	3	99	Other
	98.9	1,706	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2894-2895

Y7_1337   **HELP FAM/SOC AGENCY-AMOUNT HELP**

How much did going to family service, child counseling or social service agency help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	0.1	1	1	None at all
15.8	0.2	3	2	Only a little
21.1	0.2	4	3	Some
10.5	0.1	2	4	A fair amount
47.4	0.5	9	5	A great deal
	98.9	1,706	-1	

```
----- ----- -----
100.0 100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2896-2897

```
Y7_1338              HELP SELF-HELP GROUP-FREQ
```

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to a self-help group
like Alcoholics Anonymous, etc.?

```
Min    =   0              Mean     =     2.897
Max    = 999              Std Dev  =    47.547
Median =   0              Variance = 2,260.750
```

(Based on 1,384 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2898-2900

```
Y7_1339              HELP SELF-HELP GROUP-1ST PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1338)

What was the problem(s) for which you sought help during the past
year?

```
 PCT    PCT     N  VALUE  LABEL
VALID   ALL
 0.0    0.0     0     0  No problem
26.5    0.5     9     1  Drugs
58.8    1.2    20     2  Alcohol
 2.9    0.1     1     3  Family relationships
 2.9    0.1     1     4  Depression
 0.0    0.0     0     5  Sexual relationships
 0.0    0.0     0     6  Trouble with the law
 0.0    0.0     0     7  Emotional stress/nerves
 0.0    0.0     0     8  Problem with boy/girlfriend
 2.9    0.1     1     9  Work/school problems
 0.0    0.0     0    10  Problems with friends
 5.9    0.1     2    11  Physical health/illness
 0.0    0.0     0    12  Financial problems
 0.0    0.0     0    13  Death of friend/relative
 0.0    0.0     0    99  Other
        98.0 1,691    -1
-----  ----- -----
100.0  100.0 1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2901-2902

Y7_1340   **HELP SELF-HELP GROUP-2ND PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1338)

What was the problem(s) for which you sought help during the past
year?

```
  PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 64.7    1.3    22      0  No problem
  0.0    0.0     0      1  Drugs
  8.8    0.2     3      2  Alcohol
 23.5    0.5     8      3  Family relationships
  0.0    0.0     0      4  Depression
  0.0    0.0     0      5  Sexual relationships
  0.0    0.0     0      6  Trouble with the law
  2.9    0.1     1      7  Emotional stress/nerves
  0.0    0.0     0      8  Problem with boy/girlfriend
  0.0    0.0     0      9  Work/school problems
  0.0    0.0     0     10  Problems with friends
  0.0    0.0     0     11  Physical health/illness
  0.0    0.0     0     12  Financial problems
  0.0    0.0     0     13  Death of friend/relative
  0.0    0.0     0     99  Other
         98.0 1,691     -1
 -----  ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2903-2904

Y7_1341   **HELP SELF-HELP GROUP-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1338)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.1	1.9	33	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
2.9	0.1	1	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2905-2906

Y7_1342   **HELP SELF-HELP GROUP-AMOUNT HELP**

How much did going to a self-help group like Alcoholics Anonymous, etc. help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.8	0.3	6	1	None at all
9.4	0.2	3	2	Only a little
21.9	0.4	7	3	Some
12.5	0.2	4	4	A fair amount
37.5	0.7	12	5	A great deal
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2907-2908

Y7_1343   **HELP CRISIS/HOTLINE-FREQ**

I'm going to read you a list of different kinds of people and places
where someone might get help for problems with emotions, nerves,
drugs, alcohol, or general mental health.

How many times in the past year have you gone to a community program
like a crisis center or hotline (not including any other clinics
mentioned above)?

```
Min    =   0                Mean      =     1.479
Max    = 999                Std Dev   =    37.979
Median =   0                Variance  = 1,442.381
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2909-2911

Y7_1344   **HELP CRISIS/HOTLINE-1ST PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1343)

What was the problem(s) for which you sought help during the past
year?

```
  PCT     PCT      N   VALUE  LABEL
 VALID    ALL
  0.0     0.0      0      0   No problem
 27.3     0.2      3      1   Drugs
  0.0     0.0      0      2   Alcohol
 18.2     0.1      2      3   Family relationships
  9.1     0.1      1      4   Depression
  9.1     0.1      1      5   Sexual relationships
  0.0     0.0      0      6   Trouble with the law
 18.2     0.1      2      7   Emotional stress/nerves
  0.0     0.0      0      8   Problem with boy/girlfriend
  0.0     0.0      0      9   Work/school problems
  0.0     0.0      0     10   Problems with friends
  0.0     0.0      0     11   Physical health/illness
  0.0     0.0      0     12   Financial problems
  0.0     0.0      0     13   Death of friend/relative
 18.2     0.1      2     99   Other
          99.4  1,714     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2912-2913

```
Y7_1345              HELP CRISIS/HOTLINE-2ND PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1343)

What was the problem(s) for which you sought help during the past year?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  72.7   0.5      8      0  No problem
   0.0   0.0      0      1  Drugs
   0.0   0.0      0      2  Alcohol
   9.1   0.1      1      3  Family relationships
   0.0   0.0      0      4  Depression
   0.0   0.0      0      5  Sexual relationships
   0.0   0.0      0      6  Trouble with the law
   0.0   0.0      0      7  Emotional stress/nerves
   0.0   0.0      0      8  Problem with boy/girlfriend
   0.0   0.0      0      9  Work/school problems
   0.0   0.0      0     10  Problems with friends
   0.0   0.0      0     11  Physical health/illness
   0.0   0.0      0     12  Financial problems
   0.0   0.0      0     13  Death of friend/relative
  18.2   0.1      2     99  Other
         99.4  1,714     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2914-2915

```
Y7_1346              HELP CRISIS/HOTLINE-3RD PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1343)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.9	0.6	10	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
9.1	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.4	1,714	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2916-2917

```
Y7_1347              HELP CRISIS/HOTLINE-AMOUNT HELP
```

How much did going to a community program like a crisis center or hotline (not including any other clinics mentioned above) help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.3	0.2	3	1	None at all
0.0	0.0	0	2	Only a little
18.2	0.1	2	3	Some
27.3	0.2	3	4	A fair amount
27.3	0.2	3	5	A great deal
	99.4	1,714	-1	

```
      -----  -----  -----
      100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2918-2919

Y7_1348   **HELP OTH AGENCY/PROG-FREQ**

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to any other agencies or programs not mentioned above?

```
Min    =   0              Mean     =     2.999
Max    = 999              Std Dev  =    53.756
Median =   0              Variance = 2,889.721
```

(Based on 1,382 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2920-2922

Y7_1349   **HELP OTH AGENCY/PROG-1ST PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1348)

What was the problem(s) for which you sought help during the past year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
0.0	0.0	0	1	Drugs
27.3	0.2	3	2	Alcohol
9.1	0.1	1	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
18.2	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
9.1	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
36.4	0.2	4	99	Other
	99.4	1,714	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2923-2924

```
Y7_1350                  HELP OTH AGENCY/PROG-2ND PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1348)

What was the problem(s) for which you sought help during the past
year?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 72.7    0.5      8      0  No problem
  0.0    0.0      0      1  Drugs
  0.0    0.0      0      2  Alcohol
 18.2    0.1      2      3  Family relationships
  0.0    0.0      0      4  Depression
  0.0    0.0      0      5  Sexual relationships
  0.0    0.0      0      6  Trouble with the law
  0.0    0.0      0      7  Emotional stress/nerves
  0.0    0.0      0      8  Problem with boy/girlfriend
  0.0    0.0      0      9  Work/school problems
  0.0    0.0      0     10  Problems with friends
  9.1    0.1      1     11  Physical health/illness
  0.0    0.0      0     12  Financial problems
  0.0    0.0      0     13  Death of friend/relative
  0.0    0.0      0     99  Other
         99.4  1,714     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2925-2926

```
Y7_1351              HELP OTH AGENCY/PROG-3RD PROB
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1348)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	11	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2927-2928

```
Y7_1352              HELP OTH AGENCY/PROG-AMOUNT HELP
```

How much did going to any other agencies or programs not mentioned
above help you?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.1	0.1	1	1	None at all
9.1	0.1	1	2	Only a little
18.2	0.1	2	3	Some
0.0	0.0	0	4	A fair amount
63.6	0.4	7	5	A great deal
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2929-2930

```
Y7_1353              ADMIT HOSP EMOT/DRUG PROB-FREQ
```

How many times in the past year have you been admitted to a hospital
or clinic where you stayed overnight because of personal problems,
mental or emotional problems, or a problem with drugs or alcohol?

```
Min    =   0                    Mean    =      3.675
Max    = 999                    Std Dev =     59.992
Median =   0                    Variance = 3,599.087
```

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2931-2933

```
Y7_1354              ADMIT HOSP EMOT/DRUG PROB-1ST
```

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1353)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	No problem
20.0	0.2	3	1	Drugs
33.3	0.3	5	2	Alcohol
13.3	0.1	2	3	Family relationships
13.3	0.1	2	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
13.3	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
6.7	0.1	1	99	Other
	99.1	1,710	-1	

```
----- ----- -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2934-2935

Y7_1355   **ADMIT HOSP EMOT/DRUG PROB-2ND**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1353)

What was the problem(s) for which you sought help during the past
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
60.0	0.5	9	0	No problem
0.0	0.0	0	1	Drugs
13.3	0.1	2	2	Alcohol
0.0	0.0	0	3	Family relationships
6.7	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
13.3	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
6.7	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.1	1,710	-1	

```
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2936-2937

```
Y7_1356              ADMIT HOSP EMOT/DRUG PROB-3RD
```

    (IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1353)

    What was the problem(s) for which you sought help during the past
year?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 80.0    0.7     12      0  No problem
  0.0    0.0      0      1  Drugs
  0.0    0.0      0      2  Alcohol
  0.0    0.0      0      3  Family relationships
  0.0    0.0      0      4  Depression
  0.0    0.0      0      5  Sexual relationships
  0.0    0.0      0      6  Trouble with the law
  0.0    0.0      0      7  Emotional stress/nerves
  0.0    0.0      0      8  Problem with boy/girlfriend
  6.7    0.1      1      9  Work/school problems
  0.0    0.0      0     10  Problems with friends
  0.0    0.0      0     11  Physical health/illness
  0.0    0.0      0     12  Financial problems
  0.0    0.0      0     13  Death of friend/relative
 13.3    0.1      2     99  Other
        99.1  1,710     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2938-2939

```
Y7_1357              ADM HOSP EMOT/DRUG PROB-AMT HLP
```

How much did going to a hospital or clinic where you stayed
overnight because of personal problems, mental or emotional
problems, or a problem with drugs or alcohol help you?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 20.0    0.2     3      1  None at all
 13.3    0.1     2      2  Only a little
  6.7    0.1     1      3  Some
  0.0    0.0     0      4  A fair amount
 60.0    0.5     9      5  A great deal
         99.1 1,710     -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2940-2941

SPOUSAL ABUSE

Spouse Abuse by Respondent

Y7_1358	TIMES YOU-INSULT/SWORE

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Insulted or sworn at your spouse/partner?

```
  PCT    PCT     N  VALUE   LABEL
VALID   ALL
 19.8   8.3    143      0  Never
  8.0   3.4     58      1  Once
 13.7   5.7     99      2  Twice
 22.6   9.4    163      3  3-5 Times
 14.4   6.0    104      4  6-10 Times
  9.0   3.8     65      5  11-20 Times
 12.5   5.2     90      6  More Than 20 Times
        58.1  1,003     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2942-2943

```
Y7_1359              TIMES YOU-THREAT HIT/THROW
```

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Threatened to hit or throw something at your spouse/partner?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  70.4   29.5   509      0  Never
   9.3    3.9    67      1  Once
   7.1    3.0    51      2  Twice
   7.2    3.0    52      3  3-5 Times
   3.9    1.6    28      4  6-10 Times
   1.2    0.5     9      5  11-20 Times
   1.0    0.4     7      6  More Than 20 Times
         58.1  1,002     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2944-2945

```
Y7_1360              TIMES YOU-THREW SOMETHING
```

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Thrown something at your spouse/partner?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  84.2   35.3   609      0  Never
   6.8    2.8    49      1  Once
   4.3    1.8    31      2  Twice
   3.5    1.4    25      3  3-5 Times
   1.2    0.5     9      4  6-10 Times
   0.0    0.0     0      5  11-20 Times
   0.0    0.0     0      6  More Than 20 Times
         58.1  1,002     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2946-2947

```
Y7_1361                TIMES YOU-PUSHED/GRABBED/SHOVED
```

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Pushed, grabbed or shoved your spouse/partner?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 70.8   29.7    512      0  Never
 12.2    5.1     88      1  Once
  5.9    2.5     43      2  Twice
  7.9    3.3     57      3  3-5 Times
  2.1    0.9     15      4  6-10 Times
  0.4    0.2      3      5  11-20 Times
  0.7    0.3      5      6  More Than 20 Times
        58.1  1,002     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2948-2949

```
Y7_1362                TIMES YOU-SLAPPED PARTNER
```

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Slapped your spouse/partner?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 87.0   36.5    629      0  Never
  6.8    2.8     49      1  Once
  2.8    1.2     20      2  Twice
  2.4    1.0     17      3  3-5 Times
  0.7    0.3      5      4  6-10 Times
  0.1    0.1      1      5  11-20 Times
  0.3    0.1      2      6  More Than 20 Times
        58.1  1,002     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2950-2951

Y7_1363   **TIMES YOU-KICKED/BIT/HIT**

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Kicked, bit, or hit your spouse/partner with your fist?

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  91.0    38.1     658      0  Never
   3.2     1.3      23      1  Once
   2.1     0.9      15      2  Twice
   2.1     0.9      15      3  3-5 Times
   1.4     0.6      10      4  6-10 Times
   0.1     0.1       1      5  11-20 Times
   0.1     0.1       1      6  More Than 20 Times
          58.1   1,002     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2952-2953

Y7_1364   **TIMES YOU-HIT W/SOMETHING**

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Hit or tried to hit your spouse/partner with something?

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  91.3    38.3     660      0  Never
   4.0     1.7      29      1  Once
   1.7     0.7      12      2  Twice
   2.1     0.9      15      3  3-5 Times
   1.0     0.4       7      4  6-10 Times
   0.0     0.0       0      5  11-20 Times
   0.0     0.0       0      6  More Than 20 Times
          58.1   1,002     -1
 -----   -----   -----
 100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2954-2955

```
Y7_1365                  TIMES YOU-BEAT UP PARTNER
```

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Beaten up your spouse/partner?

```
  PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 98.6    41.3     713      0  Never
  0.4     0.2       3      1  Once
  0.3     0.1       2      2  Twice
  0.4     0.2       3      3  3-5 Times
  0.3     0.1       2      4  6-10 Times
  0.0     0.0       0      5  11-20 Times
  0.0     0.0       0      6  More Than 20 Times
          58.1   1,002     -1
 -----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2956-2957

```
Y7_1366                  TIMES YOU-THREATENED W/A GUN
```

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Threatened your spouse/partner with a knife or gun?

```
  PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 98.6    41.3     713      0  Never
  1.0     0.4       7      1  Once
  0.3     0.1       2      2  Twice
  0.1     0.1       1      3  3-5 Times
  0.0     0.0       0      4  6-10 Times
  0.0     0.0       0      5  11-20 Times
  0.0     0.0       0      6  More Than 20 Times
          58.1   1,002     -1
 -----   -----   -----
100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2958-2959

Y7_1367	TIMES YOU-USED KNIFE/FIRED GUN

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times
have you personally . . .

 Used a knife or fired a gun?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.7	41.8	721	0	Never
0.1	0.1	1	1	Once
0.0	0.0	0	2	Twice
0.0	0.0	0	3	3-5 Times
0.1	0.1	1	4	6-10 Times
0.0	0.0	0	5	11-20 Times
0.0	0.0	0	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2960-2961

Spouse Abuse by Partner

Y7_1368	TIMES PART-INSULT/SWORE

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

 Insulted or sworn at you?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  21.9    9.2    158      0  Never
   9.4    3.9     68      1  Once
  13.2    5.5     95      2  Twice
  23.0    9.6    166      3  3-5 Times
  10.9    4.6     79      4  6-10 Times
   8.0    3.4     58      5  11-20 Times
  13.6    5.7     98      6  More Than 20 Times
          58.1  1,003     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2962-2963

Y7_1369 **TIMES PART-THREAT HIT/THROW**

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times
in the past 12 months he/she has . . .

 Threatened to hit or throw something at you?

PCT VALID	PCT ALL	N	VALUE	LABEL
71.6	30.0	517	0	Never
6.8	2.8	49	1	Once
5.3	2.2	38	2	Twice
8.0	3.4	58	3	3-5 Times
4.4	1.9	32	4	6-10 Times
2.6	1.1	19	5	11-20 Times
1.2	0.5	9	6	More Than 20 Times
	58.1	1,003	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2964-2965

Y7_1370 **TIMES PART-THREW SOMETHING**

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times
in the past 12 months he/she has . . .

 Thrown something at you?

PCT VALID	PCT ALL	N	VALUE	LABEL
80.9	33.9	585	0	Never
6.6	2.8	48	1	Once
5.9	2.5	43	2	Twice
3.3	1.4	24	3	3-5 Times
2.2	0.9	16	4	6-10 Times
0.4	0.2	3	5	11-20 Times
0.6	0.2	4	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 2966-2967

Y7_1371   **TIMES PART-PUSHED/GRABBED/SHOVED**

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times
in the past 12 months he/she has . . .

 Pushed, grabbed or shoved you?

PCT VALID	PCT ALL	N	VALUE	LABEL
71.4	29.9	516	0	Never
9.4	3.9	68	1	Once
7.3	3.1	53	2	Twice
7.2	3.0	52	3	3-5 Times
3.0	1.3	22	4	6-10 Times
0.6	0.2	4	5	11-20 Times
1.1	0.5	8	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2968-2969

Y7_1372   **TIMES PART-SLAPPED PARTNER**

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times
in the past 12 months he/she has . . .

 Slapped you?

PCT VALID	PCT ALL	N	VALUE	LABEL
85.2	35.7	616	0	Never
4.8	2.0	35	1	Once
3.3	1.4	24	2	Twice
3.9	1.6	28	3	3-5 Times
1.5	0.6	11	4	6-10 Times
0.7	0.3	5	5	11-20 Times
0.6	0.2	4	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2970-2971

```
Y7_1373              TIMES PART-KICKED/BIT/HIT
```

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times
in the past 12 months he/she has . . .

 Kicked, bit, or hit you with their fist?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 88.4   37.0    639      0  Never
  2.8    1.2     20      1  Once
  3.3    1.4     24      2  Twice
  2.4    1.0     17      3  3-5 Times
  2.1    0.9     15      4  6-10 Times
  0.3    0.1      2      5  11-20 Times
  0.8    0.3      6      6  More Than 20 Times
         58.1  1,002     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2972-2973

```
Y7_1374              TIMES PART-HIT W/SOMETHING
```

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times
in the past 12 months he/she has . . .

 Hit or tried to hit you with something?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 87.3   36.6    631      0  Never
  4.1    1.7     30      1  Once
  4.0    1.7     29      2  Twice
  2.1    0.9     15      3  3-5 Times
  1.5    0.6     11      4  6-10 Times
  0.4    0.2      3      5  11-20 Times
  0.6    0.2      4      6  More Than 20 Times
         58.1  1,002     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2974-2975

Y7_1375   **TIMES PART-BEAT UP PARTNER**

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times
in the past 12 months he/she has . . .

 Beaten you up?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 96.8   40.6     700      0  Never
  1.1    0.5       8      1  Once
  1.1    0.5       8      2  Twice
  0.6    0.2       4      3  3-5 Times
  0.1    0.1       1      4  6-10 Times
  0.0    0.0       0      5  11-20 Times
  0.3    0.1       2      6  More Than 20 Times
        58.1   1,002     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2976-2977

Y7_1376   **TIMES PART-THREATENED W/A GUN**

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times
in the past 12 months he/she has . . .

 Threatened you with a knife or gun?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 96.4   40.4     697      0  Never
  2.5    1.0      18      1  Once
  0.4    0.2       3      2  Twice
  0.4    0.2       3      3  3-5 Times
  0.1    0.1       1      4  6-10 Times
  0.1    0.1       1      5  11-20 Times
  0.0    0.0       0      6  More Than 20 Times
        58.1   1,002     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2978-2979

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1377              TIMES PART-USED KNIFE/FIRED GUN                       │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times
in the past 12 months he/she has . . .

 Used a knife or fired a gun?

```
  PCT      PCT      N   VALUE   LABEL
VALID     ALL
 98.9     41.4     715       0   Never
  0.7      0.3       5       1   Once
  0.1      0.1       1       2   Twice
  0.0      0.0       0       3   3-5 Times
  0.1      0.1       1       4   6-10 Times
  0.0      0.0       0       5   11-20 Times
  0.1      0.1       1       6   More Than 20 Times
          58.1   1,002      -1
 -----    -----   -----
100.0    100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2980-2981

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1378              NO. FIGHTS IN PAST YEAR                               │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF RESPONSE OF 1 OR MORE TO Y7_1360-Y7_1367 OR Y7_1370-Y7_1377)

Since one or more of these behaviors could have occurred during a
single argument or fight with your spouse/boyfriend/girlfriend,
altogether how many separate fights have you had during the last
year?

```
Min    =   0               Mean     =    15.073
Max    = 365               Std Dev  =    32.941
Median =   5               Variance = 1,085.083
```

(Based on 330 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2982-2984

Y7_1379   **NO. FIGHTS RESULT-PERS PHYS INJ**

(IF RESPONSE OF 1 OR MORE TO Y7_1360-Y7_1367 OR Y7_1370-Y7_1377)

In how many of these fights were you physically injured, e.g.,
knocked down, bruised, scratched, cut, choked, bones broken, eyes or
teeth injured?

```
Min    =   0              Mean     =  1.255
Max    = 150              Std Dev  =  8.995
Median =   0              Variance = 80.907
```

(Based on 322 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2985-2987

Y7_1380   **NO. TIMES TO DR/HOSP TREATM**

(IF ANY INJURY REPORTED IN Y7_1379)

During the past year, how many times did you go to a doctor, clinic
or hospital for medical treatment as a result of these fights?

```
Min    = 0               Mean     = .212
Max    = 5               Std Dev  = .795
Median = 0               Variance = .631
```

(Based on 66 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2988-2989

Y7_1381   **NO. FIGHTS RESULT-PARTN PHYS INJ**

(IF RESPONSE OF 1 OR MORE TO Y7_1360-Y7_1367 OR Y7_1370-Y7_1377)

In how many of these fights was your spouse/boyfriend/girlfriend
physically injured, e.g., knocked down, bruised, scratched, cut,
choked, bones broken, eyes or teeth injured?

```
Min    = 0                    Mean     = .336
Max    = 11                   Std Dev  = 1.088
Median = 0                    Variance = 1.184
```

(Based on 330 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2990-2992

Y7_1382   **NO TIMES PARTN TO DR/HOSP TREATM**

(IF ANY INJURY REPORTED IN Y7_1381)

How many times did your spouse/boyfriend/girlfriend go to a doctor,
clinic or hospital for medical treatment as a result of these fights?

```
Min    = 0                    Mean     = .286
Max    = 3                    Std Dev  = .677
Median = 0                    Variance = .458
```

(Based on 49 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2993-2994

Y7_1383   **SEXUAL INTERCOURSE/OPPOSITE SEX**

Have you ever had sexual intercourse with a person of the opposite sex?

(IF NO, SKIP TO Y7_1411)

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  5.5    4.4     76      1  No
 94.5   75.5  1,303      2  Yes
        20.1    346     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 2995-2996

Y7_1384   **SEX INTER (NOT SPOUSE)-FREQ**

How many times in the last year have you had sexual intercourse with someone of the opposite sex (IF MARRIED, other than your wife/husband?)

```
Min    =   0              Mean     =    40.312
Max    = 999              Std Dev  =    78.626
Median =   2              Variance = 6,182.091
```

(Based on 1,290 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2997-2999

Y7_1385   **SEX INTER (NOT SPOUSE)-RATE**

        (IF FREQUENCY IS 10 OR MORE TO Y7_1384)

        How often you were involved in this behavior (Y7_1384)?

          PCT   PCT   N   VALUE   LABEL
         VALID   ALL
          44.5   33.3   574   1
           7.4   5.5   95   2
           3.5   2.6   45   3
           5.3   4.0   69   4   Once a month
           8.4   6.3   109   5   Once every 2-3 weeks
           9.4   7.0   121   6   Once a week
          18.9   14.1   244   7   2-3 times a week
           1.9   1.4   24   8   Once a day
           0.7   0.5   9   9   2-3 times a day
                  25.2   435   -1
         -----   -----   -----
         100.0   100.0   1,725 cases

        Data type: numeric
        Missing-data code: -1
        Columns: 3000-3001

SEXUAL ACTIVITY

Y7_1386   **SEX INTERCOURSE (SPOUSE)-FREQ**

(IF MARRIED IN 1986)

How many times in the last year have you had sexual intercourse with
your husband/wife?

```
Min    =   0                Mean     =    117.602
Max    = 900                Std Dev  =    106.620
Median = 100                Variance = 11,367.884
```

(Based on 596 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3002-3004

Y7_1387   **SEX INTERCOURSE (SPOUSE)-RATE**

(IF FREQUENCY IS 10 OR MORE TO Y7_1386)

How often you were involved in this behavior (Y7_1386)?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  1.3    0.5      8      1
  0.8    0.3      5      2
  0.7    0.2      4      3
  2.8    1.0     17      4  Once a month
  9.2    3.2     55      5  Once every 2-3 weeks
 18.4    6.4    110      6  Once a week
 59.8   20.7    357      7  2-3 times a week
  5.2    1.8     31      8  Once a day
  1.7    0.6     10      9  2-3 times a day
        65.4  1,128     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3005-3006

Y7_1388   **HOW MANY SEXUAL PARTNERS**

(IF NO SEXUAL INTERCOURSE IN LAST YEAR SKIP TO Y7_1389)

Altogether during the past year, including your spouse, how many
different people of the opposite sex have you had as sexual partners?

```
Min    = 1                    Mean     =  2.091
Max    = 99                   Std Dev  =  4.331
Median = 1                    Variance = 18.755
```

(Based on 1,244 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3007-3008

Y7_1389   **PRESSURED SOMEONE SEXUALLY-FREQ**

How many times in the last year have you pressured or pushed someone
such as a date or friend to do more sexually than he/she wanted to
do?

```
Min    = 0                    Mean     = .018
Max    = 4                    Std Dev  = .217
Median = 0                    Variance = .047
```

(Based on 1,304 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3009-3011

Y7_1390   **PRESSURED SOMEONE SEXUALLY-RATE**

    (IF FREQUENCY IS 10 OR MORE TO Y7_1389)

    How often have you pressured someone?

    (IF RESPONSE IS ZERO, SKIP TO Y7_1398)

```
  PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 99.0   74.8  1,291     1
  0.8    0.6     11     2
  0.2    0.1      2     3
  0.0    0.0      0     4  Once a month
  0.0    0.0      0     5  Once every 2-3 weeks
  0.0    0.0      0     6  Once a week
  0.0    0.0      0     7  2-3 times a week
  0.0    0.0      0     8  Once a day
  0.0    0.0      0     9  2-3 times a day
         24.4    421    -1
 -----  -----  -----
100.0  100.0  1,725 cases

Data type: numeric
Missing-data code: -1
Columns: 3012-3013
```

Y7_1391	RELATIONSHIP TO PERSON PRESSURED

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a date or friend to do more sexually than he/she wanted to do . . .

What was your relationship to the person(s)? (CHECK ALL THAT APPLY)

PCT VALID	PCT ALL	N	VALUE	LABEL
36.4	0.2	4	1	Boy/girlfriend
0.0	0.0	0	2	Date
18.2	0.1	2	3	Friend
9.1	0.1	1	4	Acquaintance
0.0	0.0	0	5	Stranger
36.4	0.2	4	6	Spouse
0.0	0.0	0	7	Relative
0.0	0.0	0	8	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 3014-3015

Y7_1392   **SEX OF PERSON PRESSURED**

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a
date or friend to do more sexually than he/she wanted to do . . .

 What was the sex of the person(s)?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  18.2   0.1     2     1  Male
  81.8   0.5     9     2  Female
   0.0   0.0     0     3  Both
         99.4  1,714   -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3016-3017

Y7_1393   **KIND OF PRESSURE/FORCE USED**

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a
date or friend to do more sexually than he/she wanted to do . . .

 What kind of pressure or force did you use? (CHECK ALL THAT APPLY)

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  81.8   0.5     9     1  Verbal persuasion
   0.0   0.0     0     2  Verbal threats of injury
  18.2   0.1     2     3  Hit, slap, mild roughness
   0.0   0.0     0     4  Physical beating/choking
   0.0   0.0     0     5  Threat to use weapon
   0.0   0.0     0     6  Used a weapon
         99.4  1,714   -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3018-3019

Y7_1394   **OTHERS INVOLVED W/PRESSURING**

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a
date or friend to do more sexually than he/she wanted to do . . .

 Was anyone else, besides yourself, involved in pressuring or
 forcing the person(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.6	10	0	No
9.1	0.1	1	3	
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 3020-3021

Y7_1395   **WAS THE PERSON INJURED**

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a
date or friend to do more sexually than he/she wanted to do . . .

 Did you hurt or injure the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	10	1	No
0.0	0.0	0	2	Yes
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 3022-3023

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1396              SUCCEED IN FORCING SEX RELATIONS                     │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a
date or friend to do more sexually than he/she wanted to do . . .

 Did you succeed in forcing the person(s) to have sex with you?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  40.0    0.2      4      1  No
  60.0    0.3      6      2  Yes
          99.4  1,715     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3024-3025

```
┌─────────────────────────────────────────────────────────────────────────┐
│ Y7_1397              EVENT REPORT ANY OTH QUEST ITEM                      │
└─────────────────────────────────────────────────────────────────────────┘
```

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a
date or friend to do more sexually than he/she wanted to do . . .

 Did you report this same event for any other question(s) we've
 asked?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  55.6    0.3      5      0  No
  33.3    0.2      3    241
  11.1    0.1      1    439
          99.5  1,716     -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3026-3028

Y7_1398   **THREATENED SOMEONE FOR SEX-FREQ**

How many times in the last year have you physically hurt or
threatened to hurt someone to get them to have sex with you?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  99.9    75.5  1,303       0
   0.1     0.1      1       1
          24.4    421      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3029-3031

Y7_1399   **THREATENED SOMEONE FOR SEX-RATE**

(IF FREQUENCY IS 10 OR MORE TO Y7_1398)

How often you were involved in this behavior (Y7_1398).

(IF RESPONSE IS ZERO, SKIP TO Y7_1407)

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  99.9    75.5  1,303       1
   0.1     0.1      1       2
   0.0     0.0      0       4  Once a month
   0.0     0.0      0       5  Once every 2-3 weeks
   0.0     0.0      0       6  Once a week
   0.0     0.0      0       7  2-3 times a week
   0.0     0.0      0       8  Once a day
   0.0     0.0      0       9  2-3 times a day
          24.4    421      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3032-3033

```
Y7_1400                    RELATIONSHIP TO PERS THREATENED
```

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt
someone to get them to have sex with you . . .

What was your relationship to the person(s) (CHECK ALL THAT APPLY)

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
 100.0     0.1      1       1   Boy/girlfriend
   0.0     0.0      0       2   Date
   0.0     0.0      0       3   Friend
   0.0     0.0      0       4   Acquaintance
   0.0     0.0      0       5   Stranger
   0.0     0.0      0       6   Spouse
   0.0     0.0      0       7   Relative
   0.0     0.0      0       8   Other
          99.9  1,724      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3034-3035

```
Y7_1401                    SEX OF PERSON THREATENED
```

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt
someone to get them to have sex with you . . .

What was the sex of the person(s)?

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
   0.0     0.0      0       1   Male
 100.0     0.1      1       2   Female
   0.0     0.0      0       3   Both
          99.9  1,724      -1
 -----   -----  -----
 100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3036-3037

Y7_1402   **KIND OF PRESSURE/FORCE USED**

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt
someone to get them to have sex with you . . .

What kind of pressure or force did you use? (CHECK ALL THAT APPLY)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	Verbal persuasion
0.0	0.0	0	2	Verbal threats of injury
100.0	0.1	1	3	Hit, slap, mild roughness
0.0	0.0	0	4	Physical beating/choking
0.0	0.0	0	5	Threat to use weapon
0.0	0.0	0	6	Used a weapon
	99.9	1,724	-1	

```
    -----  -----  -----
    100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3038-3039

Y7_1403   **OTHERS INVOLVED W/THREATENING**

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt
someone to get them to have sex with you . . .

Was anyone else, besides yourself, involved in pressuring or
forcing the person(s)?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	1	0	No
	99.9	1,724	-1	

```
    -----  -----  -----
    100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3040-3041

Y7_1404   **WAS THE PERSON INJURED**

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt
someone to get them to have sex with you . . .

 Did you hurt or injure the person?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  100.0   0.1      1      1  No
    0.0   0.0      0      2  Yes
          99.9  1,724     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3042-3043

Y7_1405   **SUCCEED IN FORCING SEX RELATIONS**

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt
someone to get them to have sex with you . . .

 Did you succeed in forcing the person(s) to have sex with you?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  100.0   0.1      1      1  No
    0.0   0.0      0      2  Yes
          99.9  1,724     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3044-3045

Y7_1406   **EVENT REPORT ANY OTH QUEST ITEM**

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt
someone to get them to have sex with you . . .

 Did you report this same event for any other question(s) we've
 asked?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
   0.0    0.0     0      0  No
         100.0  1,725    -1
       ----- ----- -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3046-3048

Y7_1407   **AGE 1ST SEX INTER W/OPPOSITE SEX**

How old were you when you first had sexual intercourse with someone
of the opposite sex?

```
Min    =  4              Mean     = 16.840
Max    = 28              Std Dev  =  2.835
Median = 17              Variance =  8.034
```

(Based on 1,296 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3049-3050

```
Y7_1408                  RELATIONSHIP TO THAT PERSON
```

What was your relationship to that person?

```
   PCT    PCT      N  VALUE   LABEL
  VALID   ALL
   5.8    4.3     75      1   Husband/wife
   4.8    3.6     62      2   Fiance/fiancee
  56.0   42.1    727      3   Steady dating partner
  25.5   19.2    331      4   Friend
   0.2    0.1      2      5   Teacher
   5.6    4.2     73      6   Casual acquaintance
   0.5    0.4      7      7   Relative
   1.5    1.2     20      8   Complete stranger
   0.2    0.1      2      9   Prostitute
         24.7    426     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3051-3052

```
Y7_1409                  1ST SEXUAL EXPERIENCE VOLUNTARY
```

Was your first experience with sexual intercourse forced or
voluntary?

```
   PCT    PCT      N  VALUE   LABEL
  VALID   ALL
   3.5    2.7     46      1   Forced
  96.5   72.8  1,255      2   Voluntary
         24.6    424     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3053-3054

```
Y7_1410              FEELINGS ABOUT THAT EXPERIENCE
```

How do you feel about that sexual experience?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 14.5   10.9    188      1  Very positive
 33.9   25.6    441      2  Positive
 18.6   14.0    242      3  Both positive and negative
 21.2   16.0    276      4  Neither positive or negative
  6.8    5.1     88      5  Negative
  5.0    3.8     65      6  Very negative
        24.6    425     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3055-3056

```
Y7_1411              SEXUAL RELATIONS W/SAME SEX
```

Have you ever engaged in sexual relations with someone of the same sex?

(IF NO, SKIP TO Y7_1418)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 97.4   78.0  1,345      1  No
  2.6    2.1     36      2  Yes
        19.9    344     -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3057-3058

```
Y7_1412               AGE 1ST TIME SEX REL W/SAME SEX
```

How old were you when you had your first sexual experience with
someone of the same sex? (Age)

```
Min    =  6                    Mean     = 16.278
Max    = 25                    Std Dev  =  4.412
Median = 17                    Variance = 19.463
```

(Based on 36 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3059-3060

```
Y7_1413               1ST EXPERIENCE VOLUNTARY
```

Was this experience forced or voluntary?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  5.6    0.1      2      1  Forced
 94.4    2.0     34      2  Voluntary
         97.9  1,689     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3061-3062

```
Y7_1414               FEELINGS ABOUT THAT EXPERIENCE
```

How do you feel about that sexual experience?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 22.2    0.5      8      1  Very positive
  8.3    0.2      3      2  Positive
 25.0    0.5      9      3  Both positive and negative
 30.6    0.6     11      4  Neither positive or negative
  8.3    0.2      3      5  Negative
  5.6    0.1      2      6  Very negative
         97.9  1,689     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3063-3064

```
Y7_1415                    HOW OFTN SEX REL W/SAME SEX-FREQ
```

How many times in the last year, that is from Christmas a year ago to
the Christmas just past, have you had sexual relations with someone
of the same sex?

```
Min    =    0              Mean     =    35.111
Max    = 365              Std Dev  =    78.635
Median =   3.5            Variance = 6,183.473
```

(Based on 36 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3065-3067

```
Y7_1416                    HOW OFTN SEX REL W/SAME SEX-RATE
```

(IF FREQUENCY IS 10 OR MORE TO Y7_1415)

How often have you had intercourse?

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 33.3    0.7     12      1
 16.7    0.3      6      2
  8.3    0.2      3      3
  5.6    0.1      2      4  Once a month
 13.9    0.3      5      5  Once every 2-3 weeks
  5.6    0.1      2      6  Once a week
 13.9    0.3      5      7  2-3 times a week
  2.8    0.1      1      8  Once a day
  0.0    0.0      0      9  2-3 times a day
         97.9  1,689     -1
-----   -----  -----
100.0   100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3068-3069

Y7_1417   **NO. OF SAME-SEX SEX PART LAST YR**

Altogether during the past year, how many different people of the
same sex have you had as sexual partners?

```
Min    =  0                    Mean    = 2.147
Max    = 10                    Std Dev = 2.664
Median =  1                    Variance = 7.099
```

(Based on 34 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3070-3071

Y7_1418   **SEXUAL IDENTITY**

At this point in your life, how would you describe your sexual
identity, that is, your sexual preference or commitment? (CHECK ONLY
ONE RESPONSE)

PCT VALID	PCT ALL	N	VALUE	LABEL
96.4	77.2	1,331	1	Heterosexual
0.9	0.8	13	2	Bisexual
1.2	0.9	16	3	Gay
1.4	1.1	19	4	Uncertain
0.1	0.1	1	9	Dont know (Respondent did not
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 3072-3073

```
Y7_1419              SATISFIED W/SEX LIFE
```

How do you feel about your sex life over the past year?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  2.4    1.9     33      1  Very dissatisfied
  6.0    4.8     82      2  Somewhat dissatisfied
 11.2    8.9    154      3  Neither satisfied nor dissatisfied
 32.9   26.3    454      4  Somewhat satisfied
 47.5   38.0    655      5  Very satisfied
        20.1    347     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3074-3075

```
Y7_1420              AMOUNT OF STRESS/PRESS SEX LIFE
```

Thinking of your sexual experience in the past year, how much
pressure or stress is there in this area of your life?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 42.5   34.0    586      1  Very little
 27.6   22.1    381      2  Not too much
 21.1   16.9    291      3  Some
  5.9    4.8     82      4  Quite a bit
  2.8    2.3     39      5  A great deal
        20.1    346     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3076-3077

Y7_1421   **EXP SERIOUS FUNCTIONAL SEX PROB**

Has there ever been a period of two months or longer when you had
sexual problems such as (FOR MALES) trouble having an erection? (FOR
FEMALES) extreme fear of having sexual relations or inability to
experience orgasm?

(IF NO, SKIP TO Y7_1423)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  95.4   76.2  1,315      1  No
   4.6    3.7     64      2  Yes
         20.1    346     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3078-3079

Y7_1422   **NO. TIMES SEX BEHAV AFF PAST YR**

(IF YES TO Y7_1421)

How many times in the last year was your sexual behavior affected by
any such problem(s)?

```
Min    = 0                    Mean     =  10.317
Max    = 99                   Std Dev  =  16.384
Median =  4                   Variance = 268.446
```

(Based on 63 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3080-3081

Y7_1423   **PEEP OTHS DRESSING/ENGAGED SEX**

How many times in past year have you . . .

Purposefully and secretly watched others as they undressed
or engaged in sexual acts?

```
Min    =   0                 Mean     =      7.299
Max    = 999                 Std Dev  =     84.784
Median =   0                 Variance = 7,188.246
```

(Based on 1,379 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3082-3084

Y7_1424   **TRIED ENGAGE CHILD SEX ACTIVITY**

How many times in past year have you . . .

Made sexual advances to or engaged in sexual behavior
with children?

```
Min    = 0                   Mean     = .000
Max    = 0                   Std Dev  = .000
Median = 0                   Variance = .000
```

(Based on 1,379 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3085-3087

Y7_1425   **SEXUALLY EXPOSED TO STRANGERS**

How many times in past year have you . . .

Purposefully exposed (displayed) the sexual parts of your
body to strangers?

```
Min    =   0                 Mean     =      2.199
Max    = 999                 Std Dev  =     46.562
Median =   0                 Variance = 2,167.991
```

(Based on 1,379 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3088-3090

Y7_1426   **WATCH PORNOGRAHIC MOVIES/OTHER**

How many times in past year have you . . .

Watched X-rated movies or pornographic live shows or
purchased materials from a pornographic shop?

```
Min    =   0                    Mean     =     22.726
Max    = 999                    Std Dev  =    141.056
Median =   0                    Variance = 19,896.671
```

(Based on 1,374 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3091-3093

Y7_1427   **BEEN CRUEL/HURTFUL TO SEX PART**

(ASK ONLY IF RESPONDENT REPORTS SOME SEXUAL RELATIONS)

How many times in past year have you . . .

Had sexual relations where you purposefully were cruel and
inflicted pain on your partner?

```
Min    =  0                     Mean     = .014
Max    = 10                     Std Dev  = .305
Median =  0                     Variance = .093
```

(Based on 1,306 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3094-3096

Y7_1428   **SOUGHT CRUEL/PAIN FROM SEX PART**

(ASK ONLY IF RESPONDENT REPORTS SOME SEXUAL RELATIONS)

How many times in past year have you . . .

 Had sexual relations where you   sought cruel, dominating and
 abusive behavior from your partner?

Min   = 0   Mean   =   .795
Max   = 999   Std Dev = 27.660
Median = 0   Variance = 765.100

(Based on 1,305 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3097-3099

RESPONDENT OBSERVATIONS

Y7_1429   **FURTHER EXPLANATION OF ANSWERS**

Would you like to explain any of your answers further?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 87.8   70.3  1,212      1  No
 12.2    9.8    169      2  Yes
        19.9    344     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3100-3101

Y7_1430   **UNCOMFORT Q.-DRUGS**

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 100.0   1.8     31      1  Drugs
        98.2  1,694     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3102-3103

Y7_1431   **UNCOMFORT Q.-SEX**

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 100.0   6.7    116      1  Sex
        93.3  1,609     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3104-3105

```
Y7_1432               UNCOMFORT Q.-MENTAL HEALTH
```

```
    PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  100.0    0.5      8      1   Mental health
           99.5  1,717     -1
  -----   -----  -----
  100.0  100.0   1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 3106-3107
```

```
Y7_1433               UNCOMFORT Q.-CRIMINAL BEHAVIOR
```

```
    PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  100.0    0.9     16      1   Criminal behavior
           99.1  1,709     -1
  -----   -----  -----
  100.0  100.0   1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 3108-3109
```

```
Y7_1434               UNCOMFORT Q.-SPOUSE VIOLENCE
```

```
    PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  100.0    0.9     16      1   Spouse violence
           99.1  1,709     -1
  -----   -----  -----
  100.0  100.0   1,725 cases
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 3110-3111
```

```
Y7_1435               UNCOMFORT Q.-SPECIFIC ITEM NO.
```

```
  1,725 cases (Range of valid codes: 6-478)
```

```
  Data type: numeric
  Missing-data code: -1
  Columns: 3112-3114
```

```
Y7_1436              UNCOMFORT Q.-SPECIFIC ITEM NO.
```

PCT VALID	PCT ALL	N	VALUE	LABEL
4.5	0.1	1	27	
9.1	0.1	2	73	
4.5	0.1	1	116	
4.5	0.1	1	239	
4.5	0.1	1	301	
4.5	0.1	1	334	
9.1	0.1	2	356	
4.5	0.1	1	381	
4.5	0.1	1	416	
4.5	0.1	1	418	
4.5	0.1	1	429	
4.5	0.1	1	443	
9.1	0.1	2	445	
4.5	0.1	1	454	
4.5	0.1	1	462	
4.5	0.1	1	465	
4.5	0.1	1	466	
4.5	0.1	1	472	
4.5	0.1	1	476	
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 3115-3117

```
Y7_1437              DELIB FALSE RESP-EVER
```

We know it is difficult to remember all the things we have asked
about and that your estimates may be off a little, but have you ever
deliberately misled us with your answers?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.9	79.2	1,366	1	No
1.1	0.9	15	2	Yes
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 3118-3119

INTERVIEWER OBSERVATIONS

Y7_1451	RESP'S ANXIETY BEFORE INTERVIEW

How anxious did the respondent seem to be about the study before the
interview?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 86.7   69.0  1,191      1  Not at all anxious
 12.2    9.7    168      2  Somewhat anxious
  1.1    0.9     15      3  Very anxious
         20.3    351     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3120-3121

Y7_1452	WAS RESPONDENT HOSTILE

Was the respondent at all hostile either before or during the
interview?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 98.7   78.6  1,355      1  No
  1.3    1.0     18      2  Yes
         20.4    352     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3122-3123

Y7_1453   **RESPONDENT'S INTEREST**

How great was the respondent's interest in the interview?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.8	13	1	Very low
8.4	6.7	115	2	Below average
50.6	40.2	694	3	Average
31.3	24.9	429	4	Above average
8.8	7.0	120	5	Very high
	20.5	354	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 3124-3125

Y7_1454   **PROBS-DIFFICULTY W/LANGUAGE**

Did you encounter any problems or circumstances that might have
affected the interview . . .

 Difficulty with the English language

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.8	14	1	Difficulty with language
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 3126-3127

```
Y7_1455              PROBS-DIFFICULTY W/QUESTIONS
```

Did you encounter any problems or circumstances that might have
affected the interview . . .

 Lots of difficulty understanding questions

```
   PCT     PCT      N   VALUE  LABEL
  VALID    ALL
  100.0    2.6     45       1  Difficulty with questions
           97.4  1,680      -1
  -----   -----   -----
  100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3128-3129

```
Y7_1456              PROBS-INTERRUPTIONS
```

Did you encounter any problems or circumstances that might have
affected the interview . . .

 Many interruptions

```
   PCT     PCT      N   VALUE  LABEL
  VALID    ALL
  100.0    5.7     98       1  Interruptions
           94.3  1,627      -1
  -----   -----   -----
  100.0   100.0   1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3130-3131

Y7_1457   **PROBS-TEMPORARY BREAKOFF**

Did you encounter any problems or circumstances that might have
affected the interview . . .

 Temporary breakoff

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    4.8     82      1  Temporary breakoff
          95.2  1,643     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3132-3133

Y7_1458   **PROBS-BREAKOFF**

Did you encounter any problems or circumstances that might have
affected the interview . . .

 Breakoff

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 100.0    0.8     13      1  Breakoff
          99.2  1,712     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3134-3135

```
Y7_1459              PROBS-OTHER
```

Did you encounter any problems or circumstances that might have
affected the interview . . .

 Other (SPECIFY)

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 100.0   11.0    190      1  Other (all other unclassifiable)
         89.0  1,535     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3136-3137

```
Y7_1460              RESP'S ANXIETY AFTER INTERVIEW
```

How did the respondent seem at the end of the interview?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  94.5   75.0  1,294      1  Relaxed
   3.4    2.7     46      2  Tense
   2.1    1.7     29      3  Other
         20.6    356     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3138-3139

```
Y7_1461              ADDITIONAL COMMENTS
```

Thumbnail Sketch and Comments:

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   1.4    1.2     20      1  No
  98.6   79.0  1,363      2  Yes
         19.8    342     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3140-3141

ADDITIONAL SELF-REPORTED DELINQUENCY -- 1984 AND 1985

Y7_1466   **BEEN IN GANG FIGHTS-1984**

During 1984 did you . . .

 Get involved in a gang fight?

```
    PCT    PCT      N  VALUE  LABEL
  VALID    ALL
  100.0   32.4    559      1  No
    0.0    0.0      0      2  Yes
          67.6  1,166     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3142-3143

Y7_1467   **BEEN IN GANG FIGHTS-1985**

During 1985 did you . . .

 Get involved in a gang fight?

```
    PCT    PCT      N  VALUE  LABEL
  VALID    ALL
   99.8   32.3    558      1  No
    0.2    0.1      1      2  Yes
          67.6  1,166     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3144-3145

```
Y7_1468              STEAL SOMETHING > $50-1984
```

During 1984 did you . . .

 Steal something worth more than $50?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  99.8   32.3    558      1  No
   0.2    0.1      1      2  Yes
         67.6  1,166     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3146-3147

```
Y7_1469              STEAL SOMETHING > $50-1985
```

During 1985 did you . . .

 Steal something worth more than $50?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  99.8   32.3    558      1  No
   0.2    0.1      1      2  Yes
         67.6  1,166     -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3148-3149

```
Y7_1470              ATTACK SOMEONE-1984
```

During 1984 did you . . .

 Attack someone with the idea of seriously hurting or killing them?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  99.6   32.3    557       1  No
   0.4    0.1      2       2  Yes
         67.6  1,166      -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3150-3151

```
Y7_1471              ATTACK SOMEONE-1985
```

During 1985 did you . . .

 Attack someone with the idea of seriously hurting or killing them?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  99.6   32.3    557       1  No
   0.4    0.1      2       2  Yes
         67.6  1,166      -1
  -----  -----  -----
  100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3152-3153

```
Y7_1472              STEAL MOTOR VEHICLE-1984
```

During 1984 did you . . .

 Steal or try to steal a motor vehicle?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
100.0   32.4    559       1  No
  0.0    0.0      0       2  Yes
        67.6  1,166      -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3154-3155

```
Y7_1473              STEAL MOTOR VEHICLE-1985
```

During 1985 did you . . .

 Steal or try to steal a motor vehicle?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
100.0   32.4    559       1  No
  0.0    0.0      0       2  Yes
        67.6  1,166      -1
-----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3156-3157

```
Y7_1474                USED FORCE ON ANYONE-1984
```

```
     During 1984 did you . . .

      Use force or strongarm methods to get money or things from
      people?

       PCT     PCT      N  VALUE  LABEL
      VALID    ALL
      100.0   32.4     559      1  No
        0.0    0.0       0      2  Yes
               67.6   1,166     -1
      -----   -----   -----
      100.0  100.0   1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 3158-3159
```

```
Y7_1475                USED FORCE ON ANYONE-1985
```

```
     During 1985 did you . . .

      Use force or strongarm methods to get money or things from
      people?

       PCT     PCT      N  VALUE  LABEL
      VALID    ALL
      100.0   32.4     559      1  No
        0.0    0.0       0      2  Yes
               67.6   1,166     -1
      -----   -----   -----
      100.0  100.0   1,725 cases

      Data type: numeric
      Missing-data code: -1
      Columns: 3160-3161
```

```
Y7_1476                 BREAK INTO BUILDING-1984
```

During 1984 did you . . .

 Break into or try to break into a building or vehicle to steal
 something or just to look around?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 99.8   32.3    558       1  No
  0.2    0.1      1       2  Yes
        67.6  1,166      -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3162-3163

```
Y7_1477                 BREAK INTO BUILDING-1985
```

During 1985 did you . . .

 Break into or try to break into a building or vehicle to steal
 something or just to look around?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
100.0   32.4    559       1  No
  0.0    0.0      0       2  Yes
        67.6  1,166      -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3164-3165

```
Y7_1478              SEX RELATIONS AGAINST WILL-1984
```

During 1984 did you . . .

Have or try to have sexual relations with someone against their will?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 99.8   32.3     558      1  No
  0.2    0.1       1      2  Yes
        67.6   1,166     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3166-3167

```
Y7_1479              SEX RELATIONS AGAINST WILL-1985
```

During 1985 did you . . .

Have or try to have sexual relations with someone against their will?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 100.0  32.4     559      1  No
   0.0   0.0       0      2  Yes
        67.6   1,166     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3168-3169

Y7_1480   **BOUGHT STOLEN GOODS-1984**

During 1984 did you . . .

Knowingly buy, sell, or hold stolen goods or try to do any of these
things?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 99.8   32.3    558      1  No
  0.2    0.1      1      2  Yes
        67.6  1,166     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3170-3171

Y7_1481   **BOUGHT STOLEN GOODS-1985**

During 1985 did you . . .

Knowingly buy, sell, or hold stolen goods or try to do any of these
things?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
100.0   32.4    559      1  No
  0.0    0.0      0      2  Yes
        67.6  1,166     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3172-3173

```
Y7_1482              USED ALCOHOL > 3 TIMES-1984
```

During 1984 did you . . .

 Use alcohol more than 3 times?

```
   PCT    PCT     N  VALUE  LABEL
VALID   ALL
 30.4    9.9    170      1  No
 69.6   22.6    389      2  Yes
        67.6  1,166     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3174-3175

```
Y7_1483              USED ALCOHOL > 3 TIMES-1985
```

During 1985 did you . . .

 Use alcohol more than 3 times?

```
   PCT    PCT     N  VALUE  LABEL
VALID   ALL
 30.1    9.7    168      1  No
 69.9   22.7    391      2  Yes
        67.6  1,166     -1
 -----  -----  -----
100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3176-3177

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1484              USED MARIJUANA > 3 TIMES-1984                    │
└─────────────────────────────────────────────────────────────────────┘
```

During 1984 did you . . .

 Use marijuana more than 3 times?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  85.2   27.6    476      1  No
  14.8    4.8     83      2  Yes
         67.6  1,166     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3178-3179

```
┌─────────────────────────────────────────────────────────────────────┐
│ Y7_1485              USED MARIJUANA > 3 TIMES-1985                    │
└─────────────────────────────────────────────────────────────────────┘
```

During 1985 did you . . .

 Use marijuana more than 3 times?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  85.9   27.8    480      1  No
  14.1    4.6     79      2  Yes
         67.6  1,166     -1
 -----  -----  -----
 100.0  100.0  1,725 cases
```

Data type: numeric
Missing-data code: -1
Columns: 3180-3181

Y7_1486   **ILLICIT DRUGS > 3 TIMES-1984**

During 1984 did you . . .

 Use other illicit drugs more than 3 times?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.2	31.8	549	1	No
1.8	0.6	10	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 3182-3183

Y7_1487   **ILLICIT DRUGS > 3 TIMES-1985**

During 1985 did you . . .

 Use other illicit drugs more than 3 times?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.7	31.7	546	1	No
2.3	0.8	13	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 3184-3185

Y7_1730   **NYS URB SSMPLURB RURAL**

PCT VALID	PCT ALL	N	VALUE	LABEL
21.4	21.4	369	0	
26.1	26.1	451	1	Urban
39.4	39.4	679	2	Suburban
13.1	13.1	226	3	Rural
-----	-----	-----		
100.0	100.0	1,725 cases		

Data type: numeric
Missing-data code: -1
Columns: 3186-3187

APPENDIX A: ORIGINAL CODEBOOK

NATIONAL YOUTH SURVEY [UNITED STATES]: WAVE VII, 1987

PLEASE NOTE: See the codebook which begins on page 3 for the
appropriate column locations for the data.

The variable names in the re-formatted codebook,
(the codebook which begins on page 3), have been
assigned sequentially, (i.e., V1, V2, ..., VN).
For matching purposes, the variable labels in the
re-formatted codebook include the original variable
names (i.e., Y6-1, Y6-2, ..., Y6-N).

```
                         Questionnaire
Variable   Column   Item Number   Variable Description and Coding

Y7-1        1                      ** Administration code
                                      Wave 7A:
                                        1=Face to Face Interview
                                        2=Telephone Interview
                                      Wave 7B:
                                        3=Telephone Interview
                                        4=Face to Face Interview
                                        Blank=Not eligible for Interview

Y7-2        2        1             * Sex
                                      1=Male
                                      2=Female
Y7-3        3- 4     2             * Ethnicity
                                      1=Anglo
                                      2=Black
                                      3=Hispanic
                                      4=American Indian
                                      5=Asian
                                      6=Other
Y7-4-6      5-10     3             * Birthdate
Y7-4        5- 6                      01-12=Month
Y7-5        7- 8                      01-31=Day
Y7-6        9-10                      59-66=Year
Y7-7        11-12    4             * Age (20-29)
                                    In the military?
            13       5a(1)           During 1984  1=No, 2=Yes
            14       5a(2)           During 1985  1=No, 2=Yes
Y7-10       15       5a(3)           During 1986  1=No, 2=Yes
Y7-11       16       5b            What branch?
                                      1=Army
                                      2=Navy
                                      3=Air Force
                                      4=Marines
                                      5=Coast Guard
                                      6=Inactive (Reserves, National
                                        Guard..)
```

** Wave 7A Partial Sample: Item Numbers unique to Wave 7A are
followed by an asterisk (*).
   Wave 7B Remainder of Sample: Item Numbers unique to Wave 7B are
followed by a numeric sign (#). Due to funding arrangements, the
seventh wave of the NYS was conducted separately for two different
subsamples (7A and 7B). The first subsample was interviewed primarily
with face-to-face interviews, supplemented by telephone interviews
when necessary (e.g. when respondents were overseas). The second
subsample was primarily interviewed by telephone. Tests of
differences in responses due to mode of administration have been
made and indicate no major mode of administration effect.

* Demographic data (sex, ethnicity, birthdate, age) are available for
all subjects from earlier data waves, and are present in the data file
whether or not a seventh wave interview was completed.

SEVENTH WAVE NYS DATA
CARD 1/35 (continued)

```
                    Questionnaire
Variable   Column   Item Number    Variable Description and Coding

Y7-12      17       6              Current marital status?
                                       1=Single
                                       2=Married
                                       3=Divorced (include annulled)
                                       4=Separated
                                       5=Widowed
Y7-13      18       6a             IF SINGLE: Ever Married?
                                       1=No
                                       2=Yes
                                   IF YES: Married during...
Y7-14      19       6b(1)              1984?  1=No, 2=Yes
Y7-15      20       6b(2)              1985?  1=No, 2=Yes
Y7-16      21       6b(3)              1986?  1=No, 2=Yes
```

Questionnaire item 7 asks respondents questions regarding serious
events which may have occurred to them or their spouses (if married)
during the years 1984-1986, and for the date of the most recent of
any disruptive event. Where the respondent is uncertain about the
exact date of an event the following rules have been applied:

```
                                   99=Don't Know
                                   13=Winter
                                   14=Spring
                                   15=Summer
                                   16=Fall
                                   17=All Year
```

```
                    7(a-e)         Events during 1984, 1985 or 1986:

                                   IF MARRIED, spouse events:
Y7-17      22       7a(1)             Serious accident? 1=No, 2=Yes
Y7-18      23-24    7a(2)                01-12=Month
Y7-19      25-26                         84-86=Year
Y7-20      27       7b(1)             Serious illness? 1=No, 2=Yes
Y7-21      28-29    7b(2)                01-12=Month
Y7-22      30-31                         84-86=Year
Y7-23      32       7c(1)             Spouse Unemployed? 1=No, 2=Yes
                                   IF YES: Number of months (00-12) in:
Y7-24      33-34    7c(2)              1984
Y7-25      35-36    7c(3)              1985
Y7-26      37-38    7c(4)              1986

                                   Respondent events:
Y7-27      39       7d(1)             Serious accident? 1=No, 2=Yes
```

```
SEVENTH WAVE NYS DATA
CARD 1/35 (continued)
                    Questionnaire
Variable   Column   Item Number    Variable Description and Coding


Y7-28      40-41    7d(2)               01-12=Month
Y7-29      42-43                        84-86=Year
Y7-30      44       7e(1)           Serious illness? 1=No, 2=Yes
Y7-31      45-46    7e(2)               01-12=Month
Y7-32      47-48                        84-86=Year


-------------------------------------------------------------------
Disruptive Events for Parents - Questionnaire item  8 asks respondents
to indicate which of a number of events have occurred to their parents
during  the past three years (1984, 1985, 1986).  Items  are  scored
dichotomously by year.

Y7-33-50   49-66/CARD 1 8a-f     Events happened to parents?
Y7-51-56    1- 6/CARD 2 8g-h        1=No
                                    2=Yes
-------------------------------------------------------------------


Y7-33      49       8a(1)        Divorce:  1984?
Y7-34      50       8a(2)                  1985?
Y7-35      51       8a(3)                  1986?

Y7-36      52       8b(1)        Separation: 1984?
Y7-37      53       8b(2)                    1985?
Y7-38      54       8b(3)                    1986?

Y7-39      55       8c(1)        Remarriage: 1984?
Y7-40      56       8c(2)                    1985?
Y7-41      57       8c(3)                    1986?

Y7-42      58       8d(1)        Death: 1984?
Y7-43      59       8d(2)               1985?
Y7-44      60       8d(3)               1986?

Y7-45      61       8e(1)        Serious accident: 1984?
Y7-46      62       8e(2)                          1985?
Y7-47      63       8e(3)                          1986?

Y7-48      64       8f(1)        Serious illness: 1984?
Y7-49      65       8f(2)                         1985?
Y7-50      66       8f(3)                         1986?

           67                    Blank
           68-71                 Data Set Number (0183)
           72                    Subsamples*
                                   l=NIMH
                                   2=LEAA
           73-76                 Household ID #
           77-78                 Respondent ID #, (02-09)
           79-80                 Card Number (0l)
```

SEVENTH WAVE NYS DATA
CARD 2/35

		Questionnaire	
Variable	Column	Item Number	Variable Description and Coding

Y7-51	1	8g(1)	Father lost job: 1984?
Y7-52	2	8g(2)	1985?
Y7-53	3	8g(3)	1986?

Y7-54	4	8h(1)	Mother lost job: 1984?
Y7-55	5	8h(2)	1985?
Y7-56	6	8h(3)	1986?

* Subsample codes refer to funding agency designations at Wave 2 and
Wave 3.

| Y7-57-59 | 7-12 | 9(a-c) | Lived with whom in 1986? |

    1=Mother and Father
    2=Mother only
    3=Father only
    4=Mother and Stepfather
    5=Father and Stepmother
    6=Spouse
    7=Roommate
    8=Boyfriend/girlfriend (opposite
      sex, intimate relationship)
    9=Alone
    10=Military
    11=Other
    12=Mother and other (related or not)
    13=Father and other (related or not)
    14=Mother, father & other (related
      or not)
    15=Relatives (not parents)
    16=In-laws
    17=Spouse and in-laws
    18=Prison
    19=Spouse and parents
    20=Boyfriend/girlfriend and parents
    21=Boyfriend/girlfriend and in-laws
    22=Boyfriend/girlfriend (same sex,
      intimate relationship)
    23=Alone with own children

Y7-57	7- 8	9a	Lived with the longest
Y7-58	9-10	9b	Lived with next longest (0=No others)
Y7-59	11-12	9c	Lived with next longest (0=No others)

Neighborhood Problems - Questionnaire item 10 asks respondents to
describe how much of a problem each of fifteen different
situations is in their neighborhood. Items are scored so that a
higher score reflects a perception of more problems in the
neighborhood.

SEVENTH WAVE NYS DATA
CARD 2/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

Y7-60-74 13-27   10(a-o)   3=Big problem
                                 2=Somewhat of a problem
                                 l=Not a problem

Y7-60   13   10(a)   High unemployment
Y7-61   14   10(b)   Racial conflict
Y7-62   15   10(c)   Vandalism
Y7-63   16   10(d)   Lawlessness
Y7-64   17   10(e)   Winos and junkies
Y7-65   18   10(f)   Prostitution
Y7-66   19   10(g)   Traffic
Y7-67   20   10(h)   Abandoned houses
Y7-68   21   10(i)   Sexual assaults or rapes
Y7-69   22   10(j)   Burglaries and thefts
Y7-70   23   10(k)   Gambling
Y7-71   24   10(l)   Run down and poorly kept buildings
Y7-72   25   10(m)   Organized crime
Y7-73   26   10(n)   Assaults and muggings
Y7-74   27   10(o)   Delinquent gangs

Y7-75   28   11(1)   Particular group of friends?
                                    1=No
                                    2=Yes
Y7-76   29   11(2)   Any close friends?
                                    1=No
                                    2=Yes
                                 Blank=Yes response to item 11(1)
Y7-77   30   12   How important is it to have friends?
                                    5=Very important
                                    4=Pretty important
                                    3=Somewhat important
                                    2=Not too important
                                    1=Not important at all
Y7-78   31   13   Stress from not having friends?
                                    5=A great deal
                                    4=Quite a bit
                                    3=Some
                                    2=Not too much
                                    1=Very little
Y7-79   32   15   Afternoons/weekday spent with friends
                                    0-5 (0=everything less than once a
                                     week)
Y7-80   33   16   Evenings/weekday spent with friends
                                    0-5 (0=everything less than once a
                                     week)
Y7-81   34   17   Time spent with friends on weekends:
                                    5=A great deal
                                    4=Quite a bit

SEVENTH WAVE NYS DATA
CARD 2/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
			3=Some
			2=Not too much
			1=Very little
Y7-82	35-36	18	Hours per week spent with friends: (0-99)
Y7-83	37	19	Friends' influence:
			5=A great deal
			4=Quite a bit
			3=Some
			2=Not too much
			1=Very little
Y7-84	38	20	Want to be like closest friends?
			5=In all ways
			4=In most ways
			3=In some ways
			2=In a few ways
			1=Not at all
Y7-85	39	21	How important was it to have friends?
			5=Very important
			4=Pretty important
			3=Somewhat important
			2=Not too important
			1=Not important at all
Y7-86	40	22	How satisfied with group of friends?
			5=Very satisfied
			4=Somewhat satisfied
			3=Neither
			2=Somewhat dissatisfied
			1=very dissatisfied
Y7-87	41	23	Interests and activities shared with friends:
			5=All
			4=Most
			3=Some
			2=A few
			1=None
Y7-88	42	24	In relationships with friends, how much:
			Stress/pressure in the relationships?
			5=A great deal
			4=Quite a bit
			3=Some
			2=Not too much
			1=Very little
Y7-89	43	25	Warmth/affection from friends? (coded the same as item 24)
Y7-90	44	26	Support/encouragement from friends? (coded the same as item 24)
Y7-91	45	27	Loyalty for one another?

SEVENTH WAVE NYS DATA
CARD 2/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
			(coded the same as item 24)
Y7-92	46	28	Respondent in any kind of education program in 1986? 1=Academic Program 2=Business/Vocational School 3=Other 4=No IF 2, 3 or 4: ask questions (a-e) regarding past academic education experience:
Y7-93	47-48	28(a)	Highest grade completed? 5-l7=Number of grade
Y7-94	49-50	28(b)	Last year in school? 74-85, 99=Don't Remember
Y7-95	51	28(c)	Satisfied with educational experience? 5=Very satisfied 4=Somewhat satisfied 3=Neither 2=Somewhat dissatisfied 1=Very dissatisfied
Y7-96	52	28(d)	Importance of past educational experience? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-97	53	28(e)	Stress/pressure from significant others about lack of education? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
			IF IN Academic Program in 1986(Q28=1):
Y7-98	54-55	29	Highest grade completed in 1986: 5-16=Number of grade 17=Graduate School
Y7-99	56	30	Grade point average 5=Mostly A's/Excellent 4=Mostly B's 3=Mostly C's/Satisfactory/Passing 2=Mostly D's 1=Mostly F's/Non-Satisfactory/Fail
Y7-100	57	31	Afternoons/school week spent studying? 0-5 (0=everything less than once a week)

SEVENTH WAVE NYS DATA
CARD 2/35 (continued)
                     Questionnaire
Variable Column Item Number   Variable Description and Coding

Y7-101   58   32   Evenings/school week spent studying?
                                    0-5 (0=everything less than once a
                                      week)
Y7-102   59   33   Time spent studying on weekends
                                    5=A great deal
                                    4=Quite a bit
                                    3=Some
                                    2=Not too much
                                    1=Very little
Y7-103   60-61   34   Hours per week spent studying
                                    (0-99, 99=99 or more)
Y7-104   62   35   How important has school/college
                                    work been?
                                    5=Very important
                                    4=Pretty important
                                    3=Somewhat important
                                    2=Not too important
                                    1=Not important at all
Y7-105   63   36   Satisfied with educational experience?
                                    5=Very satisfied
                                    4=Somewhat satisfied
                                    3=Neither
                                    2=Somewhat dissatisfied
                                    1=Very dissatisfied
Y7-106   64   37   Stress/pressure from being   in
                                    school/college?
                                    5=A great deal
                                    4=Quite a bit
                                    3=Some
                                    2=Not too much
                                    1=Very little
Y7-107   65   38   Any jobs in the past year?
                                    1=No
                                    2=Yes

Y7-108   66   39   Looked and couldn't find a job?
                                    1=No
                                    2=Yes

If the respondent had been unable to find a job, s/he was asked if any
of the following things were involved in the failure to get a job:

Y7-109-11367-71/CARD 2 39(a-e)   1=No
Y7-114-120 1- 7/CARD 3 39(f-l)   2=Yes

Y7-109   67   39(a)   Lacked necessary skills
Y7-110   68   39(b)   Lacked experience
Y7-111   69   39(c)   Lacked educational requirements
Y7-112   70   39(d)   Racial discrimination
Y7-113   71   39(e)   Sexual discrimination

SEVENTH WAVE NYS DATA
CARD 3/35 (continued)
                      Questionnaire
Variable Column Item Number   Variable Description and Coding

          72   Subsamples (see page 3)
                                     1=NIMH
                                     2=LEAA
          73-76   Household ID #
          77-78   Respondent ID #, (02-09)
          79-80   Card Number (02)

CARD 3/35

Y7-114   1   39(f)   Job didn't pay enough
Y7-115   2   39(g)   No jobs available
Y7-116   3   39(h)   Prison record
Y7-117   4   39(i)   Transportation problems
Y7-118   5   39(j)   Too young
Y7-119   6   39(k)   Timing problems(couldn't meet work
                                  schedule)
Y7-120   7   39(l)   Other

Y7-121   8   40   Received welfare or public
                                 assistance?
                                   1=No
                                   2=Yes

Y7-122   9   41   How important to have a job?
                                   5=Very important
                                   4=Pretty important
                                   3=Somewhat important
                                   2=Not too important
                                   1=Not important at all
Y7-123   10   42   How much stress/pressure from
                                 significant others to get a job?
                                   5=A great deal
                                   4=Quite a bit
                                   3=Some
                                   2=Not too much
                                   1=Very little

Y7-124   11-12   43   Total number of jobs reported:
                                 (01-10)

For respondents who reported having a job or jobs in 1986, five jobs
are each described and coded as follows:

Y7-125-14513-53   43(1-5)   (a) Duncan Socioeconomic Index (00-96)
                                 (b) Number of weeks worked (0-52)
                                   *(c) Hours/week worked (0-99)
                                   *(d) Hourly wage ($0-$99, 0=less
                                        than $1)
*Note: For these items (c,d) Blank=Refused or Don't Know. In the case
of Don't Know, some jobs were such that the Respondent was unable to

SEVENTH WAVE NYS DATA
CARD 3/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

give an estimate. Such jobs usually involved employment with varying
time commitment and pay rates unrelated to time spent working, e.g.:
bidding on construction work, certain kinds of commission, some kinds
of consulting jobs.

                    43(1)   Principal job:
Y7-125   13-14   43(1a)   Duncan Socioeconomic Index
Y7-126   15   43(1aH)   Hollingshead code (1-7)
Y7-127   16-17   43(1b)   Weeks worked
Y7-128   18-19   43(1c)   Hours per week
Y7-129   20-21   43(1d)   Hourly wage

                    43(2)   Second job:
Y7-130   22-23   43(2a)   Duncan Socioeconomic Index
Y7-131   24-25   43(2b)   Weeks worked
Y7-132   26-27   43(2c)   Hours per week
Y7-133   28-29   43(2d)   Hourly wage

                    43(3)   Third job:
Y7-134   30-31   43(3a)   Duncan Socioeconomic Index
Y7-135   32-33   43(3b)   Weeks worked
Y7-136   34-35   43(3c)   Hours per week
Y7-137   36-37   43(3d)   Hourly wage

                    43(4)   Fourth job:
Y7-138   38-39   43(4a)   Duncan Socioeconomic Index
Y7-139   40-41   43(4b)   Weeks worked
Y7-140   42-43   43(4c)   Hours per week
Y7-141   44-45   43(4d)   Hourly wage
                    43(5)   Fifth job:
Y7-142   46-47   43(5a)   Duncan Socioeconomic Index
Y7-143   48-49   43(5b)   Weeks worked
Y7-144   50-51   43(5c)   Hours per week
Y7-145   52-53   43(5d)   Hourly wage

Y7-146   54-55   43E   Total weeks worked from any other
                                    job(s): 0-99
Y7-147   56-57   43F   Mean number of hours/week worked for
                                    all other jobs: 0-52
Y7-148   58-59   43G   Average hourly wage for all other
                                    job(s): 0-99

Y7-149   60   46   How important was major job?
                                    5=Very important
                                    4=Pretty important
                                    3=Somewhat important
                                    2=Not too important
                                    1=Not important at all
Y7-150   61   47   How satisfied with major job?
                                    5=Very satisfied
                                    4=Somewhat satisfied

SEVENTH WAVE NYS DATA
CARD 3/35 (continued)
```
                                   Questionnaire
Variable  Column  Item Number    Variable Description and Coding
```
```
                                 3=Neither
                                 2=Somewhat dissatisfied
                                 1=Very dissatisfied
Y7-151    62      48             How much pressure/stress at work?
                                   5=A great deal
                                   4=Quite a bit
                                   3=Some
                                   2=Not too much
                                   1=Very little


Y7-152    63      49             Looked, couldn't find a job in 1986?
                                   1=No
                                   2=Yes
```

If there had been a time in 1986 when the respondent had looked and
been unable to find a job s/he was asked if any of the following
things were involved in the failure to get a job:

```
Y7-153-16064-71/CARD 3 49(a-h)  1=No
Y7-161-1641-4/CARD 4   49(i-l)  2=Yes
```

```
Y7-153    64      49(a)          Lacked necessary skills
Y7-154    65      49(b)          Lacked experience
Y7-155    66      49(c)          Lacked educational requirements
Y7-156    67      49(d)          Racial discrimination
Y7-157    68      49(e)          Sexual discrimination
Y7-158    69      49(f)          Job didn't pay enough
Y7-159    70      49(g)          No jobs available
Y7-160    71      49(h)          Prison record

          72                     Subsamples (see page 3)
                                   l=NIMH
                                   2=LEAA
          73-76                  Household ID #
          77-78                  Respondent ID #, (02-09)
          79-80                  Card Number (03)
```

CARD 4/35

```
Y7-161    1       49(i)          Transportation problems
Y7-162    2       49(j)          Too young
Y7-163    3       49(k)          Timing problems (couldn't  meet  work
                                    schedule)
Y7-164    4       49(l)          Other


Y7-165    5       50             Welfare or public assistance?
                                   1=No
                                   2=Yes
```

SEVENTH WAVE NYS DATA
CARD 4/35 (continued)
                              Questionnaire
Variable   Column   Item Number   Variable Description and Coding

Y7-166   6   51   Been fired/laid off in the past year?
                                       1=No
                                       2=Yes

If fired or laid off, were any of the following things involved in the
termination?

Y7-167-177 7-17   51A(a-k)   1=No
                                    2=Yes

Y7-167   7   51A(a)   Reduction in force?
Y7-168   8   51A(b)   Low seniority?
Y7-169   9   51A(c)   For violation of company rules?
Y7-170   10   51A(d)   Racial discrimination?
Y7-171   11   51A(e)   Sexual discrimination?
Y7-172   12   51A(f)   Lack of skills for the job?
Y7-173   13   51A(g)   Personality conflict?
Y7-174   14   51A(h)   Using alcohol/drugs on the job?
Y7-175   15   51A(i)   Using alcohol/drugs off the job?
Y7-176   16   51A(j)   Theft of company cash/property?
Y7-177   17   51A(k)   Sexual harrassment?
Y7-178   18   51B   Was termination justified?
                                       1=No
                                       2=Yes

Were chances for promotion or advancement at work seriously limited by
any of the following things?

Y7-179-18519-25   52(a-g)   1=No
                                    2=Yes

Y7-179   19   52(a)   Interpersonal skills?
Y7-180   20   52(b)   Job skills?
Y7-181   21   52(c)   Level of educational achievement?
Y7-182   22   52(d)   Amount of job experience?
Y7-183   23   52(e)   Sexual discrimination?
Y7-184   24   52(f)   Racial discrimination?
Y7-185   25   52(g)   Appearance?
Y7-186   26-30   53   Amount of income other than job
                                       earnings   ($0-$99999)

Y7-187   31   54   Employed during 1985?
                                       1=No
                                       2=Yes

Y7-188   32-33   55   IF YES: Number of jobs in 1985
                                              (01-10)

For respondents who reported having a job or jobs in 1985, as many as
five jobs are described and coded as follows:

SEVENTH WAVE NYS DATA
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

Y7-189-20734-70/CARD 4 55(1-5)   (a) Duncan Socioeconomic Index (00-96)
Y7-208-2091-4/CARD 5   (b) Number of weeks worked (0-52)
                                  (c) Hours/week worked (0-99)
                                  (d) Hourly wage ($0-$99)

                    55(1)   Principal job:
Y7-189   34-35   55(1a)   Duncan Socioeconomic Index
Y7-190   36   55(1aH)   Hollingshead code (1-7)
Y7-191   37-38   55(1b)   Weeks worked
Y7-192   39-40   55(1c)   Hours per week
Y7-193   41-42   55(1d)   Hourly wage

                    55(2)   Second job:
Y7-194   43-44   55(2a)   Duncan Socioeconomic Index
Y7-195   45-46   55(2b)   Weeks worked
Y7-196   47-48   55(2c)   Hours per week
Y7-197   49-50   55(2d)   Hourly wage

                    55(3)   Third job:
Y7-198   51-52   55(3a)   Duncan Socioeconomic Index
Y7-199   53-54   55(3b)   Weeks worked
Y7-200   55-56   55(3c)   Hours per week
Y7-201   57-58   55(3d)   Hourly wage

                    55(4)   Fourth job:
Y7-202   59-60   55(4a)   Duncan Socioeconomic Index
Y7-203   61-62   55(4b)   Weeks worked
Y7-204   63-64   55(4c)   Hours per week
Y7-205   65-66   55(4d)   Hourly wage

                    55(5)   Fifth job:
Y7-206   67-68   55(5a)   Duncan Socioeconomic Index
Y7-207   69-70   55(5b)   Weeks worked

          71   Blank
          72   Subsamples (see page 3)
                                    l=NIMH
                                    2=LEAA
          73-76   Household ID #
          77-78   Respondent ID #, 02-09)
          79-80   Card Number (04)

CARD 5/35   Fifth Job in 1985 (continued):

Y7-208   1- 2   55(5c)   Hours per week
Y7-209   3- 4   55(5d)   Hourly wage
Y7-210   5   56   Employed during 1984?
                                    1=No
                                    2=Yes

SEVENTH WAVE NYS DATA
CARD 5/35 (continued)
                              Questionnaire
Variable Column Item Number   Variable Description and Coding

Y7-211   6- 7   57   IF YES: Number of jobs in 1984:
                                        (01-10)

For respondents who reported having a job or jobs in 1984, as many as
five jobs are described and coded as follows:

Y7-212-23208-48   57(1-5)   (a) Duncan Socioeconomic Index (00-96)
                                    (b) Number of weeks worked (0-52)
                                    (c) Hours/week worked (0-99)
                                    (d) Hourly wage ($0-$99)

                  57(1)   Principal job:
Y7-212   8- 9   57(1a)   Duncan Socioeconomic Index
Y7-213   10   57(1aH)   Hollingshead code (1-7)
Y7-214   11-12   57(1b)   Weeks worked
Y7-215   13-14   57(1c)   Hours per week
Y7-216   15-16   57(1d)   Hourly wage

                  57(2)   Second job:
Y7-217   17-18   57(2a)   Duncan Socioeconomic Index
Y7-218   19-20   57(2b)   Weeks worked
Y7-219   21-22   57(2c)   Hours per week
Y7-220   23-24   57(2d)   Hourly wage

                  57(3)   Third job:
Y7-221   25-26   57(3a)   Duncan Socioeconomic Index
Y7-222   27-28   57(3b)   Weeks worked
Y7-223   29-30   57(3c)   Hours per week
Y7-224   31-32   57(3d)   Hourly wage

                  57(4)   Fourth job:
Y7-225   33-34   57(4a)   Duncan Socioeconomic Index
Y7-226   35-36   57(4b)   Weeks worked
Y7-227   37-38   57(4c)   Hours per week
Y7-228   39-40   57(4d)   Hourly wage

                  57(5)   Fifth job:
Y7-229   41-42   57(5a)   Duncan Socioeconomic Index
Y7-230   43-44   57(5b)   Weeks worked
Y7-231   45-46   57(5c)   Hours per week
Y7-232   47-48   57(5d)   Hourly wage
                                IF LIVED WITH BOTH SPOUSE AND BOY
                                 /GIRLFRIEND
Y7-233   49   58   DURING THE YEAR:Most recent partner?
                                   1=Spouse
                                   2=Girlfriend/boyfriend (opp. sex)
                                   3=Girlfriend/boyfriend (same sex)
Y7-234   50-51   59   Months lived with partner:
                                   01-12 (01=One month or less)

SEVENTH WAVE NYS DATA
CARD 5/35 (continued)
                                        Questionnaire
Variable Column Item Number   Variable Description and Coding

Y7-235   52   60   How important have activities with
                                   partner been?
                                   5=Very important
                                   4=Pretty important
                                   3=Somewhat important
                                   2=Not too important
                                   1=Not important at all
Y7-236   53   61   Partner's influence:
                                   5=A great deal
                                   4=Quite a bit
                                   3=Some
                                   2=Not too much
                                   1=Very little
Y7-237   54   62   Want to be like partner?
                                   5=In all ways
                                   4=In most ways
                                   3=In some ways
                                   2=In a few ways
                                   1=Not at all
Y7-238   55   63   How satisfied with relationship with
                                   partner?
                                   5=Very satisfied
                                   4=Somewhat satisfied
                                   3=Neither
                                   2=Somewhat dissatisfied
                                   1=very dissatisfied
Y7-239   56   64   Interests and activities shared with
                                   partner:
                                   5=All
                                   4=Most
                                   3=Some
                                   2=A few
                                   1=None
Y7-240   57   65   How much warmth/affection from
                                   partner?
                                   5=A great deal
                                   4=Quite a bit
                                   3=Some
                                   2=Not too much
                                   1=Very little
Y7-241   58   66   How satisfied with quality of
                                sexual relations?
                                   5=Very satisfied
                                   4=Somewhat satisfied
                                   3=Neither
                                   2=Somewhat dissatisfied
                                   1=very dissatisfied

SEVENTH WAVE NYS DATA
CARD 5/35 (continued)
                                    Questionnaire
Variable Column Item Number   Variable Description and Coding

Y7-242   59   67   How much support/encouragement from
                                   partner?
                                   5=A great deal
                                   4=Quite a bit
                                   3=Some
                                   2=Not too much
                                   1=Very little
Y7-243   60   68   How much loyalty between you and
                                   partner?   (coded same as item 67)
Y7-244   61   69   How much stress/pressure in your
                                   relationship?(coded same as item 67)
Y7-245   62   70   Has partner tried to influence you
                                   to do wrong?
                                   0=No
                                   1=Once
                                   2=Two or three times
                                   3=Four or more times
Y7-246   63   71   Was partner employed during 1986?
                                   1=No
                                   2=Yes
Y7-247   64-65   71a   Number of jobs partner had in 1986
                                        (01-10)

                  71(1)   Principal job:
Y7-248   66-67   71(1Aa)   Duncan Socioeconomic Index (00-96)
Y7-249   68   71(1Ab)   Hollingshead Occupational code (1-7)
Y7-250   69-70   71(1B)   Weeks worked at princpal job (0-52)

          71   Blank
          72   Subsamples (see page 3)
                            l=NIMH
                            2=LEAA
          73-76   Household ID #
          77-78   Respondent ID # , (02-09)
          79-80   Card Number (05)

CARD 6/35
                                Principal job (continued)
Y7-251   1- 2   71(1C)   Hours per week at princpal job
                                    (00-99)

For spouses who were reported having more than one job, as many as three
other jobs are described and coded as follows:
Y7-252-260 3-20   71(2-4)   (A) Duncan Socioeconomic Index (00-96)
                                (B) Number of weeks worked (0-52)
                                (C) Hours/week worked (0-99)

                  71(2)   Second job:
Y7-252   3- 4   71(2A)   Duncan Socioeconomic Index
Y7-253   5- 6   71(2B)   Weeks worked
Y7-254   7- 8   71(2C)   Hours per week

SEVENTH WAVE NYS DATA
CARD 6/35 (continued)
                                 Questionnaire
Variable   Column   Item Number   Variable Description and Coding

                     71(3)   Third job:
Y7-255   9-10   71(3A)   Duncan Socioeconomic Index
Y7-256   11-12   71(3B)   Weeks worked
Y7-257   13-14   71(3C)   Hours per week

                     71(4)   Fourth job:
Y7-258   15-16   71(4A)   Duncan Socioeconomic Index
Y7-259   17-18   71(4B)   Weeks worked
Y7-260   19-20   71(4C)   Hours per week

Y7-261   21-22   72   Highest grade partner has completed
                                      6-16, grade in school
                                      16=Bachelors degree
                                      17=Graduate degrees
                                      99=Don't Know
Y7-262   23-27   73   Partner's total income in 1986:
                                      $0-$99999
                                      (Blank = Not applicable, Don't know
                                         or Refused)
Y7-263   28   73a   Accuracy of the amount given for
                                    partner's income:
                                      1=Amount given is only a guess

Y7-264   29   74   Frequency of participation in family
                                    activities?
                                      1=Never
                                      2=Once or twice
                                      3=3 or 4 times
                                      4=Monthly
                                      5=Weekly (or more often)
Y7-265   30-31   75   Number of months lived with family:
                                      00-12
Y7-266   32   76   Frequency of contact with family:
                                      1=Never
                                      2=Once or twice
                                      3=3 or 4 times
                                      4=Monthly
                                      5=Weekly (or more often)
Y7-267   33   77   Parents' influence:
                                      5=A great deal
                                      4=Quite a bit
                                      3=Some
                                      2=Not too much
                                      1=Very little
Y7-268   34   78   Importance of family activities:
                                      5=Very important
                                      4=Pretty important
                                      3=Somewhat important
                                      2=Not too important
                                      1=Not important at all

SEVENTH WAVE NYS DATA
CARD 6/35 (continued)   Questionnaire
Variable Column Item Number   Variable Description and Coding

Y7-269   35   79   How satisfied with relationship with
                                   parents?
                                 5=Very satisfied
                                 4=Somewhat satisfied
                                 3=Neither
                                 2=Somewhat dissatisfied
                                 1=very dissatisfied
Y7-270   36   80   How much stress/pressure in your
                                   relationship with your parents?
                                 5=A great deal
                                 4=Quite a bit
                                 3=Some
                                 2=Not too much
                                 1=Very little
Y7-271   37   81   Frequency of participation in partners
                                   family activities?
                                 1=Never
                                 2=Once or twice
                                 3=3 or 4 times
                                 4=Monthly
                                 5=Weekly (or more often)
Y7-272   38-39   82   Number of months lived with partner's
                                   family: (00-12)
Y7-273   40   83   Frequency of contact with partner's
                                   family:
                                 1=Never
                                 2=Once or twice
                                 3=3 or 4 times
                                 4=Monthly
                                 5=Weekly (or more often)
Y7-274   41   84   Partner's parents' influence:
                                 5=A great deal
                                 4=Quite a bit
                                 3=Some
                                 2=Not too much
                                 1=Very little
Y7-275   42   85   Importance of partner's family
                                   activities:
                                 5=Very important
                                 4=Pretty important
                                 3=Somewhat important
                                 2=Not too important
                                 1=Not important at all
Y7-276   43   86   How much stress/pressure in your
                                   relationship with partner's parents?
                                 5=A great deal
                                 4=Quite a bit
                                 3=Some
                                 2=Not too much
                                 1=Very little
Y7-277   44   87   How satisfied with relationship with
                                   partner's parents?

SEVENTH WAVE NYS DATA
CARD 6/35 (continued)

		Questionnaire	
Variable	Column	Item Number	Variable Description and Coding

			5=Very satisfied
			4=Somewhat satisfied
			3=Neither
			2=Somewhat dissatisfied
			1=Very dissatisfied
Y7-278	45	88	Weekday afternoons spent with your family (parents, brothers, sisters)? 0-5 (0=everything less than once a week)
Y7-279	46	89	Weekday evenings spent with family? 0-5 (0=everything less than once a week)
Y7-280	47	90	Time on weekends spent with family? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-281	48	91	Frequency of participation in family activities? 1=Never 2=Once or twice 3=3 or 4 times 4=Monthly 5=Weekly (or more often)
Y7-282	49-50	92	Number of months lived with family: 00-12
Y7-283	51	93	Frequency of contact with family: 1=Never 2=Once or twice 3=3 or 4 times 4=Monthly 5=Weekly (or more often)
Y7-284	52	94	Parents' influence: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-285	53	95	Importance of family activities: 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-286	54	96	How satisfied with relationship with parents? 5=Very satisfied 4=Somewhat satisfied 3=Neither

```
                                          2=Somewhat dissatisfied
                                          1=very dissatisfied
Y7-287    55         97           Much warmth/affection from parents?
                                     5=A great deal
                                     4=Quite a bit
                                     3=Some
                                     2=Not too much
                                     1=Very little
Y7-288    56         98           How much support/encouragement from
                                     parents? (coded the same as item 97)
Y7-289    57         99           How much stress/pressure in your
                                     relationship with parents?
                                        (coded same as item 97)

SEVENTH WAVE NYS DATA

CARD 6/35 (continued)
                     Questionnaire
Variable  Column   Item Number   Variable Description and Coding


Y7-290    58         100          Have any children(incl. stepchildren)?
                                     1=No
                                     2=Yes
------------------------------------------------------------------
Questionnaire  items  101  and  102 ask for the following  coded
information regarding the respondent's children:

Y7-291-299 59-71/CARD 6 101(a-b),102(a)    (1)Month of birth  (01-12,
                                                 99=Don't know)
Y7-300-320 1-29/CARD 7 101(c-f),102(b-f)  (2)Year of birth (70-87,
                                                 99=Don't know)
                                          (3)Sex of child
                                            1=Boy
                                            2=Girl
                                          (4)Living with respondent?
                                            1=Yes
                                            2=No
                     102(a-f)            (5)Is this your biological child?
                                            1=No
                                            2=Yes
                                            9=Don't Know
------------------------------------------------------------------
                     101a              a. Oldest child?
Y7-291    59-60      101a(1)             Month of birth
Y7-292    61-62      101a(2)             Year of birth
Y7-293    63         101a(3)             Sex
Y7-294    64         101a(4)             Living with Respondent?
Y7-295    65         102a(5)             Biological?


                     101b              b. Next oldest child
Y7-296    66-67      101b(1)             Month of birth
Y7-297    68-69      101b(2)             Year of birth
Y7-298    70         101b(3)             Sex
Y7-299    71         101b(4)             Living with Respondent?


          72                         Subsamples (see page 3)
                                        1=NIMH
```

```
                                          2=LEAA
            73-76                          Household ID #
            77-78                          Respondent ID #, (02-09)
            79-80                          Card Number (06)


CARD 7/35


                                          Next oldest child (continued)
Y7-300      1          102b(5)             Biological?


                       101c               c. Next oldest child?
Y7-301      2- 3       101c(1)              Month of birth
Y7-302      4- 5       101c(2)              Year of birth
Y7-303      6          101c(3)             Sex
Y7-304      7          101c(4)             Living with Respondent?
Y7-305      8          102c(5)             Biological?
SEVENTH WAVE NYS DATA


CARD 7/35 (continued)
                       Questionnaire
Variable    Column     Item Number     Variable Description and Coding


                       101d               d. Next oldest child
Y7-306      9-10       101d(1)             Month of birth
Y7-307      11-12      101d(2)             Year of birth
Y7-308      13         101d(3)             Sex
Y7-309      14         101d(4)             Living with Respondent?
Y7-310      15         102d(5)             Biological?
                       101e               e. Next oldest child?
Y7-311      16-17      101e(1)             Month of birth
Y7-312      18-19      101e(2)             Year of birth
Y7-313      20         101e(3)             Sex
Y7-314      21         101e(4)             Living with Respondent?
Y7-315      22         102e(5)             Biological?


                       101f               f. Next oldest child
Y7-316      23-24      101f(1)             Month of birth
Y7-317      25-26      101f(2)             Year of birth
Y7-318      27         101f(3)             Sex
Y7-319      28         101f(4)             Living with Respondent?
Y7-320      29         102f(5)             Biological?


Y7-321      30-32      103             How much time spent with children?
                                         Hours per week (0-168)
Y7-322      33         104             Enjoyed being with children?
                                         5=A great deal
                                         4=Quite a bit
                                         3=Some
                                         2=Not too much
                                         1=Very little
Y7-323      34         105             How satisfied with relationship
                                         with your children?
                                         5=Very satisfied
                                         4=Somewhat satisfied
                                         3=Neither
                                         2=Somewhat dissatisfied
```

```
                                          1=very dissatisfied
Y7-324    35        106        How much stress/pressure in your
                                   relationship with children?
                                   5=A great deal
                                   4=Quite a bit
                                   3=Some
                                   2=Not too much
                                   1=Very little


Y7-325    36        107        Attendance at religious services
                                   5=Several times a week
                                   4=Once a week
                                   3=Once or twice a month
                                   2=Several times a year
                                   1=Never (Once or twice)
SEVENTH WAVE NYS DATA

CARD 7/35 (continued)
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding


Y7-326    37        108         Importance of religion
                                   5=Very important
                                   4=Pretty important
                                   3=Somewhat important
                                   2=Not too important
                                   1=Not important at all

------------------------------------------------------------------
Aspirations/Current  Success  -  Questionnaire items 109 through 117
ask respondents about a variety of social, family and educational goals.
Each question consists of 2 parts.  The  first part asks  how important
each goal is to  the respondent; the second  part  asks how well he is
doing at that goal if it  is seen  as very  or somewhat important.  For
scaling, items  are  scored  so  that a  higher score  reflects greater
importance and greater success.

Y7-327-34438-55   109-117       (1) 5=Very important
                                    3=Somewhat important
                                    1=Not important at all
                                (2) 5=Good
                                    3=Fair
                                    1=Poor
                                    8=Already achieved
                                    Blank=Don't know or Not applicable
------------------------------------------------------------------


          109        Be a success in your work?
Y7-327    38        109(1)       How important?
Y7-328    39        109(2)       How are you doing?


          110        Use your abilities in your work?
Y7-329    40        110(1)       How important?
Y7-330    41        110(2)       How are you doing?


          111        Get ahead in work or career?
```

```
Y7-331    42        111(1)          How important?
Y7-332    43        111(2)          How are you doing?


          112                Have a good job or career?
Y7-333    44        112(1)          How important?
Y7-334    45        112(2)          How are you doing?


          113                Graduate from college?
Y7-335    46        113(1)          How important?
Y7-336    47        113(2)          How are you doing?


          114                IF NOT MARRIED: Get married?
Y7-337    48        114(1)          How important?
Y7-338    49        114(2)          How are you doing?


          115                Have long term intimate relationship?
Y7-339    50        115(1)          How important?
Y7-340    51        115(2)          How are you doing?


          116                Have children?
Y7-341    52        116(1)          How important?
Y7-342    53        116(2)          How are you doing?
```
SEVENTH WAVE NYS DATA

CARD 7/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

Aspirations/Current Success (continued)

```
          117                Earn $20,000 annual salary?
Y7-343    54        117(1)          How important?
Y7-344    55        117(2)          How are you doing?
```

Normlessness - Questionnaire items 118 through 138 ask for respondents'
level of agreement with a series of statements reflecting the
normlessness variant of alienation. Items are scored so that a higher
score reflects a greater perception of normlessness.

```
Y7-345-36056-71/Card 7 118-133    5=Strongly agree
Y7-361-365 1- 5/Card 8 134-138    4=Agree
                                  3=Neither agree nor disagree
                                  2=Disagree
                                  1=Strongly disagree
                                  Blank=Don't know
```

```
Y7-345    56        118             Can succeed at work without cheating
Y7-346    57        119             Lie to partner to avoid arguments
Y7-347    58        120             Lie to get a job
Y7-348    59        121             With friends, good impression foremost
Y7-349    60        122             To avoid trouble, lie to teachers
Y7-350    61        l23             With parents, good impression foremost
Y7-351    62        l24             Liking of workers requires covering up
Y7-352    63        l25             Lying OK if keeps partner out of
                                      trouble
Y7-353    64        l26             Can succeed in school without cheating
```

Y7-354	65	127	Important to be honest with parents
Y7-355	66	128	To be popular, must break rules
Y7-356	67	129	Doing own work more important than being liked
Y7-357	68	130	Beat up kids - gain respect of friends
Y7-358	69	131	Break rules to succeed at work
Y7-359	70	132	To have good relationship must deceive partner
Y7-360	71	133	Play dirty to win at school
	72		Subsamples (see page 3)
			1=NIMH
			2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (07)

CARD 8/35

Y7-361	1	134	Lie to parents to keep trust
Y7-362	2	135	With teachers,good impression foremost
Y7-363	3	136	Break promises-get along with partner
Y7-364	4	137	Lie OK if keep friends out of trouble
Y7-365	5	138	Break parents' rules to keep friends

SEVENTH WAVE NYS DATA

CARD 8/35 (continued)

Variable	Column	Item Number	Variable Description and Coding

Labeling by Parents-Questionnaire items 139 through 150 ask respondents to indicate the extent to which their parents would agree with each set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y7-366-377	6-17	139-150	5=Strongly agree
			4=Agree
			3=Neither agree nor disagree
			2=Disagree
			1=Strongly disagree
			Blank=Don't know

Y7-366	6	139	Well-liked
Y7-367	7	140	Need help
Y7-368	8	141	Bad kid
Y7-369	9	142	Often upset
Y7-370	10	143	Good citizen
Y7-371	11	144	Get along well with others
Y7-372	12	145	Messed up
Y7-373	13	146	Break rules
Y7-374	14	147	Personal problems
Y7-375	15	148	Get into trouble
Y7-376	16	149	Likely to succeed
Y7-377	17	150	Do things against the law

Perceived Disapproval/Parents - Questionnaire items 151 through 160
ask respondents the extent to which their parents would disapprove of
each of a set of behaviors if the respondent engaged in them. Items are
scored so that a higher score reflects greater perceived disapproval.

```
Y7-378-387 18-27    151-160        5=Strongly disapprove
                                   4=Disapprove
                                   3=Neither approve nor disapprove
                                   2=Approve
                                   1=Strongly approve
                                   Blank=Don't know
```

```
Y7-378    18      151              Cheated on income tax
Y7-379    19      152              Stole something worth less than $5
Y7-380    20      153              Sold hard drugs
Y7-381    21      154              Used marijuana
Y7-382    22      155              Stole something worth more than $50
Y7-383    23      156              Hit someone
Y7-384    24      157              Used alcohol
Y7-385    25      158              Destroyed property
Y7-386    26      159              Broke into vehicle
Y7-387    27      160              Deliberately injured spouse/partner
```
SEVENTH WAVE NYS DATA

CARD 8/35 (continued)

```
                 Questionnaire
Variable  Column  Item Number    Variable Description and Coding
```

Perceived Disapproval/Peers - Questionnaire items 161 through 172 ask
respondents the extent to which their peers would disapprove of each of
a set of behaviors if the respondent engaged in them. Items are scored
so that a higher score reflects greater perceived disapproval.

```
Y7-388-39928-39    161-172        5=Strongly disapprove
                                  4=Disapprove
                                  3=Neither approve nor disapprove
                                  2=Approve
                                  1=Strongly approve
                                  Blank=Don't know
```

```
Y7-388    28      161              Cheated on income tax
Y7-389    29      162              Stole something worth less than $5
Y7-390    30      163              Sold hard drugs
Y7-391    31      164              Used marijuana
Y7-392    32      165              Stole something worth more than $50
Y7-393    33      166              Hit someone
Y7-394    34      167              Used alcohol
Y7-395    35      168              Pressured someone sexually
Y7-396    36      169              Destroyed property
Y7-397    37      170              Broke into vehicle
Y7-398    38      171              Had sexual intercourse
Y7-399    39      172              Deliberately injured spouse/partner
```

Perceived Disapproval/People at Work - Questionnaire items 173 through
182 ask respondents the extent to which their coworkers would disapprove

of each of a set of behaviors if the respondent engaged in them. Items
are scored so that a higher score reflects greater perceived
disapproval. (Asked only if R was employed in 1986.)

```
Y7-400-409 40-49    173-182        5=Strongly disapprove
                                   4=Disapprove
                                   3=Neither approve nor disapprove
                                   2=Approve
                                   1=Strongly approve
                                   Blank=Don't know
-----------------------------------------------------------------------
Y7-400    40        173            Cheated on income tax
Y7-401    41        174            Stole something worth less than $5
Y7-402    42        175            Sold hard drugs
Y7-403    43        176            Used marijuana
Y7-404    44        177            Stole something worth more than $50
Y7-405    45        178            Hit someone
Y7-406    46        179            Used alcohol
Y7-407    47        180            Destroyed property
Y7-408    48        181            Broke into vehicle
Y7-409    49        182            Deliberately injured spouse/partner
```

SEVENTH WAVE NYS DATA

```
CARD 8/35 (continued)
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding
-----------------------------------------------------------------------
```
Perceived Disapproval/Partner - Questionnaire items 183 through 192 ask
respondent the extent to which their partner would disapprove of each of
a set of behaviors if the respondent engaged in them. Items are scored
so that a higher score reflects greater perceived disapproval. (Asked
only if R married or cohabiting in 1986.)

```
Y7-410-419 50-59    183-192        5=Strongly disapprove
                                   4=Disapprove
                                   3=Neither approve nor disapprove
                                   2=Approve
                                   1=Strongly approve
                                   Blank=Don't know
-----------------------------------------------------------------------
Y7-410    50        183            Cheated on income tax
Y7-411    51        184            Stole something worth less than $5
Y7-412    52        185            Sold hard drugs
Y7-413    53        186            Used marijuana
Y7-414    54        187            Stole something worth more than $50
Y7-415    55        188            Hit someone
Y7-416    56        189            Used alcohol
Y7-417    57        190            Destroyed property
Y7-418    58        191            Broke into vehicle
Y7-419    59        192            Deliberately injured him/her
```

```
-----------------------------------------------------------------------
```
Attitudes Toward Deviance - Questionnaire items 193 through 208 ask
respondents for their estimates of how wrong each of a set of deviant

behaviors is for someone their age. Items are scored so that a higher
score represents a greater perceived wrongness.

```
Y7-420-431 60-71/CARD 8 193-204    4=Very wrong
Y7-432-435 1- 4/CARD 9 205-208     3=Wrong
                                   2=A little bit wrong
                                   1=Not wrong at all
                                   Blank=Don't know
-----------------------------------------------------------------------
                                   How wrong is it to:
Y7-420     60         193              Cheat on income tax
Y7-421     61         194              Destroy property
Y7-422     62         195              Use marijuana
Y7-423     63         196              Steal something (less than $5)
Y7-424     64         197              Hit someone
Y7-425     65         198              Use alcohol
Y7-426     66         199              Break into vehicle
Y7-427     67         200              Sell hard drugs
Y7-428     68         201              Steal something (more than $50)
Y7-429     69         202              Get drunk
Y7-430     70         203              Use prescription drugs
Y7-431     71         204              Give or sell alcohol
```

SEVENTH WAVE NYS DATA

CARD 8/35(continued)
```
                   Questionnaire
Variable   Column   Item Number   Variable Description and Coding

           72                     Subsamples (see page 3)
                                     l=NIMH
                                     2=LEAA
           73-76                  Household ID #
           77-78                  Respondent ID #, (02-09)
           79-80                  Card Number (08)
```

CARD 9/35

Attitudes Toward Deviance (continued)

```
Y7-432     1          205           Attack someone to hurt or kill?
Y7-433     2          206           Exceed speed limit by 10-20 mph?
Y7-434     3          207           Strongarm other people?
Y7-435     4          208           Deliberately injured spouse/partner
-----------------------------------------------------------------------
```
Exposure to Delinquent Peers - Questionnaire items 209 through 222
ask respondents how many of their close friends have engaged in each
of a set of deviant behaviors in the past year. Items are scored so
that a higher score represents a higher proportion of friends
committing each act.

```
Y7-436-449 5-18    209-222      5=All of them
                                4=Most of them
                                3=Some of them
                                2=Very few of them
```

                                    1=None of them
                                    Blank=Don't know

                                    How many of your friends have:
Y7-436   5   209   Cheated on income tax
Y7-437   6   210   Destroyed property
Y7-438   7   211   Used marijuana
Y7-439   8   212   Stolen something (less than $5)
Y7-440   9   213   Hit someone
Y7-441   10   214   Used alcohol
Y7-442   11   215   Broken into vehicle
Y7-443   12   216   Sold hard drugs
Y7-444   13   217   Stolen something (more than $50)
Y7-445   14   218   Suggested you break the law
Y7-446   15   219   Gotten drunk
Y7-447   16   220   Used prescription drugs
Y7-448   17   221   Given or sold alcohol
Y7-449   18   222   Pressured someone sexually

SEVENTH WAVE NYS DATA

CARD 9/35 (continued)
                         Questionnaire
Variable Column Item Number   Variable Description and Coding
----
Self-Reported Delinquency - Questionnaire items 223a through 260a
ask respondents to report the frequency with which they engaged in each
of a variety of behaviors during the previous year. Each question
consists of two parts. The first part asks for an absolute frequency of
each behavior; the second part asks for an estimate of the rate of
occurrence of the behavior on a 6-point scale for initial responses
indicating a frequency of 10 or more. A combined rate of occurrence
measure, scored 1=never through 9=2-3 times a day, is then constructed.
Items are scored so that a higher score reflects greater frequency or
rate of involvement in each behavior.

Y7-450-475 19-70/CARD 9 223a-235a (l) 0-999 -- Number of times
Y7-476-509 1-68/CARD 10 236a-252a   in last year
Y7-510-525 1-32/CARD 11 253a-260a (2) 1=Never
                                      2=Once or twice
                                      3=Once every 2-3 months
                                      4=Once a month
                                      5=Once every 2-3 weeks
                                      6=Once a week
                                      7=2-3 times a week
                                      8=Once a day
                                      9=2-3 times a day

                    223a   Damaged family property
Y7-450   19-21   223a(l)   Frequency
Y7-451   22   223a(2)   Rate

                    224a   Damaged employer's property
Y7-452   23-25   224a(l)   Frequency
Y7-453   26   224a(2)   Rate

```
                     225a                Damaged other property
Y7-454    27-29      225a(l)                Frequency
Y7-455    30         225a(2)                Rate


                     226a                Stolen motor vehicle
Y7-456    31-33      226a(l)                Frequency
Y7-457    34         226a(2)                Rate


                     227a                Stolen something more than $50
Y7-458    35-37      227a(l)                Frequency
Y7-459    38         227a(2)                Rate


                     228a                Bought stolen goods
Y7-460    39-41      228a(l)                Frequency
Y7-461    42         228a(2)                Rate


                     229a                Set fire to property
Y7-462    43-45      229a(l)                Frequency
Y7-463    46         229a(2)                Rate


                     230a                Carried a hidden weapon
Y7-464    47-49      230a(l)                Frequency
Y7-465    50         230a(2)                Rate
```


SEVENTH WAVE NYS DATA

CARD 9/35 (continued)
                     Questionnaire
Variable Column Item Number   Variable Description and Coding

Self-Reported Delinquency (continued)

```
                     231a                Stolen something less than $5
Y7-466    51-53      231a(l)                Frequency
Y7-467    54         231a(2)                Rate


                     232a                Attacked someone
Y7-468    55-57      232a(l)                Frequency
Y7-469    58         232a(2)                Rate


                     233a                Been paid for sexual relations
Y7-470    59-61      233a(l)                Frequency
Y7-471    62         233a(2)                Rate


                     234a                Paid someone for sexual relations
Y7-472    63-65      234a(l)                Frequency
Y7-473    66         234a(2)                Rate


                     235a                Been in gang fights
Y7-474    67-69      235a(l)                Frequency
Y7-475    70         235a(2)                Rate


          71                             Blank
          72                             Subsamples (see page 3)
```

```
                                    l=NIMH
                                    2=LEAA
              73-76                  Household ID #
              77-78                  Respondent ID #, (02-09)
              79-80                  Card Number (09)


CARD 10/35


                    236a           Used checks illegally
Y7-476    1- 3     236a(l)           Frequency
Y7-477    4        236a(2)           Rate


                    237a           Sold marijuana
Y7-478    5- 7     237a(l)           Frequency
Y7-479    8        237a(2)           Rate


                    238a           Hitchhiked where illegal
Y7-480    9-11     238a(l)           Frequency
Y7-481    12       238a(2)           Rate


                    239a           Stolen money from family
Y7-482    13-15    239a(l)           Frequency
Y7-483    16       239a(2)           Rate


                    240a           Stolen money from employer
Y7-484    17-19    240a(l)           Frequency
Y7-485    20       240a(2)           Rate
SEVENTH WAVE NYS DATA


CARD 10/35 (continued)
                    Questionnaire
Variable  Column  Item Number   Variable Description and Coding


Self-Reported Delinquency (continued)


                    241a           Had sexual relations against
                                     someone's will
Y7-486    21-23    241a(l)           Frequency
Y7-487    24       241a(2)           Rate


                    242a           Hit parent
Y7-488    25-27    242a(l)           Frequency
Y7-489    28       242a(2)           Rate


                    243a           Hit someone at work
Y7-490    29-31    243a(l)           Frequency
Y7-491    32       243a(2)           Rate


                    244a           Hit anyone else
Y7-492    33-35    244a(l)           Frequency
Y7-493    36       244a(2)           Rate


                    245a           Been loud, rowdy
Y7-494    37-39    245a(l)           Frequency
Y7-495    40       245a(2)           Rate
```

```
                          246a            Sold hard drugs
Y7-496     41-43    246a(l)          Frequency
Y7-497     44       246a(2)          Rate


                          247a            Tried to sell something
                                          worthless
Y7-498     45-47    247a(l)          Frequency
Y7-499     48       247a(2)          Rate


                          248a            Taken vehicle
Y7-500     49-51    248a(l)          Frequency
Y7-501     52       248a(2)          Rate


                          249a            Bought liquor for a minor
Y7-502     53-55    249a(l)          Frequency
Y7-503     56       249a(2)          Rate


                          250a            Used force on anyone
Y7-504     57-59    250a(l)          Frequency
Y7-505     60       250a(2)          Rate


                          251a            Avoided paying for things
Y7-506     61-63    251a(l)          Frequency
Y7-507     64       251a(2)          Rate


                          252a            Been drunk
Y7-508     65-67    252a(l)          Frequency
Y7-509     68       252a(2)          Rate
SEVENTH WAVE NYS DATA

CARD 10/35 (continued)
                     Questionnaire
Variable  Column   Item Number    Variable Description and Coding

Self-Reported Delinquency (continued)


          69-71                      Blank
          72                         Subsamples (see page 3)
                                       l=NIMH
                                       2=LEAA
          73-76                      Household ID #
          77-78                      Respondent ID #, (02-09)
          79-80                      Card Number (10)

CARD 11/35

                          253a            Stolen things ($5-50)
Y7-510     1- 3     253a(l)          Frequency
Y7-511     4        253a(2)          Rate


                          254a            Broken into building
Y7-512     5- 7     254a(l)          Frequency
Y7-513     8        254a(2)          Rate
```

```
                     255a               Begged for money
Y7-514      9-11     255a(l)              Frequency
Y7-515      12       255a(2)              Rate

                     256a               Failed to return change
Y7-516      13-15    256a(l)              Frequency
Y7-517      16       256a(2)              Rate

                     257a               Used credit cards without permission
Y7-518      17-19    257a(l)              Frequency
Y7-519      20       257a(2)              Rate

                     258a               Obscene phone calls
Y7-520      21-23    258a(l)              Frequency
Y7-521      24       258a(2)              Rate

                     259a               Picked someone's pocket
Y7-522      25-27    259a(l)              Frequency
Y7-523      28       259a(2)              Rate

                     260a               Embezzled money or funds
Y7-524      29-31    260a(l)              Frequency
Y7-525      32       260a(2)              Rate
```
SEVENTH WAVE NYS DATA

CARD 11/35 (continued)
```
                      Questionnaire
Variable  Column  Item Number   Variable Description and Coding
-----------------------------------------------------------------------
```
Self-reported Delinquency - Appropriateness Codes: Questionnaire items
223b-232b, 235b-237b, 239b-244b, 246b-248b, 250b, 253b-254b, 257b, and
259b-260b represent ratings of appropriateness for each incident
reported in the follow-up questions for reported behaviors:

```
Y7-526-56433-71/CARD 11          223b..254b 1=Inappropriate
Y7-565-567 1- 3/CARD 12          257b..260b 2=Appropriate but trivial
                                            3=Appropriate and nontrivial
-----------------------------------------------------------------------
Y7-526      33       223b             Damaged family property
Y7-527      34       224b             Damaged employer's property
Y7-528      35       225b             Damaged other property
                     226b             Stolen motor vehicle
Y7-529      36       226b(1)            The last time
Y7-530      37       226b(2)            Next to last time
Y7-531      38       226b(3)            Time before that
                     227b             Stolen something more than $50
Y7-532      39       227b(1)            The last time
Y7-533      40       227b(2)            Next to last time
Y7-534      41       227b(3)            Time before that
Y7-535      42       228b             Bought stolen goods
Y7-536      43       229b             Set fire to property
Y7-537      44       230b             Carried a hidden weapon
Y7-538      45       231b             Stolen something less than $5
                                         (Coded 1 or 3 only)
                     232b             Attacked someone
Y7-539      46       232b(1)            The last time
```

SEVENTH WAVE NYS DATA
CARD 11/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding
SRD Appropriateness Codes (continued)

Y7-540   47   232b(2)   Next to last time
Y7-541   48   232b(3)   Time before that
                  235b   Been in gang fights
Y7-542   49   235b(1)   The last time
Y7-543   50   235b(2)   Next to last time
Y7-544   51   235b(3)   Time before that
Y7-545   52   236b   Used checks illegally
Y7-546   53   237b   Sold marijuana
Y7-547   54   239b   Stolen money from family
Y7-548   55   240b   Stolen money from employer
                  241b   Had sexual relations against
                                    someone's will
Y7-549   56   241b(1)   The last time
Y7-550   57   241b(2)   Next to last time
Y7-551   58   241b(3)   Time before that
Y7-552   59   242b   Hit parent
Y7-553   60   243b   Hit someone at work
Y7-554   61   244b   Hit anyone else
Y7-555   62   246b   Sold hard drugs
Y7-556   63   247b   Tried to sell something worthless
Y7-557   64   248b   Taken vehicle
                  250b   Used force on anyone
Y7-558   65   250b(1)   The last time
Y7-559   66   250b(2)   Next to last time
Y7-560   67   250b(3)   Time before that
Y7-561   68   253b   Stolen things ($5-50)

                  254b   Broken into building
Y7-562   69   254b(1)   The last time
Y7-563   70   254b(2)   Next to last time
Y7-564   71   254b(3)   Time before that

          72   Subsamples (see page 3)
                                       l=NIMH
                                       2=LEAA
          73-76   Household ID #
          77-78   Respondent ID #, (02-09)
          79-80   Card Number (11)
CARD 12/35

Y7-565   1   257b   Used credit cards without permission
Y7-566   2   259b   Picked someone's pocket
Y7-567   3   260b   Embezzled money or funds

Self-reported Delinquency Follow-up Questions: Questionnaire items
223c-232c, 235c-237c, 239c-244c, 246c-248c, 250c, 253c-254c, 257c, and
259c-260c ask respondents a supplementary set of questions to describe

SEVENTH WAVE NYS DATA
CARD 12/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding
SRD Follow-up Questions (continued)

the most recent instance(s) of each behavior which they have reported
to have engaged in one or more times during the previous year.

Frequencies and rates for all self-reported delinquency items (223a
through 260a) are recorded on cards 9, 10, and 11. Appropriateness
ratings for follow-up sets are recorded on cards 11(columns 33-71) and
12(columns 1-3).
Note: For dollar values the upper limit refers to the specific value or
more.

                     223c   Damaged family property
                     223c(b)   How much was it worth?
Y7-568   4- 6   Value($0-$999)
                     223c(c)   Others involved?
Y7-569   7   0-9, 0=Alone
                     223c(d)   This event reported for another
                                          SRD question?
Y7-570   8-10   First item number, 0=No
Y7-571   11-13   Second item number, 0=No
                     224c   Damaged employer's property
                     224c(b)   How much was it worth?
Y7-572   14-17   Value($0-$9999)
                     224c(c)   Others involved?
Y7-573   18   0-9, 0=Alone
                     224c(d)   This event reported for another
                                          SRD question?
Y7-574   19-21   First item number, 0=No
Y7-575   22-24   Second item number, 0=No
                     225c   Damaged other property
                     225c(b)   How much was it worth?
Y7-576   25-27   Value($0-$999)
                     225c(c)   Others involved?
Y7-577   28   0-9, 0=Alone
                     225c(d)   This event reported for another
                                          SRD question?
Y7-578   29-31   First item number, 0=No
Y7-579   32-34   Second item number, 0=No
                     226c(1-3)   Stolen motor vehicle-Three events
                     226c(1)   1. The last time:
Y7-580   35   226c(la)   Kind of vehicle?
                                          l=Car
                                          2=Truck
                                          3=Motorcycle
                                          4=Other
Y7-581   36   226c(1b)   Actually steal?
                                          l=No

SEVENTH WAVE NYS DATA
CARD 12/35 (continued)
                         Questionnaire
Variable   Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)
                                        2=Yes
Y7-582   37   226c(1c)   Vehicle Owner:
                                        l=Family member
                                        2=Friend
                                        3=Other
Y7-583   38   226c(1d)   Started vehicle:
                                        l=Had keys
                                        2=Hot wired
                                        3=Keys in ignition
                                        4=Other
Y7-584   39   226c(1e)   Intent?
                                        l=Riding
                                        2=Keep
                                        3=Keep parts
                                        4=Sell
                                        5=Sell parts
                                        6=Other
Y7-585   40   226c(1f)   Others involved?
                                        0-9, 0=Alone
Y7-586   41   226c(1g)   Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs
                   226c(1h)   This event reported for another
                                      SRD question?
Y7-587   42-44   First item number, 0=No
Y7-588   45-47   Second item number, 0=No

                                  Stolen vehicle - (continued)
                   226c(2)   2. Next to last time:
Y7-589   48   226c(2a)   Kind of vehicle?
                                        l=Car
                                        2=Truck
                                        3=Motorcycle
                                        4=Other
Y7-590   49   226c(2b)   Actually steal?
                                        l=No
                                        2=Yes
Y7-591   50   226c(2c)   Vehicle Owner:
                                        l=Family member
                                        2=Friend
                                        3=Other
Y7-592   51   226c(2d)   Started vehicle?
                                        l=Had keys
                                        2=Hot wired
                                        3=Keys in ignition
                                        4=Other
Y7-593   52   226c(2e)   Intent?

Page 794   ICPSR 6542

SEVENTH WAVE NYS DATA
CARD 12/35 (continued)
                        Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)
                                        l=Riding
                                        2=Keep
                                        3=Keep parts
                                        4=Sell
                                        5=Sell parts
                                        6=Other
Y7-594   53   226c(2f)   Others involved?
                                        0-9, 0=Alone
Y7-595   54   226c(2g)   Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs
                  226c(2h)   This event reported for another
                                        SRD question?
Y7-596   55-57   First item number, 0=No
Y7-597   58-60   Second item number, 0=No

                  226c(3)   3. Time before that:
Y7-598   61   226c(3a)   Kind of vehicle?
                                        l=Car
                                        2=Truck
                                        3=Motorcycle
                                        4=Other
Y7-599   62   226c(3b)   Actually steal?
                                        l=No
                                        2=Yes
Y7-600   63   226c(3c)   Vehicle Owner:
                                        l=Family member
                                        2=Friend
                                        3=Other
                                   Stolen vehicle - Time before that

Y7-601   64   226c(3d)   Started vehicle?
                                        l=Had keys
                                        2=Hot wired
                                        3=Keys in ignition
                                        4=Other
Y7-602   65   226c(3e)   Intent?
                                        l=Riding
                                        2=Keep
                                        3=Keep parts
                                        4=Sell
                                        5=Sell parts
                                        6=Other
Y7-603   66   226c(3f)   Others involved?
                                        0-9, 0=Alone
Y7-604   67   226c(3g)   Drinking or using drugs?

```
SEVENTH WAVE NYS DATA
CARD 12/35 (continued)
                    Questionnaire
Variable  Column  Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs

          68-71                   Blank
          72                      Subsamples (see page 3)
                                    l=NIMH
                                    2=LEAA
          73-76                   Household ID #
          77-78                   Respondent ID #, (02-09)
          79-80                   Card Number (12)


CARD 13/35
                                  Stolen vehicle - Time before that
                  226c(3h)          This event reported for another
                                      SRD question?
Y7-605    1- 3                       First item number, 0=No
Y7-606    4- 6                       Second item number, 0=No

                  227c(1-3)       Stolen something GT $50-Three events
                  227c(1)         1. The last time:
Y7-607    7- 9    227c(lb)          Value ($0-$999)
Y7-608    10      227c(1c)          Actually steal?
                                      l=No
                                      2=Yes
Y7-609    11      227c(1d)          Stolen from:
                                      1=Retail store
                                      2=Private home
                                      3=Auto
                                      4=Work place
                                      5=College/school
                                      6=Construction site
                                      7=Warehouse
                                      8=Other
                                     Stolen something GT $50-The last
                                      time
Y7-610    12      227c(1e)          Others involved?
                                      0-9, 0=Alone
Y7-611    13      227c(1f)          Drinking or using drugs?
                                      0=No
                                      1=Drinking
                                      2=Using drugs
                                      3=Drinking and drugs
                  227c(1g)          This event reported for another
                                      SRD question?
```

SEVENTH WAVE NYS DATA
CARD 13/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

Y7-612   14-16   First item number, 0=No
Y7-613   17-19   Second item number, 0=No

          227c(2)   2. Next to last time:
Y7-614   20-22   227c(2b)   Value ($0-$999)
Y7-615   23   227c(2c)   Actually steal?
                                   l=No
                                   2=Yes
Y7-616   24   227c(2d)   Stolen from:
                                   1=Retail store
                                   2=Private home
                                   3=Auto
                                   4=Work place
                                   5=College/school
                                   6=Construction site
                                   7=Warehouse
                                   8=Other
Y7-617   25   227c(2e)   Others involved?
                                   0-9, 0=Alone
Y7-618   26   227c(2f)   Drinking or using drugs?
                                   0=No
                                   1=Drinking
                                   2=Using drugs
                                   3=Drinking and drugs
          227c(2g)   This event reported for another
                           SRD question?
Y7-619   27-29   First item number, 0=No
Y7-620   30-32   Second item number, 0=No

          227c(3)   3. Time before that:
Y7-621   33-35   227c(3b)   Value ($0-$999)
Y7-622   36   227c(3c)   Actually steal?
                                   l=No
                                   2=Yes
Y7-623   37   227c(3d)   Stolen from:
                                   1=Retail store
                                   2=Private home
                                   3=Auto
                                   4=Work place
                                   5=College/school
                                   6=Construction site
                                   7=Warehouse
                                   8=Other
                                     Stolen GT $50-Time before that
(continued)
Y7-624   38   227c(3e)   Others involved?
                                   0-9, 0=Alone

```
Y7-625   39        227c(3f)        Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs
                   227c(3g)        This event reported for another
                                    SRD question?
Y7-626   40-42                     First item number, 0=No
Y7-627   43-45                     Second item number, 0=No


                   228c            Bought stolen goods
Y7-628   46        228c(a)         What did you do?
                                        1=Try to buy
                                        2=Try to sell
                                        3=Try to hold
                                        4=Buy
                                        5=Sell
                                        6=Hold
                                        7=Other
Y7-629   47-50     228c(c)         Value ($0-$9999)
Y7-630   51        228c(d)         Others involved?
                                        0-9, 0=Alone
                   228c(e)         This event reported for another
                                    SRD question?
Y7-631   52-54                     First item number, 0=No
Y7-632   55-57                     Second item number, 0=No


                   229c            Set fire to property
Y7-633   58        229c(b)         Actually set it on fire?
                                        1=No, 2=Yes
Y7-634   59        229c(c)         Others involved?
                                        0-9, 0=Alone
Y7-635   60        229c(d)         Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs
                   229c(e)         This event reported for another
                                    SRD question?
Y7-636   61-63                     First item number, 0=No
Y7-637   64-66                     Second item number, 0=No


                   230c            Carried a hidden weapon
Y7-638   67                        Kind of weapon:
                                        1=Knife, cutting/stabbing thing
                                        2=Chain, bat/hitting thing
                                        3=Hard knuckles/numchucks
                                        4=Gun and other firearm
                                        5=Other
                                        6=Mixed weapons excluding gun
                                        7=Mixed weapons including gun
                                        8=Mixed weapons - no gun or
                                           knife types
```

SEVENTH WAVE NYS DATA
CARD 13/35 (continued)
                          Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

                       231c   Stolen something less than $5
Y7-639   68   231c(b)   Value ($0-$9)
Y7-640   69   231c(c)   Actually steal?
                                          l=No
                                          2=Yes
Y7-641   70   231c(d)   Others involved?
                                          0-9, 0=Alone
Y7-642   71   231c(e)   Drinking or using drugs?
                                          0=No
                                          1=Drinking
                                          2=Using drugs
                                          3=Drinking and drugs

          72   Subsamples (see page 3)
                                          l=NIMH
                                          2=LEAA
          73-76   Household #
          77-78   Respondent ID #, (02-09)
          79-80   Card Number (13)

CARD 14/35
                                        Stolen something less than $5
                     231c(f)   This event reported for another
                                          SRD question?
Y7-643   1- 3   First item number, 0=No
Y7-644   4- 6   Second item number, 0=No

                     232c(1-3)   Attacked someone-Three events
                     232c(1)   1. The last time:
Y7-645   7   232c(1a)   Form of attack?
                                          l=Hit
                                          2=Beat/choked
                                          3=Attacked with weapon
                                          4=Other
Y7-646   8   232c(1b)   If any injury, how serious?
                                          0=No injury
                                          l=Knocked down
                                          2=Bruised
                                          3=Cut/bleeding
                                          4=Unconscious
                                          5=Hospitalized
                                          6=Required medical treatment
                                          7=Other
Y7-647   9   232c(1c)   Was the person:
                                          1=A stranger
                                          2=An acquaintance
                                          3=A friend
                                          4=Family member
                                          5=Other

```
SEVENTH WAVE NYS DATA
CARD 14/35 (continued)
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding
SRD Follow-up Questions (continued)


Y7-648    10      232c(1d)          Others involved?
                                      0-9, 0=Alone
                                    Attacked someone - The last time
Y7-649    11      232c(1e)          Drinking or using drugs?
                                      0=No
                                      1=Drinking
                                      2=Using drugs
                                      3=Drinking and drugs
                  232c(1f)          This event reported for another
                                      SRD question?
Y7-650    12-14                     First item number, 0=No
Y7-651    15-17                     Second item number, 0=No


                  232c(2)        2. Next to last time:
Y7-652    18      232c(2a)          Form of attack?
                                      1=Hit
                                      2=Beat/choked
                                      3=Attacked with weapon
                                      4=Other
Y7-653    19      232c(2b)          If any injury, how serious:
                                      0=No injury
                                      1=Knocked down
                                      2=Bruised
                                      3=Cut/bleeding
                                      4=Unconscious
                                      5=Hospitalized
                                      6=Required medical treatment
                                      7=Other
Y7-654    20      232c(2c)          Was the person:
                                      1=A stranger
                                      2=An acquaintance
                                      3=A friend
                                      4=Family member
                                      5=Other
Y7-655    21      232c(2d)          Others involved?
                                      0-9, 0=Alone
Y7-656    22      232c(2e)          Drinking or using drugs?
                                      0=No
                                      1=Drinking
                                      2=Using drugs
                                      3=Drinking and drugs
                  232c(2f)          This event reported for another
                                      SRD question?
Y7-657    23-25                     First item number, 0=No
Y7-658    26-28                     Second item number, 0=No
```

SEVENTH WAVE NYS DATA
CARD 14/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding
SRD Follow-up Questions (continued)

                  232c(3)   3. Time before that:
Y7-659   29   232c(3a)   Form of attack?
                                       1=Hit
                                       2=Beat/choked
                                       3=Attacked with weapon
                                       4=Other
                                    Attacked someone-Time before that
                                       (continued)
Y7-660   30   232c(3b)   If any injury, how serious:
                                       0=No injury
                                       1=Knocked down
                                       2=Bruised
                                       3=Cut/bleeding
                                       4=Unconscious
                                       5=Hospitalized
                                       6=Required medical treatment
                                       7=Other
Y7-661   31   232c(3c)   Was the person:
                                       1=A stranger
                                       2=An acquaintance
                                       3=A friend
                                       4=Family member
                                       5=Other
Y7-662   32   232c(3d)   Others involved?
                                       0-9, 0=Alone
Y7-663   33   232c(3e)   Drinking or using drugs?
                                       0=No
                                       1=Drinking
                                       2=Using drugs
                                       3=Drinking and drugs
                  232c(3f)   This event reported for another
                                       SRD question?
Y7-664   34-36   First item number, 0=No
Y7-665   37-39   Second item number, 0=No

                  235c(1-3)   Been in gang fights-Three events
                  235c(1)   1. The last time:
Y7-666   40   235c(1a)   Number in your group?
                                       1=1-2 people
                                       2=3-5
                                       3=More than 5 people
Y7-667   41   235c(1b)   Number in other group?
                                       1=1-2 people
                                       2=3-5
                                       3=More than 5 people
Y7-668   42   235c(1c)   If weapons, what kind?
                                       0=No weapons
                                       1=Knives, cutting/stabbing things
                                       2=Chains, bats/hitting things

SEVENTH WAVE NYS DATA
CARD 14/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding
SRD Follow-up Questions (continued)
                                      3=Hard knuckles/numchucks
                                      4=Guns and other firearms
                                      5=Other
                                      6=Mixed weapons excluding guns
                                      7=Mixed weapons including guns
                                      8=Mixed weapon - no gun or
                                        knife types
                                  Gang fights-The last time (continued)
Y7-669   43   235c(1d)   If any injury, how serious?
                                      0=No injury
                                      l=Knocked down
                                      2=Bruised
                                      3=Cut/bleeding
                                      4=Unconscious
                                      5=Hospitalized
                                      6=Required medical treatment
                                      7=Other
Y7-670   44   235c(1e)   Drinking or using drugs?
                                      0=No
                                      1=Drinking
                                      2=Using drugs
                                      3=Drinking and drugs
                  235c(1f)   This event reported for another
                                    SRD question?
Y7-671   45-47   First item number, 0=No
Y7-672   48-50   Second item number, 0=No

                  235c(2)   2. Next to last time:
Y7-673   51   235c(2a)   Number in your group?
                                      l=l-2 people
                                      2=3-5
                                      3=More than 5 people
Y7-674   52   235c(2b)   Number in other group?
                                      l=l-2 people
                                      2=3-5
                                      3=More than 5 people
Y7-675   53   235c(2c)   If weapons, what kind?
                                      0=No weapons
                                      l=Knives, cutting/stabbing things
                                      2=Chains, bats/hitting things
                                      3=Hard knuckles/numchucks
                                      4=Guns and other firearms
                                      5=Other
                                      6=Mixed weapons excluding guns
                                      7=Mixed weapons including guns
                                      8=Mixed weapon - no gun or
                                        knife type
Y7-676   54   235c(2d)   If any injury, how serious?

```
                                          0=No injury
                                          l=Knocked down
                                          2=Bruised
                                          3=Cut/bleeding
                                          4=Unconscious
                                          5=Hospitalized
                                          6=Required medical treatment
                                          7=Other
Y7-677    55       235c(2e)        Drinking or using drugs?
                                          0=No
                                          1=Drinking
                                          2=Using drugs
                                          3=Drinking and drugs
```

SEVENTH WAVE NYS DATA

CARD 14/35 (continued)
                     Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

```
                                  Gang fights - Next to last time
(continued)
                  235c(2f)          This event reported for another
                                     SRD question?
Y7-678    56-58                      First item number, 0=No
Y7-679    59-61                      Second item number, 0=No
                  235c(3)        3. Time before that:
Y7-680    62      235c(3a)        Number in your group?
                                          l=l-2 people
                                          2=3-5
                                          3=More than 5 people
Y7-681    63      235c(3b)        Number in other group?
                                          l=l-2 people
                                          2=3-5
                                          3=More than 5 people
Y7-682    64      235c(3c)        If weapons, what kind?
                                          0=No weapons
                                          l=Knives, cutting/stabbing things
                                          2=Chains, bats/hitting things
                                          3=Hard knuckles/numchucks
                                          4=Guns and other firearms
                                          5=Other
                                          6=Mixed weapons excluding guns
                                          7=Mixed weapons including guns
                                          8=Mixed weapon-no gun or knife
                                            types
Y7-683    65      235c(3d)        If any injury, how serious?
                                          0=No injury
                                          l=Knocked down
                                          2=Bruised
                                          3=Cut/bleeding
                                          4=Unconscious
                                          5=Hospitalized
                                          6=Required medical treatment
                                          7=Other
```

SEVENTH WAVE NYS DATA
CARD 14/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding
SRD Follow-up Questions (continued)

Y7-684   66   235c(3e)   Drinking or using drugs?
                                             0=No
                                             1=Drinking
                                             2=Using drugs
                                             3=Drinking and drugs
                   235c(3f)   This event reported for another
                                             SRD question?
Y7-685   67-69   First item number, 0=No

          70-71   Blank
          72   Subsamples (see page 3)
                                            l=NIMH
                                            2=LEAA
          73-76   Household ID #
          77-78   Respondent ID #, (02-09)
          79-80   Card Number (14)

CARD 15/35

Y7-686   1- 3   235c(3f)(cont.)   Second item number, 0=No

                  236c   Used checks illegally
Y7-687   4   236c(a)   How used?
                                         1=Overdraft
                                         2=Forged check
                                         3=Cashed someone's check
                                         4=Counterfeit money
                                         5=Other
Y7-688   5- 7   236c(b)   Value($0-$999)
Y7-689   8   236c(c)   Others involved?
                                         0-9, 0=Alone
                  236c(d)   This event reported for another
                                         SRD question?
Y7-690   9-11   First item number, 0=No
Y7-691   12-14   Second item number, 0=No
                  237c   Sold marijuana
Y7-692   15-19   237c(a)   Value($0-$99999)
Y7-693   20-24   237c(b)   Amount(F5.2) ounces
                                         000.00-999.00, 999.99=large
                                          quantity, specific amount
                                          unknown -e.g. 1/2 bale
Y7-694   25   237c(c)   Others involved?
                                         0-9, 0=Alone
                  237c(d)   This event reported for another
                                         SRD question?
Y7-695   26-28   First item number, 0=No
Y7-696   29-31   Second item number, 0=No

SEVENTH WAVE NYS DATA
CARD 15/35 (continued)
                        Questionnaire
Variable   Column   Item Number   Variable Description and Coding
SRD Follow-up Questions (continued)

                    239c   Stolen from family
Y7-697   32   239c(a1)   What did you steal?
                                         l=Money
                                         2=Other
                                         3=Both
Y7-698   33-35   239c(a2)   Amount stolen ($0-$999)
Y7-699   36-38   239c(a3)   Value of other ($0-$999)
Y7-700   39   239c(a4)   Planned to do with it?
                                         1=Use it yourself
                                         2=Give it away
                                         3=Sell it
                                         4=Other
Y7-701   40   239c(b)   Others involved?
                                         0-9, 0=Alone
Y7-702   41   239c(c)   Drinking or using drugs?
                                         0=No
                                         1=Drinking
                                         2=Using drugs
                                         3=Drinking and drugs
                    239c(d)   This event reported for another
                                       SRD question?
Y7-703   42-44   First item number, 0=No
Y7-704   45-47   Second item number, 0=No

                    240c   Stolen from employer
Y7-705   48   240c(a1)   What did you steal?
                                         l=Money
                                         2=Other
                                         3=Both
Y7-706   49-51   240c(a2)   Amount stolen ($0-$999)
Y7-707   52-54   240c(a3)   Value of other ($0-$999)
Y7-708   55   240c(b)   Others involved?
                                         0-9, 0=Alone
Y7-709   56   240c(c)   Drinking or using drugs?
                                         0=No
                                         1=Drinking
                                         2=Using drugs
                                         3=Drinking and drugs
                    240c(d)   This event reported for another
                                       SRD question?
Y7-710   57-59   First item number, 0=No
Y7-711   60-62   Second item number, 0=No

                    241c(1-3)   Had sexual relations against
                                       someone's will - Three events
                    241c(1)   1.The Last time:
Y7-712   63   241c(1a)   Outcome of attempt?
                                         1=Actually forced
                                         2=Tried but didn't succeed

```
Y7-713    64        241c(1b)           Means of force?
                                           1=Verbal threats of injury
                                           2=Mild roughness
                                           3=Physical beating/choking
                                           4=Threat of weapon
                                           5=Used a weapon
                                           6=Other
Y7-714    65        241c(1c)           If any injury, how serious?
                                           0=No injury
                                           l=Knocked down
                                           2=Bruised
                                           3=Cut/bleeding
                                           4=Unconscious
                                           5=Hospitalized
                                           6=Required medical treatment
                                           7=Other
Y7-715    66        241c(1d)           Others involved?
                                           0-9, 0=Alone
Y7-716    67        241c(1e)           Was the person:
                                           1=A stranger
                                           2=An acquaintance
                                           3=A friend
                                           4=Family member
                                           5=Other
Y7-717    68        241c(1f)           Drinking or using drugs?
                                           0=No
                                           1=Drinking
                                           2=Using drugs
                                           3=Drinking and drugs
```

SEVENTH WAVE NYS DATA

CARD 15/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

```
                                   Forced  sexual  relations-Last
                                     time
                    241c(1g)       This event reported for another
                                     SRD question?
Y7-718    69-71                     First item number, 0=No

          72                       Subsamples (see page 3)
                                     l=NIMH
                                     2=LEAA
          73-76                     Household ID #
          77-78                     Respondent ID #, (02-09)
          79-80                     Card Number (15)
```

CARD 16/35

```
Y7-719     1- 3   241c(1g)(cont.)     Second item number, 0=No
                  241c(2)          2. Next to last time:
Y7-720     4      241c(2a)            Outcome of attempt?
```

```
                                        1=Actually forced
                                        2=Tried but didn't succeed
Y7-721     5      241c(2b)     Means of force?
                                        1=Verbal threats of injury
                                        2=Mild roughness
                                        3=Physical beating/choking
                                        4=Threat of weapon
                                        5=Used a weapon
                                        6=Other
Y7-722     6      241c(2c)     If any injury, how serious?
                                        0=No injury
                                        1=Knocked down
                                        2=Bruised
                                        3=Cut/bleeding
                                        4=Unconscious
                                        5=Hospitalized
                                        6=Required medical treatment
                                        7=Other
Y7-723     7      241c(2d)     Others involved?
                                        0-9, 0=Alone
Y7-724     8      241c(2e)     Was the person:
                                        1=A stranger
                                        2=An acquaintance
                                        3=A friend
                                        4=Family member
                                        5=Other
Y7-725     9      241c(2f)     Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs
                 241c(2g)     This event reported for another
                                        SRD question?
Y7-726     10-12               First item number, 0=No
Y7-727     13-15               Second item number, 0=No
SEVENTH WAVE NYS DATA

CARD 16/35 (continued)
                    Questionnaire
Variable  Column   Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)
                                        Forced sexual relations (continued)
                 241c(3)      3.Time before that:
Y7-728     16     241c(3a)     Outcome of attempt?
                                        1=Actually forced
                                        2=Tried but didn't succeed
Y7-729     17     241c(3b)     Means of force?
                                        1=Verbal threats of injury
                                        2=Mild roughness
                                        3=Physical beating/choking
                                        4=Threat of weapon
                                        5=Used a weapon
                                        6=Other
Y7-730     18     241c(3c)     If any injury, how serious?
                                        0=No injury
```

```
                                        1=Knocked down
                                        2=Bruised
                                        3=Cut/bleeding
                                        4=Unconscious
                                        5=Hospitalized
                                        6=Required medical treatment
                                        7=Other
Y7-731   19      241c(3d)        Others involved?
                                        0-9, 0=Alone
Y7-732   20      241c(3e)        Was the person:
                                        1=A stranger
                                        2=An acquaintance
                                        3=A friend
                                        4=Family member
                                        5=Other
Y7-733   21      241c(3f)        Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs
                 241c(3g)        This event reported for another
                                        SRD question?
Y7-734   22-24                   First item number, 0=No
Y7-735   25-27                   Second item number, 0=No
                 242c            Hit parents
Y7-736   28      242c(a1)        Outcome of attempt?
                                        1=Actually hit
                                        2=Tried, didn't succeed
                                        3=Only threatened to hit
Y7-737   29      242c(a2)        If any injury, how serious?
                                        0=No injury
                                        1=Pushed or slapped
                                        2=Caused pain
                                        3=knocked down
                                        4=Bruised
                                        5=Cut/bleeding
                                        6=Unconscious
                                        7=Hospitalized
                                        8=Required medical treatment
                                        9=Other
```

SEVENTH WAVE NYS DATA

CARD 16/35 (continued)
                Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

```
                                Hit parents (continued)
Y7-738   30      242c(b)        Others involved?
                                        0-9, 0=Alone
Y7-739   31      242c(c)        Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs
```

```
                  242c(d)            This event reported for another
                                     SRD question?
Y7-740    32-34                      First item number, 0=No
Y7-741    35-37                      Second item number, 0=No

                  243c               Hit someone at work
Y7-742    38      243c(a1)           Outcome of attempt?
                                       1=Actually hit
                                       2=Tried, didn't succeed
                                       3=Only threatened to hit
Y7-743    39      243c(a2)           If any injury, how serious?
                                       0=No injury
                                       1=Pushed or slapped
                                       2=Caused pain
                                       3=knocked down
                                       4=Bruised
                                       5=Cut/bleeding
                                       6=Unconscious
                                       7=Hospitalized
                                       8=Required medical treatment
                                       9=Other
Y7-744    40      243c(b)            Others involved?
                                       0-9, 0=Alone
Y7-745    41      243c(c)            Drinking or using drugs?
                                       0=No
                                       1=Drinking
                                       2=Using drugs
                                       3=Drinking and drugs
                  243c(d)            This event reported for another
                                     SRD question?
Y7-746    42-44                      First item number, 0=No
Y7-747    45-47                      Second item number, 0=No

                  244c               Hit anyone else
Y7-748    48      244c(a1)           Outcome of attempt?
                                       1=Actually hit
                                       2=Tried, didn't succeed
                                       3=Only threatened to hit
SEVENTH WAVE NYS DATA

CARD 16/35 (continued)
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

                                     Hit anyone else (continued)
Y7-749    49      244c(a2)           If any injury, how serious?
                                       0=No injury
                                       1=Pushed or slapped
                                       2=Caused pain
                                       3=knocked down
                                       4=Bruised
                                       5=Cut/bleeding
                                       6=Unconscious
                                       7=Hospitalized
```

```
                                      8=required medical treatment
                                      9=Other
Y7-750     50        244c(b)          Others involved?
                                      0-9, 0=Alone
Y7-751     51        244c(c)          Drinking or using drugs?
                                      0=No
                                      1=Drinking
                                      2=Using drugs
                                      3=Drinking and drugs
                     244c(d)          This event reported for another
                                       SRD question?
Y7-752     52-54                      First item number, 0=No
Y7-753     55-57                      Second item number, 0=No


                     246c             Sold hard drugs
Y7-754     58        246c(a)          What drugs?
                                      1=Marijuana
                                      2=Pills
                                      3=Cocaine
                                      4=Heroin
                                      5=Other
Y7-755     59-63     246c(b)          Value($0-$99998, and
                                       99999=Other than money)
Y7-756     64        246c(c)          Others involved?
                                      0-9, 0=Alone
                     246c(d)          This event reported for  another
                                       SRD question?
Y7-757     65-67                      First item number, 0=No
Y7-758     68-70                      Second item number, 0=No
           71                         Blank
           72                         Subsamples (see page 3)
                                      l=NIMH
                                      2=LEAA
           73-76                      Household ID #
           77-78                      Respondent ID #, (02-09)
           79-80                      Card Number (16)
```

SEVENTH WAVE NYS DATA

CARD 17/35

```
                 Questionnaire
Variable  Column  Item Number   Variable Description and Coding
```

SRD Follow-up Questions (continued)

```
                     247c             Sold something worthless
Y7-759     1         247c(c)          Sold to whom?
```

```
                                          1=Stranger
                                          2=Family member
                                          3=Friend
                                          4=Other
Y7-760      2- 5     247c(d)         Real value ($0-$9999)
Y7-761      6- 9     247c(e)         Asking price ($0-$9999)
Y7-762      10       247c(f)         Outcome of attempt?
                                          1=Actually sold it
                                          2=Tried to sell it
Y7-763      11       247c(g)         Others involved?
                                          0-9, 0=Alone
                     247c(h)         This event reported for another
                                     SRD question?
Y7-764      12-14                    First item number, 0=No
Y7-765      15-17                    Second item number, 0=No


                     248c            Taken vehicle
Y7-766      18       248c(a)         Kind of vehicle?
                                          l=Car
                                          2=Truck
                                          3=Motorcycle
                                          4=Other
Y7-767      19       248c(b)         Vehicle Owner?
                                          l=Family member
                                          2=Friend
                                          3=Other
Y7-768      20       248c(c)         Started vehicle?
                                          l=Had keys
                                          2=Hot wired
                                          3=Keys in ignition
                                          4=Other
Y7-769      21       248c(d)         Others involved?
                                          0-9, 0=Alone
Y7-770      22       248c(e)         Drinking or using drugs?
                                          0=No
                                          1=Drinking
                                          2=Using drugs
                                          3=Drinking and drugs
                     248c(f)         This  event  reported  for  another
                                     SRD question?
Y7-771      23-25                    First item number, 0=No
Y7-772      26-28                    Second item number, 0=No


                     250c(1-3)       Used force on people-Three events
                     250c(1)          1. The last time:
Y7-773      29       250c(1a)         Type of force
                                          l=Punched
                                          2=Physical beating
                                          3=Other
```

SEVENTH WAVE NYS DATA
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

CARD 17/35 (continued)
```
                                     Used force-The last time (continued)
Y7-774    30     250c(1b)       If weapons, what kind?
                                   0=No weapons
                                   l=Knives, cutting/stabbing things
                                   2=Chains, bats/hitting things
                                   3=Hard knuckles/numchucks
                                   4=Guns and other firearms
                                   5=Other
                                   6=Mixed weapons excluding guns
                                   7=Mixed weapons including guns
                                   8=Mixed weapon-no gun/knifetypes
Y7-775    31     250c(1c)       Purpose?
                                   l=Money
                                   2=Other
Y7-776    32     250c(1d)       If any injury, how serious?
                                   0=No injury
                                   l=Knocked down
                                   2=Bruised
                                   3=Cut/bleeding
                                   4=Unconscious
                                   5=Hospitalized
                                   6=Required medical treatment
                                   7=Other
Y7-777    33     250c(1e)       Others involved?
                                   0-9, 0=Alone
Y7-778    34     250c(1f)       Drinking or using drugs?
                                   0=No
                                   1=Drinking
                                   2=Using drugs
                                   3=Drinking and drugs
          250c(1g)       This  event  reported for another
                                   SRD question?
Y7-779    35-37            First item number, 0=No
Y7-780    38-40            Second item number, 0=No

          250c(2)        2. Next to last time:
Y7-781    41     250c(2a)       Type of force?
                                   l=Punched
                                   2=Physical beating
                                   3=Other
Y7-782    42     250c(2b)       If weapons, what kind?
                                   0=No weapons
                                   l=Knives, cutting/stabbing things
                                   2=Chains, bats/hitting things
                                   3=Hard knuckles/numchucks
                                   4=Guns and other firearms
                                   5=Other
                                   6=Mixed weapons excluding guns
                                   7=Mixed weapons including guns
                                   8=Mixed  weapons-no gun or knife
                                     types
Y7-783    43     250c(2c)       Purpose?
                                   l=Money
                                   2=Other
```

CARD 17/35 (continued)
SEVENTH WAVE NYS DATA
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)
                                    Used force-Next to last time
                                      (continued)
Y7-784   44   250c(2d)   If any injury, how serious?
                                        0=No injury
                                        l=Knocked down
                                        2=Bruised
                                        3=Cut/bleeding
                                        4=Unconscious
                                        5=Hospitalized
                                        6=Required medical treatment
                                        7=Other
Y7-785   45   250c(2e)   Others involved?
                                        0-9, 0=Alone
Y7-786   46   250c(2f)   Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs
          250c(2g)   This event reported for another
                                      SRD question?
Y7-787   47-49   First item number, 0=No
Y7-788   50-52   Second item number, 0=No

          250c(3)   3.Time before that:
Y7-789   53   250c(3a)   Type of force?
                                        l=Punched
                                        2=Physical beating
                                        3=Other
Y7-790   54   250c(3b)   If weapons, what kind?
                                        0=No weapons
                                        l=Knives, cutting/stabbing things
                                        2=Chains, bats/hitting things
                                        3=Hard knuckles/numchucks
                                        4=Guns and other firearms
                                        5=Other
                                        6=Mixed weapons excluding guns
                                        7=Mixed weapons including guns
                                        8=Mixed weapon-no gun/knifetypes
Y7-791   55   250c(3c)   Purpose?
                                        l=Money
                                        2=Other
Y7-792   56   250c(3d)   Extent of injury?
                                        0=No injury
                                        l=Knocked down
                                        2=Bruised
                                        3=Cut/bleeding
                                        4=Unconscious
                                        5=Hospitalized
                                        6=Required medical treatment
                                        7=Other

SEVENTH WAVE NYS DATA
CARD 17/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding
SRD Follow-up Questions (continued)

Y7-793   57   250c(3e)   Others involved?   0-9,
                                        0=Alone

                                    Used force-Time before that(cont.)
Y7-794   58   250c(3f)   Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs
                  250c(3g)   This event reported for another
                                      SRD question?
Y7-795   59-61   First item number, 0=No
Y7-796   62-64   Second item number, 0=No
                  253c   Stolen things ($5-$50)
Y7-797   65-66   253c(b)   Value ($0-$99)
Y7-798   67   253c(c)   Stolen from:
                                        1=Retail store
                                        2=Private home
                                        3=Auto
                                        4=Work place
                                        5=School/college
                                        6=Construction site
                                        7=Warehouse
                                        8=Other
Y7-799   68   253c(d)   Actually steal?
                                        l=No
                                        2=Yes
Y7-800   69   253c(e)   Others involved?
                                        0-9, 0=Alone
Y7-801   70   253c(f)   Drinking or using drugs?
                                        0=No
                                        1=Drinking
                                        2=Using drugs
                                        3=Drinking and drugs

          71   Blank
          72   Subsamples (see page 3)
                                      l=NIMH
                                      2=LEAA
          73-76   Household ID #
          77-78   Respondent ID #, (02-09)
          79-80   Card Number (17)

CARD 18/35
SEVENTH WAVE NYS DATA
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)
                                    Stolen things ($5-$50) (continued)
            253c(g)   This   event   reported   for   another
                                 SRD question?
Y7-802   1- 3   First item number, 0=No
Y7-803   4- 6   Second item number, 0=No

            254c(1-3)   Broken into building-Three events
            254c(1)   1.The last time:
Y7-804   7   254c(1a)   Broke into what?
                                    l=Building
                                    2=Vehicle
                                    3=House
                                    4=Other
Y7-805   8   254c(1b)   Actually break in?
                                    l=Broke in
                                    2=Tried
                                    3=Door open
Y7-806   9   254c(1c)   Reason?
                                    l=Look around
                                    2=Steal
                                    3=Other
Y7-807   10   254c(1d)   Others involved?
                                    0-9, 0=Alone
Y7-808   11   254c(1e)   Drinking or using drugs?
                                    0=No
                                    1=Drinking
                                    2=Using drugs
                                    3=Drinking and drugs
            254c(1f)   This   event   reported   for   another
                                 SRD question?
Y7-809   12-14   First item number, 0=No
Y7-810   15-17   Second item number, 0=No

            254c(2)   2. Next to last time:
Y7-811   18   254c(2a)   Broke into what?
                                    l=Building
                                    2=Vehicle
                                    3=House
                                    4=Other
Y7-812   19   254c(2b)   Actually break in?
                                    l=Broke in
                                    2=Tried
                                    3=Door open
Y7-813   20   254c(2c)   Reason?
                                    l=Look around
                                    2=Steal
                                    3=Other
Y7-814   21   254c(2d)   Others involved?
                                    0-9, 0=Alone
Y7-815   22   254c(2e)   Drinking or using drugs?
                                    0=No

```
                              1=Drinking
                              2=Using drugs
                              3=Drinking and drugs
               254c(2f)       This event reported for another
                              SRD question?
Y7-816    23-25               First item number, 0=No
Y7-817    26-28               Second item number, 0=No
SEVENTH WAVE NYS DATA

CARD 18/35 (continued)
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

                              Broken into building (continued)
               254c(3)        3. Time before that:
Y7-818    29   254c(3a)        Broke into what?
                              1=Building
                              2=Vehicle
                              3=House
                              4=Other
Y7-819    30   254c(3b)        Actually break in?
                              1=Broke in
                              2=Tried
                              3=Door open
Y7-820    31   254c(3c)        Reason?
                              1=Look around
                              2=Steal
                              3=Other
Y7-821    32   254c(3d)        Others involved?
                              0-9, 0=Alone
Y7-822    33   254c(3e)        Drinking or using drugs?
                              0=No
                              1=Drinking
                              2=Using drugs
                              3=Drinking and drugs
               254c(3f)       This  event  reported  for  another
                              SRD question?
Y7-823    34-36               First item number, 0=No
Y7-824    37-39               Second item number, 0=No

               257c           Used credit cards without
                              permission
Y7-825    40   257c(a)        Whose card?
                              1=Stranger
                              2=Family member
                              3=Friend
                              4=Other
Y7-826    41-43 257c(b)       Amount charged($0-$999)
Y7-827    44   257c(c)        Others involved? 0-9,
                              0=Alone
               257c(d)        This  event  reported for another
                              SRD question?
Y7-828    45-47               First item number, 0=No
Y7-829    48-50               Second item number, 0=No
```

SEVENTH WAVE NYS DATA

CARD 18/35 (continued)
                    Questionnaire
Variable Column Item Number   Variable Description and Coding

SRD Follow-up Questions (continued)

                 259c   Picked someone's pocket
Y7-830   51   259c(a)   What did you do?
                                 1=Purse snatching
                                 2=Pick pocket
                                 3=Other
                 259c(b1-b4)   What was taken?
                                   1=No
                                   2=Yes
Y7-831   52   259c(b1)   (1)Money
Y7-832   53   259c(b2)   (2)Credit cards
Y7-833   54   259c(b3)   (3)Checks
Y7-834   55   259c(b4)   (4)Other
Y7-835   56   259c(c)   Others involved?
                                 0-9, 0=Alone
Y7-836   57   259c(d)   Drinking or using drugs?
                                 0=No
                                 1=Drinking
                                 2=Using drugs
                                 3=Drinking and drugs
                 259c(e)   This event reported for another
                               SRD question?
Y7-837   58-60   First item number, 0=No
Y7-838   61-63   Second item number, 0=No

                 260c   Embezzled money or funds
Y7-839   64-66   260c(a)   Value($0-$999)
                 260c(d)   This event reported for another SRD
                               question?
Y7-840   67-69   First item number,
                                 0=No

         70-71   Blank
         72   Subsamples (see page 3)
                                 l=NIMH,
                                 2=LEAA
         73-76   Household ID #
         77-78   Respondent ID #, (02-09)
         79-80   Card Number (18)

CARD 19/35

                 260c(d)(cont.) Embezzled money or funds (continued)
Y7-841   1- 3   Second item number,
                                 0=No
SEVENTH WAVE NYS DATA
CARD 19/35 (continued)
                 Questionnaire

Variable Column Item Number   Variable Description and Coding
----
Drug or Alcohol Use - Questionnaire items 261-265, 267, 269, 271,
and 273-279 ask respondents about a number of substances they may
have used in the past year. For each substance used, the respondent
is asked to give an absolute frequency of use, and for responses of 10
or more an estimate of the rate of occurrence has been asked. A
combined rate of occurrence measure, scored 1=never through 9=2-3 times
a day, is then constructed.

```
Y7-842-877     4-68/Card 19  261...274 (1) How many times in the past
                                           year?
Y7-878-893     1-27/Card 20  275...279      Frequency (0-999)
                                         (2) How often in the past year?
                                             1=Never
                                             2=Once or twice
                                             3=Once every 2-3 months
                                             4=Once a month
                                             5=Once every 2-3 weeks
                                             6=Once a week
                                             7=2-3 times a week
                                             8=Once a day
                                             9=2-3 times a day
                                         (3) Episodic Usage
                                             Blank=Use not epidsodic
                                             1=LT 2 weeks
                                             2=2 to 4 weeks
                                             3=GT 1 to 2 months
                                             4=GT 2 to 3 months
                                             5=GT 3 to 4 months
                                             6=GT 4 to 6 months
                                             7=GT 6 months
            ----------------------------------------------------------
                      261          Alcoholic beverages
Y7-842    4- 6    261(1)            Frequency
Y7-843    7       261(2)            Rate
Y7-844    8       261(3)            Episodic
                      262          Tobacco
Y7-845    9       262              Used tobacco?
                                     1=No
                                     2=Yes
Y7-846    10      262(3)            Episodic
                                   How much?
Y7-847    11-12   262a               # of cigarettes per day(0-99)
Y7-848    13-14   262b               # of cigars/pipes per day(0-99)
Y7-849    15-16   262c               Cans of chewing tobacco/mo.(0-99)

                      263          Marijuana
Y7-850    17-19   263(1)            Frequency
Y7-851    20      263(2)            Rate
Y7-852    21      263(3)            Episodic

                      264          Hallucinogens
Y7-853    22-24   264(1)            Frequency
Y7-854    25      264(2)            Rate
Y7-855    26      264(3)            Episodic
```

SEVENTH WAVE NYS DATA

CARD 19/35 (continued)
                        Questionnaire
Variable Column Item Number   Variable Description and Coding

Use of Drugs (continued)

                  265   Tranquilizers
Y7-856   27-29   265(1)   Frequency
Y7-857   30   265(2)   Rate
Y7-858   31   265(3)   Episodic
Y7-859   32-34   266   IF SOME USE: How many of these
                                 times were prescribed by a doctor?
                                  Frequency (0-999)

                  267   Amphetamines
Y7-860   35-37   267(1)   Frequency
Y7-861   38   267(2)   Rate
Y7-862   39   267(3)   Episodic
Y7-863   40-42   268   IF SOME USE: How many of these times
                                 were prescribed by a doctor?
                                  Frequency (0-999)

                  269   Barbiturates
Y7-864   43-45   269(1)   Frequency
Y7-865   46   269(2)   Rate
Y7-866   47   269(3)   Episodic
Y7-867   48-50   270   IF SOME USE: How many of these times
                                 were prescribed by a doctor?
                                  Frequency (0-999)

                  271   Codeine
Y7-868   51-53   271(1)   Frequency
Y7-869   54   271(2)   Rate
Y7-870   55   271(3)   Episodic
Y7-871   56-58   272   IF SOME USE: How many of these times
                                 were prescribed by a doctor?
                                  Frequency (0-999)

                  273   Heroin
Y7-872   59-61   273(1)   Frequency
Y7-873   62   273(2)   Rate
Y7-874   63   273(3)   Episodic

                  274   Crack
Y7-875   64-66   274(1)   Frequency
Y7-876   67   274(2)   Rate
Y7-877   68   274(3)   Episodic

         69-71   Blank
         72   Subsamples (see page 3)
                                  1=NIMH
                                  2=LEAA
         73-76   Household ID #
         77-78   Respondent ID #, (02-09)

```
           79-80                      Card Number (19)
SEVENTH WAVE NYS DATA

CARD 20/35
                      Questionnaire
Variable   Column  Item Number    Variable Description and Coding

Use of Drugs (continued)


                      275              Cocaine
Y7-878     1- 3    275(1)             Frequency
Y7-879     4       275(2)             Rate
Y7-880     5       275(3)             Episodic


                      276              Inhalants
Y7-881     6- 8    276(1)             Frequency
Y7-882     9       276(2)             Rate
Y7-883     10      276(3)             Episodic


                      277              Angel Dust
Y7-884     11-13   277(1)             Frequency
Y7-885     14      277(2)             Rate
Y7-886     15      277(3)             Episodic


                      278              Other drugs
Y7-887     16-17   278a               Substance:
                                        01=THC
                                        02=Quaaludes
                                        03=Cough medicine
                                        04=Robitussin
                                        05=Sominex
                                        06=Sudafed
                                        07=No-Doze
                                        08=Demerol
                                        09=Weight control pills
                                        10=Coricidin
                                        11=Mushrooms
                                        12=MDA
                                        13=Pam
                                        99=Other
Y7-888     18-20   278(1)             Frequency
Y7-889     21      278(2)             Rate
Y7-890     22      278(3)             Episodic


                      279              Used any drugs in excess of your
                                       doctor's prescription?
Y7-891     23-25   279(1)             Frequency
Y7-892     26      279(2)             Rate
Y7-893     27      279(3)             Episodic


Y7-894     28      280a               Ever injected illicit drugs?
                                        0=No
                                        1=Heroin
                                        2=Cocaine
                                        3=Other drugs
                                        4=Heroin and cocaine
```

                                        5=Other combinations including
                                          heroin but excluding cocaine
                                        6=Other combination including
                                          cocain but excluding heroin
                                        7=Combinations including heroin
                                          and cocaine

SEVENTH WAVE NYTA

CARD 20/35 (continued)
                    Questionnaire
Variable   Column Item Number   Variable Description and Coding

Use of Drugs (continued)

Y7-895   29   280b   Ever shared a needle with someone
                                without sterilizing it between uses?
                                   1=No
                                   2=Yes

Problem Behavior Resulting from Drug or Alcohol Use -Questionnaire
items 281 through 288 ask respondents to report the number of times
they have experienced various problems as a result of drug or alcohol
use.
Y7-896-919 30-53   281-288(1-3)   l=Never
                                    2=Once or twice
                                    3=Three or four times
                                    4=Five or six times
                                    5=More than six times
----
               281   Trouble with girlfriend/boyfriend
Y7-896   30   281(l)   Alcohol
Y7-897   31   281(2)   Marijuana
Y7-898   32   281(3)   Drugs

               282   Trouble with friends
Y7-899   33   282(l)   Alcohol
Y7-900   34   282(2)   Marijuana
Y7-901   35   282(3)   Drugs

               283   Problems with family
Y7-902   36   283(l)   Alcohol
Y7-903   37   283(2)   Marijuana
Y7-904   38   283(3)   Drugs

               284   Gotten into fights
Y7-905   39   284(l)   Alcohol
Y7-906   40   284(2)   Marijuana
Y7-907   41   284(3)   Drugs

               285   Problems with physical health
Y7-908   42   285(l)   Alcohol
Y7-909   43   285(2)   Marijuana
Y7-910   44   285(3)   Drugs

               286   Trouble with the police

SEVENTH WAVE NYS DATA
CARD 20/35 (continued)

```
Y7-911    45      286(1)          Alcohol
Y7-912    46      286(2)          Marijuana
Y7-913    47      286(3)          Drugs


          287             Accidents while driving
Y7-914    48      287(1)          Alcohol
Y7-915    49      287(2)          Marijuana
Y7-916    50      287(3)          Drugs


          288             Called in sick at work
Y7-917    51      288(1)          Alcohol
Y7-918    52      288(2)          Marijuana
Y7-919    53      288(3)          Drugs
```

Additional Problem Behavior-Item 289 asks respondents whether they have
done something illegal to obtain alcohol, marijuana or drugs.
```
Y7-920-922 54-56     289            1=No
                                    2=Yes
```

```
          289             Done something illegal to get:
Y7-920    54      289(a)          Alcohol?
Y7-921    55      289(b)          Marijuana?
Y7-922    56      289(c)          Drugs?
```

Illegal Activity to Get Alcohol or Drugs-If a "Yes" response was given
to any part of question 289,each of the following activities was coded
according to respondent's report of having done them.
```
Y7-923-934 57-68   289(1-12)        1=Yes
                                    Blank=No
```

```
Y7-923    57      289(1)          Steal something
Y7-924    58      289(2)          Prostitution
Y7-925    59      289(3)          Gamble
Y7-926    60      289(4)          Sell drugs or alcohol
Y7-927    61      289(5)          Sell things not yours
Y7-928    62      289(6)          Beat someone up
Y7-929    63      289(7)          Bought alcohol while underage
Y7-930    64      289(8)          Use fake ID
Y7-931    65      289(9)          Steal alcohol or drugs
Y7-932    66      289(10)         Fake prescription
Y7-933    67      289(11)         Fake illness
Y7-934    68      289(12)         Other
          69-71                   Blank
          72                      Subsamples (see page 3)
                                    1=NIMH,
                                    2=LEAA
          73-76                   Household ID #
          77-78                   Respondent ID #, (02-09)
          79-80                   Card Number (20)
```

SEVENTH WAVE NYS DATA
CARD 21/35
```
                              Questionnaire
Variable  Column  Item Number   Variable Description and Coding


----------------------------------------------------------------------
Questions 290-292 ask respondents for an absolute frequency of how many
times, in  the last year, they have been high on alcohol and drugs and
how many times they have been high while driving and at work.
Y7-935-943 1-27    290-292          Frequency(0-999)
----------------------------------------------------------------------
Y7-935     1- 3    290a             Drunk on alcohol in the past year
Y7-936     4- 6    290b             Drunk while driving
Y7-937     7- 9    290c             Drunk while at work

Y7-938    10-12    291a             High on marijuana in the past year
Y7-939    13-15    291b             High on marijuana while driving
Y7-940    16-18    291c             High on marijuana while at work

Y7-941    19-21    292a             High on other drugs in  past year
Y7-942    22-24    292b             High on other drugs while driving
Y7-943    25-27    292c             High on other drugs while at work
----------------------------------------------------------------------
Questionnaire items 293-303 ask Respondents if they have ever in their
lifetime engaged in a selected list of behaviors and if so how old they
were the  first time they did.

Y7-944-965  28-60   293-303         (1) Ever in your lifetime?
                                        1=No
                                        2=Yes
                                    (2)How old the first time?Age in years
                                        99=Can't remember
----------------------------------------------------------------------
                    293             Stolen motor vehicle
Y7-944     28       293(1)            Ever in your lifetime?
Y7-945     29-30    293(2)            How old?

                    294             Stolen something more than $50
Y7-946     31       294(1)            Ever in your lifetime?
Y7-947     32-33    294(2)            How old?

                    295             Set fire to property
Y7-948     34       295(1)            Ever in your lifetime?
Y7-949     35-36    295(2)            How old?

                    296             Attacked someone
Y7-950     37       296(1)            Ever in your lifetime?
Y7-951     38-39    296(2)            How old?

                    297             Been in gang fights
Y7-952     40       297(1)            Ever in your lifetime?
Y7-953     41-42    297(2)            How old?

                    298             Sexual relations against someones will
Y7-954     43       298(1)            Ever in your lifetime?
```

```
Y7-955     44-45     298(2)              How old?


           299                  Broken into building
Y7-956     46        299(1)              Ever in your lifetime?
Y7-957     47-48     299(2)              How old?


           300                  Used force on someone
Y7-958     49        300(1)              Ever in your lifetime?
Y7-959     50-51     300(2)              How old?


           301                  Physically hurt someone to get sex
Y7-960     52        301(1)              Ever in your lifetime?
Y7-961     53-54     301(2)              How old?


           302                  Sold hard drugs
Y7-962     55        302(1)              Ever in your lifetime?
Y7-963     56-57     302(2)              How old?


           303                  Injured spouse/partner
Y7-964     58        303(1)              Ever in your lifetime?
Y7-965     59-60     303(2)              How old?
SEVENTH WAVE NYS DATA


CARD 21/35 (continued)
                          Questionnaire
Variable  Column  Item Number   Variable Description and Coding


-----------------------------------------------------------------------
Self-Reported Delinquency - During 1984 and 1985:  Questionnaire items
304-334 ask respondents how often they engaged in a variety of
behaviors,including the  use  of some drugs, during 1984 and 1985.
(The Yes - No responses in  this section were filters only and are not
included in the data set.)  This set of items is unique to the Partial
Sample (Wave 7A) and each item is, therefore, indicated by an asterisk
(*).


Y7-966-975  61-70/Card 21   304*-308*   1=Never
Y7-976-1029 1-54/Card 22    309*-334*   2=1-2 Times
                                        3=3-11 Times
                                        4=12 or More Times
-----------------------------------------------------------------------
           304*                 Stolen motor vehicle
Y7-966     61        304a*               During 1984?
Y7-967     62        304b*               During 1985?


           305*                 Stolen something more than $50
Y7-968     63        305a*               During 1984?
Y7-969     64        305b*               During 1985?


           306*                 Bought stolen goods
Y7-970     65        306a*               During 1984?
Y7-971     66        306b*               During 1985?


           307*                 Set fire to property
Y7-972     67        307a*               During 1984?
Y7-973     68        307b*               During 1985?
```

```
                        308*            Carried a hidden weapon
Y7-974      69          308a*              During 1984?
Y7-975      70          308b*              During 1985?

            71                          Blank
            72                          Subsamples (see page 3)
                                          l=NIMH
                                          2=LEAA
            73-76                       Household ID #
            77-78                       Respondent ID #, (02-09)
            79-80                       Card Number (21)

CARD 22/35


                        309*            Stolen something less than $5
Y7-976      1           309a*              During 1984?
Y7-977      2           309b*              During 1985?


                        310*            Attacked someone
Y7-978      3           310a*              During 1984?
Y7-979      4           310b*              During 1985?


                        311*            Been paid for sexual relations
Y7-980      5           311a*              During 1984?
Y7-981      6           311b*              During 1985?
```
SEVENTH WAVE NYS DATA

CARD 22/35 (continued)

```
                        Questionnaire
Variable   Column   Item Number    Variable Description and Coding
```

Self-Reported Delinquency-1984/1985 (continued)

```
                        312*            Pay someone for sexual relations
Y7-982      7           312a*              During 1984?
Y7-983      8           312b*              During 1985?


                        313*            Been in gang fights
Y7-984      9           313a*              During 1984?
Y7-985      10          313b*              During 1985?


                        314*            Used checks illegally
Y7-986      11          314a*              During 1984?
Y7-987      12          314b*              During 1985?


                        315*            Sold marijuana
Y7-988      13          315a*              During 1984?
Y7-989      14          315b*              During 1985?


                        316*            Had sexual relations against
                                           someone's will
Y7-990      15          316a*              During 1984?
Y7-991      16          316b*              During 1985?


                        317*            Hit parent
```

```
Y7-992     17      317a*          During 1984?
Y7-993     18      317b*          During 1985?

                   318*           Hit someone at work
Y7-994     19      318a*          During 1984?
Y7-995     20      318b*          During 1985?

                   318(a)*        Hit anyone else
Y7-996     21      318(a)a*       During 1984?
Y7-997     22      318(a)b*       During 1985?

                   319*           Sold hard drugs
Y7-998     23      319a*          During 1984?
Y7-999     24      319b*          During 1985?

                   320*           Tried to sell something worthless
Y7-1000    25      320a*          During 1984?
Y7-1001    26      320b*          During 1985?

                   321*           Taken vehicle
Y7-1002    27      321a*          During 1984?
Y7-1003    28      321b*          During 1985?

                   322*           Used force on anyone
Y7-1004    29      322a*          During 1984?
Y7-1005    30      322b*          During 1985?

                   323*           Stolen things ($5-50)
Y7-1006    31      323a*          During 1984?
Y7-1007    32      323b*          During 1985?
```

SEVENTH WAVE NYS DATA

CARD 22/35 (continued)

```
                 Questionnaire
Variable  Column  Item Number   Variable Description and Coding
```

Self-Reported Delinquency-1984/1985 (continued)

```
                   324*           Broken into building
Y7-1008    33      324a*          During 1984?
Y7-1009    34      324b*          During 1985?

                   325*           Used credit cards without permission
Y7-1010    35      325a*          During 1984?
Y7-1011    36      325b*          During 1985?

                   326*           Picked someone's pocket
Y7-1012    37      326a*          During 1984?
Y7-1013    38      326b*          During 1985?

                   327*           Embezzled money or funds
Y7-1014    39      327a*          During 1984?
Y7-1015    40      327b*          During 1985?

                   328*           Usd alcoholic beverages
```

```
Y7-1016    41       328a*          During 1984?
Y7-1017    42       328b*          During 1985?


                    329*           Used marijuana
Y7-1018    43       329a*          During 1984?
Y7-1019    44       329b*          During 1985?


                    330*           Used hallucinogens
Y7-1020    45       330a*          During 1984?
Y7-1021    46       330b*          During 1985?


                    331*           Used tranquilizers
Y7-1022    47       331a*          During 1984?
Y7-1023    48       331b*          During 1985?


                    332*           Used amphetamines
Y7-1024    49       332a*          During 1984?
Y7-1025    50       332b*          During 1985?


                    333*           Used barbiturates
Y7-1026    51       333a*          During 1984?
Y7-1027    52       333b*          During 1985?


                    334*           Used cocaine
Y7-1028    53       334a*          During 1984?
Y7-1029    54       334b*          During 1985?
SEVENTH WAVE NYS DATA

CARD 22/35 (continued)
                    Questionnaire
Variable  Column    Item Number    Variable Description and Coding


Y7-1030    55-56    335            Since January 1984, ever arrested?
                                     0=No
                                     1-99=Number of times


                    336-338        Information on arrests (3 events)
                    336            1. The most recent time arrested:
Y7-1031    57-58    336(a1)          Month (01-12)
                                       13=Winter
                                       14=Spring
                                       15=Summer
                                       16=Fall
                                       99=Unknown
Y7-1032    59-60    336(a2)          Year (84-86)
                    336(b1-3)      What were you doing? (3 coded)
                                     (01-86) see Appendix A
Y7-1033    61-62    336(b1)          First thing
Y7-1034    63-64    336(b2)          Second thing
Y7-1035    65-66    336(b3)          Third thing


           67-71                   Blank
           72                      Subsamples (see page 3)
                                     1=NIMH
                                     2=LEAA
```

```
          73-76                    Household ID #
          77-78                    Respondent ID #, (02-09)
          79-80                    Card Number (22)


CARD 23/35


                    336(c1-3)      Police charge? (3 coded)
                                     (01-86) see Appendix A
Y7-1036     1- 2    336(c1)          First charge
Y7-1037     3- 4    336(c2)          Second charge
Y7-1038     5- 6    336(c3)          Third charge
Y7-1039     7       336(d)        Really do what police charged?
                                     1=No
                                     2=Yes


                    337            2. The time before that:
Y7-1040     8- 9    337(a1)          Month (0l-l2)
                                        l3=Winter
                                        l4=Spring
                                        l5=Summer
                                        l6=Fall
                                        99=Unknown
Y7-1041     10-11   337(a2)          Year (84-86)
                    337(b1-3)      What were you doing?
                                     (0l-86) see Appendix A
Y7-1042     12-13   337(b1)          First thing
Y7-1043     14-15   337(b2)          Second thing
Y7-1044     16-17   337(b3)          Third thing
SEVENTH WAVE NYS DATA


CARD 23/35 (continued)
                    Questionnaire
Variable  Column  Item Number   Variable Description and Coding


Information on arrests (continued)


                                   The time before that (continued)
                    337(c1-3)      Police charge?
                                     (01-86) see Appendix A
Y7-1045     18-19   337(c1)          First charge
Y7-1046     20-21   337(c2)          Second charge
Y7-1047     22-23   337(c3)          Third charge
Y7-1048     24      337(d)        Really do what police charged?
                                     1=No
                                     2=Yes


                    338            3. And the time before that:
Y7-1049     25-26   338(a1)          Month (0l-l2)
                                        l3=Winter
                                        l4=Spring
                                        l5=Summer
                                        l6=Fall
                                        99=Unknown
Y7-1050     27-28   338(a2)          Year (84-86)
                    338(b1-3)      What were you doing?
                                     (0l-86) see Appendix A
```

```
Y7-1051   29-30   338(b1)              First thing
Y7-1052   31-32   338(b2)              Second thing
Y7-1053   33-34   338(b3)              Third thing
                  338(c1-3)      Police charge?
                                 (01-86) see Appendix A
Y7-1054   35-36   338(c1)              First charge
Y7-1055   37-38   338(c2)              Second charge
Y7-1056   39-40   338(c3)              Third charge
Y7-1057   41      338(d)         Really do what police charged?
                                   1=No
                                   2=Yes


                                 Since   January   1984,   ever   been
                                 questioned?
Y7-1058   42-43   339            0=No, 1-99=Number of times


                  340-342        Questioned by police (3 events)
                  340            1. The most recent time questioned:
Y7-1059   44-45   340(a1)          Month (01-12)
                                     13=Winter
                                     14=Spring
                                     15=Summer
                                     16=Fall
                                     99=Unknown
Y7-1060   46-47   340(a2)         Year (84-86)
Y7-1061   48-49   340(b)          Questioned about what?
                                   (01-86) see Appendix A
Y7-1062   50      340(c1)         Had you committed any offense?
                                   1=No
                                   2=Yes
Y7-1063   51-52   340(c2)         IF YES: What did you do?
                                   (01-86) see Appendix A
```

SEVENTH WAVE NYS DATA

CARD 23/35 (continued)

```
                  Questionnaire
Variable  Column  Item Number    Variable Description and Coding


                                 Most recent questioning (continued)
Y7-1064   53      340(d)          What did police do?
                                   1=No police action
                                   2=Asked questions, no action
                                   3=Took Respondent home, no action
                                   4=Investigation report/complaint
                                   5=Temporarily detained/questioned
                                   6=Arrested/released on bail
                                   7=Placed in custody/jailed
                                   9=Other


                  341            2. The time before that questioned:
Y7-1065   54-55   341(a1)          Month (01-12)
                                     13=Winter
                                     14=Spring
                                     15=Summer
                                     16=Fall
                                     99=Unknown
```

```
Y7-1066   56-57   341(a2)      Year (84-86)
Y7-1067   58-59   341(b)       Questioned about what?
                                 (0l-86) see Appendix A
Y7-1068   60      341(c1)      Had you committed any offense?
                                 1=No
                                 2=Yes
Y7-1069   61-62   341(c2)      If YES: What did you do?
                                 (01-86) see Appendix A
Y7-1070   63      341(d)       What did police do?
                                 Coded the same as Item 340(d)


          342          3. And the time before that:
Y7-1071   64-65   342(a1)      Month (0l-l2)
                                 l3=Winter
                                 l4=Spring
                                 l5=Summer
                                 l6=Fall
                                 99=Unknown
Y7-1072   66-67   342(a2)      Year (84-86)
Y7-1073   68-69   342(b)       Questioned about what?
                                 (0l-86) see Appendix A
Y7-1074   70      342(c1)      Had you committed any offense?
                                 1=No
                                 2=Yes


          71           Blank
          72           Subsamples (see page 3)
                                 l=NIMH
                                 2=LEAA
          73-76        Household ID #
          77-78        Respondent ID #, (02-09)
          79-80        Card Number (23)
SEVENTH WAVE NYS DATA

CARD 24/35
                   Questionnaire
Variable   Column  Item Number  Variable Description and Coding

Questioned by Police (continued)
                                Time before that questioned (cont.)
Y7-1075   1- 2   342(c2)        If YES: What did you do?
                                 (01-86) see Appendix A
Y7-1076   3      342(d)         What did police do?
                                 1=No police action
                                 2=Asked questions, no action
                                 3=Took Respondent home, no action
                                 4=Investigation report/complaint
                                 5=Temporarily detained/questioned
                                 6=Arrested/released on bail
                                 7=Placed in custody/jailed
                                 9=Other


Y7-1077   4      343a           Ever been to court for a crime?
                                 0=No
                                 1=Juvenile Court
                                 2=Adult Court
```

```
                              3=Both
Y7-1078    5- 6    343b      How old at first court appearance?
                              Age in years
Y7-1079    7- 8    343c1     If ever convicted, how many times?
                              0-99
                              0=Never convicted
                   343c2(1-3) If CONVICTED: What were the charges?
                              Allow for 3 offenses
                              (01-86) see Appendix A
Y7-1080    9-10    343c2(1)   First offense
Y7-1081    11-12   343c2(2)   Second offense
Y7-1082    13-14   343c2(3)   Third offense
Y7-1083    15      343c3      Ever serve time for any offense?
                              1=No
                              2=Yes
-----------------------------------------------------------------------
Y7-1084-1091 16-32 343c3(1-4) IF YES: How long in what type of
                              facility:
                              (Responses coded in two parts:)
                                (a) Days or months up to the time
                                    of the interview
                                    0=less than 1
                                (b) Year first sentence began
                                    Blank=Don't remember
-----------------------------------------------------------------------
                   343c3(1)   Detention Center:
Y7-1084    16-17   343c3(1a)   Days (0-99)
Y7-1085    18-19   343c3(1b)   Year (0-87)
                   343c3(2)   Training school
Y7-1086    20-21   343c3(2a)   Months (0-99)
Y7-1087    22-23   343c3(2b)   Year (0-87)
                   343c3(3)   Jail
Y7-1088    24-26   343c3(3a)   Days (0-999)
Y7-1089    27-28   343c3(3b)   Year (0-87)
                   343c3(4)   Prison
Y7-1090    29-30   343c3(4a)   Months (0-99)
Y7-1091    31-32   343c3(4b)   Year (0-87)
SEVENTH WAVE NYS DATA

CARD 24/35 (continued)
                   Questionnaire
Variable  Column  Item Number   Variable Description and Coding
-----------------------------------------------------------------------
Questionnaire items 344 through 350 ask respondents what they think the
chances are that they would be arrested if they committed certain acts.

Y7-1092-1098 33-46 344-350        0=0% chance
                                  1=10% chance
                                  2=20% chance
                                  3=30% chance
                                  4=40% chance
                                  5=50% chance
                                  6=60% chance
                                  7=70% chance
                                  8=80% chance
                                  9=90% chance
```

```
                                  10=100% chance
            -------------------------------------------------------------
Y7-1092   33-34    344              Exceed speed limit by 10-20 mph
Y7-1093   35-36    345              Steal something less than $5
Y7-1094   37-38    346              Steal something more than $50
Y7-1095   39-40    347              Break into a building
Y7-1096   41-42    348              Strongarm others
Y7-1097   43-44    349              Attack someone
Y7-1098   45-46    350              Deliberate your spouse/partner
```

Questionnaire items 351 through 356 ask Respondents what they think
would be the most likely punishment if they were ticketed or arrested
for certain acts.

```
Y7-1099-1104 47-52 351-356         1=Released without charges
                                   2=Dismissed at court
                                   3=Fined and released
                                   4=Probation/suspended sentence
                                   5=Short time in jail
                                   6=Long time in jail
                                 Probes to "Don't Know":
                                   7=Serious punishment
                                   8=Nonserious punishment
                                   9=No punishment
            -------------------------------------------------------------
Y7-1099   47       351              Exceed speed limit by 10-20 mph
Y7-1100   48       352              Steal something less than $5
Y7-1101   49       353              Steal something more than $50
Y7-1102   50       354              Break into a building
Y7-1103   51       355              Strongarm others
Y7-1104   52       356              Attack someone
```
SEVENTH WAVE NYS DATA

CARD 24/35 (continued)
```
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding
```

Questionnaire items 357 through 368 ask Respondents how much guilt,
remorse or personal discomfort they would experience if they committed
certain acts.

```
Y7-1105-1116 53-64  357-368         5=A great deal
                                    4=Quite a bit
                                    3=Some
                                    2=Not too much
                                    1=Very little
            -------------------------------------------------------------
Y7-1105   53       357              Exceed speed limit by 10-20 mph
Y7-1106   54       358              Steal something less than $5
Y7-1107   55       359              Steal something more than $50
Y7-1108   56       360              Break into a building
Y7-1109   57       361              Strongarm others
Y7-1110   58       362              Attack someone
```

```
Y7-1111  59      363          Exceed speed limit by 10-20 mph
                                to help someone
Y7-1112  60      364          Steal something less than $5
                                from store that overcharges
Y7-1113  61      365          Steal something over $50 that
                                is covered by insurance
Y7-1114  62      366          Break into a building owned
                                by a known crook
Y7-1115  63      367          Strongarm someone to get something
                                you need but can't pay for
Y7-1116  64      368          Attack someone because of argument
                                over girl/boyfriend
```

Victimization - Questionnaire items 369 through 379 ask respondents to
report how often in the past year they have been the victim of various
acts. The exact number of times is recorded in each case. Items 370,
371, 372, 375 and 378 include sets of additional questions.

```
Y7-1117-1119 65-71/CARD 24   369-370(a) Number of times in the
                                        past year
Y7-1120-1172 1-71/CARD 25    370(b)-378    (0-999)
Y7-1173-1176 1-6/CARD 26     378(a)-379
```

```
Y7-1117  65-67   369          Things taken directly from you
Y7-1118  68-70   370          Beaten up by parent
Y7-1119  71      370(a)       Forced sex attempted?
                                1=No
                                2=Yes


         72                   Subsamples (see page 3)
                                1=NIMH
                                2=LEAA
         73-76                Household ID #
         77-78                Respondent ID #, (02-09)
         79-80                Card Number (24)
SEVENTH WAVE NYS DATA

CARD 25/35
                 Questionnaire
Variable  Column  Item Number  Variable Description and Coding

Victimization (continued)
                              Beaten up by parent (continued)
         370(b1-3)            If forced sex attempted, were you:
                                (1=No, 2=Yes)
Y7-1120  1       370(b1)        (1)Threatened/injured by weapon?
Y7-1121  2       370(b2)        (2)Seriously injured?
Y7-1122  3       370(b3)        (3)Forced to have sexual relations

Y7-1123  4- 6    371          Threatened with/beaten up by others
Y7-1124  7- 9    371(a)        How many times actually beaten up?
         371(b1-10)           Relation of attacker(s):
                                (1=No, 2=Yes)
Y7-1125  10      371(b1)        Brother
Y7-1126  11      371(b2)        Sister
```

```
Y7-1127   12        371(b3)             Teacher
Y7-1128   13        371(b4)             Spouse
Y7-1129   14        371(b5)             Student
Y7-1130   15        371(b6)             Gang
Y7-1131   16        371(b7)             Other adult
Y7-1132   17        371(b8)             Boy/girlfriend
Y7-1133   18        371(b9)             Other youth
Y7-1134   19        371(b10)            Other
Y7-1135   20        371(c)              Forced sex attempted?
                                          l=No
                                          2=Yes
                    371(d1-3)           If forced sex attempted, were you:
                                          (1=No, 2=Yes)
Y7-1136   21        371(d1)             (1)Threatened/injured by weapon?
Y7-1137   22        371(d2)             (2)Seriously injured?
Y7-1138   23        371(d3)             (3)Forced to have sexual relations

Y7-1139   24-26     372                 Attacked with weapon
                    372(a1-10)          Relation of attacker(s):
                                          (1=No, 2=Yes)
Y7-1140   27        372(a1)             Brother
Y7-1141   28        372(a2)             Sister
Y7-1142   29        372(a3)             Teacher
Y7-1143   30        372(a4)             Spouse
Y7-1144   31        372(a5)             Student
Y7-1145   32        372(a6)             Gang
Y7-1146   33        372(a7)             Other adult
Y7-1147   34        372(a8)             Boy/girlfriend
Y7-1148   35        372(a9)             Other youth
Y7-1149   36        372(a10)            Other
Y7-1150   37        372(b)              Forced sex attempted?
                                          l=No
                                          2=Yes
                    372(c1-3)           If forced sex attempted, were you:
                                          (1=No, 2=Yes)
Y7-1151   38        372(c1)             (1)Threatened/injured by weapon?
Y7-1152   39        372(c2)             (2)Seriously injured?
Y7-1153   40        372(c3)             (3)Forced sexual relations
```
SEVENTH WAVE NYS DATA

CARD 25/35 (continued)
```
                      Questionnaire
Variable  Column  Item Number    Variable Description and Coding
```

Victimization (continued)

```
Y7-1154   41-43     373                 Motor vehicle or bike stolen

Y7-1155   44-46     374                 Things taken from car

Y7-1156   47-49     375                 Sexually attacked
                    375(a1-10)          Relation of attacker(s):
                                          (1=No, 2=Yes)
Y7-1157   50        375(a1)             Brother
Y7-1158   51        375(a2)             Sister
Y7-1159   52        375(a3)             Teacher
```

```
Y7-1160    53       375(a4)           Spouse
Y7-1161    54       375(a5)           Student
Y7-1162    55       375(a6)           Gang
Y7-0163    56       375(a7)           Other adult
Y7-1164    57       375(a8)           Boy/girlfriend
Y7-1165    58       375(a9)           Other youth
Y7-1166    59       375(a10)          Other
                    375(b1-3)         During event, were you:
                                        (1=No, 2=Yes)
Y7-1167    60       375(b1)           (1)Threatened/injured by weapon?
Y7-1168    61       375(b2)           (2)Seriously injured?
Y7-1169    62       375(b3)           (3)Forced to have sexual relations

Y7-1170    63-65    376               Things damaged

Y7-1171    66-68    377               Things stolen from public place

Y7-1172    69-71    378               Sexually pressured

           72                         Subsamples (see page 3)
                                        l=NIMH
                                        2=LEAA
           73-76                      Household ID #
           77-78                      Respondent ID #, (02-09)
           79-80                      Card Number (25)

CARD 26/35


                                      Sexually pressured (continued)
                    378(a1-3)         During event, were you:
                                        (1=No, 2=Yes)
Y7-1173    1        378(a1)           (1)Threatened/injured by weapon?
Y7-1174    2        378(a2)           (2)Seriously injured?
Y7-1175    3        378(a3)           (3)Forced to have sexual relations

Y7-1176    4- 6     379               Pocket picked
SEVENTH WAVE NYS DATA

CARD 26/35 (continued)
                    Questionnaire
Variable  Column  Item Number   Variable Description and Coding

                    380               Sexual assaults:
Y7-1177    7        380(l)            Any assault reported in more than
                                        one boxed item?
                                        l=No
                                        2=Yes
Y7-1178    8- 9     380(2)            Number nonredundant sexual assaults
                                        of which respondent was a victim
                                        (0l-99)
Y7-1179    10-12    380(3)            Item number of most recent event
                                        (00l-999)

Y7-1180    13-15    381               What is your current weight?
                                        (001-999 Pounds)
```

```
Y7-1181   16-17   382            What is your height?
                                    (01-99 Inches)
-------------------------------------------------------------------
                                 Codes for items 383a-383f:
                                    5=Strongly agree
                                    4=Agree
                                    3=Neither agree nor disagree
                                    2=Disagree
                                    1=Strongly disagree
-------------------------------------------------------------------
Y7-1182   18      383a           Eat well balanced meals?
Y7-1183   19      383b           Eat fresh vegetables and fruit?
Y7-1184   20      383c           Eat too much junk food?
Y7-1185   21      383d           Eat junk food instead of meals?
Y7-1186   22      383e           Take daily vitamin supplement?
Y7-1187   23      383f           Exercise on a regular basis?
Y7-1188   24      384            Physical problems which restrict
                                    activities?
                                    1=Yes
                                    2=No
Y7-1189-1192 25-32 384(a-d)      IF YES: Physical problems codes
                                    (Allow for up to four problems)
                                     0=No problem
                                     1=Orthopedic problems
                                     2=Endocrinology problems
                                     3=Ear/eye/nose/throat
                                     4=Heart disease
                                     5=Blood/circulatory
                                     6=Urological
                                     7=Skin problems
                                     8=Neurological
                                     9=Pulmonary
                                     10=Cancer
                                     11=Other
Y7-1189   25-26   384a           First physical problem
Y7-1190   27-28   384b           Second problem
Y7-1191   29-30   384c           Third problem
Y7-1192   31-32   384d           Fourth problem

SEVENTH WAVE NYS DATA

CARD 26/35 (continued)
                  Questionnaire
Variable  Column  Item Number    Variable Description and Coding

Y7-1193   33      385            Ever had a venereal disease?
                                    1=Yes
                                    2=No
                                    8=Don't know
Y7-1194   34      385a           IF YES: What type of V.D.?
                                    1=Gonorrhea
                                    2=Genital herpes
                                    3=Syphilis
                                    4=Clap
                                    5=Other
Y7-1195   35      385b(1)        Problems because of it?
```

```
                                      1=Yes
                                      2=No
Y7-1196   36       385b(2)            Blank

Y7-1197   37       386               Ever been tested for AIDS?
                                      1=No
                                      2=Yes
Y7-1198   38       386a              IF YES: Test result?
                                      1=Negative
                                      2=Positive
                                      3=Outcome unknown
                                      4=Refused

Y7-1199   39       387               General physical health?
                                      1=Excellent
                                      2=Very good
                                      3=Good
                                      4=Fair
                                      5=Poor

Y7-1200   40-41    388               How old at first period?
                                      Age in years
                                      88=Can't remember
                                      Blank=Male respondent

Y7-1201   42       389               Pregnant during 1984, 1985 or 1986?
                                      1=Yes
                                      2=No
                                      Blank=Male respondent
SEVENTH WAVE NYS DATA

CARD 26/35 (continued)
                 Questionnaire
Variable  Column  Item Number   Variable Description and Coding
-------------------------------------------------------------------
Dates and other information for as many as three pregnancies:

Y7-1202-1216 43-66 389(1-3)         a. Year(83-86)
                                    b. Outcome?
                                      1=Live birth
                                      2=Abortion
                                      3=Miscarriage
                                      4=Stillbirth
                                      5=Currently pregnant
                                      8=Other
                                    c. Problems? (Coded 2 problems for
                                       each pregnancy listed)
                                      0=No
                                      1=Difficult labor/delivery
                                      2=C-section
                                      3=Urological problems
                                      4=Respiratory/cardiac distress
                                        for infant
                                      5=Atopic pregnancy
                                      6=Miscarriage (or threat of)
                                      7=Difficult presentation
```

```
                                 8=Drug addiction
                                 9=Phlebitis, hemorrhoids
                                 10=Hemorrhaging during delivery
                                 11=Other
                             d. If abortion/miscarriage, was it:
                                 1=Involuntary
                                 2=Voluntary
-----------------------------------------------------------------------
                 389(1a-d)     First pregnancy
Y7-1202   43-44  389(1a)           Year
Y7-1203   45     389(1b)           Outcome
Y7-1204   46-47  389(1c1)          First problem
Y7-1205   48-49  389(1c2)          Second problem
Y7-1206   50     389(1d)           Voluntary abortion?


                 389(2a-d)     Second pregnancy
Y7-1207   51-52  389(2a)           Year
Y7-1208   53     389(2b)           Outcome
Y7-1209   54-55  389(2c1)          First problem
Y7-1210   56-57  389(2c2)          Second problem
Y7-1211   58     389(2d)           Voluntary abortion?


                 389(3a-d)     Third pregnancy
Y7-1212   59-60  389(3a)           Year
Y7-1213   61     389(3b)           Outcome
Y7-1214   62-63  389(3c1)          First problem
Y7-1215   64-65  389(3c2)          Second problem
Y7-1216   66     389(3d)           Voluntary abortion?
SEVENTH WAVE NYS DATA

CARD 26/35 (continued)
                      Questionnaire
Variable  Column  Item Number   Variable Description and Coding
-----------------------------------------------------------------------
```
Questionnaire items 390(1-2) and 391ask Repondents who have reported
having had an abortion, miscarriage or loss of a baby if they have had
any physical or psychological effects from the event(s).

```
Y7-1217-1219 67-71/CARD 26  390(1)ab  Had any effects?
Y7-1220-1228 1-16/CARD 27   390(1c-2),391        1=No, 2=Yes
                                 Physical and psychological effects
                                    (Up to 3 effects listed)
                                    0=No effect
                                    1=Hemorrhaging/blood disorders
                                    2=Hysterectomy
                                    3=Infections
                                    4=Depression
                                    5=Guilt
                                    6=Fatigue
                                    7=Fear of pregnancy/intercourse
                                    8=Husband/boyfriend upset
                                    9=Never get another abortion
                                    10=Relieved
                                    11=Other problem
                                    12=Other benefit
                                    13=Anger
```

```
-----------------------------------------------------------------------
Y7-1217  67        390(1)      Effects from first reported event?
Y7-1218  68-69     390(1)a       First effect
Y7-1219  70-71     390(1)b       Second effect

         72                    Subsamples (see page 3)
                                 1=NIMH
                                 2=LEAA
         73-76                 Household ID #
         77-78                 Respondent ID #, (02-09)
         79-80                 Card Number (26)

CARD 27/35

Y7-1220   1- 2     390(1)c       Third effect

Y7-1221   3        390(2)      Effects from second event reported?
Y7-1222   4- 5     390(2)a       One effect
Y7-1223   6- 7     390(2)b       Second effect
Y7-1224   8- 9     390(2)c       Third effect

Y7-1225  10        391         Effects at present from event(s)?
Y7-1226  11-12     391a          First effect
Y7-1227  13-14     391b          Second effect
Y7-1228  15-16     391c          Third effect
SEVENTH WAVE NYS DATA

CARD 27/35 (continued)
                   Questionnaire
Variable  Column  Item Number  Variable Description and Coding

Y7-1229  17        392         Been depressed for two weeks or more
                                 during 1984-1986?
                                 1=No
                                 2=Yes
-----------------------------------------------------------------------
Depression - Questionnaire items 393 through 408 ask respondents one  or
more questions  about  seven  areas of mental health  to  assess  the
presence  of symptoms of depression.  For each set of questions relating
to  an  area of health,  following the scoring procedures of the D.I.S.,
a  summary  code  is given.

Y7-1230-1253 18-41 393-408,     Presence of symptoms?
                   (S)=Summary    1=Symptom not present
                                  5=Symptom present
                                Summary score
                                  1=No symptom(s)
                                  5=Symptom in at least one category
-----------------------------------------------------------------------
                   393-395      Appetite
Y7-1230  18        393            Loss of appetite
Y7-1231  19        394            Loss of weight
Y7-1232  20        395            Weight gain
Y7-1233  21        (S)            Appetite summary

                   396-397      Sleep
```

```
Y7-1234   22         396                Insomnia
Y7-1235   23         397                Sleep too much
Y7-1236   24         (S)                Sleep summary


                     398            Tired
Y7-1237   25         398                Tired all the time
Y7-1238   26         (S)                Tired summary


                     399-400        Slow/Restless
Y7-1239   27         399                Talked/moved slower than usual
Y7-1240   28         400                Unable to be still
Y7-1241   29         (S)                Slow/Restless summary


                     401            Lost Interest
Y7-1242   30         401                Lost interest in sex
Y7-1243   31         (S)                Lost Interest summary


                     402-403        Trouble Thinking
Y7-1244   32         402                Trouble concentrating
Y7-1245   33         403                Thoughts slow/mixed up
Y7-1246   34         (S)                Trouble Thinking summary


                     404            Worthless
Y7-1247   35         404                Felt worthless/guilty
Y7-1248   36         (S)                Worthless summary
```
SEVENTH WAVE NYS DATA

CARD 27/35 (continued)

```
                     Questionnaire
Variable  Column     Item Number    Variable Description and Coding


                     405-408        Thought of Death
Y7-1249   37         405            Thought about death in general
Y7-1250   38         406            Wanted to die
Y7-1251   39         407            Thought of suicide
Y7-1252   40         408            Attempted suicide
Y7-1253   41         (S)            Thought of Death summary

Y7-1254   42         (Box)          Flag for Depression
                                       1=No: less than 3 summaries=5
                                       2=Yes: 3 or more summaries=5

Y7-1255   43         409a           Any time during 1984-1986 depression
                                    and other problems occurred together?
                                       1=Yes
                                       2=No
                                    IF NO: Really haven't been blue plus
Y7-1256   44         409b           any other symptoms, is that correct?
                                       1=Yes (No correction)
                                       2=No (Depression with symptoms)


          45-51      410(a-d)       Longest time depressed plus
                                    other problem symptoms:
Y7-1257   45         410a           Years (0-3)
Y7-1258   46-47      410b           Months (0-36)
Y7-1259   48-49      410c           Weeks (0-52)
```

Y7-1260   50-51   410d   Days (0-99)

Y7-1261   52-53   411   Number of episodes when depressed
                                      plus other problems (01-99)

Y7-1262   54   412   Tell a doctor about any of
                                      those episodes?
                                      5=Yes
                                      1=No

Y7-1263   55   413   Tell any professional about
                                      any of those episodes?
                                      5=Yes
                                      1=No

Y7-1264   56   414   Take medicine more than once for
                                      any of those episodes?
                                      5=Yes
                                      1=No

Y7-1265   57   415   Episodes interfere a lot with
                                      life or activities?
                                      5=Yes
                                      1=No

SEVENTH WAVE NYS DATA

CARD 27/35 (continued)
                       Questionnaire
Variable   Column   Item Number   Variable Description and Coding

Y7-1266   58   416a   Any episode occur after death
                                      of a loved one?
                                      1=No
                                      2=Yes
Y7-1267   59   416b   Any episode not associated
                                      with a death?
                                      2=Only due to a death
                                      5=Not due to a death

Y7-1268-1271 60-65   417(a-e)   Current state of mental
                                      health:
Y7-1268   60   417a   Depressed plus other symptoms now?
                                        1=Yes
                                        2=No
Y7-1269   61   417b   When last such episode ended?
                                        1=Within last 2 weeks
                                        2=Within last month
                                        3=Within last 6 months
                                        4=Within last year
                                        5=More than 1 year ago
Y7-1270   62-63   417c   IF 5: How old then?
                                      Age in years
Y7-1271   64   417d   Seeing a professional, now, for
                                      this episode?
                                      1=Yes
                                      2=No

Y7-1272   65   417e   Unuseable code

          66-71   Blank
          72   Subsamples (see page 3)
                                l=NIMH
                                2=LEAA
          73-76   Household ID #
          77-78   Respondent ID #, (02-09)
          79-80   Card Number (27)
SEVENTH WAVE NYS DATA

CARD 28/35
                  Questionnaire
Variable Column Item Number   Variable Description and Coding
----
Use of Outpatient Services-Questionnaire item 418(a-q) asks respondents
about their use, in the past three years, of a number of different
kinds of people and places which offer help for problems in the area
of mental health. (Three year prevalence can be determined from a
combination of last year frequency and code 999.)
                                  B. How many times past year?
Y7-1273-1307 1-70/Card 28   418a-418g   0-998=Number of times in 1986
Y7-1308-1342 1-70/Card 29   418h-418n   999=If used 1984 or1985 only
Y7-1343-1357 1-30/Card 30   418o-418q   C.IF USED/1986: What problem(s)
                                           (up to 3):
                                           0=No problem
                                           1=Drugs
                                           2=Alcohol
                                           3=Family relationships
                                           4=Depression
                                           5=Sexual relationships
                                           6=Trouble with the law
                                           7=Emotional stress/nerves
                                           8=Problem with boy/girlfriend
                                           9=Work/school problems
                                           10=Problems with friends
                                           11=Physical health/illness
                                           12=Financial problems
                                           13=Death of friend/relative
                                           99=Other
                                        D. How much help did you get?
                                           5=A great deal
                                           4=A fair amount
                                           3=Some
                                           2=Only a little
                                           1=None at all

                                    Have you gone for help to:
                  418a   A friend or relative
Y7-1273   1- 3   418a(B)   Frequency
Y7-1274   4- 5   418a(C1)   First Problem
Y7-1275   6- 7   418a(C2)   Second Problem
Y7-1276   8- 9   418a(C3)   Third Problem
Y7-1277   10   418a(D)   Amount of help

```
                      418b                    A minister/rabbi
Y7-1278   11-13    418b(B)             Frequency
Y7-1279   14-15    418b(C1)            First Problem
Y7-1280   16-17    418b(C2)            Second Problem
Y7-1281   18-19    418b(C3)            Third Problem
Y7-1282   20       418b(D)             Amount of help


                      418c                    A psychiatrist/counselor
Y7-1283   21-23    418c(B)             Frequency
Y7-1284   24-25    418c(C1)            First Problem
Y7-1285   26-27    418c(C2)            Second Problem
Y7-1286   28-29    418c(C3)            Third Problem
Y7-1287   30       418c(D)             Amount of help
SEVENTH WAVE NYS DATA


CARD 28/35 (continued)
                      Questionnaire
Variable  Column  Item Number   Variable Description and Coding


Use of Outpatient Services (continued)


                      418d                    A medical doctor
Y7-1288   31-33    418d(B)             Frequency
Y7-1289   34-35    418d(C1)            First Problem
Y7-1290   36-37    418d(C2)            Second Problem
Y7-1291   38-39    418d(C3)            Third Problem
Y7-1292   40       418d(D)             Amount of help


                      418e                    A spiritualist/healer
Y7-1293   41-43    418e(B)             Frequency
Y7-1294   44-45    418e(C1)            First Problem
Y7-1295   46-47    418e(C2)            Second Problem
Y7-1296   48-49    418e(C3)            Third Problem
Y7-1297   50       418e(D)             Amount of help


                      418f                    Anyone else?
Y7-1298   51-53    418f(B)             Frequency
Y7-1299   54-55    418f(C1)            First Problem
Y7-1300   56-57    418f(C2)            Second Problem
Y7-1301   58-59    418f(C3)            Third Problem
Y7-1302   60       418f(D)             Amount of help


                      418g                    Mental health center
Y7-1303   61-63    418g(B)             Frequency
Y7-1304   64-65    418g(C1)            First Problem
Y7-1305   66-67    418g(C2)            Second Problem
Y7-1306   68-69    418g(C3)            Third Problem
Y7-1307   70       418g(D)             Amount of help


          71                        Blank
          72                        Subsamples (see page 3)
                                      l=NIMH
                                      2=LEAA
          73-76                     Household ID #
          77-78                     Respondent ID #, (02-09)
```

```
             79-80                      Card Number (28)

CARD 29/35


                 418h                 Psychiatric outpatient clinic
                                       of a general hospital
Y7-1308    1- 3    418h(B)            Frequency
Y7-1309    4- 5    418h(C1)           First Problem
Y7-1310    6- 7    418h(C2)           Second Problem
Y7-1311    8- 9    418h(C3)           Third Problem
Y7-1312   10       418h(D)            Amount of help
SEVENTH WAVE NYS DATA


CARD 29/35 (continued)
                 Questionnaire
Variable  Column  Item Number   Variable Description and Coding

Use of Outpatient Services (continued)


                 418i                 Outpatient clinic of a psychiatric
                                       hospital
Y7-1313   11-13    418i(B)            Frequency
Y7-1314   14-15    418i(C1)           First Problem
Y7-1315   16-17    418i(C2)           Second Problem
Y7-1316   18-19    418i(C3)           Third Problem
Y7-1317   20       418i(D)            Amount of help


                 418j                 Drug clinic
Y7-1318   21-23    418j(B)            Frequency
Y7-1319   24-25    418j(C1)           First Problem
Y7-1320   26-27    418j(C2)           Second Problem
Y7-1321   28-29    418j(C3)           Third Problem
Y7-1322   30       418j(D)            Amount of help


                 418k                 Alcohol clinic
Y7-1323   31-33    418k(B)            Frequency
Y7-1324   34-35    418k(C1)           First Problem
Y7-1325   36-37    418k(C2)           Second Problem
Y7-1326   38-39    418k(C3)           Third Problem
Y7-1327   40       418k(D)            Amount of help


                 418l                 An emergency room
Y7-1328   41-43    418l(B)            Frequency
Y7-1329   44-45    418l(C1)           First Problem
Y7-1330   46-47    418l(C2)           Second Problem
Y7-1331   48-49    418l(C3)           Third Problem
Y7-1332   50       418l(D)            Amount of help


                 418m                 Family/social Service agency
Y7-1333   51-53    418m(B)            Frequency
Y7-1334   54-55    418m(C1)           First Problem
Y7-1335   56-57    418m(C2)           Second Problem
Y7-1336   58-59    418m(C3)           Third Problem
Y7-1337   60       418m(D)            Amount of help


                 418n                 Self-help group
```

```
Y7-1338   61-63   418n(B)              Frequency
Y7-1339   64-65   418n(C1)             First Problem
Y7-1340   66-67   418n(C2)             Second Problem
Y7-1341   68-69   418n(C3)             Third Problem
Y7-1342   70      418n(D)              Amount of help


          71                           Blank
          72                           Subsamples (see page 3)
                                         l=NIMH
                                         2=LEAA
          73-76                        Household ID #
          77-78                        Respondent ID #, (02-09)
          79-80                        Card Number (29)
```
SEVENTH WAVE NYS DATA

CARD 30/35
```
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding
```

Use of Outpatient Services (continued)

```
          418o                 Crisis center/hotline
Y7-1343    1- 3   418o(B)              Frequency
Y7-1344    4- 5   418o(C1)             First Problem
Y7-1345    6- 7   418o(C2)             Second Problem
Y7-1346    8- 9   418o(C3)             Third Problem
Y7-1347   10      418o(D)              Amount of help


          418p                 Any other agency/program?
Y7-1348   11-13   418p(B)              Frequency
Y7-1349   14-15   418p(C1)             First Problem
Y7-1350   16-17   418p(C2)             Second Problem
Y7-1351   18-19   418p(C3)             Third Problem
Y7-1352   20      418p(D)              Amount of help


          418q                 Been admitted to a hospital because
                                 of emotional/drug type problems
Y7-1353   21-23   418q(B)              Frequency
Y7-1354   24-25   418q(C1)             First Problem
Y7-1355   26-27   418q(C2)             Second Problem
Y7-1356   28-29   418q(C3)             Third Problem
Y7-1357   30      418q(D)              Amount of help
```

Spouse Violence - Questionnaire items 419 through 428 ask Respondents,
who are married or living with a partner, if in the past year they have
done any of the following things which couples may do in an effort to
deal with their frustrations and settle differences.

```
Y7-1358-1367 31-40/Card 30 419-428   0=Never
                                     1=Once
                                     2=Twice
                                     3=3-5 Times
                                     4=6-10 Times
                                     5=11-20 Times
                                     6=More Than 20 Times
```

```
-------------------------------------------------------------------
Y7-1358   31      419          Insulted or swore at partner
Y7-1359   32      420          Threatened  to  hit  or  throw
                                 something
Y7-1360   33      421          Threw something at partner
Y7-1361   34      422          Pushed, grabbed or shoved
Y7-1362   35      423          Slapped partner
Y7-1363   36      424          Kicked, bit or hit partner
Y7-1364   37      425          Hit partner with something
Y7-1365   38      426          Beat up partner
Y7-1366   39      427          Threatened with a gun
Y7-1367   40      428          Used knife or fired a gun
SEVENTH WAVE NYS DATA
```

```
CARD 30/35 (continued)
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding
-------------------------------------------------------------------
```
Spouse Violence by Partner - Questionnaire items 429 through 438
ask Respondents, who are married or living with a partner, if in the
past year their partner has done any of the following things which
couples may do in an effort to deal with their frustrations and settle
differences.

```
Y7-1368-1377 41-50 429-438          0=Never
                                    1=Once
                                    2=Twice
                                    3=3-5 Times
                                    4=6-10 Times
                                    5=11-20 Times
                                    6=More Than 20 Times
-------------------------------------------------------------------
Y7-1368   41      429          Insulted or swore at you
Y7-1369   42      430          Threatened to hit or throw something
Y7-1370   43      431          Threw something at you
Y7-1371   44      432          Pushed, grabbed or shoved you
Y7-1372   45      433          Slapped you
Y7-1373   46      434          Kicked, bit or hit you
Y7-1374   47      435          Hit you with something
Y7-1375   48      436          Beat you up
Y7-1376   49      437          Threatened you with a gun
Y7-1377   50      438          Used knife or fired a gun

                               How many separate fights during
                                the past year?
Y7-1378   51-53   439            0-999

                               In how many of the fights were you
                                physically injured?
Y7-1379   54-56   440a           0-999
                               IF INJURED: How many times you had to
                                go to doctor/hospital for treatment?
Y7-1380   57-58   440b           0-99

                               In how many of the fights was spouse/
                                partner physically injured?
```

```
Y7-1381   59-61    441a              0-999
                                     IF INJURED: how many times had to go
                                       to a doctor/hospital for treatment
Y7-1382   62-63    441b              0-99

Y7-1383   64       442               Sexual intercourse/opposite sex?
                                           1=No
                                           2=Yes
```

SEVENTH WAVE NYS DATA

CARD 30/35 (continued)
```
                       Questionnaire
Variable  Column  Item Number   Variable Description and Coding
------------------------------------------------------------------
Sexual  Activity  -  Questionnaire items 443,  444,  446,  454, and 470
ask Respondent the frequency of sexual activities in the past year.  For
responses of 10 or more they are also asked to give an estimate of rate.
                                     (1) Frequency (0-999)
                                     (2) Rate
                                     4=Once a month
                                     5=Once every 2-3 weeks
                                     6=Once a week
                                     7=2-3 times a week
                                     8=Once a day
                                     9=2-3 times a day
------------------------------------------------------------------
                   443               Sexual intercourse (not spouse)
Y7-1384   65-67    443(1)              Frequency
Y7-1385   68       443(2)              Rate

          69-71                      Blank
          72                         Subsamples (see page 3)
                                       l=NIMH
                                       2=LEAA
          73-76                      Household ID #
          77-78                      Respondent ID #, (02-09)
          79-80                      Card Number (30)

CARD 31/35

                   444               Sexual intercourse (spouse)
Y7-1386   1- 3     444(1)              Frequency
Y7-1387   4        444(2)              Rate

Y7-1388   5- 6     445               How many sexual partners?
                                       (0-99)

                   446               Pressured sexually
Y7-1389   7- 9     446(1)              Frequency
Y7-1390   10       446(2)              Rate
Y7-1391   11       447               Relationship to person(s) pressured?
                                       1=Boy/girlfriend
                                       2=Date
                                       3=Friend
                                       4=Acquaintance
                                       5=Stranger
```

```
                                          6=Spouse
                                          7=Relative
                                          8=Other
Y7-1392   12        448        Sex of person(s) pressured?
                                          1=Male
                                          2=Female
                                          3=Both
```

SEVENTH WAVE NYS DATA

CARD 31/35 (continued)

```
                     Questionnaire
Variable  Column  Item Number    Variable Description and Coding


                                          Pressured sexually (continued)
Y7-1393   13        449        Kind of pressure/force used?
                                          1=Verbal persuasion
                                          2=Verbal threats of injury
                                          3=Hit, slap, mild roughness
                                          4=Physical beating/choking
                                          5=Threat to use weapon
                                          6=Used a weapon
Y7-1394   14-15     450        Others involved with you in
                                pressuring?
                                          (0-99, 0=No)
Y7-1395   16        451        Was the person injured?
                                          1=No
                                          2=Yes
Y7-1396   17        452        Succeed in forcing sexual relations?
                                          1=No
                                          2=Yes
Y7-1397   18-20     453        This event reported for any other
                                Questionnaire item?
                                          (0-999, 0=No)


                     454        Threatened for sex
Y7-1398   21-23     454(1)        Frequency
Y7-1399   24        454(2)        Rate
Y7-1400   25        455         Relationship to person(s) threatened?
                                          1=Boy/girlfriend
                                          2=Date
                                          3=Friend
                                          4=Acquaintance
                                          5=Stranger
                                          6=Spouse
                                          7=Relative
                                          8=Other
Y7-1401   26        456        Sex of person(s) threatened?
                                          1=Male
                                          2=Female
                                          3=Both
Y7-1402   27        457        Kind of pressure/force used?
                                          1=Verbal persuasion
                                          2=Verbal threats of injury
                                          3=Hit, slap, mild roughness
                                          4=Physical beating/choking
                                          5=Threat to use weapon
```

```
                                           6=Used a weapon
Y7-1403   28-29     458         Others involved with you in
                                  threatening?
                                  (0-99, 0=No)
Y7-1404   30        459          Was the person injured?
                                  1=No
                                  2=Yes
```

SEVENTH WAVE NYS DATA

CARD 31/35 (continued)

```
                    Questionnaire
Variable  Column  Item Number   Variable Description and Coding


                                Threatened for sex (continued)
Y7-1405   31        460          Succeed in forcing sexual relations?
                                  1=No
                                  2=Yes
Y7-1406   32-34     461          This event reported for any other
                                  Questionnaire item?
                                  (0-999, 0=No)

Y7-1407   35-36     462          Age at first sexual intercourse with
                                  someone of opposite sex
                                  (00-99)
Y7-1408   37        463          Relationship to that person?
                                  1=Husband/wife
                                  2=Fiance/fiancee
                                  3=Steady dating partner
                                  4=Friend
                                  5=Teacher
                                  6=Casual acquaintance
                                  7=Relative
                                  8=Complete stranger
                                  9=Prostitute
Y7-1409   38        464          First experience voluntary?
                                  1=Forced
                                  2=Voluntary
Y7-1410   39        465          Feelings about that experience:
                                  1=Very positive
                                  2=Positive
                                  3=Both positive and negative
                                  4=Neither positive or negative
                                  5=Negative
                                  6=Very negative

Y7-1411   40        466          Sexual relations with same sex?
                                  1=No
                                  2=Yes
Y7-1412   41-42     467          Age first time relations with
                                  someone of same sex
                                  (00-99)
Y7-1413   43        468          First experience voluntary?
                                  1=Forced
                                  2=Voluntary
Y7-1414   44        469          Feelings about that experience:
                                  1=Very positive
```

                                        2=Positive
                                        3=Both positive and negative
                                        4=Neither positive or negative
                                        5=Negative
                                        6=Very negative

SEVENTH WAVE NYS DATA

CARD 31/35 (continued)
                      Questionnaire
Variable   Column   Item Number   Variable Description and Coding

                       470   How often sexual relations with
                                      same sex
Y7-1415   45-47   470(1)   Frequency
Y7-1416   48   470(2)   Rate
Y7-1417   49-50   471   Number of same-sex sexual partners in
                                      last year?   (0-99)

Y7-1418   51   472   Sexual identity:
                                      1=Heterosexual
                                      2=Bisexual
                                      3=Gay
                                      4=Uncertain
                                      9=Don't know (Respondent did not
                                        understand the words)

Y7-1419   52   473   Satisfied with sex life?
                                      5=Very satisfied
                                      4=Somewhat satisfied
                                      3=Neither satisfied nor dissatisfied
                                      2=Somewhat dissatisfied
                                      1=Very dissatisfied
Y7-1420   53   474   Amount of stress/pressure in sex life:
                                      5=A great deal
                                      4=Quite a bit
                                      3=Some
                                      2=Not too much
                                      1=Very little
Y7-1421   54   475   Ever experienced serious functional
                                      sex problems?
                                        1=No
                                        2=Yes
Y7-1422   55-56   475a   IF YES: Number of times sexual
                                      behavior was affected by these
                                      problems in past year
                                              0-99

Questionnaire item 476 asks Respondents if they have ever engaged in any
of the following behaviors and if so, how many times.

Y7-1423-1427 57-71/CARD 31 476(a-e) How many times in the last
                                          year?
Y7-1428 1-3/CARD 32 476(f)   0=Not in past year
                                        1-998=Times in past year
                                        999=Some time,not in past year

----

```
Y7-1423   57-59    476a            Peeped at others who were dressing
                                      or engaged in sex?
Y7-1424   60-62    476b            Tried to engage children  in  sexual
activity?
Y7-1425   63-65    476c            Sexually exposed self to strangers?
Y7-1426   66-68    476d            Watched pornograhic movies  or  other
                                      materials?
Y7-1427   69-71    476e            Been cruel and hurtful to sex partner?
SEVENTH WAVE NYS DATA
```

CARD 31/35 (continued)

```
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding


          72                      Subsamples (see page 3)
                                     l=NIMH
                                     2=LEAA
          73-76                   Household ID #
          77-78                   Respondent ID #, (02-09)
          79-80                   Card Number (31)
```

CARD 32/35

```
Y7-1428    1- 3   476f            Sought cruelty and pain from sex
                                     partner?



                                  Debriefing

Y7-1429    4                      Further explanation of answers
                                     l=No (code blanks as "no")
                                     2=Yes
                                  Uncomfortable questions?
Y7-1430    5                         l=Drugs
Y7-1431    6                         l=Sex
Y7-1432    7                         1=Mental health
Y7-1433    8                         1=Criminal behavior
Y7-1434    9                         1=Spouse violence
Y7-1435   10-12                    Specific item #
Y7-1436   13-15                    Specific item #
Y7-1437   16                      Ever deliberately gave false responses?
                                     1=No,  2=Yes
```

Variables Y7-1438 through Y7-1450, are not used in the data set.

```
          17-29                           Blank

                                  Interviewer Observations

Y7-1451   30        l             Respondent's anxiety before interview
                                     l=Not at all anxious
                                     2=Somewhat anxious
                                     3=Very anxious
Y7-1452   31        2             Was respondent hostile?
                                     l=No, 2=Yes
```

```
Y7-1453   32       3                 Respondent's interest
                                        l=Very low
                                        2=Below average
                                        3=Average
                                        4=Above average
                                        5=Very high
                   4                 Problems encountered
Y7-1454   33                            l=Difficulty with language
Y7-1455   34                            l=Difficulty with questions
Y7-1456   35                            l=Interruptions
Y7-1457   36                            l=Temporary breakoff
Y7-1458   37                            l=Breakoff
Y7-1459   38                            l=Other (all other unclassifiable)
SEVENTH WAVE NYS DATA


CARD 32/35 (continued)
                      Questionnaire
Variable  Column  Item Number   Variable Description and Coding

Y7-1460   39       5                 Respondent's anxiety after interview
                                        l=Relaxed
                                        2=Tense
                                        3=Other
Y7-1461   40       6                 Additional comments
                                        l=No
                                        2=Yes


Variables Y7-1462 through Y7-1465, are not used in the data set.

          41-45                    Blank

-----------------------------------------------------------------------
Self-Reported Delinquency - During 1984 and 1985:  Questionnaire items
479 thru 489  ask respondents if they engaged in a variety of behaviors,
including the use of some drugs, during  1984 and 1985.  These questions
were asked only  of the Remainder of the Sample (Wave 7B), as indicated
by the numeric symbol (#), and  were physically located in the schedule
in the same position as the Self-Reported Delinquency-During 1984 and
1985 section given to the first  Partial Sample (Wave 7A).

Y7-1466-1487 46-67     479-489         1=No
                                       2=Yes
-----------------------------------------------------------------------
                                   Did you...
                    479#            Get involved in a gang fight
Y7-1466   46        479a#              During 1984?
Y7-1467   47        479b#              During 1985?

                    480#            Steal something more than $50
Y7-1468   48        480a#              During 1984?
Y7-1469   49        480b#              During 1985?

                    481#            Attack someone
Y7-1470   50        481a#              During 1984?
Y7-1471   51        481b#              During 1985?
```

```
                    482#                 Steal a motor vehicle
Y7-1472   52        482a#                  During 1984?
Y7-1473   53        482b#                  During 1985?


                    483#                 Use force on anyone
Y7-1474   54        483a#                  During 1984?
Y7-1475   55        483b#                  During 1985?


                    484#                 Break into a building
Y7-1476   56        484a#                  During 1984?
Y7-1477   57        484b#                  During 1985?


                    485#                 Have sexual relation relations
                                           against someone's will
Y7-1478   58        485a#                  During 1984?
Y7-1479   59        485b#                  During 1985?
SEVENTH WAVE NYS DATA


CARD 32/35 (continued)
                    Questionnaire
Variable  Column  Item Number    Variable Description and Coding


Self-Reported Delinquency-1984/1985 (continued)


                    486#                 Buy stolen goods
Y7-1480   60        486a#                  During 1984?
Y7-1481   61        486b#                  During 1985?


                    487#                 Use alcohol more than 3 times
Y7-1482   62        487a#                  During 1984?
Y7-1483   63        487b#                  During 1985?


                    488#                 Use marijuana more than 3 times
Y7-1484   64        488a#                  During 1984?
Y7-1485   65        488b#                  During 1985?


                    489#                 Use other illicit drugs more than
                                           3 times
Y7-1486   66        489a#                  During 1984?
Y7-1487   67        489b#                  During 1985?


Variables Y7-1488 through Y7-1597, are not used in the data set.


          68-71                    Blank
          72                       Subsamples (see page 3)
                                     l=NIMH
                                     2=LEAA
          73-76                    Household ID #
          77-78                    Respondent ID #, (02-09)
          79-80                    Card Number (32)


CARD33/35
```

----
provided information and/or provide missing information regarding
their marital status for each month of each year for 1976 through 1986.

```
Y7-1598-1657  1-60/CARD 33   478a-478e 0=Never married
Y7-1658-1717  1-60/CARD 34   478f-478j 1=Married
Y7-1718-1729  1-12/CARD 35   478k      2=Remarried
                                       3=Divorced
                                       4=Separated
                                       5=Widowed
-------------------------------------------------------------------
                                  Marital status in 1976, January
                                     through December
Y7-1598    1       478a1         January
Y7-1599    2       478a2         February
Y7-1600    3       478a3         March
Y7-1601    4       478a4         April
Y7-1602    5       478a5         May
Y7-1603    6       478a6         June
Y7-1604    7       478a7         July
Y7-1605    8       478a8         August
Y7-1606    9       478a9         September
Y7-1607    10      478a10        October
Y7-1608    11      478a11        November
Y7-1609    12      478a12        December
SEVENTH WAVE NYS DATA


CARD 33/35 (continued)
                  Questionnaire
Variable  Column  Item Number   Variable Description and Coding

                                  Marital status in 1977, January
                                     through December
Y7-1610    13      478b1         January
Y7-1611    14      478b2         February
Y7-1612    15      478b3         March
Y7-1613    16      478b4         April
Y7-1614    17      478b5         May
Y7-1615    18      478b6         June
Y7-1616    19      478b7         July
Y7-1617    20      478b8         August
Y7-1618    21      478b9         September
Y7-1619    22      478b10        October
Y7-1620    23      478b11        November
Y7-1621    24      478b12        December

                                  Marital status in 1978,January
                                     through December
Y7-1622    25      478c1         January
Y7-1623    26      478c2         February
Y7-1624    27      478c3         March
Y7-1625    28      478c4         April
Y7-1626    29      478c5         May
Y7-1627    30      478c6         June
Y7-1628    31      478c7         July
Y7-1629    32      478c8         August
Y7-1630    33      478c9         September
Y7-1631    34      478c10        October
Y7-1632    35      478c11        November
```

```
Y7-1633   36        478c12        December

                                  Marital status in 1979,January
                                    through December
Y7-1634   37        478d1         January
Y7-1635   38        478d2         February
Y7-1636   39        478d3         March
Y7-1637   40        478d4         April
Y7-1638   41        478d5         May
Y7-1639   42        478d6         June
Y7-1640   43        478d7         July
Y7-1641   44        478d8         August
Y7-1642   45        478d9         September
Y7-1643   46        478d10        October
Y7-1644   47        478d11        November
Y7-1645   48        478d12        December
```
SEVENTH WAVE NYS DATA

CARD 33/35 (continued)
```
                    Questionnaire
Variable  Column    Item Number   Variable Description and Coding

                                  Marital status in 1980, January
                                    through December
Y7-1646   49        478e1         January
Y7-1647   50        478e2         February
Y7-1648   51        478e3         March
Y7-1649   52        478e4         April
Y7-1650   53        478e5         May
Y7-1651   54        478e6         June
Y7-1652   55        478e7         July
Y7-1653   56        478e8         August
Y7-1654   57        478e9         September
Y7-1655   58        478e10        October
Y7-1656   59        478e11        November
Y7-1657   60        478e12        December

          61-71                   Blank
          72                      Subsamples (see page 3)
                                    l=NIMH
                                    2=LEAA
          73-76                   Household ID #
          77-78                   Respondent ID #, (02-09)
          79-80                   Card Number (33)
```

CARD 34/35
```
                                  Marital status in 1981, January
                                    through December
Y7-1658   1         478f1         January
Y7-1659   2         478f2         February
Y7-1660   3         478f3         March
Y7-1661   4         478f4         April
Y7-1662   5         478f5         May
Y7-1663   6         478f6         June
Y7-1664   7         478f7         July
```

```
Y7-1665     8          478f8          August
Y7-1666     9          478f9          September
Y7-1667    10          478f10         October
Y7-1668    11          478f11         November
Y7-1669    12          478f12         December

                                      Marital status in 1982, January
                                        through December
Y7-1670    13          478g1          January
Y7-1671    14          478g2          February
Y7-1672    15          478g3          March
Y7-1673    16          478g4          April
Y7-1674    17          478g5          May
Y7-1675    18          478g6          June
Y7-1676    19          478g7          July
Y7-1677    20          478g8          August
Y7-1678    21          478g9          September
Y7-1679    22          478g10         October
Y7-1680    23          478g11         November
Y7-1681    24          478g12         December
SEVENTH WAVE NYS DATA

CARD 34/35 (continued)
                       Questionnaire
Variable   Column   Item Number   Variable Description and Coding

                                      Marital status in 1983, January
                                        through December
Y7-1682    25          478h1          January
Y7-1683    26          478h2          February
Y7-1684    27          478h3          March
Y7-1685    28          478h4          April
Y7-1686    29          478h5          May
Y7-1687    30          478h6          June
Y7-1688    31          478h7          July
Y7-1689    32          478h8          August
Y7-1690    33          478h9          September
Y7-1691    34          478h10         October
Y7-1692    35          478h11         November
Y7-1693    36          478h12         December

                                      Marital status in 1984, January
                                        through December
Y7-1694    37          478i1          January
Y7-1695    38          478i2          February
Y7-1696    39          478i3          March
Y7-1697    40          478i4          April
Y7-1698    41          478i5          May
Y7-1699    42          478i6          June
Y7-1700    43          478i7          July
Y7-1701    44          478i8          August
Y7-1702    45          478i9          September
Y7-1703    46          478i10         October
Y7-1704    47          478i11         November
Y7-1705    48          478i12         December
```

                                          Marital status in 1985, January
                                            through December
Y7-1706   49   478j1   January
Y7-1707   50   478j2   February
Y7-1708   51   478j3   March
Y7-1709   52   478j4   April
Y7-1710   53   478j5   May
Y7-1711   54   478j6   June
Y7-1712   55   478j7   July
Y7-1713   56   478j8   August
Y7-1714   57   478j9   September
Y7-1715   58   478j10   October
Y7-1716   59   478j11   November
Y7-1717   60   478j12   December

           61-71   Blank
           72   Subsamples (see page 3)
                                         1=NIMH
                                         2=LEAA
           73-76   Household ID #
           77-78   Respondent ID #, (02-09)
           79-80   Card Number (34)
SEVENTH WAVE NYS DATA

CARD 35/35
                        Questionnaire
Variable   Column   Item Number   Variable Description and Coding

                                          Marital status in 1986, January
                                            through December
Y7-1718   1   478k1   January
Y7-1719   2   478k2   February
Y7-1720   3   478k3   March
Y7-1721   4   478k4   April
Y7-1722   5   478k5   May
Y7-1723   6   478k6   June
Y7-1724   7   478k7   July
Y7-1725   8   478k8   August
Y7-1726   9   478k9   September
Y7-1727   10   478k10   October
Y7-1728   11   478k11   November
Y7-1729   12   478k12   December

Y7-1730   13   **NYS Urban Suburban Rural Code
                                        1=Urban:
                                          Central city of SMSA or urban area
                                            with population 100,000 or more
                                        2=Suburban:
                                          Central city of SMSA or urban area
                                            with population less than 100,000
                                          Any part of SMSA not classified
                                            as urban
                                          Any other community with population
                                            25,000 or more
                                        3=Rural:

```
                                Not part of SMSA or urban area and
                                  population less than 25,000
            14-71                 Blank

            72                    Subsamples (see page 3)
                                    l=NIMH
                                    2=LEAA
            73-76                 Household ID #
            77-78                 Respondent ID #, (02-09)
            79-80                 Card Number (35)
```

**1980 Census Codes were used for the Wave 7 USR coding - there
  are differences in the SMSA code, Place code and Place size

Appendix B

NYS Wave 7 OFFICIAL POLICE CODES - SELF-REPORTED ARREST CODES

 1. Arson, possession of explosives
 2. Assault/Aggravated - with weapon, to inflict serious injury / kill,
     manslaughter
 3. Assault/Simple - any other assault (if not clear, assume less
     serious), simple battery, assault and battery, domestic violence
 4. Assault/Sexual
 5. Auto Theft - not normal access to
 6. Bought Liquor for Minor/Contributing to Delinquency of a Minor
 7. Burglary/Breaking and entering/Possession of burglary tools
 8. Concealed Weapon - carrying loaded weapon, possession of deadly
     weapon, unlawful use of weapon
 9. Disorderly Conduct, disturbing the peace, profanity, fighting
10. Drunkenness - public intoxication
11. Evaded Payment - sneaking into places without paying
12. Fraud/Counterfeiting
13. Fraud/Credit Card
14. Fraud/Bad Checks/Forgery/Fake I.D.
15. Fraud/Other - selling something worthless, violation of promise,
     criminal impersonation (use of ID or credit card)
16. Hitchhiking - soliciting rides
17. Joyriding - taking car without legal access
18. Obscene Phone Calls/harassing phone calls
19. Panhandling
20. Prostitution/solicitation
21. Robbery
22. Runaway/missing person
23. Possession of Illegal Substances/Alcohol - consumption underage,
     violation state liquor law, open bottle, illegal transportation
24. Possession of Illegal Substances/Marijuana/paraphernalia
25. Possession of Illegal Substances/Other - hard drugs/paraphernalia
26. Selling Drugs - delivering controlled substance
27. Stolen Goods - receiving, holding, buying, selling, possession of
     stolen property, concealing
28. Grand Theft - over $50.00
29. Petty Theft - less than $50.00, shoplifting
30. Unspecified Theft - if no way to determine value
31. Truancy
32. Traffic - parking, speeding, driving without license, expired tag,
     leaving scene of accident, hit and run
33. Curfew/loitering
34. Vandalism/criminal mischief - prowling, destroying property,
     animal mistreatment, tampering, throwing rocks
35. Trespassing
36. Harrassment - threatening to hurt someone, taking lunch money,
     menacing
37. Other Sex Offense - (excludes sexual assault and prostitution)
     indecent exposure, homosexuality
38. Other Offense - false report, false alarm, deceiving officer
39. Selling without a licence
40. Desertion from military - AWOL

41. Suspician of an offense - suspicious activity
42. No Record - no codes in file
43. Non-Offense
44. Purged - No codes in file
45. Arrest/Contact not specified - juvenile offender
46. No Search/Unknown reason ("Blank")(No codes in file)
47.
48. No Search/Records not available (No codes in file)
49. Drunk driving, reckless driving, fleeing and evading, careless
     driving
50. Civil violations - fireworks, false alarms, jay walking,
     sleeping in parked car, paternity, non-support, illegal hunting
     /fishing, noise laws
51. Violation against court - probation/parole violation, violation
     of house arrest, failure to pay fine, failure to appear,
     contempt of court, warrant
52. Possession of controlled substance - violation of controlled
     substance act, or conspiracy to violate act
53. Conspiracy
54. Under influence of drugs - controlled substance, sniffing, drug
     use
55. Smuggling/black market
56. Organized crime
57. Homicide
80. Accessory to felony
81. Accessory to misdemeanor
82. Accessory to petty theft
83. Kidnapping
84. Evading arrest - escape, fugitive, resisting arrest, obstructing
     justice, interfering with police officer during arrest
85. Incorrigibility - unruly, CHINS
86. Mistaken identity
Blank = Don't know