

Toperin[®]

Tolperisone hydrochloride film coated tablet

DESCRIPTION

Toperin[®] is a preparation of tolperisone hydrochloride. It is a centrally acting muscle relaxant, which acts on the central nervous system and used mainly for the treatment of elevated muscle tone and tension as well as for certain circulatory problems in the extremities. It reduces experimental hypertonia and decerebration rigidity. It inhibits reticulospinal reflex facilitation without affecting cortical functions. It improves peripheral blood flow. The circulatory effect is supposed to be based on peripheral mechanism and is independent from the cerebral centers of vasoregulation.

INDICATIONS

- Increased tone of skeletal muscles due to organic neurologic disorders (e.g. injury of the pyramidal tract, multiple sclerosis, myelopathy, encephalomyelitis)
- Muscular hypertension
- Muscular spasm, muscular contraction & rigidity
- Spinal automatism and discopathy
- Obliterate vascular diseases (obliterative arteriosclerosis, diabetic angiopathy, obliterative thromboangitis, raynaud's disease, diffuse scleroderma)
- Disorders due to injured innervation of the vessels (acrocyanosis, intermittent angioneurotic dysbasia)
- In individual cases post-thrombotic venous and lymphatic circulation disorders and crural ulcer

DOSAGE AND ADMINISTRATION

Adults: 50-150 mg 3 times daily according to the individual.

Note: Dose and duration of treatment should be closely observed if children are prescribed.

PRECAUTIONS

Do not use the preparation in case of hypersensitivity to any component of the medicine and myasthenia gravis and nursing mother.

SIDE-EFFECTS

Some times muscular weakness, headache, nausea, vomiting and other abdominal complaints, rarely hypersensitivity reactions (itching, redness of the skin, skin rash and in severe cases difficult breathing, sudden drop of blood pressure, collapse).

USE IN PREGNANCY AND LACTATION

The drug cannot be given in pregnancy (in the first three months of pregnancy) and during breast-feeding.

PHARMACEUTICAL PRECAUTIONS

Keep away from light, store in a cool (below 30°C) and dry place. Keep out of reach of children.

PACKAGING

Toperin® tablets : Box containing 10 strips of 10 tablets each. Each film-coated tablet contains tolperisone hydrochloride INN 50 mg.

Toperin® 100 tablets: Box containing 4 strips of 10 tablets each. Each film-coated tablet contains tolperisone hydrochloride INN 100 mg.

SK•F

Toperin® manufactured by
ESKAYEF BANGLADESH LTD.
DHAKA, BANGLADESH
® REGD. TRADEMARK

SK•F

Toperin® 100 manufactured by
ESKAYEF BANGLADESH LTD.
GAZIPUR, BANGLADESH
® REGD. TRADEMARK