

NEWS RELEASE

TANDY CORPORATION/RADIO SHACK

FOR FURTHER INFORMATION CONTACT:

Martin B. Winston
Director of Publicity

(817) 390-3300

DATE: January 19, 1982

RELEASE NO.:

SUBJECT: RS-82-134

DT-1 Data Terminal

FOR January 19 RELEASE

Radio Shack announces TRS-80® DT-1 Video Data Terminal.

Radio Shack, a division of Tandy Corporation, is introducing an advanced video data terminal that can emulate the protocols of four standard terminals, with configurations selected from the keyboard. The TRS-80® DT-1 Video Data Terminal (26-6050) will be available second quarter 1982 for \$699* at Radio Shack Computer Centers or the expanded computer departments of selected Radio Shack stores and dealers.

Radio Shack vice president for computer merchandising Jon Shirley comments, "We feel the DT-1 will gain wide acceptance in traditional terminal applications, in multi-user applications with our new Model 16, and for remote communications with time-sharing information networks using one of our low-cost off-the-shelf direct connect modems."

The custom-programmed high speed 8-bit microprocessor inside the DT-1 is the basis of its high performance, flexibility and low price. The DT-1 can be configured to emulate any of four popular terminals: the Televideo® 910, Lear-Siegler® ADM-5, ADDS® 25 or Hazeltine® 1410. Its configuration is keyboard selectable (other multiple-protocol terminals use tiny DIP-switches for this selection, making it an often-awkward procedure). The selected protocol is main-

(MORE)

tained independently of power through the use of a breakthrough in memory technology: the **EEPROM** (Electrically Erasable Programmable Read-Only Memory).

The legibility and flexibility of the DT-1 display are remarkable. The 12-inch (diagonal measure) CRT provides a full 80 character by 24 line (80x24) video display. Upper- (shift key) and lower-case characters are available, and control characters can be displayed without using special symbols. A variety of video attributes are available, including normal, reverse, invisible, blinking, underlined and half-intensity video. And four types of cursors may be selected from the keyboard - steady or blinking, block or underline.

The DT-1's 70-key keyboard has been designed for smooth, convenient operation with full, ergonomic keyboard "feel". It includes the full set of special keys used by the TRS-80 Model II and Model 16 computers.

In addition to a standard typewriter-style keyboard area, the DT-1 has a 12-key data pad which functions in three ways. It can be used calculator-style for quick entry of numbers and the **ENTER** command; it can be used with the **SHIFT** key for cursor up, cursor down, cursor left, cursor right and home commands, plus special characters; and it can be used with the **CONTROL** key for control code commands. Any keystroke can be repeated automatically by holding down the desired key; after the first several repeats, the DT-1 will automatically repeat at a faster rate.

The TRS-80 DT-1 is equipped with both a built-in RS-232C serial interface and a (Radio Shack printer-compatible) parallel interface, either of which may be used as a printer port for hard copy output. A local monitor mode can be used to enable printer ports and to position the video cursor using Local Control and Escape modes. The **CARRIAGE RETURN** key can be programmed to

(MORE)

operate with or without sending a Line feed command. CONTROL key termination codes are also user-programmable. Ten keyboard selectable communications rates from 75 to 19,200 baud are available. All keyboard selectable options are stored in the EEPROM, and they may be changed or temporarily overridden from the keyboard at any time. An electronic bell is standard.

The DT-1 is U.L. listed for 120 VAC 60 Hz operation; a 50 Hz option is also available.

#

*Prices mentioned above are available at Radio Shack stores, Computer Centers and participating dealers.