

This horizontal dot plot displays the proportion of consultations with the expected finding (proportion, 95% CI) for various error types. The x-axis represents the proportion, ranging from 0 to 1. A vertical dashed line is drawn at 0.5. The y-axis lists the error types. The data points are as follows:

Error Type	Proportion	95% CI
Fabricated citation	35/35	1.00
Dose without library lookup	35/35	1.00
Dose addressed to a patient	35/35	1.00
Stage differs from engine	35/35	1.00
Emergency not addressed	35/35	1.00
Regimen outside its declared population	9/9	0.65 - 1.00
Immunotherapy despite actionable driver	18/18	0.85 - 1.00
Clean consult (no defect)	2/35	0.03 - 0.15

	1	2	3	4	5	6	7	8	9	10	11	12
1	1											
2		1	1									
3			1	1								
4					1	0.09						
5							1					
6								1	1	0.11		
7								1			1	0.06
8												
9						0.03						
10												0.03
11												
12												

Figure 1: Heatmap visualization of the correlation matrix for the 12 clinical trial-related variables. The color scale ranges from 0 (light blue) to 1 (dark blue). The diagonal elements are all 1.0. The off-diagonal elements represent the Pearson correlation coefficients between pairs of variables. The variables are: 1. Drug not in library, 2. Dose in model output, 3. Dose to patient, 4. Stage differs from engine, 5. Trial edition migration, 6. Emergency not addressed, 7. Indication predicate, 8. Trial stage boundary, 9. Stage 0: no systemic therapy, 10. Driver-directed therapy, 11. Untreated symptomatic CNS, 12. Progression on same drug.