

Table 1 | Source works of the corpus and the relations extracted from each.

Source work	English title	Genre	Responsibility*	Script	Passages	Characters†	Relations
何廉臣医案	Case records of He Lianchen	Case records	He Lianchen	Simplified	1,324	215,750	16,342
浙派中医丛书· 绍派伤寒‡	Shaopai Shanghan (Zhejiang School of Chinese Medicine series)	School monograph	Shen Qinrong (ed.), 2021	Simplified	1,586	205,452	4,330
俞根初临证经验 集要	Essentials of Yu Genchu's clinical experience	Monograph on the founder	Shen Qinrong (comp.)	Simplified	1,094	163,641	1,156
越医文化	Medical culture of Yue (10 chapters, contents and postscript)	Regional medical history	–	Simplified	554	77,495	87
赵晴初医论	Medical essays of Zhao Qingchu	Medical essays	Zhao Qingchu	Simplified	396	74,914	162
越中名医传	Biographies of eminent physicians of Yuezhong (part 2 and supplement)	Biographies	–	Traditional	356	74,775	310
绍派伤寒史料图 片研究	Pictorial historical sources of the Shaopai school	Illustrated catalogue	Tao Jianhua (chief reviewer); Shen Qinrong, Lin Yibing (eds.)	Simplified	533	36,526	227
越醫雜詠	Miscellaneous verses on Yue medicine	Verse	–	Traditional	138	7,462	84
Total §	8 works				5,981	856,015	22,698

* As recorded in the delivered sources; –, not recorded.

† Unicode code points of passage text, including punctuation.

‡ 浙派中医丛书·绍派伤寒 (Shaopai Shanghan): passages follow this release's re-segmentation of the original book (b-numbered); its relations cite the upstream p-numbered segmentation, which could not be aligned (Technical Validation).

§ A ninth source, 131 outpatient case records (2022–2026), was delivered but is withheld from release pending consent review; its 5,682 relations and 1,234 dependent entities are excluded from all counts.

Table 2 | Entity classes of ontology v1.2.0 and their instances.

Class	Chinese label	Declared attributes*	Entities	With relations	Without relations
Diagnostic sign	诊法征象	name_zh, modality, descriptor	2,597	1,501	1,096
Doctrine	学术观点	statement_zh, topic, novelty	2,522	1,477	1,045
Symptom	症状	name_zh, body_region, severity, timing	2,216	1,468	748
Pattern	证候	name_zh, channel, triple_burner, nature, aliases	2,042	1,693	349
Treatment principle	治法	name_zh, action_type	1,940	1,137	803
Disease	病证	name_zh, category, aliases	1,524	562	962
Herb	中药	name_zh, aliases, part_used, is_fresh	1,379	807	572
Formula	方剂	name_zh, source_work, attributed_to, preparation, aliases	1,280	517	763
Work	著作	title_zh, author, year, edition, is_extant	758	509	249
Physician	医家	name_zh, courtesy_name, birth_year, death_year, native_place, dynasty, role_in_school	671	486	185
Case record	医案	patient_desc, presentation, outcome, physician	657	657	0
Place	地域	name_zh, modern_name, region	309	87	222
Institution	机构团体	name_zh, kind, founded_year, place, founder	137	57	80
Herb property	药性	flavor, temperature, channel_tropism	80	73	7
Medical family	医学世家	name_zh, specialty, place, generations	37	31	6
Examination †	辅助检查	name_zh, modality, finding	0	0	0
Procedure †	外治操作	name_zh, kind, site	0	0	0
Western diagnosis †	西医诊断	name_zh, icd_hint, system	0	0	0
Western drug †	西药	name_zh, dose, route, frequency	0	0	0
Dosage ‡	剂量炮制	amount, unit, processing, admin_note	0	0	0
Total		15 of 20 classes populated	18,149	11,062	7,087

* Attribute names as declared in the ontology specification; values are extracted text, not normalized codes.

† Populated only by the withheld modern outpatient records.

‡ Defined in the ontology but not populated by any released source.

Table 3 | Relation types: declared domain, range and cardinality, and observed counts.

Relation	Chinese label	Domain → range	Declared cardinality	Exceptions*	Relations
<i>Lineage layer</i>					
proposes	主张	Physician → Doctrine	0..*	—	1,278
authored	撰写	Physician → Work	0..*	—	430
statedIn	载于	Doctrine → Work	0..1	11	275
editedRevised	校勘增订	Physician → Work	0..*	—	126
influencedBy	私淑	Physician → Physician	0..*	—	120
studiedUnder	师承	Physician → Physician	0..*	—	78
<i>Diagnosis layer</i>					
signIndicates	征象提示	Diagnostic sign → Pattern	0..*	—	859
subPatternOf	子证候	Pattern → Pattern	0..1	2	296
belongsToChannel	属于六经	Pattern → Pattern	0..1	3	159
signExcludes	征象排除	Diagnostic sign → Pattern	0..*	—	48
<i>Pattern layer</i>					
formulaTreats	方剂主治	Formula → Pattern	0..*	—	767
treatedByPrinciple	治法对应	Pattern → Treatment principle	0..*	—	428
manifestsAs	表现为	Pattern → Symptom	0..*	—	370
patternOfDisease	病之证候	Pattern → Disease	0..*	—	360
principleRealizedBy	治法用方	Treatment principle → Formula	0..*	—	227
diseaseTreatedByFormula	病之主方	Formula → Disease	0..*	—	42
diseaseManifestsAs	病之症状	Disease → Symptom	0..*	—	9
diseaseSubtypeOf †	病之子类	Disease → Disease	0..*	—	0
<i>Materia medica layer</i>					
herbHasProperty	药性归经	Herb → Herb property	0..*	—	128
derivesFrom	源自	Formula → Work	0..1	14	50
hasIngredient	药物组成	Formula → Herb	1..*	—	41
addHerbIf †	随症加药	Formula → Herb	0..*	—	0
hasDosage †	用量	Formula → Dosage	0..*	—	0
ingredientRole †	君臣佐使	Formula → Herb	0..*	—	0
modifiedBy †	加减变化	Formula → Formula	0..*	—	0
removeHerbIf †	随症减药	Formula → Herb	0..*	—	0
<i>Case records layer</i>					
caseUsesHerb	医案用药	Case record → Herb	0..*	—	8,486
caseShowsSymptom	医案见症	Case record → Symptom	0..*	—	3,233
caseShowsSign	医案见象	Case record → Diagnostic sign	0..*	—	1,875
caseAppliesPrinciple	医案治法	Case record → Treatment principle	0..*	—	1,109
caseDiagnosedAs	医案诊断	Case record → Disease	0..*	—	702
caseShowsPattern	医案辨证	Case record → Pattern	0..*	—	434
caseUsesFormula	医案用方	Case record → Formula	0..*	—	429
caseByPhysician †	医案医家	Case record → Physician	0..1	0	0
<i>Culture layer</i>					
physicianOfPlace	籍贯	Physician → Place	0..1	20	203
physicianInFamily	属于世家	Physician → Medical family	0..1	3	66
institutionAtPlace	机构所在	Institution → Place	0..1	2	41
physicianFounded	创办机构	Physician → Institution	0..*	—	23
familySpecializesIn	世家专科	Medical family → Disease	0..*	—	6
<i>Modern outpatient records (withheld) ‡</i>					
caseComorbidity	医案既往史	Case record → Disease	0..*	—	0
caseHasExamination	医案辅助检查	Case record → Examination	0..*	—	0
caseUsesProcedure	医案外治操作	Case record → Procedure	0..*	—	0
caseUsesWesternDrug	医案西药	Case record → Western drug	0..*	—	0
caseWesternDiagnosis	医案西医诊断	Case record → Western diagnosis	0..*	—	0
examSupportsDiagnosis	检查支持诊断	Examination → Western diagnosis	0..*	—	0
wdCorrespondsToTcm	西医病名对应中医病名	Western diagnosis → Disease	0..*	—	0
Total		32 of 46 relation types populated		55	22,698

* Subjects with more than one distinct object for a relation declared 0..1; reported, not corrected. —, relation declared 0..* or 1..*.

† Defined in the ontology but not populated by any released source.

‡ Populated only by the withheld modern outpatient records.

Table 4 | Data records.

File*	Format	Size (MB)†	Records	Content
shaopai_kg.json	JSON	23.04	18,149 entities; 22,698 relations	Complete graph: ontology, controlled vocabularies, entities with attributes and provenance, relations with evidence fields
nodes.csv	CSV	2.28	18,149 rows	Entities in Neo4j import format, with attributes, layout coordinates and component index
edges.csv	CSV	4.62	22,698 rows	Relations with passage identifier, evidence sentence, chapter path, layer, source work, verification flags
load_neo4j.cypher	Cypher	0.04	–	Constraints, indexes and batched import script
example_queries.cypher	Cypher	0.01	29 queries	Worked graph queries with SPARQL equivalents
shaopai_instances.ttl	RDF/Turtle	15.36	410,261 triples	Instance data; each relation reified as rdf:Statement carrying its provenance
shaopai_ontology.ttl	OWL/Turtle	0.03	20 classes; 46 relation types; 810 triples	Ontology with bilingual labels, domains, ranges and cardinality annotations
corpus_yueyi.json	JSON	2.75	4,395 passages	Segmented text of seven source works with passage identifiers and chapter paths
corpus_shaopai.json	JSON	0.86	1,586 passages	Segmented text of Shaopai Shanghan (b-numbered re-segmentation)
layout_positions.json	JSON	0.76	18,149 coordinates	Fixed two-dimensional layout used by the web explorer
disease_profiles.csv	CSV	0.06	416 rows	Per-disease case counts with co-occurring herbs and symptoms (He Lianchen case records)
modern_case_profiles.csv	CSV	<0.01	9 rows	Aggregate profile of the withheld outpatient records; cells with fewer than 3 cases suppressed
qc_audit.json	JSON	0.01	–	Machine-readable quality-control figures
QC_AUDIT.md	Markdown	0.01	–	Quality-control report

* In the data/ directory of the repository; the web explorer (explorer.html) and the two-book edition (v1.html) embed the same graph.

† 1 MB = 1,000,000 bytes.

Table 5 | Summary of technical validation.

Check	Scope	Result
Schema conformance (domain and range)	All relations (22,698)	0 violations
Referential integrity	All relations (22,698)	0 dangling endpoints
Self-loops	All relations (22,698)	0
Duplicate (subject, relation, object) triples	All relations (22,698)	0
Passage identifier present	All relations (22,698)	22,698 (100.0%)
Evidence sentence present	All relations (22,698)	22,678 (99.9%)
Evidence sentence located in cited passage*	Relations with resolvable passage (18,368)	17,788 (96.8%)
Upstream verbatim flag not confirmed*	Flagged verbatim, passage resolvable (18,091)	312 (1.7%)
Cited passage not resolvable†	All relations (22,698)	4,330 (19.1%)
Declared 0..1 cardinality	7 relation types	55 subjects with >1 object
Identity resolution	Entities	93 merged (89 script-variant groups; 5 name-variant pairs)
Extraction coverage‡	Routed passages per layer	74.9–100.0% (lowest: Culture)
Evidence redundancy	All relations (22,698)	22,368 (98.5%) supported by one mention
Privacy screening§	All released files	0 matches; modern outpatient layer withheld
Cross-model agreement	All relations (22,698)	Not assessed (single extraction model)

* After Unicode NFKC normalization and removal of white space; multi-part evidence joined by “ / ” counts as located when every part is found.

† Relations from Shaopai Shanghan cite an upstream passage segmentation that could not be aligned with the released text.

‡ Share of passages routed to a layer from which relations were extracted; shortfalls arise from per-frame output limits, so counts from those layers are lower bounds.

§ Patient-header patterns (name, sex, age and record number), national identity and telephone numbers, and patient names derived at run time from the withheld records.