

a
Adamic–Adar
Popularity
Chance (expected)
True links
腹满 abdominal fullness 3
呕吐 vomiting 2
头痛 headache 2
中风 zhongfeng 1
咳 cough 1
小便不利 difficult urination 1
发热 fever 3
汗出 sweating 1
心烦 vexation 1
渴 thirst 4
寒热 chills and fever 1
浊 turbid urine 1
下血 bleeding below 1
无汗 no sweating 1
伤寒 shanghan 6
谵语 delirium 1
下利 diarrhoea 2
喘 panting 3
before 1127
中风 zhongfeng 1
腹满 abdominal fullness 2
伤寒 shanghan 2
疮 sores 1
寒热 chills and fever 1
汗出 sweating 1
浊 turbid urine 1
喘 panting 2
渴 thirst 5
淋 strangury 1
发热 fever 3
头痛 headache 1
before 1368
0.003
0.01
0.03
0.1
0.3
Average precision (log scale)
b
Precision@10
Mean average precision
Adamic–Adar (D4)
Common neighbours
Resource allocation
Popularity
Chance
0
0.04
0.08
0
0.1
0.2
Both cutoffs pooled (n = 30 topic–cutoff pairs); 95% CI
c
AA vs popularity
24 better, 6 worse
P = 0.0014
AA vs chance
13 better, 17 worse
P = 0.58
Popularity vs chance
6 better, 24 worse
P = 0.0014
20
10
0
10
20
Pairs: worse | better average precision