1. Table of Contents (This Page)
   Created on Wed Aug 23 08:38:01 2017
2. top
3. bottom
4. plated-drill
5. componentmask
6. soldermask
7. topsilk
8. bottomsilk
9. toppaste
10. topassembly
11. bottomassembly
12. fab



top, scale = 1:1.000
breakout-alt-165-mk2.pcb



bottom (mirrored), scale = 1:1.000
breakout-alt-165-mk2.pcb



plated-drill, scale = 1:1.000
breakout-alt-165-mk2.pcb



topmask, scale = 1:1.000
breakout-alt-165-mk2.pcb



bottommask (mirrored), scale = 1:1.000
breakout-alt-165-mk2.pcb



topsilk, scale = 1:1.000
breakout-alt-165-mk2.pcb

bottomsilk (mirrored), scale = 1:1.000
breakout-alt-165-mk2.pcb

toppaste, scale = 1:1.000
breakout-alt-165-mk2.pcb



topassembly, scale = 1:1.000
breakout-alt-165-mk2.pcb



bottomassembly (mirrored), scale = 1:1.000
breakout-alt-165-mk2.pcb

fab, scale = 1:1.000
breakout-alt-165-mk2.pcb

There are 2 different drill sizes used in this layout, 24 holes total

Symbol	Diam. (Inch)	Count	Plated?
Y	0.020	2	YES
+	0.038	22	YES

Title: (unknown) – Fabrication Drawing
Author: Peter S. May
Date: Wed 23 Aug 2017 12:38:01 PM GMT UTC
Maximum Dimensions: 6000.000000 mils wide, 5000.000000 mils high



Board outline is the centerline of this 8.000000 mil rectangle – 0,0 to 6000.000000,5000.000000 mils