Evolutionary paleoecology and the biology of extinction

Peter D Smits

Committee on Evolutionary Biology, University of Chicago

January 2, 2014

Brachiopods, environmental preference, and extinction

Ecology and survival in Cenozoic mammals

Brachiopods, environmental preference, and extinction

Ecology and survival in Cenozoic mammals

Evolutionary paleoecology

... the consequences of distinct ecological factors on differential rate dynamics, particularly rates of faunal turnover and diversification.

(Kitchell 1985 Paleobiology)

Emergent properties

Species level

trait that cannot be reduced to organismal level.

product of one or more traits/factors.

Survival

Law of Constant Extinction

Van Valen 1973 "Red Queen" paper.

survival probability/extinction is taxon-age independent.

Brachiopods and mammals: a comparison

Permian versus Cenozoic
marine versus terrestrial
warming verus cooling
single region versus multiple regions

Series of questions

Brachiopods, environmental preference, and extinction

Ecology and survival in Cenozoic mammals

Ecological traits

- substrate affinity
- habitat preference
- affixing strategy

Methodology

Survival: time till event

FAD - LAD

Preliminary results

Brachiopods, environmental preference, and extinction

Ecology and survival in Cenozoic mammals

Ecological traits

- dietary category
- locomotor category
- body size

Expectations

Brachiopods, environmental preference, and extinction

Ecology and survival in Cenozoic mammals

Ecological traits

Expectations

Preliminary results

Acknowledgements

Committee

- Kenneth D. Angielczyk (co-advisor)
- Michael J. Foote (co-advisor)
- P. David Polly
- Richard H. Ree
- Discussion
 - David Bapst
 - Megan Boatright
 - Colin Kyle
 - Darcy Ross
 - Elizabeth Sander
 - Graeme Lloyd, Carl Simpson, Graham Slater

